



Full Name: Sarmen Sinanian
Email: sarmanmanmanman@yahoo.com
Test Name: Mock Test
Taken On: 25 Mar 2022 10:47:56 IST
Time Taken: 23 min 52 sec/ 24 min
Invited by: Ankush
Invited on: 25 Mar 2022 10:09:47 IST
Skills Score:
Tags Score:

- Algorithms 0/90
- Constructive Algorithms 0/90
- Core CS 0/90
- Greedy Algorithms 0/90
- Medium 0/90
- Problem Solving 0/90
- problem-solving 0/90

0%

0/90

scored in **Mock Test** in 23 min
52 sec on 25 Mar 2022 10:47:56
IST

Recruiter/Team Comments:

No Comments.

	Question Description	Time Taken	Score	Status
Q1	Flipping the Matrix > Coding	24 min 31 sec	0/ 90	

QUESTION 1

Wrong Answer

Score 0

Flipping the Matrix > Coding

AlgorithmsMediumGreedy AlgorithmsConstructive Algorithms

problem-solvingCore CSProblem Solving

QUESTION DESCRIPTION

Sean invented a game involving a $2n \times 2n$ matrix where each cell of the matrix contains an integer. He can reverse any of its rows or columns any number of times. The goal of the game is to maximize the sum of the elements in the $n \times n$ submatrix located in the upper-left quadrant of the matrix.

Given the initial configurations for q matrices, help Sean reverse the rows and columns of each matrix in the best possible way so that the sum of the elements in the matrix's upper-left quadrant is maximal.

Example
 $matrix = [[1, 2], [3, 4]]$

1 2

3 4

It is 2×2 and we want to maximize the top left quadrant, a 1×1 matrix. Reverse row 1:

```
1 2
4 3
```

And now reverse column 0:

```
4 2
1 3
```

The maximal sum is 4.

Function Description

Complete the `flippingMatrix` function in the editor below.

`flippingMatrix` has the following parameters:

- `int matrix[2n][2n]`: a 2-dimensional array of integers

Returns

- `int`: the maximum sum possible.

Input Format

The first line contains an integer q , the number of queries.

The next q sets of lines are in the following format:

- The first line of each query contains an integer, n .
- Each of the next $2n$ lines contains $2n$ space-separated integers $matrix[i][j]$ in row i of the matrix.

Constraints

- $1 \leq q \leq 16$
- $1 \leq n \leq 128$
- $0 \leq matrix[i][j] \leq 4096$, where $0 \leq i, j < 2n$.

Sample Input

STDIN	Function
-----	-----
1	<code>q = 1</code>
2	<code>n = 2</code>
112 42 83 119	<code>matrix = [[112, 42, 83, 119], [56, 125, 56, 49], \</code>
56 125 56 49	<code> [15, 78, 101, 43], [62, 98, 114, 108]]</code>
15 78 101 43	
62 98 114 108	

Sample Output

414

Explanation

Start out with the following $2n \times 2n$ matrix:

$$matrix = \begin{bmatrix} 112 & 42 & 83 & 119 \\ 56 & 125 & 56 & 49 \\ 15 & 78 & 101 & 43 \\ 62 & 98 & 114 & 108 \end{bmatrix}$$

Perform the following operations to maximize the sum of the $n \times n$ submatrix in the upper-left quadrant:

2. Reverse column 2 ([83, 56, 101, 114] \rightarrow [114, 101, 56, 83]), resulting in the matrix:

$$\text{matrix} = \begin{bmatrix} 112 & 42 & 114 & 119 \\ 56 & 125 & 101 & 49 \\ 15 & 78 & 56 & 43 \\ 62 & 98 & 83 & 108 \end{bmatrix}$$

3. Reverse row 0 ([112, 42, 114, 119] \rightarrow [119, 114, 42, 112]), resulting in the matrix:

$$\text{matrix} = \begin{bmatrix} 119 & 114 & 42 & 112 \\ 56 & 125 & 101 & 49 \\ 15 & 78 & 56 & 43 \\ 62 & 98 & 83 & 108 \end{bmatrix}$$









The sum of values in the $n \times n$ submatrix in the upper-left quadrant is $119 + 114 + 56 + 125 = 414$.

CANDIDATE ANSWER

The candidate did not manually submit any code. The last compiled version has been auto-submitted and the score you see below is for the auto-submitted version.

Language used: **Python 3**

```
1 #
2 # Complete the 'flippingMatrix' function below.
3 #
4 # The function is expected to return an INTEGER.
5 # The function accepts 2D_INTEGER_ARRAY matrix as parameter.
6 #
7
8 def flippingMatrix(matrix):
9     # Write your code here
10    # if matrix[0][0]
11    temp = []
12    if (matrix[0][0]+matrix[0][1]) < (matrix[0][2]+matrix[0][3]):
13        temp = [matrix[0][3], matrix[0][2], matrix[0][1], matrix[0][0]]
14        matrix[0] = temp
15    return matrix
16
17
```

TESTCASE	DIFFICULTY	TYPE	STATUS	SCORE	TIME TAKEN	MEMORY USED
Testcase 1	Easy	Sample case	 Wrong Answer	0	0.0684 sec	9.39 KB
Testcase 2	Easy	Hidden case	 Runtime Error	0	0.1354 sec	12.8 KB
Testcase 3	Easy	Hidden case	 Runtime Error	0	0.0422 sec	9.54 KB
Testcase 4	Easy	Hidden case	 Runtime Error	0	0.0365 sec	9.47 KB
Testcase 5	Easy	Hidden case	 Runtime Error	0	0.1527 sec	13.9 KB
Testcase 6	Easy	Hidden case	 Wrong Answer	0	0.1689 sec	13.3 KB
Testcase 7	Easy	Hidden case	 Wrong Answer	0	0.2288 sec	13.4 KB
Testcase 8	Easy	Sample case	 Wrong Answer	0	0.0617 sec	9.38 KB

