Summary in Graph

Exam Summary (GO Classes CS | Compiler Design | Lexical Analysis | Weekly Quiz 1)

Qs. Attempted:	0 (0 + 0)	Correct Marks:	0 (0 + 0)
Correct Attempts:	0 (0 + 0)	Penalty Marks:	0 (0 + 0)
Incorrect Attempts:	0 (0 + 0)	Resultant Marks:	0 (0 + 0)

Total Questions:	10 (5 + 5)
Total Marks:	15 (5 + 10)
Exam Duration:	25 Minutes
Time Taken:	0 Minutes

Individual Question Statistics

Select Metric: Marks Obtained

Q1 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q9 Q10

* Average Stats based on first-attempt stats of Top 10% (19) out of 190 users

EXAM RESPONSE EXAM STATS FEEDBACK

Technical

Q #1 Multiple Choice Type Award: 1 Penalty: 0.33 Compiler Design

Which data structure in a compiler is used for managing information about variables and their attributes?

A. Abstract syntax tree

B. Symbol table

C. Semantic stack

D. Parse table

Your Answer: | Correct Answer: B | Not Attempted | Time taken: 00min 00sec | Discuss

Q #2 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Compiler Design

In a compiler, keywords of a language are recognized during

A. parsing of the program

B. the code generation

C. the lexical analysis of the program

D. dataflow analysis

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 00sec | Discuss

Q #3 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Compiler Design

In a compiler the module that checks every character of the source text is called:

A. The code generator.

B. The code optimiser.

C. The lexical analyser.

D. The syntax analyser.

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 00sec | Discuss

Q #4 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Compiler Design

Consider the following statements related to the errors detected during lexical analysis:

$S1$: A character sequence that cannot be scanned into any valid token is a lexical error.

$S2$: Misspellings of identifiers, keywords, or operators are considered as lexical errors.

Which of the above statements is/are CORRECT ?

A. Only $S1$

B. Only $S2$

C. Both $S1$ and $S2$

D. Neither S1 or S2

Your Answer: | Correct Answer: A | Not Attempted | Time taken: 00min 00sec | Discuss

Q #5 | Multiple Select Type | Award: 1 | Penalty: 0 | Compiler Design

Which of the following statements is/are true ?

A. Lexical analysis is recursive in order to handle nested parentheses.

B. Scanners don't know anything about the grammar of a language.

C. A regular expression is a type of pattern used to classify lexemes.

D. You can change state in a DFA without reading any input character.

Your Answer: | Correct Answer: B;C | Not Attempted | Time taken: 00min 00sec | Discuss

Q #6 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Compiler Design

The number of tokens in the following C statement is

```
printf("i=%d, &i=%x", i, &i);
```

A. 3

B. 26

C. 10

D. 21

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 00sec | Discuss

Q #7 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Compiler Design

The number of tokens in the following C code segment is

```
    switch(inputvalue)
    {
        case 1 : b =c*d; break;
        default : b =b++; break;
5.  }
```

A. 27

B. 29

C. 26

D. 24

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 02sec | Discuss

Q #8 Numerical Type | Award: 2 | Penalty: 0 | Compiler Design

The number of tokens in the following C statement is:

```
printf("Total = %d \n", score);
```

Your Answer: | Correct Answer: 7 | Not Attempted | Time taken: 00min 00sec | Discuss

Q #9 Numerical Type | Award: 2 | Penalty: 0 | Compiler Design

The number of tokens in the following C code segment is:

Input text

```
// this statement does very little
if (x >= y) y = 42;
```

Your Answer: | Correct Answer: 10 | Not Attempted | Time taken: 00min 00sec | Discuss

Q #10 Numerical Type | Award: 2 | Penalty: 0 | Compiler Design

In Ada, an identifier must begin with a letter and can be followed by zero or more letters, digits, or underscore symbols. However, two underscore symbols may not appear in a row and the last character in an identifier may not be an underscore.
The minimum number of states required for a DFA to accept all valid ADA identifiers ?

Your Answer: | Correct Answer: 4 | Not Attempted | Time taken: 00min 00sec | Discuss

Copyright & Stuff