Summary in Graph

Exam Summary (GO Classes GATE CS/DA | DBMS | SQL | Weekly Quiz 6)

Qs. Attempted:	0 (0 + 0)	Correct Marks:	0 (0 + 0)
Correct Attempts:	0 (0 + 0)	Penalty Marks:	0 (0 + 0)
Incorrect Attempts:	0 (0 + 0)	Resultant Marks:	0 (0 + 0)

Total Questions:	10 (5 + 5)
Total Marks:	15 (5 + 10)
Exam Duration:	30 Minutes
Time Taken:	0 Minutes

Individual Question Statistics

Select Metric: Marks Obtained

Q1 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q9 Q10

* Average Stats based on first-attempt stats of Top 10% (60) out of 601 users

EXAM RESPONSE EXAM STATS FEEDBACK

Technical

Q #1 Multiple Choice Type Award: 1 Penalty: 0.33 Databases

How do you select all columns from a table named "Employees"?

A. SELECT * FROM Employees;
B. SELECT all FROM Employees;
C. SELECT columns FROM Employees;
D. SELECT Employees. * ;

Your Answer: | Correct Answer: A | Not Attempted | Time taken: 00min 00sec | Discuss

Q #2 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Databases

Which SQL statement is used to retrieve distinct values from a column?

A. SELECT UNIQUE column_name FROM table_name;
B. SELECT DIFFERENT column_name FROM table_name;
C. SELECT DISTINCT column_name FROM table_name;
D. SELECT ONLY column_name FROM table_name;

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 00sec | Discuss

Q #3 | Multiple Select Type | Award: 1 | Penalty: 0 | Databases

Which of the following statements is/are false?

A. Relational algebra and SQL are declarative languages.
B. The difference between sets and bags is that sets don't allow repeated values.
C. In a table with primary key (A, B), every value of A must be unique.
D. Given a relational schema, there is only one way to translate a given English query against that schema's data into a correct SQL query.

Your Answer: | Correct Answer: A;C;D | Not Attempted | Time taken: 00min 03sec | Discuss

Q #4 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Databases

Which of the following is/are correct?

A. An SQL query automatically eliminates duplicates
B. An SQL query will not work if there are no indexes on the relations
C. SQL permits attribute names to be repeated in the same relation
D. None of the above

Your Answer: | Correct Answer: D | Not Attempted | Time taken: 00min 00sec | Discuss

Q #5 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Databases

Consider the following ORACLE relations :

One $(x, y) = \{< 2, 5 >, < 1, 6 >, < 1, 6 >, < 1, 6 >, < 4, 8 >, < 4, 8 >\}$

Two $(x, y) = \{< 2, 55 >, < 1, 1 >, < 4, 4 >, < 1, 6 >, < 4, 8 >, < 4, 8 >, < 9, 9 >, < 1, 6 >\}$

Consider the following two SQL queries $SQ1$ and $SQ2$:

SQ1 :

```
(SELECT * FROM One)
        EXCEPT
(SELECT * FROM Two);
```

SQ2 :

```
(SELECT * FROM One)
    EXCEPT ALL
(SELECT * FROM Two);
```

For each of the SQL queries, what is the cardinality (number of rows) of the result obtained when applied to the instances above ?

A. 2 and 1 respectively
B. 1 and 2 respectively
C. 2 and 2 respectively
D. 1 and 1 respectively

Your Answer: | Correct Answer: B | Not Attempted | Time taken: 00min 00sec | Discuss

Q #6 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Databases

Consider the following three SQL queries (Assume the data in the people table):

i. Select Name from people where $\text{Age} > 21$;
ii. Select Name from people where $\text{Height} > 180$;
iii. Select Name from people where $(\text{Age} > 21)$ or $(\text{Height} > 180)$;

If the SQL queries a and b above, return 10 rows and 7 rows in the result set respectively, then what is one possible number of rows returned by the SQL query c?

A. 3
B. 7
C. 10
D. 21

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 00sec | Discuss

Q #7 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Databases

Given relations r(w, x) and s(y, z) the result of

```
select distinct w, x
from r, s
```

is guaranteed to be same as r, provided.

A. r has no duplicates and s is non-empty
B. r and s have no duplicates
C. s has no duplicates and r is non-empty
D. r and s have the same number of tuples

Your Answer: | Correct Answer: A | Not Attempted | Time taken: 00min 00sec | Discuss

Q #8 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Databases

Consider a database table T containing two columns X and Y each of type integer. After the creation of the table, one record $(\text{X}{=}1,\ \text{Y}{=}1)$ is inserted in the table.

Let MX and MY denote the respective maximum values of X and Y among all records in the table at any point in time. Using MX and MY, new records are inserted in the table 128 times with X and Y values being $\text{MX}{+}1,\ 2{*}\text{MY}{+}1$ respectively. It may be noted that each time after the insertion, values of MX and MY

change.

What will be the output of the following SQL query after the steps mentioned above are carried out?

```
SELECT Y FROM T WHERE X=7;
```

A. 127
B. 255
C. 129
D. 257

Your Answer: | Correct Answer: A | Not Attempted | Time taken: 00min 00sec | Discuss

Q #9 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Databases

The SQL expression

```
SELECT DISTINCT T.branch_name
FROM branch T, branch S
WHERE T.assets > S.assets
  AND S.branch_city = 'Mumbai';
```

finds the names of

A. All branches that have greater assets than some branch located in Mumbai
B. All branches that have greater assets than all branches in Mumbai
C. The branch that has greatest asset in Mumbai
D. Any branch that has greater assets than any branch in Mumbai

Your Answer: | Correct Answer: A | Not Attempted | Time taken: 00min 00sec | Discuss

Q #10 | Multiple Choice Type | Award: 2 | Penalty: 0.67 | Databases

Consider the set of relations shown below and the SQL query that follows.

Students: (Roll_number, Name, Date_of_birth)

Courses: (Course_number, Course_name, Instructor)

Grades: (Roll_number, Course_number, Grade)

```
Select distinct Name
from Students, Courses, Grades
where Students.Roll_number=Grades.Roll_number
        and Courses.Instructor = 'Korth'
        and Courses.Course_number = Grades.Course_number
        and Grades.Grade = 'A'
```

Which of the following sets is computed by the above query?

A. Names of students who have got an A grade in all courses taught by Korth
B. Names of students who have got an A grade in all courses
C. Names of students who have got an A grade in at least one of the courses taught by Korth
D. None of the above

Your Answer: | Correct Answer: C | Not Attempted | Time taken: 00min 00sec | Discuss

Copyright & Stuff