Summary in Graph

Exam Summary (GO Classes GATE CS/DA | DBMS | SQL | Weekly Quiz 8)

Qs. Attempted:	0 (0 + 0)	Correct Marks:	0 (0 + 0)
Correct Attempts:	0 (0 + 0)	Penalty Marks:	0 (0 + 0)
Incorrect Attempts:	0 (0 + 0)	Resultant Marks:	0 (0 + 0)

Total Questions:	10 (5 + 5)
Total Marks:	15 (5 + 10)
Exam Duration:	30 Minutes
Time Taken:	0 Minutes

Individual Question Statistics

Select Metric: Marks Obtained

Q1 Q2 Q3 Q4 Q5 Q6 Q7 Q8 Q9 Q10

* Average Stats based on first-attempt stats of Top 10% (42) out of 415 users

EXAM RESPONSE EXAM STATS FEEDBACK

Technical

Q #1 Multiple Select Type Award: 1 Penalty: 0 Databases

Given the following table "scores".

Team1	Team2	Score1	Score2
Dragons	Tigers	5	3
Carp	Swallows	4	6
Bay Stars	Giants	2	1
Marines	Hawks	5	3
Ham Fighters	Buffaloes	1	6
Lions	Golden Eagles	8	12

What is the result of the following SQL query:

```
SELECT Score1, Score2 FROM Scores;
```

Which of the following rows is/are in the answer?

A. $(1, 2)$
B. $(5, 3)$
C. $(8, 6)$
D. $(6, 4)$

Your Answer: | Correct Answer: B | Not Attempted | Time taken: 00min 00sec | Discuss

Q #2 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Databases

Given the following table Scores(Team, Opponent, RunsFor, RunsAgainst) and query.

Team	Opponent	RunsFor	RunsAgainst
Dragons	Tigers	5	3
Carp	Swallows	4	6
Bay Stars	Giants	2	1
Marines	Hawks	5	3
Ham Fighters	Buffaloes	1	6
Lions	Golden Eagles	8	12
Tigers	Dragons	3	5
Swallows	Carp	6	4
Giants	Bay Stars	1	2
Hawks	Marines	3	5
Buffaloes	Ham Fighters	6	1
Golden Eagles	Lions	12	8

```
SELECT Score1, Score2 FROM Scores
```

Which tuple is in the result?

A. (Swallows, Carp, 6, 4)
B. (Swallows, Carp, 4)
C. (12)
D. Empty Table

Your Answer: | Correct Answer: A | Not Attempted | Time taken: 00min 00sec | Discuss

Q #3 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Databases

Consider the relation: Scores(Team, Opponent, RunsFor, RunsAgainst) and the query:

Team	Opponent	Runs For	Runs Against
Dragons	Tigers	5	3
Carp	Swallows	4	6
Bay Stars	Giants	2	1
Marines	Hawks	5	3
Ham Fighters	Buffaloes	1	6
Lions	Golden Eagles	8	12
Tigers	Dragons	3	5
Swallows	Carp	6	4
Giants	Bay Stars	1	2
Hawks	Marines	3	5
Buffaloes	Ham Fighters	6	1
Golden Eagles	Lions	12	8

```
SELECT DISTINCT Team, RunsFor FROM Scores;
```

Which is true:

A. 1 appears once
B. 5 appears twice
C. 6 appears 4 times
D. All are true.

Your Answer: | Correct Answer: B | Not Attempted | Time taken: 00min 00sec | Discuss

Q #4 | Multiple Choice Type | Award: 1 | Penalty: 0.33 | Databases

Scores:			
Team	**Day**	**Opponent**	**Runs**
Dragons	Sun	Swallows	4
Tigers	Sun	Bay Stars	9
Carp	Sun	NULL	NULL
Swallows	Sun	Dragons	7
Bay Stars	Sun	Tigers	2
Giants	Sun	NULL	NULL
Dragons	Mon	Carp	NULL
Tigers	Mon	NULL	NULL
Carp	Mon	Dragons	NULL
Swallows	Mon	Giants	0
Bay Stars	Mon	NULL	NULL
Giants	Mon	Swallows	5

Determine the result of:

```
SELECT COUNT(*), COUNT(Runs)
FROM Scores
WHERE Team = 'Carp'
```

Which of the following is in the result:

A. $(1, 0)$
B. $(2, 0)$
C. $(2, \text{NULL})$
D. $(0, 0)$

Your Answer: | Correct Answer: B | Not Attempted | Time taken: 00min 00sec | Discuss

Q #5 | Multiple Select Type | Award: 1 | Penalty: 0 | Databases

Given:

R(A,B) S(B,C,D)

A	B
1	2
3	4
5	6

B	C	D
2	4	6
4	6	8
4	7	9

Compute:

```
SELECT R.A, R.B, S.B, S.C, S.D
FROM R FULL OUTER JOIN S ON (R.A > S.B AND R.B = S.C)
```

Which of the following tuples of R or S is/are dangling (and therefore needs to be padded in the outer join)?

A. $(1, 2)$ of R
B. $(3, 4)$ of R
C. $(2, 4, 6)$ of S
D. $(4, 7, 9)$ of S

Your Answer: | Correct Answer: A;D | Not Attempted | Time taken: 00min 00sec | Discuss

Q #6 | Multiple Select Type | Award: 2 | Penalty: 0 | Databases

- Consider R :

a	b
0	0
0	1
1	0
1	1

S:

a	b
0	0
0	1
1	0
1	1

T:

a	b
0	0
0	1
1	0
1	1

```
SELECT R.a, R.b, S.b, T.b
    FROM R, S, T
    WHERE R.b = S.a AND S.b <> T.b    (note: <> == 'not equals')
```

Compute the results.
Which of the following is/are true:

A. $(0, 1, 1, 0)$ appears twice.
B. $(1, 1, 0, 1)$ does not appear.
C. $(1, 1, 1, 0)$ appears once.
D. $(1, 1, 1, 1)$ does not appear.

Your Answer: | Correct Answer: A;D | Not Attempted | Time taken: 00min 00sec | Discuss

Q #7 | Numerical Type | Award: 2 | Penalty: 0 | Databases

- Consider R :

a	b
0	0
0	1
1	0
1	1

S:

a	b
0	0
0	1
1	0
1	1

T:

a	b
0	0
0	1
1	0
1	1

SELECT R.a, R.b, S.b, T.b
FROM R, S, T
WHERE R.b = S.a AND S.b <> T.b (note: <> == 'not equals')

Compute the results.
The number of tuples in the output is?

Your Answer: | Correct Answer: 16 | Not Attempted | Time taken: 00min 01sec | Discuss

Q #8 Multiple Select Type | Award: 2 | Penalty: 0 | Databases

Relation R has schema $\mathrm{R(a, b, c)}$.

```
SELECT a, b, c
FROM R
ORDER BY c DESC, b ASC;
```

In the result of the above query, what condition must a tuple t satisfy so that t necessarily precedes the tuple $(5, 5, 5)$?
Identify such tuples from the list below.

A. $(3, 6, 3)$
B. $(1, 5, 5)$
C. $(5, 5, 6)$
D. $(3, 3, 5)$

Your Answer: | Correct Answer: C;D | Not Attempted | Time taken: 00min 00sec | Discuss

Q #9 Multiple Choice Type | Award: 2 | Penalty: 0.67 | Databases

Consider the following SQL query:

```
SELECT DISTINCT s1.sname, s1.age
FROM student s1, student s2
WHERE s1.age > s2.age
```

This query returns
A: The name and age of one of the oldest student(s)
B: The name and age of all of the oldest student(s)
C : The name and age of all of the youngest student(s)
D: The name and age of all students that are older than the youngest student(s)

Your Answer: | Correct Answer: D | Not Attempted | Time taken: 00min 00sec | Discuss

Q #10 Numerical Type | Award: 2 | Penalty: 0 | Databases

x	y
1	2
1	2
2	3
3	4
3	4
4	1
4	1
4	1
4	2

Compute the result of the following query on the above table $Arc(x, y)$:

```
SELECT a1.x, a2.y, COUNT(*)
FROM Arc a1, Arc a2
WHERE a1.y = a2.x
GROUP BY a1.x, a2.y
```

The number of tuples in the output is?

Your Answer: **Correct Answer: 6** **Not Attempted** **Time taken: 00min 00sec** **Discuss**

Copyright & Stuff