

CUET (PG) - 2026 06th March to 27th March 2026

Application No	265710116704
Candidate Name	SARVESH KUMAR SINGH
Roll No.	UP030500121
Test Date	11/03/2026
Test Time	12:30 PM - 2:00 PM
Subject	Computer Science and Information Technology

Section : Computer Science and Information Technology

Q.1 In a university, out of 100 students 15 offered Mathematics only; 12 offered statistics only; 8 offered Physics only; 40 offered Physics and Mathematics; 20 offered Physics and Statistics; 10 offered Mathematics and Statistics; 65 offered Physics. What is the number of students who did not offer any of the three subjects ?

- (1) 1
- (2) 2
- (3) 3
- (4) 4

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927298

Option 1 ID : 432449107581

Option 2 ID : 432449107582

Option 3 ID : 432449107583

Option 4 ID : 432449107584

Status : Not Answered

Chosen Option : --

Q.2 Cooperating process require an Interprocess communication mechanism. This works on which of the following fundamental models ?

- A. Shared Memory
- B. Cascading Termination
- C. Message Passing
- D. Cooperating

Choose the **correct** answer from the options given below :

- (1) C and D only
- (2) A and C only
- (3) A and D only
- (4) B and D only

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927320**

Option 1 ID : **432449107669**

Option 2 ID : **432449107670**

Option 3 ID : **432449107671**

Option 4 ID : **432449107672**

Status : **Not Answered**

Chosen Option : --

Q.3 In a _____ linked list, the last node's link field points to the first node of the list.

- (1) Circular
- (2) Linear
- (3) Sequential
- (4) Indexed

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927332**

Option 1 ID : **432449107717**

Option 2 ID : **432449107718**

Option 3 ID : **432449107719**

Option 4 ID : **432449107720**

Status : **Answered**

Chosen Option : **1**

Q.4 Arrange the following steps of K-Map simplification in the correct order.

- Write the minimized SOP/POS expression
- Plot the truth table outputs (1_S and 0_S) on the K Map
- Identify the prime implicants and essential prime implicants
- Draw groups (loops) of adjacent 1_S (or 0_S) that are powers of 2

Choose the **correct** answer from the options given below :

- A, B, C, D
- B, C, A, D
- C, A, B, D
- B, D, C, A

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**

Question ID : **43244927351**

Option 1 ID : **432449107793**

Option 2 ID : **432449107794**

Option 3 ID : **432449107795**

Option 4 ID : **432449107796**

Status : **Answered**

Chosen Option : **4**

Q.5 Arrange the following steps for retrieving data from the memory unit.

- The Memory Address Register (MAR) sends the address to memory chips
- The address is placed on the address bus
- The control unit sends a signal
- The data is retrieved and placed in to the Memory Data Register (MDR)

Choose the **correct** answer from the options given below :

- D, C, B, A
- A, B, C, D
- A, C, D, B
- B, D, A, C

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**

Question ID : **43244927352**

Option 1 ID : **432449107797**

Option 2 ID : **432449107798**

Option 3 ID : **432449107799**

Option 4 ID : **432449107800**

Status : **Not Answered**

Chosen Option : **--**

Q.6

If the foci of a hyperbola coincide with the foci of the ellipse $\frac{x^2}{25} + \frac{y^2}{9} = 1$, then the equation of the hyperbola having its eccentricity 2 is :

(1) $\frac{x^2}{4} - \frac{y^2}{12} = 1$

(2) $\frac{x^2}{16} - \frac{y^2}{12} = 1$

(3) $\frac{x^2}{12} - \frac{y^2}{4} = 1$

(4) $\frac{x^2}{2} - \frac{y^2}{9} = 1$

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927301

Option 1 ID : 432449107593

Option 2 ID : 432449107594

Option 3 ID : 432449107595

Option 4 ID : 432449107596

Status : Not Answered

Chosen Option : --

Q.7

Which of the following statement are false about $\lim_{y \rightarrow 0} \frac{\sqrt{1 + \sqrt{1 + y^4}} - \sqrt{2}}{y^4}$?

- A. Limit exists and equals $\frac{1}{4\sqrt{2}}$
- B. Limit does not exist
- C. Limit exists and equals $\frac{1}{2\sqrt{2}}$
- D. Limits exists and equal $\frac{1}{2\sqrt{2}(\sqrt{2} + 1)}$

Choose the **correct** answer from the options given below :

- (1) A, B, C only
- (2) A, B, D only
- (3) B, C, D only
- (4) A, C, D only

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927312

Option 1 ID : 432449107637

Option 2 ID : 432449107638

Option 3 ID : 432449107639

Option 4 ID : 432449107640

Status : Not Answered

Chosen Option : --

Q.8

Arrange the following time complexities in increasing order :

- A. Linear search worst case
- B. Quick sort expected running time
- C. Binary search best case
- D. Bubble sort worst case

Choose the **correct** answer from the options given below :

- (1) A, C, B, D
- (2) C, D, B, A
- (3) C, A, B, D
- (4) A, B, C, D

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927333**

Option 1 ID : **432449107721**

Option 2 ID : **432449107722**

Option 3 ID : **432449107723**

Option 4 ID : **432449107724**

Status : **Answered**

Chosen Option : **3**

Q.9 Which of the following are characteristics of a Combinational Circuit ?

- A. Output depends only on present input
- B. Output depends only on past input
- C. It has no memory element
- D. It uses flip flops to store data

Choose the **correct** answer from the options given below :

- (1) A and B only
- (2) A and C only
- (3) B and D only
- (4) C and D only

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927350**

Option 1 ID : **432449107789**

Option 2 ID : **432449107790**

Option 3 ID : **432449107791**

Option 4 ID : **432449107792**

Status : **Not Attempted and
Marked For Review**

Chosen Option : --

Q.10

The area of the region $\{(x, y) : x^2 \leq y \leq x\}$ is given by :

(1) $\frac{1}{6}$ sq. units

(2) $\frac{1}{3}$ sq. units

(3) $\frac{1}{2}$ sq. units

(4) $\frac{2}{3}$ sq. units

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927303

Option 1 ID : 432449107601

Option 2 ID : 432449107602

Option 3 ID : 432449107603

Option 4 ID : 432449107604

Status : Not Answered

Chosen Option : --

Q.11

नीचे दो कथन दिए गए हैं : जिसमें एक **अभिकथन (A)** और दूसरा **कारण (R)** है :

अभिकथन (A) : जब बिजली कड़कती है तो ध्वनि चमक दिखाई देने के कुछ समय बाद सुनाई देती है।

कारण (R) : प्रकाश का वेग ध्वनि के वेग से बहुत अधिक होता है।

उपरोक्त कथन के प्रकाश में, नीचे दिए गए विकल्पों में से **सबसे उपयुक्त उत्तर** का चयन कीजिए :

- (1) (A) और (R) दोनों सही हैं और (R), (A) की सही व्याख्या है
- (2) (A) और (R) दोनों सही हैं, लेकिन (R), (A) की सही व्याख्या नहीं है
- (3) (A) सही है लेकिन (R) सही नहीं है
- (4) (A) सही नहीं है लेकिन (R) सही है

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927288

Option 1 ID : 432449107541

Option 2 ID : 432449107542

Option 3 ID : 432449107543

Option 4 ID : 432449107544

Status : Answered

Chosen Option : 1

Q.12

Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : The sequence $\frac{1}{3}, -\frac{1}{2}, \frac{3}{4}, -\frac{9}{8}, \dots$ is an A.P.

Reason (R) : The constant sequence is the only sequence which is both an A.P. as well as G.P.

In the light of the above statements, choose the **most appropriate answer** from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927308

Option 1 ID : 432449107621

Option 2 ID : 432449107622

Option 3 ID : 432449107623

Option 4 ID : 432449107624

Status : Not Answered

Chosen Option : --

Q.13

The complement of $(\overline{A+B})$ is :

- (1) $\overline{A+B}$
- (2) $\overline{A} \cdot \overline{B}$
- (3) $A+B$
- (4) $A \cdot \overline{B}$

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : MCQ

Question ID : 43244927343

Option 1 ID : 432449107761

Option 2 ID : 432449107762

Option 3 ID : 432449107763

Option 4 ID : 432449107764

Status : Answered

Chosen Option : 1

Q.14

Arrange the following determinants in decreasing order.

A. $\begin{vmatrix} 1 & 3 & 5 \\ 2 & 6 & 10 \\ 31 & 11 & 38 \end{vmatrix}$

B. $\begin{vmatrix} 67 & 19 & 21 \\ 39 & 13 & 14 \\ 81 & 24 & 26 \end{vmatrix}$

C. $\begin{vmatrix} 1 & -3 & 2 \\ 4 & -1 & 2 \\ 3 & 5 & 2 \end{vmatrix}$

D. $\begin{vmatrix} 1 & 4 & 9 \\ 4 & 9 & 16 \\ 9 & 16 & 25 \end{vmatrix}$

Choose the correct answer from the options given below :

- (1) A, B, C, D
- (2) B, A, D, C
- (3) C, D, A, B
- (4) C, A, D, B

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927311

Option 1 ID : 432449107633

Option 2 ID : 432449107634

Option 3 ID : 432449107635

Option 4 ID : 432449107636

Status : Answered

Chosen Option : 1

Q.15

Match List - I with List - II.

List - I	List - II
A. $4 : 17 :: 7 : ?$	I. 70
B. $720 : 840 :: 60 : ?$	II. 82
C. $225 : 256 :: 289 : ?$	III. 324
D. $21 : 3 :: 574 : ?$	IV. 50

Choose the **correct** answer from the options given below :

- (1) A-IV, B-I, C-III, D-II
- (2) A-I, B-II, C-III, D-IV
- (3) A-I, B-IV, C-II, D-III
- (4) A-IV, B-III, C-II, D-I

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927291

Option 1 ID : 432449107553

Option 2 ID : 432449107554

Option 3 ID : 432449107555

Option 4 ID : 432449107556

Status : Answered

Chosen Option : 1

Q.16

Arrange the following games in decreasing order, on the basis of the players in their playing term.

- A. Basketball
- B. Table Tennis
- C. Lawn Tennis Double
- D. Cricket

Choose the **correct** answer from the options given below :

- (1) B, C, A, D
- (2) A, B, C, D
- (3) D, A, B, C
- (4) D, A, C, B

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927295

Option 1 ID : 432449107569

Option 2 ID : 432449107570



Option 3 ID : 432449107571

Option 4 ID : 432449107572

Status : Answered

Chosen Option : 4

- Q.17** Select a figure from amongst the four alternatives, which when placed in the blank space of fig (?) would complete the pattern.



Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927283

Option 1 ID : 432449107521

Option 2 ID : 432449107522

Option 3 ID : 432449107523

Option 4 ID : 432449107524

Status : Answered

Chosen Option : 2

- Q.18** Sequence the following to compute the effective access time needed to service a page fault.

- Receive an interrupt from the disk I/o subsystem
- Trap the operating system and save the user registers and process state
- Determine that the interrupt was a page fault
- Correct the page table and other tables to show that the desired page is now in memory
- Restore the user registers, process state and new page table, and then resume the interrupted instruction

Choose the **correct** answer from the options given below :

- A, B, C, D and E
- B, C, D, E and A
- A, D, B, C and E
- B, C, A, D and E

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927325

Option 1 ID : 432449107689

Option 2 ID : 432449107690

Option 3 ID : 432449107691

Option 4 ID : 432449107692

Status : Answered

Chosen Option : 1

Q.19 Which of the following statements are correct ?

- A. In a directed graph, the sum of lengths of all the adjacency list is $|E|$.
- B. The adjacency matrix requires $\theta(V^2)$ memory.
- C. In an undirected graph, the sum of lengths of all the adjacency list is $|E|$.
- D. The memory requirement of adjacency list is dependent on the number of edges in the graph.

Choose the **correct** answer from the options given below :

- (1) A, B, C only
- (2) B, C, D only
- (3) A, B, D only
- (4) A, C, D only

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927338**

Option 1 ID : **432449107741**

Option 2 ID : **432449107742**

Option 3 ID : **432449107743**

Option 4 ID : **432449107744**

Status : **Answered**

Chosen Option : **2**

Q.20

Choose the odd one from the following :

- (1) Crow
- (2) Pigeon
- (3) Parrot
- (4) Butterfly

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927280**

Option 1 ID : **432449107509**

Option 2 ID : **432449107510**

Option 3 ID : **432449107511**

Option 4 ID : **432449107512**

Status : **Answered**

Chosen Option : **4**

Q.21

Match List - I with List - II.

List - I	List - II
A. 4, 7, 12, 19, 28, ?	I. 5
B. 28, 33, 31, 36, ?, 39	II. 39
C. 125, 80, 45, 20, ?	III. 50
D. 1, 3, 4, 8, 15, 27, ?	IV. 34

Choose the correct answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-IV, C-I, D-III
- (3) A-IV, B-III, C-II, D-I
- (4) A-III, B-I, C-II, D-IV

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927289

Option 1 ID : 432449107545

Option 2 ID : 432449107546

Option 3 ID : 432449107547

Option 4 ID : 432449107548

Status : Answered

Chosen Option : 2

Q.22

Match List - I with List - II.

List - I

List - II

A. $(\sqrt{2} + 1) + 1 + (\sqrt{2} - 1) + \dots \infty$

I. $\frac{19}{24}$

B. $\frac{1}{2} + \frac{1}{3^2} + \frac{1}{2^3} + \frac{1}{3^4} + \frac{1}{2^5} + \frac{1}{3^6} + \dots \infty$

II. 6

C. $\frac{1}{6^2} \times \frac{1}{6^4} \times \frac{1}{6^8} \dots \infty$

III. $8(2 + \sqrt{2})$

D. $8 + 4\sqrt{2} + 4 + \dots \infty$

IV. $\frac{4 + 3\sqrt{2}}{2}$

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
 (2) A-IV, B-I, C-II, D-III
 (3) A-IV, B-I, C-III, D-II
 (4) A-I, B-IV, C-III, D-II

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927315

Option 1 ID : 432449107649

Option 2 ID : 432449107650

Option 3 ID : 432449107651

Option 4 ID : 432449107652

Status : Not Answered

Chosen Option : --

Q.23

Choose the odd one from the following :

- (1) Write
- (2) Read
- (3) Knowledge
- (4) Learn

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : MCQ

Question ID : 43244927279

Option 1 ID : 432449107505

Option 2 ID : 432449107506

Option 3 ID : 432449107507

Option 4 ID : 432449107508

Status : Answered

Chosen Option : 3

Q.24

Arrange the following semaphore operations in the correct sequence for the producer process in the Bounded - Buffer Problem using semaphores empty, full, and mutex.

- A. Signal (full) → indicating that the new item has been produced and added to the buffer
- B. Wait (empty) → Checks if there is space in the buffer to add new item
- C. Product an item and store it in the buffer
- D. Wait (mutex) → centers the critical section to insert the item safely
- E. Signal (mutex) → Leaves the critical section after inserting the item

Choose the **correct** answer from the options given below :

- (1) A, E, C, B, D
- (2) C, B, A, D, E
- (3) D, E, A, C, B
- (4) B, D, C, E, A

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : MCQ

Question ID : 43244927326

Option 1 ID : 432449107693

Option 2 ID : 432449107694

Option 3 ID : 432449107695

Option 4 ID : 432449107696

Status : Answered

Chosen Option : 2

Q.25 Arrange the following steps in sequence to find the variance of individual observations.

- A. Compute the mean $\bar{X}$ of the given observation $x, x_2, \dots, k_n$.
- B. Square the deviations obtained and obtain the sum $\sum_{i=1}^n (x_i - \bar{X})^2$
- C. Divide the sum $\sum_{i=1}^n (x_i - \bar{X})^2$ by n .
- D. Take the deviations of the observations from mean i.e. $x_i - \bar{X}, i = 1, 2, \dots, n$.

Choose the **correct** answer from the options given below :

- (1) A, B, C, D
- (2) A, D, B, C
- (3) A, C, B, D
- (4) B, C, D, A

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927310**

Option 1 ID : **432449107629**

Option 2 ID : **432449107630**

Option 3 ID : **432449107631**

Option 4 ID : **432449107632**

Status : **Not Answered**

Chosen Option : --

Q.26 A JK flip flop behaves as a T flip flop when :

- (1) $J=0, K=1$
- (2) $J=1, K=0$
- (3) $J=1, K=1$
- (4) $J=0, K=0$

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927344**

Option 1 ID : **432449107765**

Option 2 ID : **432449107766**

Option 3 ID : **432449107767**

Option 4 ID : **432449107768**

Status : **Answered**

Chosen Option : 3

Q.27 Match List - I with List - II.

List - I		List - II	
Registers		Description	
A.	Context Register	I.	Read by the Host to get input
B.	Status Register	II.	Written by the host to sent output
C.	Data - in Register	III.	Contain bits that can be read by the host
D.	Data - out Register	IV.	Can be written by the host to start a command

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-I, D-II
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-II, C-IV, D-III

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**

Question ID : **43244927327**

Option 1 ID : **432449107697**

Option 2 ID : **432449107698**

Option 3 ID : **432449107699**

Option 4 ID : **432449107700**

Status : **Answered**

Chosen Option : **2**

Q.28 Which of the following requirement must be satisfied to solve a critical section problem ?

- A. Mutual Exclusion
- B. Race Condition
- C. Progress
- D. Bounded waiting

Choose the **correct** answer from the options given below :

- (1) A, B and D only
- (2) A, C and D only
- (3) B, C and D only
- (4) A, B and C only

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**

Question ID : **43244927322**

Option 1 ID : **432449107677**

Option 2 ID : **432449107678**

Option 3 ID : **432449107679**

Option 4 ID : **432449107680**

Status : **Answered**

Chosen Option : **1**

Q.29 Which of the following is the correct sequence of books from top to bottom books based on the given statements ?

Consider the following statement :

- A. There are seven books, one each on Psychology, Hindi, English, Sociology, Economics, Education and Accountancy lying on a table one above the other.
- B. Sociology is on top of all books
- C. Accountancy is immediately below education which is immediately below Sociology
- D. Economics is immediately above Psychology but not in the middle
- E. Hindi is immediately below Psychology.

Choose the **correct** answer from the options given below :

- (1) Hindi, Psychology, Sociology, English, Education Accountancy, English
- (2) Sociology, Education, Accountancy, English, Economics, Psychology, Hindi
- (3) English, Economics, Education, Hindi, Psychology, Sociology, Accountancy
- (4) Sociology, English, Accountancy, Education, Economics, Psychology, Hindi

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927296**

Option 1 ID : **432449107573**

Option 2 ID : **432449107574**

Option 3 ID : **432449107575**

Option 4 ID : **432449107576**

Status : **Answered**

Chosen Option : 2

Q.30 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : flop flops are used in counters and registers.

Reason (R) : flip flops are combinational circuits that store data temporarily.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is **not** the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927346**

Option 1 ID : **432449107773**

Option 2 ID : **432449107774**

Option 3 ID : **432449107775**

Option 4 ID : **432449107776**

Status : **Marked For Review**

Chosen Option : 2

Q.31 Which of the following statement are false about two circles whose equations are given below ?

$$x^2 + y^2 - 10x - 10y + 41 = 0 \text{ and}$$

$$x^2 + y^2 - 22x - 10y + 137 = 0$$

- A. Circles have same centre
- B. Circles have no meeting point
- C. Circles have only one meeting point
- D. Circles have two meeting points

Choose the **correct** answer from the options given below :

- (1) A, B, C only
- (2) B, C, D only
- (3) A, B, D only
- (4) A, C, D only

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927313**

Option 1 ID : **432449107641**

Option 2 ID : **432449107642**

Option 3 ID : **432449107643**

Option 4 ID : **432449107644**

Status : **Not Answered**

Chosen Option : --

Q.32 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : Deadlocks occur in a multi programming environment when each thread in a set is waiting for an event that can be caused only by another thread in the same set.

Reason (R) : A thread must always request a resource before using it and release it after using it. If requested resources are not available the thread enters a waiting state until the resources becomes free.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927328**

Option 1 ID : **432449107701**

Option 2 ID : **432449107702**

Option 3 ID : **432449107703**

Option 4 ID : **432449107704**

Status : **Answered**

Chosen Option : **1**

Q.33 Which of the following algorithms have same order of complexity ?

- A. Deletion from Queue
- B. Worst case Search in Binary Search tree
- C. Insertion in Stack
- D. Quick Sort worst Case

Choose the **correct** answer from the options given below :

- (1) C and D only
- (2) A and C only
- (3) A and B only
- (4) B and C only

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927337

Option 1 ID : 432449107737

Option 2 ID : 432449107738

Option 3 ID : 432449107739

Option 4 ID : 432449107740

Status : Not Answered

Chosen Option : --

Q.34 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Let f be a function defined by $f(x) = \begin{cases} \frac{\tan x}{x} & , x \neq 0 \\ 1 & , x = 0 \end{cases}$

Assertion (A) : $x=0$ is point of minima of f .

Reason (R) : $f'(0)=0$

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is **not** the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927306

Option 1 ID : 432449107613

Option 2 ID : 432449107614

Option 3 ID : 432449107615

Option 4 ID : 432449107616

Status : Not Answered

Chosen Option : --

Q.35 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : The binary search tree property allows to print out all the keys in a binary search tree in a sorted order by a simple recursive algorithm called an inorder tree walk.

Reason (R) : The inorder tree walk algorithm prints the key of the root of subtree between printing the values in its left subtree and printing those in its right subtree.

In the light of the above statements, choose the **most appropriate answer** from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is **not** the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927339**

Option 1 ID : **432449107745**

Option 2 ID : **432449107746**

Option 3 ID : **432449107747**

Option 4 ID : **432449107748**

Status : **Answered**

Chosen Option : 1

Q.36 Let the mean and variance of 12 observation be $\frac{9}{2}$ and 4, respectively. Later on, it was observed that two observations were considered as 9 and 10 instead of 7 and 14 respectively. If the correct variance is $\frac{m}{n}$, where m and n are coprime, then m + n is equal to :

- (1) 316
- (2) 315
- (3) 314
- (4) 317

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927304**

Option 1 ID : **432449107605**

Option 2 ID : **432449107606**

Option 3 ID : **432449107607**

Option 4 ID : **432449107608**

Status : **Not Answered**

Chosen Option : --

Q.37 In a certain code, CONDEMN is written as CNODMEN. TEACHER will be written as (T _ C E _) Fill in the blanks by identifying the correct sequence.

- A. H
- B. A
- C. E
- D. R

Choose the **correct** answer from the options given below :

- (1) A, B, C, D
- (2) B, C, A, D
- (3) D, C, A, B
- (4) C, D, B, A

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927297**

Option 1 ID : **432449107577**

Option 2 ID : **432449107578**

Option 3 ID : **432449107579**

Option 4 ID : **432449107580**

Status : **Answered**

Chosen Option : **2**

Q.38 Which of the following is NOT an application of stack ?

- (1) Towers of Hanoi
- (2) Evaluation of Postfix expression
- (3) Recursion
- (4) Priority Queue

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927329**

Option 1 ID : **432449107705**

Option 2 ID : **432449107706**

Option 3 ID : **432449107707**

Option 4 ID : **432449107708**

Status : **Answered**

Chosen Option : **3**

Q.39

Which of the following relationship are correct ?

- A. Chocolate : Sugar :: Building : Cement
- B. Sound : Feeble :: Colour : Faded
- C. Dubious : Indisputable :: Painful : Tormenting
- D. Calligraphy :: Writing :: Chapter : Stanza
- E. Restaurant : Menu :: Library : Catalogue

Choose the **correct** answer from the options given below :

- (1) A, B and C
- (2) B, C, D only
- (3) C and D only
- (4) A, B and E only

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927292

Option 1 ID : 432449107557

Option 2 ID : 432449107558

Option 3 ID : 432449107559

Option 4 ID : 432449107560

Status : Answered

Chosen Option : 4

Q.40

The target thread periodically checks whether it should terminate, allowing it an opportunity to terminate itself in an orderly fashion. This is know as :

- (1) Synchronous Cancellation
- (2) Asynchronous Cancellation
- (3) Default Cancellation
- (4) Deferred Cancellation

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927319

Option 1 ID : 432449107665

Option 2 ID : 432449107666

Option 3 ID : 432449107667

Option 4 ID : 432449107668

Status : Not Answered

Chosen Option : --

Q.41 The length or the number of data elements of the array can be obtained from the index set by which of the following formula ?

- (1) Lower Bound – Upperbound – 1
- (2) Upperbound – Lowerbound + 1
- (3) Lowerbound – Upperbound + 1
- (4) Upperbound + Lowerbound – 1

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927340**

Option 1 ID : **432449107749**

Option 2 ID : **432449107750**

Option 3 ID : **432449107751**

Option 4 ID : **432449107752**

Status : **Answered**

Chosen Option : **2**

Q.42 Consider a procedure LIST -SEARCH (L, K) finds the first elements with key K in list L by simple linear search, returning a pointer to its element. Arrange the following according to correct order of the execution.

- A. $x = L.head$
- B. While $x \neq NIL$ and $x.key \neq K$
- C. return x
- D. $x = x.next$

Choose the **correct** answer from the options given below :

- (1) A, B, D, C
- (2) B, C, D, A
- (3) A, D, B, C
- (4) A, B, C, D

Options

- 1. 1
- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927336**

Option 1 ID : **432449107733**

Option 2 ID : **432449107734**

Option 3 ID : **432449107735**

Option 4 ID : **432449107736**

Status : **Answered**

Chosen Option : **1**

Q.43 Match List - I with List - II.

List - I	List - II
Scheduling	Description
A. First-Come, First Served Scheduling	I. CPU is allocated to the process with the highest priority
B. Shortest-Job-First Scheduling	II. The Process that requests the CPU first is allocated the CPU first.
C. Priority Scheduling	III. The algorithm associates with each process the length of the next CPU burst
D. Round - Robin Scheduling	IV. A pre-emption is added to Switch between process

Choose the **correct** answer from the options given below :

- (1) A-III, B-II, C-IV, D-I
- (2) A-II, B-III, C-IV, D-I
- (3) A-II, B-III, C-I, D-IV
- (4) A-III, B-II, C-I, D-IV

Options

1. 1
2. 2
3. 3
4. 4

Question Type : **MCQ**Question ID : **43244927321**Option 1 ID : **432449107673**Option 2 ID : **432449107674**Option 3 ID : **432449107675**Option 4 ID : **432449107676**Status : **Answered**Chosen Option : **3**

Q.44

Match List - I with List - II.

List - I

A. $\frac{d}{dx}(\cos^{-1}x)$

B. $\frac{d}{dx}(\cot^{-1}x)$

C. $\frac{d}{dx}(\operatorname{cosec}^{-1}x)$

D. $\frac{d}{dx}(\sec^{-1}x)$

List - II

I. $-\frac{1}{1+x^2}$

II. $\frac{1}{|x|\sqrt{x^2-1}}$

III. $-\frac{1}{\sqrt{1-x^2}}$

IV. $-\frac{1}{|x|\sqrt{x^2-1}}$

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
 (2) A-II, B-III, C-IV, D-I
 (3) A-III, B-IV, C-I, D-II
 (4) A-III, B-I, C-IV, D-II

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927317

Option 1 ID : 432449107657

Option 2 ID : 432449107658

Option 3 ID : 432449107659

Option 4 ID : 432449107660

Status : Not Answered

Chosen Option : --

Q.45 If the curves $x = y^2$ and $xy = k$ cut at right angles. Then the value of k is :

- (1) $\frac{1}{2\sqrt{2}}$
- (2) 2
- (3) 4
- (4) $\frac{1}{8}$

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927305**

Option 1 ID : **432449107609**

Option 2 ID : **432449107610**

Option 3 ID : **432449107611**

Option 4 ID : **432449107612**

Status : **Not Answered**

Chosen Option : --

Q.46 Cub is related to Tiger in the same way as Fawn is related to _____.

- (1) Monkey
- (2) Stag
- (3) Ass
- (4) Sheep

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927285**

Option 1 ID : **432449107529**

Option 2 ID : **432449107530**

Option 3 ID : **432449107531**

Option 4 ID : **432449107532**

Status : **Answered**

Chosen Option : **4**

Q.47

Match List - I with List - II.

List - I

- A. Minimum Spanning Tree
- B. Topological Sort
- C. Recursion
- D. AVL Trees

List - II

- I. Height balanced
- II. Stack
- III. Kruskal's Algorithm
- IV. DFS

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-II, B-I, C-III, D-IV
- (4) A-III, B-IV, C-II, D-I

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927334

Option 1 ID : 432449107725

Option 2 ID : 432449107726

Option 3 ID : 432449107727

Option 4 ID : 432449107728

Status : Answered

Chosen Option : 4

Q.48

Choose the sets of numbers from the four alternative sets, that is similar to the given set :

Given set : (3, 18, 36)

- A. (5, 25, 50)
- B. (2, 10, 16)
- C. (4, 24, 48)
- D. (5, 30, 60)

Choose the **correct** answer from the options given below :

- (1) A and B only
- (2) B and C only
- (3) C and D only
- (4) C and A only

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927294

Option 1 ID : 432449107565

Option 2 ID : 432449107566

Option 3 ID : 432449107567

Option 4 ID : 432449107568

Status : Answered

Chosen Option : 3

Q.49 Match List - I with List - II.

List - I	List - II
A. Decoder	I. Selects one input out of many
B. Multiplexer	II. Converts binary input into 2^n outputs
C. Encoder	III. Converts 2^n inputs into binary code
D. Demultiplexer	IV. Routes one input to several outputs

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-I, C-III, D-IV
- (3) A-III, B-II, C-IV, D-I
- (4) A-IV, B-III, C-II, D-I

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**

Question ID : **43244927347**

Option 1 ID : **432449107777**

Option 2 ID : **432449107778**

Option 3 ID : **432449107779**

Option 4 ID : **432449107780**

Status : **Answered**

Chosen Option : **2**

Q.50

A half adder has :

- (1) One input and two outputs
- (2) Two inputs and two outputs
- (3) Three inputs and one output
- (4) Two inputs and one output

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**

Question ID : **43244927341**

Option 1 ID : **432449107753**

Option 2 ID : **432449107754**

Option 3 ID : **432449107755**

Option 4 ID : **432449107756**

Status : **Answered**

Chosen Option : **2**

Q.51 Identify the letters which have their mirror images identical to the letter itself are :

- A. J
- B. K
- C. A
- D. H

Choose the **correct** answer from the options given below :

- (1) C and D only
- (2) A and D only
- (3) A and C only
- (4) B and D only

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927293**

Option 1 ID : **432449107561**

Option 2 ID : **432449107562**

Option 3 ID : **432449107563**

Option 4 ID : **432449107564**

Status : **Answered**

Chosen Option : **1**

Q.52 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : Leaves of Plants are green.

Reason (R) : Plants contain Chromoplast, the green pigment

In the light of the above statements, choose the **most appropriate answer** from the options given below :

- (1) Both **(A)** and **(R)** are correct and **(R)** is the correct explanation of **(A)**
- (2) Both **(A)** and **(R)** are correct but **(R)** is **not** the correct explanation of **(A)**
- (3) **(A)** is correct but **(R)** is not correct
- (4) **(A)** is not correct but **(R)** is correct

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927286**

Option 1 ID : **432449107533**

Option 2 ID : **432449107534**

Option 3 ID : **432449107535**


Option 4 ID : **432449107536**

Status : **Answered**

Chosen Option : **1**

Q.53

Select a figure from amongst the four alternatives which when placed in the blank space of fig (?) would complete the pattern.



(1)



(2)



(3)



(4)

**Options** 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**Question ID : **43244927284**Option 1 ID : **432449107525**Option 2 ID : **432449107526**Option 3 ID : **432449107527**Option 4 ID : **432449107528**Status : **Answered**Chosen Option : **2**

Q.54

Match List - I with List - II.

List - I	List - II
Description of the Event	Set theoretic Notation
A. Neither A nor B	I. $(A \cap \bar{B}) \cup (\bar{A} \cap B)$
B. At least one of A, B or C	II. $\bar{A} \cap \bar{B}$
C. Exactly one of A and B	III. $A \cup B \cup C$
D. All three of A, B and C	IV. $A \cap B \cap C$

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-II, B-III, C-I, D-IV
- (3) A-II, B-I, C-IV, D-III
- (4) A-II, B-IV, C-I, D-III

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927316

Option 1 ID : 432449107653

Option 2 ID : 432449107654

Option 3 ID : 432449107655

Option 4 ID : 432449107656

Status : Answered

Chosen Option : 4

Q.55

_____ is a memory management scheme that permits the physical address space of a process to be non contiguous.

- (1) Dynamic loading
- (2) Address binding
- (3) Paging
- (4) Partitioning

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927324

Option 1 ID : 432449107685

Option 2 ID : 432449107686

Option 3 ID : 432449107687

Option 4 ID : 432449107688

Status : Answered

Chosen Option : 3

Q.56 In a _____ search, we begin search at a starting node, and when we come across a dead end then we backtrack.

- (1) Breadth first
- (2) Connected
- (3) Depth first
- (4) Bubble

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927330**

Option 1 ID : **432449107709**

Option 2 ID : **432449107710**

Option 3 ID : **432449107711**

Option 4 ID : **432449107712**

Status : **Answered**

Chosen Option : **3**

Q.57 Which state occurs when two or more processes are waiting indefinitely for an event that can be caused only by one of the waiting processes.

- (1) Deadlock state
- (2) Synchronisation state
- (3) Resource allocation state
- (4) Preemption state

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927323**

Option 1 ID : **432449107681**

Option 2 ID : **432449107682**

Option 3 ID : **432449107683**

Option 4 ID : **432449107684**

Status : **Answered**

Chosen Option : **1**

Q.58 In the following question, various terms of an alphabet series are given with one term missing as shown by (?). Choose the missing terms out of the given alternatives.

M, N, O, L, R, I, V, ?

- (1) A
- (2) E
- (3) F
- (4) H

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927282**

Option 1 ID : **432449107517**

Option 2 ID : **432449107518**

Option 3 ID : **432449107519**

Option 4 ID : **432449107520**

Status : **Answered**

Chosen Option : **2**

Q.59 Let the equation of the pair of lines, $y=px$ and $y=qx$ can be written as $(y-px)(y-qx)=0$. Then, the equation of the pair of the angle bisectors of the lines $x^2-4xy-5y^2=0$ is :

- (1) $x^2-3xy+y^2=0$
- (2) $x^2+4xy-y^2=0$
- (3) $x^2+3xy-y^2=0$
- (4) $x^2-3xy-y^2=0$

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927302**

Option 1 ID : **432449107597**

Option 2 ID : **432449107598**

Option 3 ID : **432449107599**

Option 4 ID : **432449107600**

Status : **Not Answered**

Chosen Option : **--**

Q.60

The value of $\int_0^{\pi/2} \frac{\sin^2 x}{1 + \sin x \cos x} dx$ is :

(1) $\frac{\pi}{3\sqrt{3}}$

(2) $\frac{\pi}{2\sqrt{2}}$

(3) $\frac{\pi}{9}$

(4) $\frac{\pi}{\sqrt{3}}$

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927300**

Option 1 ID : **432449107589**

Option 2 ID : **432449107590**

Option 3 ID : **432449107591**

Option 4 ID : **432449107592**

Status : **Not Answered**

Chosen Option : --

Q.61 Let S and T be symmetric matrices of the same order, which of the following statements are true ?

- A. $S+T$ is a symmetric matrix
- B. $ST-TS$ is a skew symmetric matrix
- C. $ST+TS$ is a symmetric matrix
- D. $ST-TS$ is a symmetric matrix

Choose the **correct** answer from the options given below :

- (1) A, B, C only
- (2) A, B, D only
- (3) B, C, D only
- (4) A, C, D only

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927314**

Option 1 ID : **432449107645**

Option 2 ID : **432449107646**

Option 3 ID : **432449107647**

Option 4 ID : **432449107648**

Status : **Answered**

Chosen Option : **1**

Q.62 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Let A and B be two symmetric matrices of order 3.

Assertion (A) : $A(BA)$ and $(AB)A$ are symmetric matrices.

Reason (R) : AB is symmetric matrix, if matrix multiplication of A with B is commutative.

In the light of the above statements, choose the **most appropriate answer** from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is **not** the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927307**

Option 1 ID : **432449107617**

Option 2 ID : **432449107618**

Option 3 ID : **432449107619**

Option 4 ID : **432449107620**

Status : **Answered**

Chosen Option : **1**

Q.63 The fundamental function of a register in digital circuits is to :

- (1) Perform Arithmetic operations
- (2) Store Binary information
- (3) Compare two numbers
- (4) Encode input signals

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927345**

Option 1 ID : **432449107769**

Option 2 ID : **432449107770**

Option 3 ID : **432449107771**

Option 4 ID : **432449107772**

Status : **Answered**

Chosen Option : 2

Q.64 A tree used to represent arithmetic expressions is called _____ tree.

- (1) Threaded
- (2) Game
- (3) Red-Black
- (4) Expression

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927331**

Option 1 ID : **432449107713**

Option 2 ID : **432449107714**

Option 3 ID : **432449107715**

Option 4 ID : **432449107716**

Status : **Not Answered**

Chosen Option : --

Q.65 Which of the following are Combinational Circuit ?

- A. Half adder
- B. SR flip-flop
- C. Full adder
- D. D flip-flop

Choose the **correct** answer from the options given below :

- (1) A and C only
- (2) B and D only
- (3) B, C, D only
- (4) A, B, C, D

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927349**

Option 1 ID : **432449107785**

Option 2 ID : **432449107786**

Option 3 ID : **432449107787**

Option 4 ID : **432449107788**

Status : **Answered**

Chosen Option : **4**

Q.66 The occurrence of an event is usually signaled by an interrupt from software by executing a special operation, which is called as _____.

- (1) System call
- (2) Bootstrap Program
- (3) Service Routine
- (4) Interrupt - Vector

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927318**

Option 1 ID : **432449107661**

Option 2 ID : **432449107662**

Option 3 ID : **432449107663**

Option 4 ID : **432449107664**

Status : **Answered**

Chosen Option : **1**

Q.67

Match List - I with List - II.

List - I

- A. Taxonomy
- B. Pedology
- C. Man
- D. Nation

List - II

- I. Biography
- II. History
- III. Soils
- IV. Classification

Choose the **correct** answer from the options given below :

- (1) A-III, B-IV, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- (3) A-II, B-III, C-I, D-IV
- (4) A-IV, B-III, C-I, D-II

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927290

Option 1 ID : 432449107549

Option 2 ID : 432449107550

Option 3 ID : 432449107551

Option 4 ID : 432449107552

Status : Answered

Chosen Option : 4

Q.68 Match List - I with List - II.

- | List - I | List - II |
|----------|---|
| A. AND | I. output 1 only if both inputs are 1 |
| B. OR | II. output 1 if any input is 1 |
| C. NAND | III. output 0 only if both inputs are 1 |
| D. NOR | IV. output 1 only if both inputs are 0 |

Choose the **correct** answer from the options given below :

- (1) A-IV, B-III, C-II, D-I
- (2) A-I, B-II, C-III, D-IV
- (3) A-I, B-III, C-IV, D-II
- (4) A-II, B-I, C-IV, D-III

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927348

Option 1 ID : 432449107781

Option 2 ID : 432449107782

Option 3 ID : 432449107783

Option 4 ID : 432449107784

Status : Answered

Chosen Option : 2

Q.69 If a matrix is both symmetric and skew symmetric, then

- (1) A is a diagonal matrix
- (2) A is a zero matrix
- (3) A is a scaler matrix
- (4) A is a square matrix

Options 1. 1

2. 2

3. 3

4. 4

Question Type : MCQ

Question ID : 43244927299

Option 1 ID : 432449107585

Option 2 ID : 432449107586

Option 3 ID : 432449107587

Option 4 ID : 432449107588

Status : Answered

Chosen Option : 4

Q.70

In the questions given below, two statements are given followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance from commonly known facts. Read the conclusion and then decide which of the given conclusions logically follows from the two given statement, disregarding commonly known facts :

Statement : All windows are doors. No door is wall.

Conclusions : I. No window is wall
II. No wall is door

- (1) Only conclusion I follows.
- (2) Only conclusion II follows.
- (3) Neither conclusion I nor II follows.
- (4) Both conclusion I and II follow.

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**Question ID : **43244927281**Option 1 ID : **432449107513**Option 2 ID : **432449107514**Option 3 ID : **432449107515**Option 4 ID : **432449107516**Status : **Answered**Chosen Option : **4****Q.71**

Which of the following is a Universal logic gate ?

- (1) AND
- (2) OR
- (3) NAND
- (4) XOR

Options 1. 1

2. 2
3. 3
4. 4

Question Type : **MCQ**Question ID : **43244927342**Option 1 ID : **432449107757**Option 2 ID : **432449107758**Option 3 ID : **432449107759**Option 4 ID : **432449107760**Status : **Answered**Chosen Option : **3**

Q.72 A number series is given below with one term missing. Choose the correct alternative that will continue the same pattern and replace the question mark in the given series :

240, ?, 120, 40, 10, 2

- (1) 180
- (2) 240
- (3) 420
- (4) 480

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927278**

Option 1 ID : **432449107501**

Option 2 ID : **432449107502**

Option 3 ID : **432449107503**

Option 4 ID : **432449107504**

Status : **Answered**

Chosen Option : **2**

Q.73 Match List - I with List - II.

List - I

- A. Breadth first search
- B. Sparse Graph
- C. Collision Resolution
- D. Linked list

List - II

- I. Shortest paths
- II. Adjacency list representation
- III. Open addressing
- IV. Self referential structures

Choose the **correct** answer from the options given below :

- (1) A-I, B-II, C-III, D-IV
- (2) A-I, B-II, C-IV, D-III
- (3) A-II, B-I, C-III, D-IV
- (4) A-IV, B-III, C-II, D-I

Options 1. 1

- 2. 2
- 3. 3
- 4. 4

Question Type : **MCQ**

Question ID : **43244927335**

Option 1 ID : **432449107729**

Option 2 ID : **432449107730**

Option 3 ID : **432449107731**

Option 4 ID : **432449107732**

Status : **Answered**

Chosen Option : **1**

Q.74 Given below are two statements : one is labelled as **Assertion (A)** and the other is labelled as **Reason (R)**.

Assertion (A) : Copper is used to make electrical wires.

Reason (R) : Copper has a very low electrical resistance.

In the light of the above statements, choose the **most appropriate answer** from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A)
- (2) Both (A) and (R) are correct but (R) is **not** the correct explanation of (A)
- (3) (A) is correct but (R) is not correct
- (4) (A) is not correct but (R) is correct

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927287**

Option 1 ID : **432449107537**

Option 2 ID : **432449107538**

Option 3 ID : **432449107539**

Option 4 ID : **432449107540**

Status : **Answered**

Chosen Option : **1**

Q.75 Arrange the following parabolas in increasing order of the length of their latus - rectum.

A. $y^2 = 8x$

B. $4x^2 + y = 0$

C. $y^2 - 4y - 3x + 1 = 0$

D. $y^2 - 4y + 4x = 0$

Choose the **correct** answer from the options given below :

- (1) A, B, C, D
- (2) B, C, A, D
- (3) C, B, A, D
- (4) B, C, D, A

Options 1. 1

2. 2

3. 3

4. 4

Question Type : **MCQ**

Question ID : **43244927309**

Option 1 ID : **432449107625**

Option 2 ID : **432449107626**

Option 3 ID : **432449107627**

Option 4 ID : **432449107628**

Status : **Not Answered**

Chosen Option : **--**