Name: Sarth Mane Roll No: 281054

Batch: A3

# Assignment 4

### **Problem Statement:**

Apply appropriate ML algorithm on a dataset. Create confusion matrix based on the data and find

- 1. Accuracy
- 2. Precision
- 3. Recall
- 4. F-1 score

# **Objectives:**

- 1. To apply a supervised machine learning algorithm to predict customer response.
- 2. To analyze the dataset and preprocess the data for better model performance.
- 3. To evaluate model performance using a confusion matrix.
- 4. To compute key classification metrics (Accuracy, Precision, Recall, F1-score).

#### Resources used:

- 1) Software used: Visual Studio Code
- 2) Libraries used: Pandas, Matplotlib, Seaborn, SKLearn

# Theory:

Classification is a supervised learning technique where the model learns to map input features to predefined labels. The goal is to train a model that can accurately classify new data points into one of the given categories. In this assignment, we focus on binary classification (Customer will respond: Yes or No).

#### 1. Confusion Matrix:

A confusion matrix is a performance measurement tool for classification models. It consists of four components:

- True Positives (TP): Correctly predicted positive cases.
- True Negatives (TN): Correctly predicted negative cases.
- False Positives (FP): Incorrectly predicted positive cases (Type I Error).
- False Negatives (FN): Incorrectly predicted negative cases (Type II Error).

#### 2. Evaluation Metrics:

• Accuracy: Measures the overall correctness of the model.

- Precision: Measures how many predicted positive cases were actually positive.
- Recall: Measures how many actual positive cases were correctly predicted.
- F1-Score: Harmonic mean of precision and recall, balancing both metrics.

# **Methodology:**

- 1. Data Preprocessing
  - Load the dataset using Pandas.
  - Handle missing values (imputation or removal).
  - Encode categorical variables (e.g., gender) using one-hot encoding.
  - Normalize numerical features using MinMaxScaler or StandardScaler.
  - Split the dataset into training and testing sets (e.g., 75% training, 25% testing).
- 2. Choosing the ML Algorithm

Since the problem is a binary classification task, suitable algorithms include:

- Logistic Regression
- Decision Tree Classifier
- Random Forest Classifier
- Support Vector Machine (SVM)
- K-Nearest Neighbors (KNN)
- Neural Networks (optional for advanced modeling)
- 3. Model Training & Prediction
  - Train the selected ML model on the training dataset.
  - Predict customer responses on the test dataset.
- 4. Confusion Matrix & Performance Metrics Calculation
  - Compute the confusion matrix (True Positives, True Negatives, False Positives, False Negatives).
  - Derive the following metrics from the confusion matrix:
    - O Accuracy
    - o Precision
    - Recall (Sensitivity)
    - o F1-Score

### **Conclusion:**

- The chosen ML model was able to predict responses with reasonable accuracy.
- Based on the evaluation metrics, the model's performance can be assessed for further improvements.
- Feature engineering and hyperparameter tuning could further enhance the model's effectiveness.