


Airlock Intercept & Emergency Valve — faithful render from Compose source

Night (sealed-session) scheme throughout, as coded: these overlays hard-code Night tokens. No elements added; copy, sizes, weights and colours are taken verbatim from the source listed under each frame.



1 · Airlock — 5s breathing delay (countdown running). Peek chip is not composed until countdownSecs == 0. Source: ui/components/AirlockAndDisarmOverlays.kt — AirlockInterceptOverlay (Box: NightColorBackground, 20dp padding; card: NightColorSurfaceBright #362C27, 24dp radius, 1dp border NightColorPrimary @20%, 24dp padding, 16dp spacing, centred). Badge Atkinson Bold 11.5sp cream; app name Atkinson Bold 24sp; session line + intention Atkinson 12.5sp cream @80%; countdown Anonymous Pro Bold 88sp cream, format “0%d”. RETURN TO FOCUS = BlockitActionChip(isAccentArmed) in MonolithCustomComponents.kt: 42dp high, 12dp radius, bg NightColorPrimaryContainer #F47442, fg #FBF1EC, 12sp.





2 · Airlock — peek countdown state: countdown at 00, peek offered. Same AirlockInterceptOverlay, branch countdownSecs == 0 && canUse2MinutePeek. EMERGENCY PEEK = BlockitActionChip default variant: bg Night surfaceVariant #100E0C, fg night onBackground #D2C6BB, mono badge “2m” from peekBadgeText(PEEK_DURATION_SECONDS = 120) in data/MonolithRepository.kt, badge in chip’s own fg (Anonymous Pro Bold). Price line Atkinson 12.5sp cream @80%, from peekPriceText(PEEK_COOLDOWN_MILLIS = 20 min). Withheld variants coded in the same composable (not shown): “PEEK COOLDOWN — AGAIN IN {n} MIN” (ceiling minutes), “A PEEK IS ALREADY RUNNING”, “PEEK IS OFF” — all Atkinson 12.5sp cream @80%, replacing the peek chip.

EMERGENCY BREAK

This ends the session early. It is the only break this week.



Hold to fill 60 seconds. Every 15 seconds banks. If your hand slips, what isn't banked drains away. The banked part stays.

KEEP FOCUSING

3 · Disarm challenge — 60-second emergency valve, hold in progress (18s held, 15s banked). Source: ui/components/AirlockAndDisarmOverlays.kt — DisarmChallengeOverlay (scrim NightColorBackground @94%, 16dp padding; card #362C27, 24dp radius, 1dp border cream @20%, 22dp padding, 16dp spacing, left-aligned). Title Atkinson Bold 12sp cream; consequence Atkinson 400 13sp cream (tokensRemaining > 0 wording); rule line Atkinson 400 11sp cream @75%, placed under the valve. Valve = ui/views/BlockitSuitcaseAndSwitchesViews.kt — Emergency60sValveView (68dp high): track NightBlockBar #161311, 24dp radius, hairline stroke; fill night accent #F47442 — banked quarter solid, in-hand segment alpha 180, 1.5dp seam at the crossed 15s bank; centred label Atkinson 11.5sp + Anonymous Pro 13sp, both #FBF1EC — idle reads “HOLD FOR WEEKLY EMERGENCY BREAK • 60s”, holding reads “KEEP HOLDING VALVE • {remaining}s”. KEEP FOCUSING = BlockitActionChip(isPrimaryInk): night ink fill #4A423C, fg cream #FFE4CF. At 0 tokens the valve and rule line are not composed at all; body becomes “This week’s break is already spent.”

Theme/type sources for all frames: ui/theme/Color.kt (Night tokens), ui/theme/Type.kt (AtkinsonHyperlegibleFamily, AnonymousProFamily), ui/theme/Theme.kt (SealedVaultNightColorScheme, 12dp/24dp radii), ui/components/MonolithCustomComponents.kt (BlockitActionChip, endsAtText → “ENDS HH:mm”). Dynamic values used are realistic instances of the coded types: badge “Locked” is the AirlockInterceptState default in ui/MonolithViewModel.kt; intention “Finish Chapter 4 Problem Set” is the ViewModel’s default intentionText; session end is rendered via the code’s own “SESSION ” + endsAtText format.