PHYSICS

CHEMISTRY

77. $E = E^0 + \frac{0.059}{2}\log\left[Cu^{+2}\right]$

$E\alpha\left[Cu^{+2}\right]$

78. At cathode always reduction occurs; ie


$Pb^{+2} + 2e^- \rightarrow Pb$

79. As metal 'P' is above in electrochemical series in comparison to 'Q' and 'R' (Based upon the SRP values). 'P' displace both cation of 'Q' and 'R' and deposit them as metal 'Q' and 'R'

80. Free radical substitution is involved

order of reactivity of H: $3^0H > 2^0H > 1^0H$

2 - Bromo - 2,3 - dimethyl butane



2 - Bromo - 2,3 - dimethyl butane

.


81. $-NO_2$ is meta directing and ring deactivating group

82. Statement I & II are correct

83. In SN^2 mechanism, transition state is formed. For getting stability carbocation undergoes rearrangement .

84. $NaBH_4$ can reduce ketone to 2^0- alchol unsaturation cannot be effected.

85. PCC is suitable to oxidize i-OH to – CHO rest are st. oxidizing agents. Can reduce $R-CH_2OH$ to RCOOH

86. 

87. 4

88. $CH_3COCH_3 + CH_3MgCl \rightarrow CH_3-\underset{\displaystyle CH_3}{\overset{\displaystyle CH_3}{\overset{|}{\underset{|}{C}}}}-OMgCl \xrightarrow{H_2O} CH_3-\underset{\displaystyle CH_3}{\overset{\displaystyle CH_3}{\overset{|}{\underset{|}{C}}}}-OH$

t-Butyl alcohol

89. Poor leaving group promotes E_{ICB} reaction

90. Conceptual