PARISHRAM 2.0 2026 (Class 12th)

Biology (Zoology)

DPP: 7

Human Reproduction

Q1 hCG, hPL and relaxin are produced in women
(A) At time of puberty
(B) Only during pregnancy
(C) Before puberty
(D) At the time of menopause

Q2 Which of the following hormone level is increased during pregnancy in the maternal blood
(i) FSH (ii) Progesterone (iii) Thyroxin (iv) cortisol (v) LH (vi) Estrogen
(A) (i) (ii) (v) (vi)
(B) (i) (ii) (iii) (iv) (v)
(C) (iii) (iv) (i)
(D) (ii) (iii) (iv) (vi)

Q3 **Statement -1** :After implantation, finger like projections appear on the trophoblast called chorionic villi.
Statement -2:Placenta acts like a endocrine tissue.
(A) Both the statements are true.
(B) Statement-1 is true and statement -2 is false
(C) Statement -1 is false and statement -2 is true.
(D) Both the statements are false.

Q4 **Assertion (A):** The trophoblast cells of the blastocyst play a key role in implantation.
Reason (R): Trophoblast cells digest the endometrial lining and promote anchoring of the embryo.
(A) Both A and R are true, and R is the correct explanation of A
(B) Both A and R are true, but R is not the correct explanation of A
(C) A is true, but R is false
(D) A is false, but R is true

Q5 Which of the following stages is mismatched?
(A) Cleavage – Cell division
(B) Blastula –Gut formation
(C) Gastrula –Three germ layers
(D) None of the above

Q6 What prevents implantation of the embryo in the fallopian tube during early cleavage stages?
(A) Cilia in uterine lining
(B) Absence of zona pellucida
(C) Presence of zona pellucida
(D) Movement of amniotic fluid

Q7 Cleavage is defined as:
(A) Rapid growth of embryo
(B) Rapid mitotic division of zygote without cell growth
(C) Differentiation of germ layers
(D) Attachment of blastocyst to uterine wall

Q8 During development, at which stage the stem cells can be extracted?
(A) Inner cell mass of blastocyst
(B) Trophoblast of blastocyst
(C) Gastrula
(D) Fully developed foetus

Q9 Match column A and B regarding embryonic development of human

	Column-A		Column-B
i	End of first month	a	Most of the major organ systems developed
ii	End of second month	b	Appearance of hair on the head
iii	End of third month	c	Heart formation
iv	During fifth month	d	Eye-lids separated
v	End of sixth month	e	Limbs and digits formation

(A) (i)-e (ii)-b (iii)-c (iv)- a (v)-d
(B) (i)-e (ii)-c (iii)-b (iv)-a (v)-d
(C) (i)-c (ii)-e (iii)-b (iv)-a (v)-d
(D) (i)-c (ii)-e (iii)-a (iv)-b (v)-d

Q10 Q.After embryonic implantation, the urine of mother will contain

(A) LH (B) hCG
(C) Progesterone (D) FSH

Answer Key

Q1	B
Q2	D
Q3	A
Q4	A
Q5	B
Q6	C
Q7	B
Q8	A
Q9	D
Q10	B

Hints & Solutions

Note: scan the QR code to watch video solution

Q1 Text Solution:

The hormones hCG (human chorionic gonadotropin), hPL (human placental lactogen), and relaxin are:Exclusively produced during pregnancy by the placenta.

Video Solution:

Q2 Text Solution:

(ii) Progesterone (iii) Thyroxin (iv) cortisol (vi) Estrogen hormones level is increased during pregnancy in the maternal blood

Video Solution:

Q3 Text Solution:

Both the statements are true.

Video Solution:

Q4 Text Solution:

Trophoblast cells secrete enzymes that digest and invade the uterine endometrium, allowing the blastocyst to anchor itself securely.The reason directly explains the assertion, making this the correct choice.

Video Solution:

Q5 Text Solution:

The blastula is a hollow ball of cells.Gut formation begins in the gastrula stage, not the blastula.

Video Solution:

Q6 Text Solution:

The zona pellucida is a glycoprotein layer that surrounds the fertilized egg (zygote) and early embryo.It prevents premature implantation of the embryo while it is still traveling through the fallopian tube.

Video Solution:

Q7 Text Solution:

Cleavage is the early embryonic process that begins after fertilization.It involves rapid mitotic divisions of the zygote.

Video Solution:

Q8 **Text Solution:**

Embryonic stem cells are pluripotent, meaning they can differentiate into all types of body cells.These stem cells are extracted from the inner cell mass of the blastocyst, which forms around 5–6 days after fertilization.

Video Solution:

Q9 **Text Solution:**

(i)-c (ii)-e (iii)-a (iv)-b (v)-d

Video Solution:

Q10 **Text Solution:**

After implantation, the trophoblast cells of the blastocyst secrete hCG.

Video Solution:

Android App | iOS App | PW Website