01/07/2026

Code-B_Phase-2

Aakash
Medical|IIT-JEE|Foundations
Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18, Udyog Vihar, Gurugram, Haryana - 122015, *Ph.*+91-1244168300

MM : 720

Fortnightly Test for NEET-2027 (XII Passed) Ph-2 - FT01B

Time : 180 Min.

Topics Covered:
Physics : Units & Measurements, Motion in a Straight Line
Chemistry : Some Basic Concepts of Chemistry
Botany : Cell : The Unit of Life
Zoology : Structural Organisation in Animals– Animal Tissues Biomolecules-I: (Upto polysaccharides)

General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.

CC-135 CC-135

PHYSICS

1. The value of two resistors are (5.0 ± 0.2) Ω and (10.0 ± 0.1) Ω. The maximum percentage error in the equivalent resistance when they are connected in series will be
(1) 9% (2) 5%
(3) 2% (4) 7%

2. If maximum percentage error in measurement of momentum is 1.5%, and there is no error in mass then maximum percentage error in the measurement of kinetic energy is
(1) 3% (2) 1.5%
(3) 4% (4) 4.5%

3. If 62.24 cm is divided by 2.0 s, the result upto appropriate significant figures is
(1) 31.12 cm/s (2) 31.1 cm/s
(3) 31.2 cm/s (4) 3.1 × 10 cm/s

4. Which of the following measurement is most accurate for measurement of length of a metre stick?
(1) 1.1 m (2) 1.01 m
(3) 1.12 m (4) 1.001 m

5. If length of side of a square is 1.2 m, then area of square with correct number of significant figures is
(1) 1.44 m^2 (2) 1.4 m^2
(3) 1.5 m^2 (4) 1.2 m^2

6. **Assertion (A)**: work and torque have same dimensions, but the two are not physically same.
Reason (R): Dimensional correctness of a relation does not ensure its physical correctness.
(1) (A) and (R) are true and (R) is the correct explanation of (A)
(2) (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) (A) is false but (R) is true

7. Choose the correct statement.
(1) On rounding off 17.684 upto 3 significant figure, result is 17.7
(2) On rounding off 17.65 upto 3 significant figure, result is 17.7
(3) On rounding off 17.75 upto 3 significant figure, result is 17.7
(4) On rounding off 17.632 upto 3 significant figure, result is 17.7

8. Taking into account of significant figure, what is value of 9.99 m – 0.009 m?
(1) 9.98 m (2) 9.981 m
(3) 9.99 m (4) 10 m

9. Planck's constant (h) has the same dimensions as
(1) $\frac{\text{Energy}}{\text{Frequency}}$
(2) Angular momentum
(3) Power
(4) Both (1) and (2)

10. A person measures the length of a rod as 10 cm, 11 cm, 10 cm, 10 cm, 9 cm. The true value of length of rod is
(1) 10 cm (2) 11 cm
(3) 9 cm (4) 10.8 cm

11. The numbers 3.865 and 3.875 on rounding off to 3 significant figures will give
(1) 3.86, 3.87 (2) 3.86, 3.88
(3) 3.87, 3.87 (4) 3.87, 3.88

12. A physical quantity $P = \frac{\sqrt{AB^{-2}}}{D^3}$ is determined by measuring A, B, C and D separately with the percentage error of 2%, 2%, 4% and 1% respectively. Maximum percentage error in the value of P will be
(1) 7% (2) 9%
(3) 12% (4) 6%

13. The acceleration a of a particle at time t is given by, $a = pt + \frac{q}{t^2+r}$, where p, q and r are constants. The dimension of $\frac{pr}{q}$ is
(1) $[M^0L^0T^{-1}]$ (2) $[ML^{-1}T^1]$
(3) $[ML^{-1}T^{-1}]$ (4) $[M^0L^{-1}T^0]$

14. A screw gauge has least count of 0.01 mm and there are 50 divisions in its circular scale. The pitch of the screw gauge is
(1) 0.25 mm (2) 0.5 mm
(3) 1.0 mm (4) 0.01 mm

15. If A, B and C are physical quantities such that A and B have same dimensions while C has different dimensions, then choose the meaningful expression.
(1) $\frac{A+C}{B}$ (2) $\frac{C-2B}{A}$
(3) $\frac{A}{B+C}$ (4) $\frac{2A-3B}{C}$


16. Match the physical quantities in list-I with their dimensions given in list-II.

	List-I		List-II
a.	Velocity	(i)	$[M^1L^1T^{-2}]$
b.	Acceleration	(ii)	$[M^0L^1T^{-2}]$
c.	Force	(iii)	$[M^1L^{-1}T^{-2}]$
d.	Pressure	(iv)	$[M^0L^1T^{-1}]$

Choose the correct answer from the options given below:
(1) a(iv), b(ii), c(i), d(iii) (2) a(iv), b(ii), c(iii), d(i)
(3) a(iii), b(ii), c(i), d(iv) (4) a(ii), b(i), c(iii), d(iv)

17. If Q, R and C represent charge, resistance and capacitance respectively, then dimensions of current are same as dimensions of
(1) $\frac{QR}{C}$ (2) $\frac{QC}{R}$
(3) $\frac{Q}{R^2C}$ (4) $\frac{Q}{RC}$

18. The reading of screw gauge shown in the figure is (least count is 0.01 mm)



(1) 6.51 mm (2) 6.61 mm
(3) 6.26 mm (4) 6.48 mm

19. In an experiment to measure diameter of a wire, a vernier calliper is used in which 9 main scale divisions of the calliper coincide with 10 vernier scale divisions. One main scale division is 2 mm. When nothing is in between the jaws, it is found that zero of vernier lies slightly to the left of zero of main scale and 5th division of vernier scale coincides with some division of main scale. The zero error has a magnitude of
(1) 1 mm (2) 1.2 mm
(3) 1.4 mm (4) 0.8 mm

20. The main scale of a vernier callipers is calibrated in mm and 18 divisions of main scale are equal in length to 20 divisions of vernier scale. In measuring the diameter of a cylinder by this instrument, the main scale reads 25 divisions and 5th division of vernier scale coincides with a main scale division. The reading of diameter is
(1) 25.0 mm (2) 25.5 mm
(3) 25.52 mm (4) 25.2 mm

21. Consider a Vernier callipers in which each 1cm on main scale is divided into 8 equal divisions. If 5 divisions of the Vernier scale coincide with 4 divisions on the main scale, then least count is
(1) $\frac{1}{5}$mm (2) $\frac{1}{40}$mm
(3) $\frac{1}{8}$mm (4) $\frac{1}{4}$mm


22. A particle is projected vertically upward with velocity v and it returns to the point of projection. For the complete journey
(1) Its average acceleration is zero
(2) Its average speed is v
(3) Its average speed is $\frac{v}{2}$
(4) Total distance covered is zero

23. A body thrown vertically up with initial velocity 52 m/s from the ground passes a point twice at height h above ground in an interval of 10 s. The height h is
($g = 10$ m/s^2)
(1) 22 m (2) 10.2 m
(3) 11.2 m (4) 15 m

24. A particle starts moving with acceleration 2 m/s^2. Distance travelled by it in 5th half second is
(1) 1.25 m (2) 2.25 m
(3) 6.25 m (4) 30.25 m


25. From the top of a building of height 100 m, a ball is dropped. At the same time another ball is projected vertically upwards from ground with a velocity 50 m/s along the same line. The height from ground where the two balls will meet each other is (Take g = 10 m/s^2 and neglect air resistance)
(1) 40 m (2) 50 m
(3) 80 m (4) 90 m

26. A car is moving on a straight road according to the given velocity-time (v-t) graph. Then



(1) Average velocity of the particle is zero
(2) Average acceleration of the particle is 2 m/s^2
(3) Total displacement of the particle is zero
(4) Total displacement of the particle is 24 m

27. A graph between square of speed (v^2) with time (t) for a particle moving on straight line is shown in the figure. The magnitude of acceleration of the particle at t = 1 s is (v is in m/s)



(1) 1 m/s^2 (2) 2 m/s^2
(3) 3 m/s^2 (4) $\frac{1}{2}$ m/s^2

28. The displacement x of a particle moving along x-axis at time t is given by $x^2 = 2t^2 + 6t$. The velocity at any time t is

(1) $\frac{4t+6}{x}$ (2) $\frac{2t \cdot x}{3}$
(3) $4t + 6$ (4) $\frac{2t+3}{x}$

29. A ball is thrown vertically upward. On its way up it passes point P with a speed 2V and point Q, 2m higher than P with a speed V. The maximum height reached by the ball above point Q is

(1) 4m (2) $\frac{1}{2}m$
(3) $\frac{3}{2}m$ (4) $\frac{2}{3}m$


30. A body starts from rest and moving with uniform acceleration a, for time t. The average velocity over time t is

(1) at (2) $\frac{at}{2}$
(3) $\frac{at}{4}$ (4) $\frac{at^2}{2}$

31. A body is thrown vertically upward from the ground with speed 15 m/s and it reaches at the highest position at time t = 1 s. Assuming constant air drag, time taken by it to reach the ground from the highest point is nearly (g = 10 m/s^2)

(1) 1 s (2) 1.4 s
(3) 0.7 s (4) 1.7 s

32. The figure shows position (x) versus time (t) graph of a particle moving along x-axis. During time interval t = 0 to t = 4 s, how many times the particle comes to rest?




(1) 4 (2) 2
(3) 3 (4) 5

33. If velocity of the particle $v = kx^{3/2}$, then the acceleration versus displacement graph is


(1) Parabola (2) Circle
(3) Straight line (4) Rectangular hyperbola

34. Two objects are moving in a straight line. Their position (x) versus time (t) graphs are as in figure. The relative velocity of A with respect to B is $\left(\sin 37^\circ = \frac{3}{5}\right)$



(1) $\frac{6}{5}$ m/s (2) $\frac{3}{4}$ m/s
(3) $\frac{3}{2}$ m/s (4) Zero

35. The acceleration-time graph of a particle moving along straight line is given. At what time velocity of particle becomes equal to its initial velocity?




(1) 10 s (2) 8 s
(3) 6 s (4) 4 s

36. A man covers one third of a distance with 60 kmph, next one-third distance with 20 kmph and last one-third distance with 10 kmph. His average speed of the entire journey is

(1) 30 kmph (2) 26 kmph
(3) 22 kmph (4) 18 kmph

37. A particle is moving along positive x-axis with some initial velocity. The acceleration time graphs are shown. In which case velocity of particle will increased for entire time between t_1 to t_2?



(1) Only in II (2) Only in I and III
(3) Only in I and II (4) In I, II and III

CC-135

38. A particle starts moving rectilinearly at time $t = 0$ such that its velocity v changes with time t according to equation $v = t^2 - t$, where t is in seconds and v is in m/s. The time interval for which the particle retards is
(1) $t < \frac{1}{2}$ (2) $\frac{1}{2} < t < 1$
(3) $t > 1$ (4) $t < \frac{1}{2}$ and $t > 1$

39. A policeman fires a bullet on a thief's car at rest. As the bullet is fired, the car starts accelerating by acceleration 20 m/s^2. If the speed of bullet is 720 km/h and the initial distance of thief's car from policeman is 2 km, then after what time will the bullet hit the thief's car?
(1) 10 s
(2) 5 s
(3) 20 s
(4) Bullet will not hit thief's car

40. Given are two statements:
Statement I: Area under velocity-time graph gives the distance travelled.
Statement II: For one-dimensional motion, a constant speed in an interval must have non-zero acceleration in that interval.
In the light of above statements, choose the most appropriate answer from the following
(1) Both statements I and II are correct
(2) Both statements I and II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

41. Consider the following statements and choose the correct option.
Statement-I: If a particle has zero velocity at any instant, then its acceleration must be zero at that instant.
Statement-II: For uniform motion, velocity-time graph is a straight line parallel to the time axis.
Statement-III: The magnitude of displacement is always greater than or equal to the distance traversed by an object.
Statement-IV: For motion with uniform acceleration, position(x)-time(t) graph is a parabola.
(1) Only statements II and IV are correct
(2) Only statements II, III and IV are correct
(3) Only statements I, II and III are correct
(4) All statements I, II, III and IV are correct


42. Column-I contains certain physical quantities and column-II contains various parameters. Match the column-I with column-II and choose the correct option.

Column-I	Column-II
a. Change in velocity	(i) Slope of velocity vs time curve
b. Acceleration	(ii) Area under velocity vs time curve
c. Displacement	(iii) Area under acceleration vs time curve
d. Instantaneous velocity	(iv) Slope of position vs time curve

(1) a(iii), b(ii), c(i), d(iv) (2) a(iii), b(i), c(ii), d(iv)
(3) a(iii), b(iv), c(ii), d(i) (4) a(ii), b(iv), c(iii), d(i)

43. A car accelerates from rest at a constant rate a_1 for some time, after which it decelerates at a constant rate a_2 and comes to rest. If total time elapsed is t, then maximum velocity acquired by the car is equal to
(1) $\frac{t(a_1+a_2)}{a_1 a_2}$ (2) $\frac{ta_1}{a_1+a_2}$
(3) $\frac{ta_1a_2}{a_1+a_2}$ (4) $\frac{ta_1a_2^2}{a_1+a_2}$

44. Figure shows velocity-time curve I and II. Which of the following statement(s) are correct?



(a) Both the curves are representing uniform acceleration motion
(b) Acceleration of II is more than acceleration of I
(c) Displacement covered by particle I is more than II
(1) (a) only (2) (b) only
(3) (a), (b) only (4) (a), (b) & (c)

45. An elevator of cabin height 1.2 m starts ascending with acceleration 2 m/s^2. One second after the start a loose bolt starts falling from the ceiling. The time after which bolt will hit the floor of elevator is (g = 10 m/s^2)
(1) $\frac{1}{\sqrt{5}}$ s (2) $\frac{\sqrt{6}}{5}$ s
(3) 5 s (4) $\frac{1}{\sqrt{2}}$ s

CHEMISTRY

46. Formula mass is used instead of molecular mass for
(1) H_2O (2) Ne
(3) NaCl (4) CH_4

47. Mass of four atoms of helium is
(1) 16 g (2) 4 u
(3) 16 u (4) 4 g

48. An organic compound contains carbon, hydrogen and oxygen. Its elemental analysis gave C = 40% and H = 6.67%. The empirical formula of the compound would be
(1) HCO (2) H_2CO
(3) HC_2O (4) H_2C_2O

49. Consider the following statements:
Statement I: Precision refers to the agreement of a particular value to the true value of the result.
Statement II: Accuracy refers to closeness of various measurements for the same quantity.
In light of above statements, choose the correct answer.
(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statement I and statement II are incorrect
(4) Both statement I and statement II are correct

50. The number of electrons in 1.6 g of CH_4 is approximately
(1) 25×10^{24} (2) 1.5×10^{24}
(3) 6×10^{23} (4) 3.0×10^{24}

51. Which concentration term is independent of temperature?
(1) Molarity (2) Mole fraction
(3) (w/v)% (4) Normality

CC-135 Aakash Medical IIT-JEE Foundation

52. Identify the example of pure substance among the following
(1) Milk (2) Air
(3) Sugar solution (4) Carbon dioxide

53. If percentage of Zn (atomic mass = 65.38 u) in a biomolecule is 0.75% by weight, then the minimum molar mass (in g mol^{-1}) of biomolecule will be
(1) 10243.45 (2) 9483.29
(3) 8012.12 (4) 8717.33

54. An element E exists in nature in the form of two isotopic forms with atomic masses 12 u and 13 u. If the average atomic mass of E is 12.2 u then the percentage abundances of the two isotopes is
(1) 10% and 90% (2) 30% and 70%
(3) 20% and 80% (4) 25% and 75%

55. Mass of one molecule of water in g is approximately
(1) 18 g (2) 3×10^{-23} g
(3) 3×10^{-22} g (4) 1.8×10^{-22} g

56. Consider the following statements
Statement I: Equal masses of S_2 and S_8 contain same number of molecules.
Statement II: Equal masses of O_2 and O_3 contain equal number of atoms.
In the light of above statements, choose the correct option.
(1) Both the statements I and II are correct
(2) Both the statements I and II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

57. Match the column I containing certain numerical values with their respective number of significant figures given in column II

	Column I		Column II
(a)	2.005	(i)	Two
(b)	1.32×10^2	(ii)	Three
(c)	4.9500	(iii)	Four
(d)	0.0024	(iv)	Five

Choose the correct match.
(1) (a)-(iii), (b)-(iv), (c)-(ii), (d)-(i)
(2) (a)-(ii), (b)-(i), (c)-(iv), (d)-(iii)
(3) (a)-(i), (b)-(ii), (c)-(iv), (d)-(iii)
(4) (a)-(iii), (b)-(ii), (c)-(iv), (d)-(i)

58. 6.025×10^{20} molecules of acetic acid are present in 500 ml of its solution. The concentration of solution is
(1) 0.002 M (2) 10.2 M
(3) 0.012 M (4) 0.001 M

59. 500 mL of 1 M HCl is diluted to get 0.2 M aqueous solution. The amount of water added is
(1) 2 L (2) 1 L
(3) 1.5 L (4) 2.5 L

60. Density of NO_2 gas in g/L at STP will be
(1) 1.02 (2) 4.5
(3) 2.05 (4) 3.1

61. 100 mL of 5 M HNO_3 is mixed with 800 mL of 2.5 M HNO_3 solution. The molarity of the resultant solution becomes
(1) 3.28 M (2) 3.72 M
(3) 4.21 M (4) 2.78 M

62. Mass of glucose present in 2 kg of 1 molal aqueous solution of glucose is
(1) 305 g (2) 380 g
(3) 450 g (4) 480 g

63. If 0.3 mole of $BaCl_2$ is mixed with 0.4 moles of Na_3PO_4, then maximum number of moles of $Ba_3(PO_4)_2$ and NaCl formed are respectively
(1) 0.2 and 1.6 (2) 0.3 and 1.8
(3) 0.1 and 0.6 (4) 0.4 and 2.4

64. Consider the following statements
Statement-I: Gay Lussac's Law of Gaseous Volumes : When gases combine or are produced in a chemical reaction they do so in a simple ratio by volume provided that all gases are at same temperature and pressure.
Statement-II: The volumes of $H_2(g)$ and $O_2(g)$ which combine together to form water bear a simple ratio of 2 : 1
In the light of above statements, choose the correct answer from the options given below.
(1) Statement I is false but statement II is true
(2) Both statements I and II are true
(3) Both statements I and II are false
(4) Statement I is true but statement II is false

65. A sample of ammonium phosphate $(NH_4)_3PO_4$ contains 3.18 moles of hydrogen atoms. The number of moles of oxygen atoms in the sample is
(1) 0.265 (2) 0.795
(3) 1.06 (4) 4.00

66. Volume of CO_2 gas evolved on heating of 50 g 25% pure $CaCO_3$ at STP is
(1) 5.6 L (2) 2.8 L
(3) 22.4 L (4) 11.2 L

67. 49% (w/w) H_2SO_4 solution is made for which the density is 2 g/mL. The molarity of solution is
(1) 20 mol/l (2) 15 mol/l
(3) 10 mol/l (4) 5 mol/l

68. Select the **incorrect** statement regarding Dalton's atomic theory
(1) Matter consists of indivisible atoms
(2) All atoms of a given element have identical properties
(3) Compounds are formed when atoms of different elements combine in fixed ratio
(4) Atoms are created or destroyed in chemical reactions

69. Which of the following pairs of compounds follow law of multiple proportions?
(1) H_2O and Na_2O (2) CO_2 and CO
(3) CO_2 and NO_2 (4) BaO and BeO

70. Which one of the followings has maximum number of atoms ?
(1) 1 g of Mg(s) [Atomic mass of Mg = 24]
(2) 1 g of $O_2(g)$ [Atomic mass of O = 16]
(3) 1 g of Li(s) [Atomic mass of Li = 7]
(4) 1 g of Ag(s) [Atomic mass of Ag = 108]

71. Which among the following compounds has the highest percentage of carbon by mass in it?
(1) Urea (2) Glucose
(3) Methane (4) Carbon dioxide

72. 28 g of $N_2(g)$ and 3 g of $H_2(g)$ are mixed to produce $NH_3(g)$ according to the following reaction
$N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$
The correct option regarding the above reaction is
(1) 22.4 L of $NH_3(g)$ is formed at STP
(2) 34 g $NH_3(g)$ is formed
(3) 0.7 moles of $N_2(g)$ remain unreacted
(4) 0.25 moles of $H_2(g)$ remain unreacted

CC-135 Aakash Medical/IIT-JEE/Foundations

73. 3×10^{20} molecules of CO_2 are removed from 220 mg of CO_2. The total number of remaining atoms are ($N_A = 6 \times 10^{23}$)

(1) 8.1×10^{21} (2) 6.9×10^{21}
(3) 2.7×10^{21} (4) 9.9×10^{21}

74. Match List I with List II and choose the correct option.

	List I (Amount of Substance)		List II (Number of oxygen atoms)
a.	18 g $C_6H_{12}O_6$	(i)	4 N_A
b.	44.8 L NO_2(g) at STP	(ii)	0.03 N_A
c.	1.225 g $KClO_3$	(iii)	0.5 N_A
d.	11.2 L CO(g) at STP	(iv)	0.6 N_A

(1) a(iv), b(i), c(ii), d(iii) (2) a(i), b(ii), c(iii), d(iv)
(3) a(iv), b(iii), c(ii), d(i) (4) a(ii), b(iii), c(i), d(iv)

75. How many mole of Na^+ are present in 250 mL of 0.05 M Na_2SO_4 solution?

(1) 2.5×10^{-2} (2) 1.25×10^{-2}
(3) 1.25×10^{-3} (4) 2.5×10^{-3}

CC-135

76. Suppose the elements A and B combine to form two compounds A_2B and A_2B_3. When 0.25 mol of A_2B weighs 20 g and 0.1 mol of A_2B_3 weighs 10 g, then the atomic weights (in u) of A and B respectively are

(1) 35, 20 (2) 20, 25
(3) 35, 10 (4) 10, 15

77. Atomic mass of 'X' whose one atom weighs 1.8×10^{-22} g is

(1) 98.8 (2) 54.18
(3) 108.39 (4) 111

78. In 1 molal aqueous solution of urea, the mole fraction of urea is

(1) 0.018 (2) 0.15
(3) 0.025 (4) 0.001

79. Number of oxygen atoms in 224 ml of CO_2 at STP is

(1) 10^{-3} N_A (2) 4×10^{-2} N_A
(3) 2×10^{-2} N_A (4) 10^{-2} N_A

80. The temperature at which °F and °C have same value is

(1) 40°C (2) –40°C
(3) 20°C (4) –20°C

81. One litre of CO_2 is passed through red hot coke. The volume becomes 1.4 litres at same temperature and pressure. The composition of products is

(1) 0.8 litre of CO_2 and 0.6 litre of CO
(2) 0.7 litre of CO_2 and 0.7 litre of CO
(3) 0.6 litre of CO_2 and 0.8 litre of CO
(4) 0.4 litre of CO_2 and 1.0 litre of CO

CC-135

82. Choose the incorrect match among the following

Physical Quantity		SI unit
a. Electric current	(i)	Ampere
b. Amount of substance	(ii)	Kilogram
c. Luminous intensity	(iii)	Candela
d. Thermodynamic temperature	(iv)	Kelvin

Choose the correct option.

(1) a(i) (2) b(ii)
(3) c(iii) (4) d(iv)

83. For the given reaction

$P_4 + 5\ O_2 \rightarrow P_4O_{10}$

If 31 g of P_4 is reacted with excess of oxygen and the percentage yield is 60%, then the mass of product formed is

(1) 42.6 g (2) 12.8 g
(3) 71 g (4) 28.4 g

84. Match prefixes given in List-I with multiple given in List-II

List-I	List-II
a. mega	(i) 10^{18}
b. giga	(ii) 10^{6}
c. exa	(iii) 10^{12}
d. tera	(iv) 10^{9}

The correct match is

(1) a(iii), b(ii), c(i), d(iv) (2) a(ii), b(iv), c(iii), d(i)
(3) a(iv), b(ii), c(i), d(iii) (4) a(ii), b(iv), c(i), d(iii)

CC-135 CC-135

85. Which of the given pairs has the compounds with same empirical formula?

(1) Benzene and cyclohexane
(2) Ethyne and Propyne
(3) Benzene and Ethyne
(4) Propyne and Cyclohexane

86. The amount of magnesium required to produce 112 ml of H_2 at STP by treatment with dilute H_2SO_4 will be

(1) 2.1 g (2) 0.12 g
(3) 1.2 g (4) 0.21 g

87. The mass of NaOH to be dissolved in 60 g of water to make a 20% aqueous solution (w/w) is

(1) 10 g (2) 15 g
(3) 20 g (4) 30 g

88. The mass of 1.5055×10^{23} CO molecules is

(1) 14 g (2) 7 g
(3) 3.5 g (4) 28 g

89. Consider the given reactions:

(i) $N_2(g) + O_2(g) \rightarrow 2NO(g)$

(ii) $2NO(g) + O_2(g) \rightarrow 2NO_2(g)$

Mass of NO_2 produced from 0.5 mol of N_2 is

CC-135 CC-135

(1) 92 g (2) 72 g
(3) 69 g (4) 46 g

90. Mass of NaOH pellets required to completely react with 500 mL of 0.01 M HCl solution according the following reaction, is

$NaOH + HCl \rightarrow NaCl + H_2O$

(1) 0.4 g (2) 0.3 g
(3) 0.2 g (4) 0.1 g

BOTANY

91. Read the following statements and choose the option with **correct** set of statements regarding plasma membrane.
a. Phospholipids have non-polar tail of saturated hydrocarbons.
b. Head part of the lipids is protected from the aqueous environment.
c. Transmembrane proteins require crude methods of extraction.
d. The quasi fluid nature of lipids is important for cell growth and secretion.
e. Lipids can do flip-flop movement.
(1) a, c and e only (2) a, c and d only
(3) a, c, d and e only (4) a, b, d and e only

92. Small hair-like structures, which work like oars, causing the movement of either the cell or surrounding fluid is
(1) Fimbriae (2) Flagella
(3) Cilia (4) Pili

93. A chromosome has centromere slightly away from the centre or nearer to one end of it, resulting into one shorter arm and one longer arm, known as
(1) Telocentric (2) Sub-metacentric
(3) Acrocentric (4) Metacentric

94. Hub in centriole is
(1) Peripheral triplet of microtubules
(2) Rod-shaped proteinaceous mass in the central part
(3) Proteinaceous amorphous pericentriolar region
(4) Radially oriented filaments

95. Select the features of semi-autonomous cell organelles which resembles prokaryotes
(a) Double stranded circular genetic material
(b) Being completely independent of the nucleus
(c) Impermeable inner membrane
(d) Presence of ribosome with 50S and 30S subunit
(e) Shows the ability to self-duplicate.
The **correct** ones are
(1) (b) and (e) (2) (a) and (c)
(3) (a), (d) and (e) (4) (a), (b), (d) and (e)

96. Dictyosomes are
(1) Respiratory particles
(2) Flagellar structures
(3) Golgi apparatus made up of unconnected units
(4) Chain of ribosomes

97. Change of colour from green to reddish during ripening of tomato or chilli is due to transformation of chloroplasts to
(1) Amyloplasts (2) Chromoplasts
(3) Elaioplasts (4) Aleuroplasts

98. Microbodies are
(1) Membrane bound minute vesicles
(2) Non-membrane bound organelles
(3) Present only in animals
(4) Present only in plants

99. The total number of microtubules present in the axoneme of a eukaryotic flagella are
(1) 18 (2) 20
(3) 27 (4) 30

100. Read the following statements and select the **correct** option.
Statement A: Chromatin in eukaryotes contains DNA and some basic proteins called histones.
Statement B: The cell wall and middle lamellae may be traversed by plasmodesmata which connect the cytoplasm of neighbouring plant cells.
(1) Only statement A is correct
(2) Only statement B is correct
(3) Both statements A and B are incorrect
(4) Both statements A and B are correct

101. If the pH in lysosomes is increased to alkaline, what will be the outcome?
(1) Lysosomal enzymes will be more active
(2) Hydrolytic enzymes will function more efficiently
(3) Hydrolytic enzymes will become inactive
(4) Lysosomal enzymes will be released into the cytoplasm

102. Given below are two statements:
Statement I: Some bacteria are resistant to antibiotics due to presence of an additional small circular DNA.
Statement II: Single stranded linear DNA confers unique phenotypic characters to most of the bacteria.
In the light of above statements, choose the **correct** answer from the option given below:
(1) Both statement I and statement II are true
(2) Both statement I and statement II are false
(3) Statement I is true and statement II is false
(4) Statement I is false and statement II is true

103. Which of the following is **not** correct about plant cell wall?
(1) Protects the cell from bursting
(2) Provides barrier to undesirable macromolecules
(3) Protects the cells from infections
(4) Involved in active transport of materials

104. The shape of mesophyll cells is primarily
(1) Amoeboid (2) Elongated
(3) Branched and long (4) Round and oval

105. The concept of *Omnis cellula-e cellula* given by Rudolf Virchow suggests that
(1) All living organisms are composed of cells.
(2) All living organisms are composed of products of cells.
(3) All cells arise from pre-existing cell.
(4) Activities of an organism are the outcome of sum total of activities and interactions of its constituent cells.

106. Who studied different type of animal cells and reported that cell had a thin outer layer?
(1) Robert Hooke (2) Robert Brown
(3) Matthias Schleiden (4) Theodore Schwann

107. Thick and tough glycocalyx found in some bacteria is called
(1) Slime layer (2) Mesosome
(3) Capsule (4) Lamellae

108. A is the smallest living cell (0.3 µm long) and it lacks B.
Choose the option to fill in the blanks **correctly**.
(1) (A)- PPLO; (B)- Plasma membrane
(2) (A)- Mycoplasma; (B)- Cell wall
(3) (A)- *Amoeba*; (B)- Protein coat
(4) (A)- Bacterium; (B)- Ribosomes

109. Select the **incorrect** statement regarding Golgi apparatus.
(1) This cell organelle was named by Camillo Golgi
(2) Its *cis* face is the forming face and *trans* face is the maturing face
(3) Its *cis* and *trans* faces are interconnected
(4) It consists of many cisternae stacked parallel to each other

110. Which of the following statements is **wrong** about the component of cell that is the main arena of cellular activities?
(1) It is surrounded by nuclear membrane
(2) It contains many cell organelles
(3) It is semi-fluid matrix
(4) Various chemical reactions occur in it

111. A specialised membranous structure in some prokaryotic cells which contain photosynthetic pigments is
(1) Mesosome (2) Cristae
(3) Chromatophore (4) Endoplasmic reticulum

CC-135 CC-135 CC-135 CC-135 CC-135 CC-135
Aakash Medical IIT-JEE Foundation

112. A live cell was first observed and described by
(1) Robert Hooke (2) A.V. Leeuwenhoek
(3) Rudolf Virchow (4) Robert Brown

113. The membrane of erythrocyte of human beings is composed of approximately
(1) 50 percent proteins and 22 percent lipids
(2) 40 percent proteins and 52 percent lipids
(3) 42 percent proteins and 50 percent lipids
(4) 52 percent proteins and 40 percent lipids

114. Kinetochores are
(1) Terminal ends of the chromosomes
(2) The structures that hold two chromatids of a chromosome
(3) The parts of chromosomes beyond the secondary constriction
(4) The disc shaped structures on the side of centromere

115. Which of the following organelles is **not** included in an endomembrane system?
(1) Endoplasmic reticulum (2) Golgi complex
(3) Lysosomes (4) Peroxisomes

116. The nuclear pores are complex structure which are formed by the
(1) Disintegration of nuclear membrane
(2) Fusion of outer and inner membranes of nucleus
(3) Enzymatic action of lysosome
(4) Movement of RNA and protein molecules

117. Bacterial flagellum is composed of
(1) Basal body and microtubules
(2) Actin and myosin proteins
(3) Filament, hook and basal body
(4) Basal body, axoneme and radial spokes

118. Which of the following cell organelles is absent in higher plant cells but present in animal cells?
(1) Mitochondria (2) Centrioles
(3) ER (4) Plastids

119. Satellite in chromosomes is
(1) Seen in telocentric chromosomes only
(2) A fragment beyond the secondary constriction
(3) Formed by primary constriction
(4) Devoid of DNA

120. Match the following column I with column II and select the **correct** option.

	Column I		Column II
a.	Stroma lamellae	(i)	A space limited by the inner membrane of the chloroplast
b.	Stroma	(ii)	Stacked structures found within the chloroplast of plant cells
c.	Thylakoids	(iii)	Flat membranous tubules that connect the organized flattened membranous sacs of different grana
d.	Grana	(iv)	Flattened membranous sacs present in matrix of chloroplast


(1) a(ii), b(i), c(iv), d(iii) (2) a(iii), b(i), c(iv), d(ii)
(3) a(iii), b(iv), c(i), d(ii) (4) a(ii), b(iv), c(i), d(iii)

121. Choose **odd** one out w.r.t. cell theory.
(1) Formulated by Schleiden and Schwann.
(2) All living organisms are composed of cells and their products.
(3) All cells arise from pre-existing cells.
(4) Subcellular entities like viruses also follow the cell theory.

122. Algae have cell wall, majorly made of
(1) Cellulose, lignin and mannans
(2) Mannans, galactans, cellulose and calcium carbonate
(3) Pectins, lignin, calcium pectate and proteins
(4) Magnesium pectate, cellulose, galactans and chitin.

123. Smooth endoplasmic reticulum is associated with all of the following, **except**
(1) Detoxification of drugs (2) Muscle contractions
(3) Cell to cell interaction (4) Synthesis of steroids

124. Identify the structures marked as A, B, C and D in the given section of a flagellum.



	A	B	C	D
(1)	Central bridge	Radial spoke	Inter-doublet bridge	Plasma membrane
(2)	Plasma membrane	Central microtubule	Radial spoke	Central sheath
(3)	Central sheath	Central bridge	Radial spoke	Plasma membrane
(4)	Central sheath	Central microtubule	Radial spoke	Plasma membrane

(1) (1) (2) (2)
(3) (3) (4) (4)

125. The function which is **not** associated with microtubules is
(1) Formation of spindles and astral rays
(2) Formation of basal body of flagella in eukaryotes
(3) Help in formation of cleavage furrow during cell division
(4) Help in formation of cell plate during plant cell cytokinesis

126. Which among the following is **incorrect** for inclusion bodies?
(1) They are not bound by any membrane system.
(2) They lie freely in the cytoplasm.
(3) Cyanophycean granules, gas vacuole and contractile vacuole exemplifies inclusion bodies.
(4) Reserve material are stored in the form of these bodies in prokaryotes.

127. Structure found in blue-green, purple and green photosynthetic bacteria that provide buoyancy are
(1) Microtubules (2) Centrioles
(3) Gas vacuoles (4) Contractile vacuoles

128. Match the following columns and select the **correct** option.

	Column I		Column II
a.	Contractile vacuole	(i)	Stores starch
b.	RER	(ii)	Glycosylation of proteins
c.	Golgi complex	(iii)	Excretion
d.	Amyloplast	(iv)	Protein synthesis

(1) a(iii), b(i), c(ii), d(iv) (2) a(iii), b(iv), c(ii), d(i)
(3) a(iv), b(i), c(ii), d(iii) (4) a(i), b(iii), c(ii), d(iv)

CC-135 CC-135 CC-135 CC-135 CC-135
Aakash Medical/IIT-JEE/Foundations

129. Read the following Assertion(A) and Reason(R) statements.
Assertion(A): Telomeres prevent the shortening of chromosomes or chromosome loss.
Reason(R): Being primary constriction, telomeres seal the ends of chromosome.
In the light of above statements, select the **correct** option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

130. Choose **odd one** w.r.t the presence of nucleus.
(1) Mature sieve tube cell (2) Nerve cell
(3) Mesophyll cell (4) White blood cell

131. Loose and indistinct network of nucleoprotein fibres present in interphase nucleus is called
(1) Chromosome (2) Chromatin
(3) Centromere (4) Chromatid

132. A cell of onion peel differs from a cell of human cheek in
(1) The type of outermost boundary
(2) Having both 70S and 80S ribosomes
(3) Having non–membrane bound cell organelles
(4) Basic components of cell membrane

CC-135

133. Read the following assertion (A) and reason (R) statements and select the **correct** option
Assertion (A): ER divides the intracellular space into two distinct compartments, *i.e.*, luminal and extra luminal.
Reason (R): Membrane of endoplasmic reticulum is continuous with the nuclear envelope.
(1) Both (A) and (R) are true and (R) in the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

134. Find the **incorrect** match from the following.
(1) Fungal cell wall – Polymers of N-acetylglucosamine units
(2) Active transport – Na^+/K^+ pump
(3) Secondary cell wall – Gradually diminishes with maturity
(4) Middle lamellae – Cementing material that connects the neighbouring cells

135. Read the following statements and select the **correct** option.
Statement A : Peripheral proteins of plasma membrane are partially or totally buried in the membrane.
Statement B : Neutral solutes may move across the plasma membrane by the process of simple diffusion along the concentration gradient.
(1) Only A is incorrect
(2) Only B is incorrect
(3) Both A and B are correct
(4) Both A and B are incorrect

CC-135 CC-135

ZOOLOGY

136. How many of the below given features belong to smooth muscle fibres?

Fusiform, Multinucleated, Involuntary, Presence of striations, Attached to skeletal bones

Choose the **correct** option.
(1) Two (2) Three
(3) Four (4) Five

137. All of the following statements are true for neuroglia, **except**
(1) They are the specialised cells found in brain and spinal cord
(2) More than 50% of the volume of neural tissue is composed of neuroglial cells
(3) These cells have different shapes and sizes and are thought to separate and insulate adjacent neurons.
(4) They do not support and protect the neurons

138. Goblet cells of alimentary canal are modified from
(1) Columnar epithelial cells
(2) Chondrocytes
(3) Compound epithelial cells
(4) Squamous epithelial cells

139. In all connective tissues, the cells secrete fibres of structural proteins called collagen or elastin, **except**
(1) Loose connective tissue
(2) Dense connective tissue
(3) Skeletal connective tissue
(4) Fluid connective tissue

CC-135

140. Skeletal connective tissue means
(1) Tendon and ligament
(2) Blood and lymph
(3) Adipose and areolar tissue
(4) Bone and cartilage

141. The innermost layer of walls of blood vessels is composed of
(1) Ciliated columnar epithelium
(2) Columnar epithelium
(3) Cuboidal epithelium
(4) Squamous epithelium

142. Choose the **incorrect** match.
(1) Areolar tissue - Cells and fibres are loosely arranged in a semi-fluid ground substance
(2) Adipose tissue - It serves as a support framework for epithelium of alveoli
(3) Salivary gland - Glandular epithelium which is secretory in nature
(4) Tight junction - Help to stop substances from leaking across a tissue

143. Unstriated, uninucleated and fusiform-shaped muscle fibres are not the characteristics of the type of muscle fibres present in the walls of
(1) Veins (2) Arteries
(3) Stomach (4) Heart

144. Intercalated discs are a characteristic feature of :
(1) All striated muscles (2) Smooth muscles
(3) Biceps (4) Cardiac muscles

CC-135 CC-135

145. Type of epithelium that lines bronchioles and oviduct is
(1) Simple cuboidal (2) Simple squamous
(3) Simple ciliated epithelium (4) Compound epithelium

Aakash Medical/IIT-JEE/Foundations

146. **Assertion (A)** : The main function of compound epithelium is to provide protection against chemical and mechanical stresses.
Reason (R) : Different types of cell junctions are present only in compound epithelium.
In the light of the above statements, choose the **correct** option.
(1) Both Assertion and Reason are true and Reason is the correct explanation of the Assertion
(2) Both Assertion and Reason are true but Reason is not the correct explanation of the Assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements

147. The part of a neuron that receives a stimulus from another neuron is
(1) Synaptic vesicles (2) Dendrites
(3) Nissl's granules (4) Neuroglia

148. Select the type of tissue which exerts the greatest control over the body's responsiveness to changing environmental conditions
(1) Nervous tissue (2) Muscular tissue
(3) Connective tissue (4) Epithelial tissue

149. Dense connective tissues consist of compactly packed fibres and fibroblasts and it can be further categorised into dense regular and dense irregular tissues on the basis of
(1) Orientation of fibres
(2) Origin of fibres
(3) Number of fibres
(4) Structural composition of fibres

150. The cells present in the epithelial lining of all the following structures have centrally located nucleus, **except**
(1) Proximal convoluted tubule
(2) Air sacs of lungs
(3) Intestine
(4) Distal convoluted tubule

151. The property that is found in muscle fibres and not in nerve fibres which enables muscle fibers to shorten its length, is
(1) Conductivity (2) Contractility
(3) Excitability (4) Insulation

152. Characteristic of simple epithelial cells is that they
(1) Are made up of many layers of cells
(2) Line the urinary bladder and ureters
(3) Make a single layer resting on basement membrane
(4) Have abundant blood supply

153. Read the name of glands given in the box below.
Goblet cells, sudoriferous gland, sebaceous gland, salivary gland, mammary gland
How many of the above are unicellular glands that do not release their secretion in blood?
(1) One (2) Two
(3) Three (4) Four

154. Complete the analogy by choosing the **correct** option.
Dense connective tissue : Ligament : : Loose connective tissue : _____
(1) Areolar tissue (2) Dermis of skin
(3) Blood (4) Bone

155. The type of connective tissue which attaches skeletal muscles to bones
(1) Possesses chondrocytes and fibroblasts
(2) Is characterised by the presence of lamellae
(3) Is placed under the category of specialised connective tissue
(4) Has collagen fibres that are present in rows between many parallel bundles of fibres

156. A student analysed the different categories of connective tissues and he compared blood, areolar tissue and adipose tissue. After the comparison, he found that
(1) All of them possess fibroblasts
(2) Blood possesses macrophages while adipose tissue lacks them
(3) Both blood and areolar tissue possess collagen fibres
(4) Both areolar tissue and adipose tissue possess adipocytes

157. Read the given statements.
Statement (A): Skeletal and cardiac muscle fibres are striated in appearance.
Statement (B): Skeletal and cardiac muscle fibres have transverse stripes when viewed under the microscope.
Select the **correct** option.
(1) Statement (A) is correct and (B) is the correct explanation of statement (A)
(2) Statement (A) is correct but (B) is not the correct explanation of statement (A)
(3) Statement (A) is incorrect but (B) is correct
(4) Both the statements (A) and (B) are incorrect

158. Choose the **correct** option w.r.t. the features of muscle fibres found in biceps and heart of humans.

	Muscle fibres of biceps	**Muscle fibres of heart**
(1)	Involuntary	– Voluntary
(2)	Branched	– Unbranched
(3)	Multinucleated	– Uninucleated
(4)	Striations absent	– Striations present

(1) (1) (2) (2)
(3) (3) (4) (4)

159. Which of the following is **not** a polymer of glucose?
(1) Starch (2) Inulin
(3) Glycogen (4) Cellulose

160. A dehydration reaction links one molecule of each X and Y to produce one molecule of Z. If the formula for each X and Y is $C_6H_{12}O_6$, then what is the formula of Z?
(1) $C_{12}H_{22}O_{11}$ (2) $C_{12}H_{24}O_{11}$
(3) $C_{12}H_{20}O_{10}$ (4) $C_{12}H_{24}O_{12}$

161. In a molecule of glycogen, left end has
(1) Free aldehydic group representing reducing end
(2) Free carboxyl group representing C-terminal amino acid
(3) No free aldehydic group, representing non-reducing end
(4) Free ketonic group representing N-terminal amino acid

162. Which of the following acids is usually used to grind living tissues for the separation of micromolecules and macromolecules?
(1) CH_3COOH (2) Cl_3CCOOH
(3) C_2H_5COOH (4) C_3H_7COOH

163. The major component which is present in the plant cell wall, does not give colour while performing iodine test, because it is/does
(1) A homopolymer
(2) A polysaccharide
(3) Not contain complex helices in its structure
(4) Not have a reducing end

164. Complete the analogy w.r.t. secondary metabolites.
Morphine : Alkaloid : : Ricin : _____.
(1) Lectin (2) Pigment
(3) Essential oil (4) Toxin

165. Select the element from the given options which is present in negligible amounts in human body.
(1) Sulphur (2) Silicon
(3) Sodium (4) Hydrogen

CC-135 CC-135 CC-135 CC-135 CC-135 CC-135
Aakash Medical/IIT-JEE/Foundations

166. Which of the following is a primary metabolite?
(1) Carotenoids (2) Anthocyanins
(3) Amino acids (4) Rubber

167. A linear polysaccharide is composed of 458 glucose monomers connected exclusively by glycosidic linkages. During its complete enzymatic hydrolysis, which of the following options accurately reflects the above given reaction?
(1) Upon complete hydrolysis, 458 glycosidic bonds will be broken
(2) A total of 457 water molecules will be consumed for the complete hydrolysis of glycosidic bonds.
(3) Only 457 glucose molecules will be liberated as the final product.
(4) A total of 458 water molecules will be released after hydrolysis of glycosidic bonds.

168. A six carbon sugar with aldehyde group is
(1) Ribose (2) Deoxyribose
(3) Glucose (4) Fructose

169. Category of biomolecules that forms 10-15% of the total cellular mass of living tissues are
(1) Carbohydrates (2) Lipids
(3) Nucleic acids (4) Proteins

170. Chitin is a homopolymer, made up of monomeric units called
(1) Glucosamine (2) N-acetylgalactosamine
(3) N-acetylglucosamine (4) Galactosamine

171. Which one is **not** obtained in the acid-soluble fraction?
(1) Nucleic acids (2) Monosaccharides
(3) Amino acids (4) Glucose

172. Choose the **correct** option w.r.t starch and cellulose.
(1) Both are structural homopolysaccharides.
(2) Latter contains complex secondary helices in its structure
(3) Former is the most abundant carbohydrate on Earth
(4) Both are found in the retentate obtained upon the chemical analysis of a living tissue

173. Select the **incorrect** option w.r.t vinblastin.
(1) Belongs to the category of drugs
(2) Plays known roles in normal physiological processes
(3) It is used for the treatment of cancer
(4) It is a secondary metabolite

174. Exoskeleton of arthropods is made of a homopolysaccharide called 'X' whose repeating unit is 'Y'.
Identify 'X' and 'Y' and select the **correct** option w.r.t them.
(1) 'Y' is a derived amino sugar
(2) 'X' possesses complex helices and gives positive test for iodine
(3) 'X' possesses free ketone group
(4) 'Y' can be broken down into simpler forms by enzymes belonging to class VI

175. The biomacromolecules that constitute _____ % of the total cellular mass, participates in transfer of hereditary traits from one generation to another.
Select the option that **correctly** fills the blank.
(1) 10-15 (2) 5-7
(3) 2-3 (4) 3-4

176. **Assertion (A)** : Out of all the types of connective tissues, blood is the main circulating fluid that helps in the transport of various substances across the body.
Reason (R) : Blood is a loose connective tissue in which fibroblasts are absent.
In the light of above statements, select the correct option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) (A) is true but (R) is false
(3) Both (A) and (R) are false
(4) Both (A) and (R) are true but (R) is not the correct explanation of (A)

177. A histologist observes an epithelium containing single layer of tall and slender cells, having basal nuclei with mucous secreting cell in between them, on a slide through microscope.
Epithelium being discussed in the above statement is
(1) Simple squamous epithelium
(2) Simple cuboidal epithelium
(3) Stratified squamous epithelium
(4) Columnar glandular epithelium

178. Starch and glycogen are common ____ found in plants and animals.
Select the correct option to fill in the blank.
(1) Polysaccharides (2) Disaccharides
(3) Oligosaccharides (4) Monosaccharides

179. Most abundant structural polysaccharide in nature is a secondary metabolite, named as
(1) Glycogen (2) Starch
(3) Insulin (4) Cellulose

180. The element which forms 18.5% weight of human body is
(1) Hydrogen (2) Carbon
(3) Oxygen (4) Calcium

CC-135 CC-135 CC-135 CC-135 CC-135

Hakeem Medical/IIT-JEE/NEET Study Circles