14/10/2026

Code-A Phase-1

Aakash
Medical | IIT-JEE | Foundations
Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18, Udyog Vihar, Gurugram, Haryana - 122015, *Ph.*+91-1244168300

MM : 720 **Fortnightly Test for NEET-2027 (XII-Passed)_FT07A** **Time : 180 Min.**


Topics Covered:
Physics: Electrostatic Potential and Capacitance, Current Electricity
Chemistry: Chemical Kinetics, Organic Chemistry: Some Basic Principles & Techniques
Botany: Photosynthesis in Higher Plants, Respiration in Plants
Zoology: Animal Kingdom-I:- General accounts & Non-chordates

General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.

CC-483 CC-483


PHYSICS

1. Let us consider three initially uncharged identical capacitors having capacitance C. Space between the plates of two of the three capacitors is now filled with a di-electric material of di-electric constant K and $2K$ and each capacitor is now connected across identical batteries, as shown in figure.



The ratio of charge stored in all three capacitors in steady state will be
(1) $1 : K : 2K$ (2) $1 : 1 : 2K$
(3) $1 : K : 3K$ (4) $2K : 3K : 5K$

2. A circuit as shown in figure initially at $t = 0$, S is open. If S is closed, then the energy stored in capacitor C is




(1) CE^2 (2) $\frac{C^2E}{2}$
(3) $\frac{CE^2}{4}$ (4) $\frac{1}{2}CE^2$

3. The capacity of parallel plate condenser depends on
(1) The separation between the plates
(2) The potential applied across the plates
(3) The amount of charge
(4) Both (2) and (3)

4. Some negative charge is uniformly distributed in a nonconducting sphere, then its potential is
(1) Minimum at surface
(2) Minimum at centre
(3) Remain same throughout the material
(4) Minimum somewhere between surface and centre

5. Figure shows three points A, B and C in a region of uniform electric field $\vec{E}$. The line AB is perpendicular and BC is parallel to the field lines. Then which of the following holds good. Where V_A , V_B and V_C represents the electric potential at points A, B and C respectively?



(1) $V_A = V_B = V_C$ (2) $V_A = V_B > V_C$
(3) $V_A = V_B < V_C$ (4) $V_A > V_B = V_C$

@eTamilx
Watermarkly

6. In a region electric potential $V(x, y, z)$ is given as xyz. The electric field at point $P(1, -2, 3)$ is

(1) $12\hat{i}+3\hat{j}+2\hat{k}$ (2) $-6\hat{i}-3\hat{j}+2\hat{k}$

(3) $6\hat{i}-3\hat{j}+2\hat{k}$ (4) $-12\hat{i}+3\hat{j}-2\hat{k}$

7. n small drops of same size are charged to potential V volt each. If they coalesce to form a single large drop, then its potential will be

(1) $n^{\frac{2}{3}}V$ (2) $n^{\frac{1}{3}}V$


(3) $\frac{V}{n}$ (4) $\frac{V}{\sqrt{n}}$

8. Surface charge density on the positive plate of a charged parallel plate capacitor is σ. Energy density in the electric field of the capacitor is

(1) $\frac{\sigma^2}{\varepsilon_0}$ (2) $\frac{\sigma^2}{2\varepsilon_0}$

(3) $\frac{\sigma}{\varepsilon_0}$ (4) $2\sigma^2\varepsilon_0$

9. A positive point charge q is placed inside an uncharged spherical conducting shell at three different locations A, B and C one by one. The net potential at point P will be maximum for location



(1) A (2) B

(3) C (4) Same for A, B and C

10. A charge Q coulomb is distributed over two concentric hollow spheres of radii 10 cm and 20 cm such that surface charge densities are equal. The potential at the common centre is (in volt)

(1) $\frac{Q}{\pi\varepsilon_0}$ (2) $\frac{3}{\pi}$

(3) $\frac{1}{2}\frac{Q}{\pi\varepsilon_0}$ (4)

11. A dielectric of dielectric constant K = 5 and thickness 1 mm is filled between the plates of a parallel plate air capacitor having plates separation 2 mm. If capacity of air capacitor without dielectric was 2 μF then the new capacitance is nearly

(1) 2 μF (2) 3.3 μF

(3) 10 μF (4) 5 μF

12. An electric dipole of dipole moment p is aligned parallel to a uniform electric field E. The work done by external agent to rotate the dipole slowly by 90° from stable equilibrium position is

(1) pE (2) $2pE$


(3) $\frac{pE}{2}$ (4) $\frac{\sqrt{3}}{2}pE$

13. A proton is accelerated from rest through a potential difference 100 V. The final kinetic energy of the particle will be

(1) 100 eV (2) 200 eV

(3) 50 eV (4) Zero

14. In the circuit below, if a dielectric is inserted into C_2 then the charge on C_1 will



(1) Increase (2) Decrease

(3) Remain same (4) Be halved

15. In the following question, a statement of assertion (A) is followed by a statement of reason (R)

Assertion (A) : A negatively charged body can have zero potential.

Reason (R) : The electric potential can be zero at a point where electric field is non-zero.

(1) Both Assertion & Reason are true and the reason is the correct explanation of the assertion

(2) Both Assertion & Reason are true but the reason is not the correct explanation of the assertion

(3) Assertion is true statement but Reason is false

(4) Both Assertion and Reason are false statements

16. **Statement A:** When a conductor is grounded its potential becomes zero.

Statement B: In electrostatic condition, the surface of a conductor is equipotential surface.


(1) Both statements A and B are correct

(2) Both statements A and B are incorrect

(3) Statement A is correct and statement B is incorrect

(4) Statement A is incorrect and statement B is correct

17. A battery of emf E and internal resistance r is connected across a variable load resistance R. A graph is plotted between the current in the circuit (i) and terminal potential difference of the battery.



Based on the above information, match the entries in column I and column II. All the parameters in column II are in SI units.

	Column I		Column II
A.	Emf of the battery	(P)	Zero
B.	Internal resistance of the battery	(Q)	2
C.	Maximum current derived through the battery	(R)	8
D.	Value of load resistance when maximum current is derived	(S)	4

(1) A(R), B(S), C(Q), D(P) (2) A(R), B(S), C(P), D(Q)

(3) A(P), B(Q), C(R), D(S) (4) A(Q), B(R), C(S), D(P)

@eTamil

Watermarkly

18. An electric dipole of dipole moment $\vec{P}$ is placed in a uniform electric field $\vec{E}$, then

I. The resultant force on the dipole is zero.

II. The torque on the dipole is $\vec{P} \times \vec{E}$


III. The potential energy of the system is $-\vec{P} \cdot \vec{E}$

Which of the above statements is/are correct?

(1) Only I (2) I and II

(3) I, II and III (4) I and III


19. A uniform electric field of 400 V/m is directed at 45° above the *X*-axis as shown in figure. The potential difference $V_A - V_B$ is given by



(1) Zero (2) 3.72 V

(3) 2.82 V (4) 4.41 V

20. In the given figure a circuit is shown. In this figure galvanometer *G* will have zero deflection only when




(1) $PQ = RS$

(2) $PR = QS$

(3) $PS = QR$

(4) For any relation between resistance

21. What is equivalent resistance in ohms between points *A* and *B* in shown figure? All resistances shown are in ohm.



(1) 2 (2) 3


(3) 12 (4) 22

22. A cell of emf *E* and internal resistance *r* is connected in series with an external resistance *nr*. The terminal potential difference across the cell will be

(1) $\frac{E}{n+1}$ (2) $\frac{E}{n}$

(3) $\frac{(n+1)E}{n}$ (4) $\left(\frac{n}{n+1}\right)E$

23. The current flowing through the ideal ammeter in the circuit shown is



(1) 2 A (2) 2.5 A

(3) 1 A (4) 1.25 A

24. A light bulb has rating 200 W, 220 V. Then resistance of bulb is

(1) 242 Ω (2) 121 Ω

(3) 400 Ω (4) 120 Ω

25. A current is flowing through the non-uniform conductor as shown in figure choose the correct option about the drift velocity of electron. (V_A and V_B are drift velocity at point *A* and *B*)



(1) $V_A = V_B$ (2) $V_A > V_B$


(3) $V_B > V_A$ (4) Data is insufficient

26. A wire of resistance 20 Ω is bent to form a square. What will be the equivalent resistance between diagonally opposite points?

(1) 10 Ω (2) 5 Ω

(3) 15 Ω (4) 2.5 Ω

27. *i* – *V* graph for a metal at temperatures T_1, T_2 and T_3 are as shown. The highest temperature is




(1) T_1 (2) T_2

(3) T_3 (4) $T_1 = T_2 = T_3$

@examix
CC-483


Watermarkly

28. In the given circuit diagram, the potential difference between A and B is



(1) 3 V (2) 5 V
(3) 6 V (4) 9 V

29. Variation of current I flowing through a conducting wire with time t is given in the graph below.




The amount of charge flowing through the wire in time interval $t = 2$ s to $t = 12$ s, will be

(1) 20 C (2) 40 C
(3) 60 C (4) 80 C

30. Kirchhoff's first and second laws for electrical circuits are consequences of

(1) Conservation of energy
(2) Conservation of electric charge and energy respectively
(3) Conservation of electric charge
(4) Conservation of energy and electric charge respectively

31. In the circuit shown, the readings of ammeter and voltmeter are 4 A and 20 V respectively. If the meters are non-ideal, then R has a value




(1) 5 Ω (2) Less than 5 Ω
(3) More than 5 Ω (4) Between 3 Ω and 5 Ω

32. The masses of three copper wires are in ratio 1 : 5 : 3 and their lengths are in ratio 1 : 2 : 3. The ratio of their electrical resistances is


(1) 1 : 20 : 27 (2) 1 : 10 : 9
(3) 15 : 5 : 3 (4) 5 : 4 : 15

33. The power dissipated in 3 Ω resistor in the circuits as shown in the figure is 2 W. The power dissipated in 7Ω resistor will be




(1) 14 W (2) $\frac{14}{3}$ W
(3) $\frac{7}{3}$ W (4) 7 W

34. The current in the arm PQ having resistance 4 Ω is



(1) 0.5 A (2) 1.5 A
(3) 0.75 A (4) 0.25 A

35. The equivalent resistance between X and Y of network shown below, when switch S is closed




(1) $2R$ (2) $\frac{3R}{4}$
(3) $\frac{3}{2}R$ (4) $4R$

36. A cell of emf E delivers equal power to two load resistors having resistances of 10 Ω and 90 Ω. The internal resistance of the cell is

(1) 5 Ω (2) 10 Ω
(3) 20 Ω (4) 30 Ω

37. In a metre bridge circuit as shown when one more resistance of 100 Ω is connected in parallel with unknown resistance X, then ratio $\frac{l_1}{l_2}$ becomes equal to 2, where l_1 is balancing length shown from end A. AB is a wire with uniform cross-section. Then value of X is



(1) 400 Ω (2) 100 Ω
(3) 50 Ω (4) 200 Ω


38. At temperature 23°C the resistance of a wire is 100 Ω. The temperature at which resistance becomes 104 Ω is nearly (Given, temperature coefficient of resistance of material is $1.5 \times 10^{-4}\ °C^{-1}$)

(1) 1027°C (2) 827°C
(3) 290°C (4) 290 K

examix
Watermarkly

39. Two equal resistance when connected in series to a battery, consume electric power of 100 W. If these resistance are now connected in parallel combination to the same battery, then electric power dissipated will be
(1) 800 W (2) 25 W
(3) 200 W (4) 400 W

40. The potential difference between points *X* and *Y* of the circuit shown in figure is




(1) $\frac{5}{9}$ V (2) $\frac{5}{3}$ V
(3) 5 V (4) Zero

41. Which of the following is not true for equipotential surfaces of a point charge?
(1) They are closer in strong electric field
(2) They never intersect
(3) Work done to carry a point charge from one equipotential surface to other is zero
(4) Electric field is perpendicular to equipotential surfaces

42. The capacitor of capacitance 4 μF and 6 μF are connected in series. A potential difference of 500 volts is applied to the outer plates of the two capacitor system. Then the charge on each capacitor is numerically equal to
(1) 6000 C (2) 1200 C
(3) 1200 μC (4) 6000 μC

43. A parallel plate capacitor of capacitance *C* has been charged upto potential *V*. The plates of this capacitor are connected to another identical uncharged capacitor. The common potential acquired by the system is
(1) $\frac{V}{2}$ (2) *V*
(3) 2*V* (4) Zero

44. The figure shows currents in a part of electrical circuit, then current *i* is



(1) 1.7 A (2) –1.7 A
(3) –2.3 A (4) 1 A

45. On increasing temperature of a metallic conductor, drift velocity of electrons
(1) Remains constant
(2) Increases
(3) Decreases
(4) May increase or decrease

CHEMISTRY

46. Match column-I with column-II.

Column-I (Compounds)	Column-II (Type of isomerism)
a. Isopentane and neopentane	(i) Functional group isomerism
b. Propan-1-ol and propan-2-ol	(ii) Position isomerism
c. Propanone and propanal	(iii) Metamerism
d. Methoxypropane and ethoxyethane	(iv) Chain isomerism

Choose the correct answer from the options given below.
(1) a(ii), b(iv), c(i), d(iii) (2) a(ii), b(iv), c(iii), d(i)
(3) a(iv), b(ii), c(i), d(iii) (4) a(iv), b(iii), c(i), d(ii)

47. Choose the incorrect statement about resonance structures.
(1) The resonance structures are hypothetical and individually do not represent any real molecule
(2) The energy of resonance hybrid is lower than that of any of the canonical structures
(3) The more the number of important resonance structures, the less is the resonance energy
(4) Resonance structures contribute to the actual structure in proportion to their stability

48. The slope of plot between ln k vs $\frac{1}{T}$ gives
(1) ln A (2) – ln A
(3) $-\frac{E_a}{R}$ (4) $\frac{E_a}{R}$

49. Match **List I** with **List II**

	List-I (Mixture)		List-II (Method of separation)
A.	$CHCl_3 + C_6H_5NH_2$	(I)	Distillation under reduced pressure
B.	Crude oil in petroleum industry	(II)	Steam distillation
C.	Glycerol from spent-lye	(III)	Fractional distillation
D.	Aniline - water	(IV)	Simple distillation

Choose the **correct** answer from the options given below:
(1) A-III, B-IV, C-II, D-I (2) A-IV, B-III, C-I, D-II
(3) A-IV, B-III, C-II, D-I (4) A-III, B-IV, C-I, D-II

50. Which of the following expression represents the correct rate of given reaction?
$A + 2B + 3C \rightarrow 4D + 5E$
(1) $\frac{1}{2}\frac{d[A]}{dt}$ (2) $-\frac{1}{4}\frac{d[D]}{dt}$
(3) $-\frac{1}{3}\frac{d[B]}{dt}$ (4) $\frac{1}{5}\frac{d[E]}{dt}$

51. For the reaction, A + 3B → 2C, if $\frac{d[C]}{dt} = 4 \times 10^{-3}$ mol $L^{-1}s^{-1}$, then the value of $-\frac{d[B]}{dt}$ will be
(1) 4×10^{-3} mol L^{-1} s^{-1} (2) 8×10^{-3} mol L^{-1} s^{-1}
(3) 2×10^{-4} mol L^{-1} s^{-1} (4) 6×10^{-3} mol L^{-1} s^{-1}

@examix
CC-483
Watermarkly

52. In a first order gaseous reaction A → 2B; the total pressure changes from 100 to 150 mm Hg in 10 min from the start of the reaction. The rate of appearance of B is





(1) 5 mm Hg min^{-1} (2) 50 mm Hg min^{-1}
(3) 100 mm Hg min^{-1} (4) 10 mm Hg min^{-1}

53. Given below are the two statements


Statement I: Tropone is non-benzenoid aromatic compound.
Statement II: Aniline is heterocyclic aromatic compound.
In light of above statements, choose the correct answer.

(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

54. The most stable carbanion, among the following is

(1) 
(2) 
(3) 
(4) 

55. Decreasing order of stability of the following carbocations is



(a) (b) (c)

(1) (a) > (c) > (b) (2) (b) > (c) > (a)
(3) (b) > (a) > (c) (4) (a) > (b) > (c)

56. The rate of first order reaction is 0.04 mol L^{-1} s^{-1} at 20 second and 0.02 mol L^{-1} s^{-1} at 40 second after the initiation of the reaction. The half-life of the reaction is approximately

(1) 15 second (2) 25 second
(3) 20 second (4) 30 second

57. Rate expression of a chemical reaction is given by $\frac{-dx}{dt} = K[A]^2[B]^1[C]^0$. The order of reaction is

(1) 3 (2) 2
(3) 1 (4) Zero

58. Number of cyclic ethers excluding stereoisomers for molecular formula C_4H_8O is

(1) 3 (2) 4
(3) 5 (4) 6

59. Given below are two statements:



Statement I: In homologous series, the successive members differ from each other in a molecular formula by a $-CH_2$ unit.

Statement II: $(CH_3)_2CHCOOH$ is more acidic than $(CH_3)_3C.COOH$.




In the light of the above statements, choose the **correct** answer from the options given below

(1) Both statement I and statement II are correct
(2) Both statement I and statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

60. Non-benzenoid compound among the following is

(1) 
(2) 
(3) 
(4) 

61. The structure of neopentyl group in an organic compound is

(1) 
(2) 
(3) 
(4) $CH_3 - CH_2 - CH_2 - CH_2 - CH_2 -$

62. Nitrogen detection in an organic compound is carried out by Lassaigne's test. The Prussian blue colour formed corresponds to which of the following formulae?

(1) $Fe_3[Fe(CN)_6]_3$ (2) $Fe_3[Fe(CN)_6]_2 \cdot xH_2O$
(3) $Fe_4[Fe(CN)_6]_3 \cdot xH_2O$ (4) $Fe_4[Fe(CN)_6]_2$

63. In the Kjeldahl's method for estimation of nitrogen present in a soil sample, ammonia evolved from 0.8 g of sample neutralized 5 mL of 2 M H_2SO_4. The percentage of nitrogen in the soil is

(1) 35% (2) 20%
(3) 29% (4) 18%

@examlix
CC-483
Watermarkly

64. Mechanism of a hypothetical reaction $2A_3 \rightarrow 3A_2$ is given below.

(I) $A_3 \rightleftharpoons A_2 + A$ (fast)

(II) $A_3 + A \rightleftharpoons 2A_2$ (slow)

Rate law for reaction will be

(1) $r = k[A_3]^2[A_2]^{-1}$ (2) $r = k[A_3][A_2]$

(3) $r = k[A_3]^2[A_2]$ (4) $r = k[A_3]^2$

65. If the rate of reaction increases to two times with every 10° rise in temperature, and the temperature is raised by 60°, the new rate of the reaction will be

(1) 4 times (2) 64 times

(3) 32 times (4) 16 times

66. Considering the following statements

(a) PbS is yellow in colour

(b) On treating sodium fusion extract with sodium nitroprusside, appearance of a violet colour indicates the presence of sulphur in the compound

(c) AgBr is sparingly soluble in ammonium hydroxide.


The correct statements are


(1) (b) and (c) only (2) (a) and (b) only


(3) (a), (b) and (c) (4) (a) and (c) only

67. Which of the following compounds can exhibit tautomerism?


(1) 


(2) 


(3) 


(4) 

68. Geometrical isomerism is shown by





(1) 

(2) 

(3) 

(4) 

69. Choose the incorrect match.

	Organic compound	IUPAC name
(1)		1-Methyl-3-propylcyclohexane
(2)		1-Ethyl-3,3-dimethylcyclohexane
(3)		4-Hydroxy-3-methoxy benzaldehyde
(4)		4-Ethyl-2-methylaniline

(1) (1) (2) (2)

(3) (3) (4) (4)

70. Incorrect statement among the following is

(1) Unit of rate constant for second order reaction is $mol^{-1} L s^{-1}$

(2) Molecularity of a reaction is applicable only for elementary reactions.

(3) Inversion of cane sugar in acidic medium is an example of pseudo first order reaction.

(4) Thermal decomposition of HI on gold surface is an example of first order reaction.

@examlx

CC-483

Watermarkly

71. Consider the following statements:

(a) 3-Keto-2-methylhex-4-enoic acid has 4 sp^2 hybridised carbon atoms.

(b) In $H_3COC–CH=CH–CH_2COOCH_3$, the hybridisation of third carbon atom is sp^2, according to IUPAC nomenclature.

(c) In allene (C_3H_4), all carbon atoms have sp^2 hybridisation.

(d) 2, 2-Dimethylpropane has one isopropyl group.

The correct statement(s) is/are

(1) (a) and (b) only (2) (b), (c) and (d) only

(3) (a), (b) and (c) only (4) (a) only

72. Match the Column I with Column II

	Column I (Compound)		Column II (Number of σ bonds)
a.	Benzene	(i)	16
b.	Anisole	(ii)	15
c.	Aniline	(iii)	14
d.	Toluene	(iv)	12

Choose the most appropriate answer the options given below.

(1) a(iii), b(ii), c(iv), d(i) (2) a(iv), b(i), c(iii), d(ii)

(3) a(iv), b(i), c(ii), d(iii) (4) a(iii), b(iv), c(i), d(ii)

73. $3A \xrightarrow{k} B$ is a zero order reaction, where rate constant (k) = 2 × 10^{-2} mol L^{-1} s^{-1}. If the initial concentration of A is 2.4 M, then the time taken to complete 80% of the reaction will be

(1) 96 s (2) 48 s


(3) 32 s (4) 16 s

74. The rate constants of a reaction at 500 K and 600 K are 0.02 s^{-1} and 0.04 s^{-1} respectively. The value of activation energy is

(1) 17.3 kJ mol^{-1} (2) 24.2 kJ mol^{-1}

(3) 8.2 kJ mol^{-1} (4) 28.2 kJ mol^{-1}

75. Which of the following pairs of molecules represents functional group isomers?

(1) $CH_3CH_2CH_2CH_3$ and 

(2) CH_3CH_2OH and CH_3OCH_3

(3) $CH_3CH_2CH = CH_2$ and $CH_3CH = CHCH_3$

(4) $CH_3CH_2OCH_2CH_3$ and $CH_3OCH_2CH_2CH_3$

76. Consider the following statements

I. Thin layer chromatography is a type of adsorption chromatography

II. Paper chromatography is a type of partition chromatography

III. Chromatography is classified into adsorption and partition chromatography

The correct statements are

(1) I, II and III (2) I and II only

(3) II and III only (4) I and III only

77. For the reaction, $3A + 2B + C \rightarrow$ Products, the following kinetic data was obtained

Initial concentration			Initial rate (mol L^{-1} s^{-1})
A(mol L^{-1})	B(mol L^{-1})	C(mol L^{-1})	
0.01	0.005	0.01	5×10^{-5}
0.02	0.005	0.01	5×10^{-5}
0.01	0.010	0.01	2.5×10^{-5}
0.01	0.005	0.02	20×10^{-5}

Hence, the rate of reaction is given by

(1) Rate = k [A] [B] [C] (2) Rate = k $[A]^0$ $[B]^{-1}$ $[C]^2$

(3) Rate = k [A] [B] $[C]^{-2}$ (4) Rate = k [A] [B] $[C]^2$

78. Consider the following statements regarding to the equation, Rate = $PZ_{AB}e^{-E_a/RT}$

(a) Z_{AB} represents the collision frequency of reactants, A and B.

(b) $e^{-E_a/RT}$ represents the fraction of molecules with energies less than E_a.


(c) P takes into account the fact that in a collision, molecules must be properly oriented.

Select the correct statements.

(1) (a) and (b) only (2) (b) and (c) only

(3) (a) and (c) only (4) (a), (b) and (c)

79. For the following graph:



Choose from the options given below, the correct one regarding order of reaction

(1) (a) is zero order; (b) and (e) are first order

(2) (a) and (d) are first order; (b) is zero order

(3) (d) and (e) are zero order; (a) and (b) are first order

(4) (a) and (b) are zero order; (c) and (e) are first order

@examly

Aakash Medical/IIT-JEE

CC-483




Watermarkly

80. In sulphur estimation, 0.80 g of an organic compound gave 1.40 g of barium sulphate. The percentage of sulphur present in the compound is (Atomic mass of Ba = 137 u).
(1) 24.03 %
(2) 42.80 %
(3) 27.06 %
(4) 17.25 %

81. If a 1st order reaction follows the given equation $\log k = \frac{-3000}{T} + 5$ where k is rate constant and T is temperature, then the value of pre-exponential factor 'A' and activation energy respectively are
(1) 10^5 and 57.44 kJ/mol
(2) 10^6 and 41.3 kJ/mol
(3) e^5 and 10 kJ/mol
(4) e^6 and 5 kJ/mol


82. The element which cannot be detected by Lassaigine's test is
(1) Nitrogen
(2) Chlorine
(3) Phosphorus
(4) Boron

83. Consider the following first order reaction, A → P. Initial concentration of A is 2.25 M. If half-life period of the reaction is 4 minutes, then the concentration of A after 20 minutes will be
(1) 0.12 M
(2) 0.40 M
(3) 0.07 M
(4) 1.2 M

84. Which of the following reactions is an example of addition reaction?
(1) $CH_3–CH_2–CH_2–Br \xrightarrow{\text{Alc. KOH}} CH_3–CH=CH_2$
(2) 
(3) 
(4) 

85. Given below are two statements
Statement I: Benzyl carbocation and tert-butyl carbocation show hyperconjugation effect.
Statement II: Electromeric effect is a temporary effect while hyperconjugation is a permanent effect.
In light of above statements, choose the correct answer
(1) Statement I is correct but Statement II is incorrect
(2) Both Statement I and Statement II are correct
(3) Statement I is incorrect but Statement II is correct
(4) Both Statement I and Statement II are incorrect

86. Identify the rate determining step in the given graph



(1) A → B
(2) B → C
(3) C → D
(4) D → E

87. The correct order of –I effect is
(1) –CN > $–NO_2$ > –F > –COOH
(2) –COOH > $–NO_2$ > –CN > –F
(3) –CN > $–NO_2$ > –COOH > –F
(4) $–NO_2$ > –CN > –COOH > –F

88. In the Carius method of quantitative estimation of halogen, 0.25 g of an organic compound gives 0.5 g of silver bromide. The percentage of bromine in the compound is (Atomic mass of Ag = 108 u and Br = 80 u)
(1) 65.5%
(2) 42.5%
(3) 72.3%
(4) 85.1%

89. Half life of a zero order reaction is 15 min. Time required to consume reactant completely will be
(1) 20 minutes
(2) 45 minutes
(3) 30 minutes
(4) 60 minutes

90. Which of the following free radical is most stable?
(1) $\dot{C}H_3$
(2) $CH_3\dot{C}H_2$
(3) $(CH_3)_2\dot{C}H$
(4) $(CH_3)_3\dot{C}$


BOTANY

91. Kranz type of anatomy is found in all, **except**
(1) Sugarcane
(2) *Sorghum*
(3) Tomato
(4) Maize

92. Moll's half leaf experiment is used to demonstrate that _(A)_ is necessary for photosynthesis.
Select the **correct** option to fill (A).
(1) H_2O
(2) Sunlight
(3) CO_2
(4) Chlorophyll

93. Immediate donor of electrons to PS–I is
(1) Phaeophytin
(2) Cyt b_6f
(3) Plastocyanin
(4) Plastoquinone

94. Observe the following diagram.



Select the statement that **correctly** depicts about the labels given in the diagram.
(1) Photophosphorylation that requires an external electron donor occurs in 'A'
(2) 'B' possesses only PS I
(3) 'C' possesses RuBisCO that shows minimum oxygenase activity in *Sorghum*
(4) 'D' is relatively less permeable to substances than 'E'

@examiz
CC-483
Watermarkly

95. A plant is supplied with carbon dioxide in which oxygen is an isotope, i.e., ^{18}O and water in which oxygen is ^{16}O. During photosynthesis, the liberated oxygen will be
(1) 50% ^{18}O and 50% ^{16}O
(2) 60% ^{16}O and 40% ^{18}O
(3) Only ^{18}O
(4) Only ^{16}O

96. Which among the following is **incorrect** match?
(1) T.W. Engelmann – Used *Cladophora* in his experiment
(2) Joseph Priestley – Reveals role of air in the growth of green plants
(3) Cornelius van Niel – Inferred that oxygen evolved by green plants comes from CO_2
(4) Julius von Sachs – Found that the green parts in plant are where glucose is made
(1) (1) (2) (2)
(3) (3) (4) (4)

97. Select the **odd** one out w.r.t. the effect of scarcity of water on a photosynthesising plant.
(1) Decrease in leaf surface area exposed to light
(2) Stomatal closure
(3) Reduction in rate of metabolic activities
(4) Increase in the CO_2 availability to the plant

98. Select the **incorrectly** matched pair.

	Pigments		Colour in chromatogram
(1)	Chlorophyll a	–	Bright or blue green
(2)	Chlorophyll b	–	Yellow-blue
(3)	Xanthophylls	–	Yellow
(4)	Carotenoids	–	Yellow to yellow orange

(1) (1) (2) (2)
(3) (3) (4) (4)

99. NADP reductase enzyme is located
(1) Inside the lumen
(2) On stroma side of thylakoid membrane
(3) On outer side of the inner membrane of chloroplast
(4) On lumen side of thylakoid membrane

100. Which of the following **correctly** describes that photorespiration is a wasteful process?
(1) During photorespiration, there is fixing of atmospheric CO_2
(2) There is the wastage of O_2 released in the atmosphere
(3) There is excess production of oxaloacetic acid
(4) There is neither the synthesis of sugar, nor of ATP and release fixed carbon in the form of CO_2

101. Dark reaction in photosynthesis
(1) Occurs in dark only
(2) Is the biosynthetic phase
(3) Cannot occur during day time
(4) Does not use reducing power

102. All are required during chemiosmosis process for ATP synthesis, **except**
(1) Membrane (2) Proton gradient
(3) Carbondioxide (4) Proton pump

103. A major limiting factor which influences the rate of photosynthesis is
(1) CO_2 concentration (2) Light quality
(3) Duration of light (4) Water availability

104. The final electron acceptor in non-cyclic photophosphorylation is
(1) H_2O (2) ADP
(3) $NADP^+$ (4) NAD^+

105. The reaction centre chlorophyll a molecule in PS – II has an absorption maxima at
(1) 700 nm (2) 400 nm
(3) 680 nm (4) 200 nm

106. Bundle sheath cells in C_4 plants
(1) Have large number of chloroplasts
(2) Have thin walls that facilitate rapid gaseous exchange
(3) Have intercellular spaces
(4) Are located around epidermal cells

107. Law of limiting factors was given by
(1) Ruben (2) M. Calvin
(3) Blackman (4) Kamen

108. Where did the bacteria mainly accumulate in Engelmann's experiment through which action spectrum of photosynthesis was described?
(1) Green and yellow light (2) Violet and green light
(3) Blue and green light (4) Blue and red light

109. Transfer of electrons from PS II to cytochrome b_6f complex is done by
(1) Plastoquinone (2) Plastocyanin
(3) Ferredoxin (4) PS I

110. In purple and green sulphur bacteria, hydrogen donor is
(1) H_2O (2) H_2S
(3) CH_2O (4) H_2SO_4

111. Select the **correct** statements w.r.t. TCA cycle.
(a) It was given by Gustav Embden, Otto Meyerhof and J. Parnas.
(b) Formation of citric acid is the first step of this cycle.
(c) 1 molecule of ATP and 4 molecules of $NADH + H^+$ are produced in one turn of this cycle.
(d) The reactions of this cycle require the presence of oxygen.
(e) It is the only respiratory process in anaerobes.
(1) (a), (b) & (d) (2) Only (b) & (d)
(3) (b), (c) & (d) (4) (a) & (e)

112. Read the following statements (A-D).
(A) Lactic acid fermentation releases only CO_2.
(B) Alcoholic fermentation is commonly seen in yeast.
(C) One of the crucial events in aerobic respiration is the complete oxidation of pyruvate.
(D) The maximum concentration of alcohol in naturally fermented beverages is only seven percent.
How many of the above statements is/are **correct**?
(1) Two (2) Three
(3) Four (4) One

113. During the electron transport system in mitochondria, ubiquinone receives electrons from
(1) Cytochrome *c* only
(2) Cytochrome bc_1 complex only
(3) Cytochrome *c* and $FADH_2$
(4) NADH and $FADH_2$

114. Find the **incorrectly** matched pair.
(1) Cytochrome c – Mobile electron carrier
(2) Glycerol – Enter respiratory pathway after converted into Acetyl CoA
(3) Protein – RQ is 0.9
(4) ATP synthase – Complex V of ETS

@examix

Watermarkly

115. Anaerobic respiration does **not** involve/require
(1) Incomplete oxidation of organic molecules
(2) Enzymes of Kreb's cycle
(3) EMP pathway
(4) Glycolytic pathway

116. Substrate level phosphorylation in aerobic respiration
(1) Does not occur in cytosol
(2) Occurs in mitochondrial matrix only
(3) Occurs when succinyl CoA is converted to succinic acid
(4) Occurs because of development of proton gradient due to electron transport

117. What will be the net gain of ATP, NADH + H^+ and $FADH_2$ during Krebs' cycle if one molecule of pyruvic acid is oxidised?
(1) 2 ATP, 6 NADH + H^+, 3 $FADH_2$
(2) 1 ATP, 6 NADH + H^+, 2 $FADH_2$
(3) 2 ATP, 6 NADH + H^+, 2 $FADH_2$
(4) 1 ATP, 3 NADH + H^+, 1 $FADH_2$

118. How many molecules of CO_2 are released during glycolysis of two molecules of glucose?
(1) 6 (2) 12
(3) 3 (4) Zero

119. During lactic acid fermentation, which enzyme participates in the conversion of pyruvic acid to lactic acid?
(1) Lactate oxidase
(2) Lactate dehydrogenase
(3) Pyruvate dehydrogenase
(4) Pyruvate decarboxylase

120. Two copper centers are component of
(1) Cytochrome bc_1 complex
(2) NADH dehydrogenase complex
(3) ATP synthase complex
(4) Cytochrome c oxidase complex

121. EMP pathway and C_3 cycle occurs respectively in
(1) Mitochondrial matrix and cytoplasm
(2) Cytoplasm and chloroplast stroma
(3) Cytoplasm and mitochondrial matrix
(4) Chloroplast stroma and cytoplasm

122. Identify the **incorrect** statement w.r.t. E.M.P pathway.
(1) It occurs in the cytoplasm of all eukaryotes and prokaryotes
(2) ATP is utilised in the step, which require hexokinase enzyme
(3) The conversion of 1,3-bisphosphoglycerate to 3-phosphoglyceric acid is an energy yielding process
(4) Two molecules of ATP are utilised during conversion of PEP to pyruvic acid


123. _____ acts as the terminal electron acceptor during ETS that occurs in inner mitochondrial membrane.
(1) Water (2) NADH dehydrogenase
(3) Cytochrome oxidase (4) Oxygen

124. How many ATP molecules will be produced from the complete oxidation of one molecule of acetyl CoA?
(1) 12 (2) 14
(3) 36 (4) 38

125. Select the **odd** one w.r.t. steps of Calvin cycle.
(1) Carboxylation
(2) Transportation of C_3 acid to bundle sheath cells
(3) Reduction of 3-PGA
(4) Regeneration of RuBP

126. Scientist who showed that sunlight is essential to the plant process that somehow purifies the air fouled by burning candles or breathing animals is
(1) Joseph Priestley (2) Jan Ingenhousz
(3) T. W. Engelmann (4) Julius von Sachs

127. Examine the below given graph. If the graph depicts the effect of sunlight intensity increase on rate of photosynthesis in most plants, which point is showing the light intensity equivalent to 10 per cent of the full sunlight?



(1) C (2) A
(3) D (4) E

128. During EMP pathway, the fructose 1,6-diphosphate splits into
(1) PGAL and DHAP (2) PGA and PGAL
(3) DHAP and PGA (4) Pyruvate and ATP

129. The respiratory quotient of tripalmatin as respiratory substrate is
(1) 4 (2) 1.3
(3) 1 (4) 0.7

130. Choose the **correct** statement.
(1) Fermentation takes place under anaerobic conditions in germinating seeds.
(2) Fe – S is found in complex I, II and IV of mitochondrial ETS
(3) Glycerol would enter the respiratory pathway after being converted to acetyl CoA
(4) The RQ value of organic acids is less than that of proteins.

131. Read the following statements.
Statement I: Aerobic respiration involves complete oxidation of pyruvate by the stepwise removal of all the hydrogen atoms, leaving two molecules of CO_2.
Statement II: Krebs' cycle is also called citric acid cycle because many intermediate compounds formed in the cycle have three carboxyl group.
In the light of above statements choose the **correct** answer.
(1) Only statement I is correct
(2) Only statement II is correct
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

@examlix
CC-483
Aakash Medical/IIT-JEE/Foundations
Watermarkly

132. Given below are two statements: one is labelled as **Assertion (A)** and the other is labelled as **Reason (R).**
Assertion (A): Plants do not present great demands for gas exchange.
Reason (R): Roots, stem and leaves respire at rates far faster than animals.
In the light of the above statements, choose the **correct** answer from the options given below.
(1) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(2) Both (A) and (R) are true and (R) is the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

133. How many redox equivalents are removed in the form of hydrogen atoms from a PGAL and transferred to a molecule of NAD^+ during EMP pathway?
(1) One (2) Two
(3) Three (4) Four

134. What is the net ATP production when two molecules of glucose are fermented to lactic acid?
(1) Two (2) Four
(3) Eight (4) Ten

135. Proton gradient established across the thylakoid membrane does not lead to
(1) Increase in pH of stroma (2) Decrease in pH of lumen
(3) Synthesis of ATP (4) Excitation of e^-

ZOOLOGY

136. Flame cells help in excretion and osmoregulation in
(1) Liver fluke (2) Sea anemone
(3) Bath sponge (4) Hook worm

137. Choose the **correct** match.
(1) *Pleurobrachia* – Presence of true coelom
(2) *Ancylostoma* – Acoelomate
(3) *Pila* – Exhibits internal fertilisation
(4) *Euspongia* – Exhibits external fertilisation and direct development
(1) (1) (2) (2)
(3) (3) (4) (4)

138. Feather-like gills in mantle cavity and sensory tentacles in the region of head are characteristically present in
(1) Prawn (2) Apple snail
(3) Brittle star (4) Sea anemone

139. In terrestrial insects, respiration takes place through
(1) Book gills (2) Gills
(3) Book lungs (4) Tracheal system

140. Select the **correct** set of organisms which show indirect development and are found only in marine habitat.
(1) *Ascaris* and *Ctenoplana*
(2) *Planaria* and *Pleurobrachia*
(3) *Saccoglossus* and *Ophiura*
(4) *Fasciola* and *Dentalium*

141. Which of the following organisms possesses water vascular system?
(1) *Asterias* (2) *Sycon*
(3) *Anopheles* (4) *Hydra*

142. Complete the analogy w.r.t. phylum and its members.
Largest phylum : *Culex* : : Second largest phylum : _____
Select the **correct** option.
(1) *Dentalium* (2) *Ophiura*
(3) *Nereis* (4) *Echinus*

143. In sponges, the mode of reproduction is
(1) Only asexual by fragmentation
(2) Only asexual by binary fission
(3) Only sexual by formation of gametes
(4) Both sexual and asexual


144. In echinoderms, digestive system is complete with mouth on _____ side and anus on the _____ side.
Select the **correct** option that fills the respective blanks.
(1) Upper; lower (2) Ventral; dorsal
(3) Dorsal; lateral (4) Dorsal; ventral

145. All members of kingdom Animalia possess
(1) A neural system
(2) Organ system level of organisation
(3) Complete digestive system
(4) Multicellularity

146. All of the following statements about hemichordates are **correct, except**
(1) Body is divided into proboscis, collar and trunk
(2) Respiration takes place through gills
(3) Excretory organ is proboscis gland
(4) A ventral heart with closed circulatory system is found

147. Choanocytes are present in
(1) *Physalia* (2) *Sycon*
(3) *Pleurobrachia* (4) *Echinus*

148. Given below is the diagrammatic sectional view of body cavities.



Which of the labelled parts denote pseudocoelom, coelom and mesoderm respectively?
(1) b, a and d (2) e, a and b
(3) a, b and d (4) a, b and c

149. **Assertion (A):** Feather-like gills are present in the mantle cavity of *Pila*.
Reason (R): Mantle cavity is the space between the hump and mantle.
In the light of above statements, choose the **correct** option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

@examlix
CC-483
Aakash Medical IIT-JEE Foundations

Watermarkly

150. Read the following statements and choose the **correct** option.
Statement A : In *Obelia*, medusae produce polyps asexually or vice versa.
Statement B : *Fasciola* absorbs nutrients from host directly only through their body surface.
(1) Both A and B are correct
(2) Both A and B are incorrect
(3) Only A is correct
(4) Only B is correct

151. Select the **incorrect** option about sea walnuts.
(1) They exhibit bioluminescence
(2) Development is indirect
(3) Reproduction takes place only by sexual means
(4) Fertilisation is internal

152. Devil fish belongs to the
(1) Phylum Ctenophora (2) Phylum Mollusca
(3) Class Chondrichthyes (4) Class Osteichthyes

153. Select the **correct** match w.r.t. respiratory structures and respective animals.
(1) Gills – Cockroach (2) Book-gills – *Limulus*
(3) Book-lungs – *Locusta* (4) Tracheal system – Prawn

154. All of the following possess radial symmetry in adult stages, **except**
(1) Coelenterates (2) Ctenophores
(3) Echinoderms (4) Molluscs

155. The common character between *Locusta* and *Chaetopleura* is presence of
(1) Muscular foot (2) Jointed appendages
(3) Segmentation (4) True coelom

156. Select the **mismatch** w.r.t. animals and their respective phylum.
(1) Portuguese man of war – Cnidaria
(2) Brittle star – Echinodermata
(3) Tapeworm – Platyhelminthes
(4) Hookworm – Mollusca

157. *Pinctada* is commonly known as
(1) Tusk shell (2) Chiton
(3) Pearl oyster (4) Apple snail

158. How many of the features listed below is/are **correct** w.r.t. members of the phylum Porifera?
(i) Internal cavities are lined with food filtering flagellated cells
(ii) Body is made up of meshwork of cells
(iii) Mostly asymmetrical
(iv) Possess water vascular system
(1) Zero (2) One
(3) Two (4) Three

159. A completely non-parasitic form among the following is
(1) *Taenia solium* (2) *Hirudinaria*
(3) *Adamsia* (4) *Ascaris*

160. Which of the following are common characteristics of cockroach, housefly and mosquito?
(1) Ventral double hollow nerve cord
(2) Dorsal hollow nerve cord
(3) Chitinous exoskeleton and jointed appendages
(4) Metanephridia

161. The **correct** sequence of layers from the inside to the outside in *Pennatula* is
(1) Ectoderm → Mesoderm → Endoderm
(2) Endoderm → Mesoglea → Ectoderm
(3) Ectoderm → Mesoglea → Endoderm
(4) Endoderm → Mesoderm → Ectoderm

162. Consider the statements given below
(a) *Taenia* is a coelomate which absorbs nutrients directly through its body surface.
(b) Flame cells perform excretion in flatworms, some annelids and *Amphioxus*.
(c) All annelids are monoecious.
(d) In molluscs, feather-like gills perform respiratory and excretory functions.
Choose the option with correct set only.
(1) (a) and (c) (2) (a), (b), (c) and (d)
(3) (b) and (c) (4) (b) and (d)

163. How many of the animals given in the box below are monoecious?

Ascaris, *Nereis*, *Ctenoplana*, *Taenia*, *Hirudinaria*, *Sycon*

Select the correct option.
(1) Three (2) Four
(3) Five (4) Two

164. Select the correct option with respect to given animals and their body symmetry.

	Animals	Body symmetry
(1)	*Pheretima*	Radial
(2)	*Sycon*	Bilateral
(3)	*Ascaris*	Bilateral
(4)	*Saccoglossus*	Radial

(1) (1) (2) (2)
(3) (3) (4) (4)

165. **Assertion (A):** Echinoderms are commonly known as spiny bodied animals.
Reason (R): They have an endoskeleton of calcareous ossicles, spicules and spongin fibres.
In the light of above statements, choose the **correct** option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) (A) is false but (R) is true

166. An unknown organism with a segmented body, parapodia and closed circulation, could be correctly placed in the phylum
(1) Mollusca (2) Annelida
(3) Arthropoda (4) Echinodermata

167. What is common among scorpion, crab, honeybee and silverfish?
(1) Malpighian tubules for respiration
(2) Paurometabolous metamorphosis
(3) Two pairs of antennae
(4) Jointed legs

168. Which of the following is odd w.r.t. segmentation?
(1) Earthworm (2) Cockroach
(3) Star fish (4) Prawn

169. Match the column I with column II.

	Column I		Column II
a.	*Fasciola*	(i)	Absence of body cavity
b.	*Wuchereria*	(ii)	Unsegmented animal
c.	Earthworm	(iii)	Presence of mesoderm as scattered pouches between ectoderm and endoderm
d.	Sea hare	(iv)	Metamerically segmented animal

Select the **correct** option.
(1) a(i), b(ii), c(iii), d(iv) (2) a(i), b(iii), c(iv), d(ii)
(3) a(iv), b(iii), c(ii), d(i) (4) a(iii), b(i), c(iv), d(ii)

@examix
Aakash Medical IIT-JEE Foundation
CC-483
Watermarkly

170. Closed circulatory system is present in
(1) *Musca* (2) *Apis*
(3) *Pheretima* (4) *Wuchereria*

171. **Assertion (A):** All coelomates are triploblastic animals but all triploblastic animals are not coelomates.
Reason (R): Platyhelminthes have three germinal layers but they lack body cavity lined by mesoderm whereas triploblastic annelids have body cavity lined by cellular mesoglea.
In the light of above statements, choose the correct answer.
(1) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(2) Both (A) and (R) are false
(3) (A) is true but (R) is false
(4) Both (A) and (R) are true and (R) is the correct explanation of (A)

172. They are bilaterally symmetrical, triploblastic and pseudocoelomate animals. 'They' belong to the phylum
(1) Platyhelminthes (2) Aschelminthes
(3) Annelida (4) Arthropoda

173. How many of the following animals given below in the box are economically beneficial?

Apis, *Bombyx*, *Culex*, *Locusta*, *Pinctada*

Choose the correct option
(1) Two (2) Three
(3) Four (4) One

174. Select the **correct** set of animals which belongs to same phylum
(1) *Sycon* and *Hydra* (2) *Obelia* and *Physalia*
(3) *Pleurobrachia* and *Culex* (4) *Asterias* and *Ctenoplana*

175. Triploblastic with organ system grade, coelomate and unsegmented animals are seen in
(1) Echinodermata (2) Arthropoda
(3) Ctenophora (4) Platyhelminthes

176. Which of the following possessed a hard exoskeleton formed of chitin?
(1) *Hydra* (2) *Obelia*
(3) *Aurelia* (4) *Limulus*

177. Alimentary canal in roundworms is
(1) Incomplete
(2) Complete without pharynx
(3) Complete with muscular pharynx
(4) Absent

178. Precious pearls are obtained from which of the following animals?
(1) *Pinctada* (2) *Dentalium*
(3) *Sepia* (4) *Aplysia*

179. The most distinctive feature of echinoderms is
(1) Radial symmetry in larvae
(2) Presence of free swimming larvae
(3) Presence of water vascular system
(4) External fertilization

180. In cnidarians, mouth is located on/at
(1) Cnidoblast
(2) Tentacles
(3) The basal part of the body
(4) Hypostome

CC-483 CC-483 CC-483
@examlix
Aakash Medical | IIT-JEE | Foundations
CC-483 CC-483 CC-483

Watermarkly

14/10/2026

CODE-A
Phase-1

Aakash
Medical | IIT-JEE | Foundations

Corporate Office: AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

FORTNIGHTLY TEST FOR NEET-2027 (XII PASSED) PH-I

MM: 720 **FT-07A** **Time: 180 Mins.**

Answers

1. (1)	37. (2)	73. (3)	109. (1)	145. (4)
2. (4)	38. (3)	74. (1)	110. (2)	146. (4)
3. (1)	39. (4)	75. (2)	111. (2)	147. (2)
4. (2)	40. (4)	76. (1)	112. (1)	148. (3)
5. (2)	41. (3)	77. (2)	113. (4)	149. (2)
6. (3)	42. (3)	78. (3)	114. (2)	150. (2)
7. (1)	43. (1)	79. (4)	115. (2)	151. (4)
8. (2)	44. (2)	80. (1)	116. (3)	152. (2)
9. (4)	45. (3)	81. (1)	117. (4)	153. (2)
10. (2)	46. (3)	82. (4)	118. (4)	154. (4)
11. (2)	47. (3)	83. (3)	119. (2)	155. (4)
12. (1)	48. (3)	84. (2)	120. (4)	156. (4)
13. (1)	49. (2)	85. (3)	121. (2)	157. (3)
14. (1)	50. (4)	86. (2)	122. (4)	158. (4)
15. (2)	51. (4)	87. (4)	123. (4)	159. (3)
16. (1)	52. (4)	88. (4)	124. (1)	160. (3)
17. (1)	53. (1)	89. (3)	125. (2)	161. (2)
18. (3)	54. (2)	90. (4)	126. (2)	162. (4)
19. (3)	55. (4)	91. (3)	127. (3)	163. (2)
20. (2)	56. (3)	92. (3)	128. (1)	164. (3)
21. (1)	57. (1)	93. (3)	129. (4)	165. (3)
22. (4)	58. (4)	94. (3)	130. (1)	166. (2)
23. (1)	59. (1)	95. (4)	131. (4)	167. (4)
24. (1)	60. (3)	96. (3)	132. (3)	168. (3)
25. (3)	61. (1)	97. (4)	133. (2)	169. (2)
26. (2)	62. (3)	98. (2)	134. (2)	170. (3)
27. (3)	63. (1)	99. (2)	135. (4)	171. (3)
28. (2)	64. (1)	100. (4)	136. (1)	172. (2)
29. (3)	65. (2)	101. (2)	137. (3)	173. (2)
30. (2)	66. (1)	102. (3)	138. (2)	174. (2)
31. (3)	67. (1)	103. (1)	139. (4)	175. (1)
32. (4)	68. (3)	104. (3)	140. (3)	176. (4)
33. (2)	69. (2)	105. (3)	141. (1)	177. (3)
34. (4)	70. (4)	106. (1)	142. (1)	178. (1)
35. (3)	71. (1)	107. (3)	143. (4)	179. (3)
36. (4)	72. (2)	108. (4)	144. (2)	180. (4)

@examlix

Watermarkly