12/08/2026

Code-D_Phase-02

Aakash
Medical|IIT-JEE|Foundations
Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18,
Udyog Vihar, Gurugram, Haryana - 122015, *Ph.*+91-1244168300

MM : 720

Term Exam for NEET-2028 (XI Studying) Ph-2 - TE02D

Time : 180 Min.

Topics Covered:
Physics : Motion in a Plane, Laws of Motion
Chemistry : Structure of Atom, Classification of Elements and Periodicity in Properties
Botany : Cell Cycle and Cell Division, The Living World
Zoology : Breathing & Exchange of Gases, Body Fluids & Circulation-I (Upto Histology of heart wall)


General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.

DreamNEET

PHYSICS

1. Position vector of a moving particle is given by $\vec{r} = \left(3t\hat{i} + 2t^2\hat{j} - 5t^3\hat{k}\right)$ m. Its displacement vector (in m) during the interval from $t = 1$ s to $t = 4$ s is
(1) $9\hat{i} - 30\hat{j} + 75\hat{k}$ (2) $9\hat{i} + 30\hat{j} - 315\hat{k}$
(3) $15\hat{i} + 30\hat{j} - 75\hat{k}$ (4) $15\hat{i} - 30\hat{j} - 315\hat{k}$

2. Figure shows trajectories of three different bodies projected from level ground. Select the **incorrect** option.



(1) The time of flight is same in all the three cases
(2) Y-component of initial velocity is same in all the three cases
(3) Velocity at highest point of trajectory is same in all three cases
(4) Maximum height attained by the particle is same in all three cases

3. A projectile is launched at time $t = 0$ with velocity 20 m/s at an angle 53° with the horizontal. The magnitude of velocity of the projectile at the highest point of the trajectory is
(1) 9 m/s (2) 16 m/s
(3) 12 m/s (4) 7 m/s


4. According to Newton's third law of motion action and reaction forces
(1) Act on the same body (2) Act on different bodies
(3) Are of different nature (4) Have same direction

5. A car of mass 1000 kg is moving on a level circular track of radius 80 m. If coefficient of static friction between the road and tyre of car is 0.5, the maximum speed of the car during the turn can be
(1) 10 m/s (2) 30 m/s
(3) 20 m/s (4) 40 m/s

6. A pushing force of 50 N acts on a block at an angle of 30° with horizontal. The respective horizontal and vertical components of force will be
(1) $25\sqrt{3}$ N, 25 N (2) 25 N, $25\sqrt{3}$ N
(3) 25 N, 25 N (4) 50 N, 0 N

7. There are three vectors $\vec{A} = 3\hat{i} + 2\hat{j}$, $\vec{B} = 3\hat{i} - 2\hat{j}$ and $\vec{C} = -6\hat{i} + 2\hat{j}$. The unit vector along $\vec{A} + \vec{B} + \vec{C}$ is
(1) $\hat{j}$ (2) $\hat{i}$
(3) $\frac{\hat{i}+\hat{j}+\hat{k}}{\sqrt{3}}$ (4) $\frac{\hat{i}+\hat{j}}{\sqrt{2}}$

8. In the diagram shown, all pulleys are smooth, massless and strings are light. The block that will be at rest is



(1) All blocks will be at rest
(2) 2 kg
(3) 3 kg
(4) 4.8 kg

9. Consider the following statements regarding a vector $\vec{P}$.

(a) Multiplication of vector $\vec{P}$ with a positive scalar will change the direction.

(b) Multiplication of vector $\vec{P}$ with a negative scalar will change the direction.

(c) Rotation of vector $\vec{P}$ by angle θ will change the direction. ($\theta \neq 2n\pi$)

(d) Translation of vector $\vec{P}$ will change its magnitude.

Based on above statements, the correct statement is
(1) Only (b)
(2) Only (c)
(3) Both (b) and (c)
(4) Both (c) and (d)

10. A stone is just released from the window of a train moving along a horizontal straight track. As seen from ground, the stone will hit the ground following a
(1) Straight line path
(2) Circular path
(3) Parabolic path
(4) Hyperbolic path


11. A block can slide on a smooth inclined plane of inclination θ fixed on the floor of *an elevator*. When the elevator is moving down with a retardation *a*, the acceleration of the block relative to the incline is
(1) $(g + a)\sin\theta$
(2) $(g - a)$
(3) $g\sin\theta$
(4) $(g - a)\sin\theta$

12. A ball of mass 2 kg is moving with velocity $\left(12\hat{i} + 5\hat{j}\right)$ m s^{-1}, the magnitude of momentum of the ball is
(1) 26 kg m s^{-1}
(2) $13\sqrt{2}$ kg m s^{-1}
(3) $26\sqrt{2}$ kg m s^{-1}
(4) 13 kg m s^{-1}

13. A body is moving with velocity $\vec{v} = \left(3t^2\hat{i} + 2t\hat{j}\right)$ m/s. Initial acceleration of the particle has magnitude (in m/s^2)
(1) 2
(2) 5
(3) 8
(4) Zero

14. The *x* and *y* coordinates of a particle at any time *t* are $x = 5t - 3t^2$ and $y = 5t$ respectively, where *x* and *y* are in meter and *t* in second. The speed of the particle at $t = 1$ second is
(1) 26 m/s
(2) $\sqrt{18}$ m/s
(3) 6 m/s
(4) $\sqrt{26}$ m/s

15. A block of mass 10 kg is moving on a fixed inclined plane with constant velocity 12 m/s as shown in figure. The coefficient of kinetic friction between the inclined plane and the block is



(1) $\frac{1}{\sqrt{2}}$
(2) $\frac{1}{\sqrt{3}}$
(3) 0.75
(4) 0.25

16. River is flowing with velocity $(3\hat{i} + 2\hat{j})$m/s. A boat is moving in river with velocity $(3\hat{i} - 2\hat{j})$m/s w.r.t the river. The speed of boat w.r.t ground is
(1) 1 m/s
(2) 4 m/s
(3) 6 m/s
(4) 8 m/s

17. A particle is moving in vertical plane (*x*-*y* plane) such that its trajectory is given by the equation, $y = x - \frac{x^2}{80}$, where *x* & *y* are in metre.

For this particle match column-I with column-II and tick the correct option.

	Column A		Column B
A.	Horizontal range (in m)	(P)	45
B.	Angle of projection with horizontal (degree)	(Q)	80
C.	Maximum height gained by particle (m)	(R)	20
D.	Speed of projection (m s^{-1})	(S)	$20\sqrt{2}$

(1) A(S), B(R), C(Q), D(P)
(2) A(P), B(Q), C(S), D(R)
(3) A(Q), B(P), C(S), D(R)
(4) A(Q), B(P), C(R), D(S)


18. A particle has initial velocity $\left(4\hat{i} + 6\hat{j}\right)$ m/s and a constant acceleration $\vec{a} = \left(\hat{i} + \hat{j}\right)$ m/s^2. The velocity of the particle after 2 second will be
(1) $\left(6\hat{i} + 8\hat{j}\right)$ m/s
(2) $\left(2\hat{i} + 4\hat{j}\right)$ m/s
(3) $\left(3\hat{i} + 9\hat{j}\right)$ m/s
(4) $\left(3\hat{i} + \hat{j}\right)$ m/s

19. A man at rest observes that rain is falling with the velocity of 20 m/s at an angle 30° with the vertical. The velocity with which the man should move on a horizontal road, such that rain again appears to fall at 30° with the vertical, will be
(1) 20 m/s
(2) $20\sqrt{3}$ m/s
(3) 10 m/s
(4) $10\sqrt{3}$ m/s

20. An object of mass 500 g moves along *x*-axis with speed $v = 2\sqrt{x}$ m/s, where *x* is its position. The force acting on the block is
(1) 2 N
(2) 4 N
(3) 3 N
(4) 1 N

DreamNEET


21. Consider the following statements about the blocks shown in the diagram that are being pushed by a constant force F_0 on a frictionless table. ($m_1 > m_2 > m_3$)



Statement (i): All blocks move with same acceleration
Statement (ii): The net force on each block is same.
Choose the correct option
(1) Only statement (i) is correct
(2) Only statement (ii) is correct
(3) Both statements (i) and (ii) are correct
(4) Neither statement (i) nor statement (ii) are correct

22. A bullet of mass 10 g is fired from the gun of mass 450 g. If the velocity of bullet is 90 m/s, then the recoil velocity of gun is
(1) 2 m/s (2) 4 m/s
(3) 8 m/s (4) 10 m/s

23. Figure given below shows three vectors $\vec{a}$, $\vec{b}$ and $\vec{c}$.




Then correct relation is
(1) $\vec{a}+\vec{b}=\vec{c}$ (2) $\vec{b}+\vec{c}=\vec{a}$
(3) $\vec{a}+\vec{b}+\vec{c}=0$ (4) $\vec{a}+\vec{c}=\vec{b}$

24. A projectile is fired horizontally from the top of a high tower with speed u. The time after which the instantaneous velocity makes 30° with the initial velocity is (g is acceleration due to gravity)
(1) $\frac{u}{g}$ (2) $\frac{\sqrt{3}u}{g}$
(3) $\frac{\sqrt{3}g}{u}$ (4) $\frac{u}{\sqrt{3}g}$

25. According to Aristotelian idea of motion
(1) Force is not always in the direction of acceleration
(2) An external force is required to keep a body in motion
(3) A body may change its state of rest even without any external force
(4) Every action has an equal and opposite reaction

26. The linear momentum P of a particle varies with time t as follows, $P = \alpha + \beta t^2$, where α and β are non-zero constants. The net force acting on particle is
(1) Proportional to t (2) Proportional to t^2
(3) Zero (4) Independent of t

27. The position-time graph for a particle of mass 6 kg moving along x-axis is shown in figure. Then impulse on particle at t = 2 seconds is



(1) 240 N s (2) − 420 N s
(3) − 120 N s (4) 60 N s

28. Angle made by vector $\vec{A} = 2\hat{i} + 4\hat{j} - \sqrt{61}\,\hat{k}$ with y-axis is
(1) $\cos^{-1}\left(\frac{2}{9}\right)$ (2) $\cos^{-1}\left(\frac{4}{9}\right)$
(3) $\cos^{-1}\left(\frac{1}{9}\right)$ (4) $\sin^{-1}\left(\frac{4}{9}\right)$


29. A body is moving in a circle of radius r with a constant speed v. Its angular speed will be
(1) vr (2) $\frac{v}{r}$
(3) $\frac{v^2}{r^2}$ (4) $\frac{v^2}{r}$

30. Consider the following two statements.
Statement I: If two stones, one light and the other heavy, are dropped from the top of a building, a person on the ground will find it easier to catch the light stone than the heavy stone.
Statement II: Momentum and change in momentum both have same direction always.
In the light of above statements, choose the correct option.
(1) Both statement I and statement II are correct
(2) Both statement I and statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

31. The maximum number of components in which a vector can be resolved are
(1) 2 (2) 3
(3) 4 (4) Infinite

32. Magnitude of vector difference of two vectors having equal magnitude is $\sqrt{3}$ times the magnitude of their vector sum. The angle between the vectors is
(1) 60° (2) 90°
(3) 120° (4) 135°


33. A block of mass 10 kg rests on a horizontal rough surface. Coefficient of friction between block and surface is $\frac{1}{\sqrt{2}}$. The minimum force required to move the block horizontally is [g = 10 m/s^2]



(1) 100 N (2) $100\sqrt{2}$ N
(3) $\frac{100}{\sqrt{2}}$ N (4) $\frac{100}{\sqrt{3}}$ N

DreamNEET

34. A dynamometer is attached to two blocks of masses 4 kg and 5 kg as shown in the figure. The reading of the dynamometer is



(1) 60 N (2) 54 N
(3) 30 N (4) 84 N

35. When a moving bus suddenly takes a turn, the passengers are thrown outwards because of
(1) Inertia of rest (2) Inertia of motion
(3) Inertia of direction (4) Can't say

36. Equation of motion of projectile in x-y plane is $y = ax - bx^2$, then the angle of projection with x-axis is
(1) $\tan^{-1}(b)$ (2) $\tan^{-1}(a)$
(3) $\cos^{-1}(b)$ (4) $\sin^{-1}(a)$


37. The limiting friction between two bodies in contact is independent of
(1) Nature of the surface in contact
(2) The area of surfaces in contact
(3) Normal reaction between the surfaces
(4) The materials of the bodies

38. A 0.5 kg ball moving with a speed of 12 m/s strikes a hard wall at an angle of 30° with the wall. It is reflected with the same speed and at the same angle. If the ball is in contact with the wall for 0.25 s, the average force acting on the wall is:




(1) 48 N (2) 24 N
(3) 12 N (4) 96 N

39. Figure shows a projectile thrown with speed u = 20 m/s at an angle 30° with horizontal from the top of a building 40 m high. Then the horizontal range of projectile is (g = 10 m/s^2)



(1) $20\sqrt{3}$ m (2) $40\sqrt{3}$ m
(3) 40 m (4) 20 m


40. Figure shows two block system, 4 kg block rests on a smooth horizontal surface, upper surface of 4 kg is rough. A block of mass 2 kg is placed on its upper surface. The acceleration of upper block with respect to earth when 4 kg mass is pulled by a force of 30 N, is



(1) 6 m/s^2 (2) 5 m/s^2
(3) 8 m/s^2 (4) 2 m/s^2

41. Two forces of 10 N and 6 N act upon a body. The direction of the forces are unknown. The resultant force on the body may be
(1) 15 N (2) 3 N
(3) 17 N (4) 2 N

42. A particle of mass m moves with constant speed v on a circular path of radius r as shown in figure. The average force on it during its motion from A to B is



(1) $\frac{\sqrt{3}mv^2}{2\pi r}$ (2) $\frac{mv^2}{r}$
(3) $\frac{2\sqrt{3}mv^2}{\pi r}$ (4) $\frac{3\sqrt{3}mv^2}{4\pi r}$

43. A cyclist riding the bicycle at a speed of $14\sqrt{3}$ m/s takes a turn around a horizontal circular road of radius $20\sqrt{3}$ m without skidding. What is his inclination to the vertical? (g = 9.8 m/s^2)
(1) 30° (2) 45°
(3) 60° (4) 75°

44. Which of the following is a vector?
(1) Current (2) Time
(3) Acceleration (4) Volume

45. **Assertion (A):** In equilibrium, net force on the body is zero.
Reason (R): A body in equilibrium must be at rest.
In the light of above statements, choose the correct option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

DreamNEET

CHEMISTRY

46. Correct order of metallic character of the given elements is
(1) P < Si < Be < Mg < Na
(2) Si < P < Be < Mg < Na
(3) P < Si < Mg < Be < Na
(4) P < Si < Be < Na < Mg

47. If the de-Broglie wavelength of an electron revolving in 2nd Bohr orbit of H-atom is x, then radius of that orbit is given by
(1) $\frac{x}{\pi}$
(2) $\frac{2x}{\pi}$
(3) $\frac{x}{2\pi}$
(4) $\frac{x}{3\pi}$

48. Given below are two statements, one is labelled as Assertion (A) and other is labelled as Reason (R).
Assertion (A) : First ionization enthalpy of O is less than that of N.
Reason (R) : Nitrogen is smaller in size than oxygen.
In the light of above two statements, choose the correct option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true statement but (R) is false statement
(4) Both (A) and (R) are false statements

49. Match List I with List II :

	List I (Quantum Number)			List II (Orbital)
	'n'	'l'		
A.	2	1	I.	3d
B.	4	0	II.	2p
C.	5	3	III.	4s
D.	3	2	IV.	5f

Choose the **correct** answer from the options given below.
(1) A-IV, B-II, C-III, D-I
(2) A-II, B-III, C-I, D-IV
(3) A-II, B-III, C-IV, D-I
(4) A-I, B-II, C-III, D-IV

50. Choose the correct statement.
(1) The probability of finding an electron at a point within an atom is proportional to the orbital wave function
(2) An atomic orbital is the wave function ψ for an electron in an atom
(3) Schrodinger equation considers only particle nature of electron in an atom
(4) The value of wave function(ψ) does not depend upon the coordinates of electron in an atom

51. The wavelength of two radiations λ_1 and λ_2 are 10 nm and 20 nm respectively. The relation between their energies E_1 and E_2 will be
(1) $E_1 = E_2$
(2) $2E_1 = E_2$
(3) $E_1 = 2E_2$
(4) $E_1 = 10E_2$

52. The quantum numbers of 4 electrons are given below
(a) $n = 5, l = 2, m_l = 1, m_s = +\frac{1}{2}$
(b) $n = 4, l = 3, m_l = 0, m_s = -\frac{1}{2}$
(c) $n = 5, l = 1, m_l = -1, m_s = +\frac{1}{2}$
(d) $n = 4, l = 2, m_l = -2, m_s = -\frac{1}{2}$
The correct order of their decreasing energies is :
(1) (d) > (c) > (b) > (a)
(2) (a) > (b) > (c) > (d)
(3) (a) > (c) > (b) > (d)
(4) (c) > (a) > (b) > (d)

53. What will be wave number of radiation if an electron falls from n = 4 to n = 1 in hydrogen atom? (R = Rydberg constant)
(1) $\frac{3}{4}R$
(2) $\frac{15}{16}R$
(3) $\frac{6}{15}R$
(4) $\frac{4}{3}R$

54. Total number of elements present in 3rd period of modern periodic table is
(1) 18
(2) 32
(3) 2
(4) 8

55. The kinetic energy of an electron in 3rd Bohr orbit of He^+ ion is
(1) 8.2 eV
(2) 7.1 eV
(3) 9.3 eV
(4) 6.04 eV

56. IUPAC official name of element having atomic number 104 is
(1) Mendelevium
(2) Nobelium
(3) Lawrencium
(4) Rutherfordium

57. Match List-I with List-II.

List-I	List-II
(a) NO	(I) Acidic
(b) CO_2	(II) Basic
(c) ZnO	(III) Neutral
(d) CaO	(IV) Amphoteric


Choose the correct answer from the options given below.
(1) (a)(II), (b)(IV), (c)(I), (d)(III)
(2) (a)(III), (b)(I), (c)(II), (d)(IV)
(3) (a)(III), (b)(I), (c)(IV), (d)(II)
(4) (a)(I), (b)(III), (c)(IV), (d)(II)


58. Among the following, representative element is
(1) Ni
(2) Fe
(3) Na
(4) Co


59. If shortest wavelength in Lyman series of H-atom be 'x' Å, then the longest wavelength in Balmer series of He^+ would be (in Å)
(1) $\frac{36x}{5}$
(2) x
(3) $\frac{9x}{5}$
(4) $\frac{27x}{20}$


DreamNEET

60. The orbital diagram in which both the Pauli's exclusion principle and Hund's rule are violated is

(1) 

(2) 

(3) 

(4) 

61. The ionic radii of isoelectronic species N^{3-}, O^{2-} and F^{-} are respectively given by (in Å)
(1) 1.36, 1.40, 1.71 (2) 1.36, 1.71, 1.40
(3) 1.71, 1.40, 1.36 (4) 1.71, 1.36, 1.40

62. The element with the least negative value of electron gain enthalpy among the following elements is
(1) F (2) S
(3) Se (4) O

63. Consider the following statements
(a) The maximum number of electrons in the shell with principal quantum number n is equal to $2n^2$.
(b) A p orbital can accommodated maximum 6 electrons.
(c) The total number of atomic orbitals in fifth energy level of an atom is 32.
The incorrect statement(s) is/are
(1) (b) and (c) only (2) (a) and (b) only
(3) (b) only (4) (c) only

64. What will be the work function of the metal (in eV), if energy of incident light is 6 eV and kinetic energy of photoelectron emitted is 3.2×10^{-19} J?
(1) 0.5 eV (2) 4 eV
(3) 2 eV (4) 1.5 eV

65. Given below are two statements
Statement I: Splitting of spectral lines in the presence of electric field is known as Zeeman effect.
Statement II: Splitting of spectral lines in the presence of magnetic field is known as Stark effect.
In the light of above statements, choose the **correct** option.
(1) Both statement I and statement II are correct
(2) Both statement I and statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

66. If energy of an electron in first orbit of Hydrogen atom is –E, then energy of electron in first excited state is
(1) E (2) –E
(3) $-\frac{E}{4}$ (4) –4E

67. Identify the correct order of electronegativity for the given species: (on Pauling scale)
(1) Si < C < N < O (2) Si < N < C < O
(3) C < Si < O < N (4) C < N < Si < O

68. Find the formula of halide of a metal whose successive ionization enthalpies are x, 2x, 5x, 100x kJ mol^{-1} respectively
(1) MX (2) MX_2
(3) MX_3 (4) M_2X

69. Given below are two statements:
Statement I: Positive electron gain enthalpy of Ne is maximum among group 18 elements.
Statement II: Removal of electron from an atom is always an endothermic process.
In the light of the above statement, choose the most appropriate answer from the options given below.
(1) Statement I is true but statement II is false
(2) Statement I is false but statement II is true
(3) Both statement I and statement II are true
(4) Both statement I and statement II are false

70. Number of spectral lines obtained in Balmer series when electrons return from 5th orbit to 1st orbit in a sample of hydrogen atoms is
(1) 3 (2) 7
(3) 5 (4) 9

71. Which of the following is a metalloid?
(1) As (2) Na
(3) S (4) Cl

72. If the radius of second Bohr orbit of Li^{2+} ion is x pm, then the radius of third Bohr orbit of He^{+} ion will be
(1) $\frac{1}{9}x$ pm (2) $\frac{4}{9}x$ pm
(3) $\frac{27}{8}x$ pm (4) $\frac{9}{8}x$ pm

73. The correct set of four quantum numbers for the valence electron of potassium atom ($Z = 19$) is
(1) 4, 1, 0, $+\frac{1}{2}$ (2) 4, 0, 0, $+\frac{1}{2}$
(3) 4, 0, 1, $+\frac{1}{2}$ (4) 3, 1, 0, $-\frac{1}{2}$

74. Which of the following pair shows diagonal relationship?
(1) Li and Mg (2) B and Al
(3) Si and Be (4) Mg and B

75. Match the ions given in List-I with their electronic configuration given in List-II.

	List-I		List-II
a.	Ni^{2+}	(i)	$[Ar]3d^5$
b.	Fe^{3+}	(ii)	$[Ar]3d^7$
c.	V^{3+}	(iii)	$[Ar]3d^8$
d.	Co^{2+}	(iv)	$[Ar]3d^2$

The correct match is
(1) a(i), b(ii), c(iii), d(iv) (2) a(iii), b(iv), c(ii), d(i)
(3) a(iii), b(i), c(iv), d(ii) (4) a(ii), b(iii), c(i), d(iv)

76. Match the following columns I & II.

	Column I (Orbital)		Column II (Number of Radial Node(s))
(a)	2p	(i)	3
(b)	3s	(ii)	2
(c)	4d	(iii)	1
(d)	5p	(iv)	0

Choose the correct option containing most appropriate match:
(1) a(ii), b(iv), c(i), d (iii) (2) a(iii), b(i), c(iv), d(ii)
(3) a(iv), b(ii), c(i), d(iii) (4) a(iv), b(ii), c(iii), d(i)

77. Identify the group and period respectively, for an element with atomic number 113.
(1) 13 and 6 (2) 13 and 7
(3) 12 and 7 (4) 14 and 6

Dream NEET

78. The maximum degenerate orbitals in 3rd shell of Li^{2+} is
(1) 1 (2) 3
(3) 7 (4) 9

79. For 5f electron, the orbital angular momentum is
(1) $2\sqrt{2}\hbar$ (2) $\sqrt{6}\hbar$
(3) $2\sqrt{3}\hbar$ (4) $\sqrt{2}\hbar$

80. Given below are two statements
Statement I: The elements after uranium are called Transuranium elements.
Statement II: The IUPAC nomenclature for atomic number 112 is Ununbium.
In the light of above statements, choose the most appropriate answer from the options given below.
(1) Both statement I and statement II are correct
(2) Both statement I and Statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

81. The correct sequence of frequency of the electromagnetic radiations in electromagnetic spectrum is
(1) X-rays > UV rays > Microwaves > Radio waves
(2) Radio waves > Microwaves > UV rays > X-rays
(3) UV rays > X-rays > Radio waves > Microwaves
(4) Radio waves > Microwaves > X-rays > UV rays

82. If uncertainty in position and momentum are equal, then uncertainty in velocity is
(1) $\sqrt{\frac{h}{\pi}}$ (2) $\frac{1}{2m}\sqrt{\frac{h}{\pi}}$
(3) $\sqrt{\frac{h}{2\pi}}$ (4) $\frac{1}{m}\sqrt{\frac{h}{\pi}}$

83. Shape of an orbital is given by
(1) Principal quantum number
(2) Spin quantum number
(3) Azimuthal quantum number
(4) Magnetic quantum number

84. Atomic number and mass number of an element M are 25 and 52 respectively. The number of electrons, protons and neutrons in M^{2+} ion are respectively
(1) 25, 25 and 27 (2) 25, 27 and 25
(3) 27, 25 and 27 (4) 23, 25 and 27

85. The de-Broglie wavelength of an electron travelling with 10% of velocity of light is equal to
(1) 242.4 pm (2) 24.2 pm
(3) 2.42 pm (4) 0.2424 pm

86. The electronic configuration of an element is $1s^2\ 2s^2\ 2p^6\ 3s^2\ 3p^3$. What is the atomic number of the element, which is just below the above element in the periodic table?
(1) 36 (2) 49
(3) 33 (4) 34

87. Which one of the following is correct order of the size of iodine species?
(1) $I^+ > I^- > I$ (2) $I^- > I > I^+$
(3) $I > I^- > I^+$ (4) $I > I^+ > I^-$

88. Eka-aluminium and Eka-silicon respectively are known as
(1) Gallium and Germanium (2) Aluminium and Silicon
(3) Iron and Sulphur (4) Boron and Technitium

89. The correct order of shielding effect of *s*, *p*, *d* and *f* orbitals is
(1) $s > p > d > f$ (2) $s > d > p > f$
(3) $f > d > p > s$ (4) $f > p > d > s$

90. Which of the following pairs of elements do not follow Newland's law of octave?
(1) Na, K (2) Ca, Sr
(3) F, Cl (4) O, S

DreamNEET

BOTANY

91. Meiosis II is said to be similar to mitosis, however the two differ in some aspects, like
a. In meiosis II, the two daughter cells formed from each cell are generally genetically different
b. Meiosis II is initiated immediately after karyokinesis
c. In animals, mitosis takes place in both haploid and diploid cells
d. Synaptonemal complex is formed in meiosis II
e. Centromere does not split in meiosis II
The **correct** statements are
(1) a, d & e (2) b, c & e
(3) a & c (4) b & e

92. Arrange the different processes in **correct** order that occur in prophase I and choose the option accordingly.
I. Dissolution of synaptonemal complex
II. Formation of recombination nodule
III. Assembling of meiotic spindle at the poles
IV. Synapsis of homologous chromosomes
(1) IV, II, I, III (2) II, I, IV, III
(3) III, I, IV, II (4) IV, I, II, III

93. Events associated with the second phase of mitosis are
(a) Congression of chromosomes
(b) Initiation of movement of centrioles towards opposite poles
(c) Compaction of chromosomes into thickest and shortest ones
(d) Splitting of centromeres
Select the **correct** answer from the following options.
(1) (a) and (b) only (2) (b) and (c) only
(3) (c) and (d) only (4) (a) and (c) only

94. Given are two statements Assertion (A) and Reason (R).
Assertion (A): DNA replication does not take place just before meiosis II.
Reason (R): DNA is already present in double amount in each chromosome just before meiosis II as compared to that of G_1 phase.
In the light of above statements select the **correct** option.
(1) Both (A) and (R) are false
(2) Both (A) and (R) are true and (R) is correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are true but (R) is not the correct explanation of (A)

95. Anaphase promoting complex (APC) is a protein degradation machinery necessary for proper mitosis of animal cells. If APC is defective in a human cell, which of the following is expected to occur?
(1) Chromosomes will not condense
(2) Chromosomes will be fragmented
(3) Chromosomes will not segregate
(4) Recombination of chromosome arms will occur

96. If spores have 10 chromosomes and 20 picogram DNA, then what would be the chromosome number and DNA amount in spore mother cell at the end of S-phase in the life cycle of same plant?
(1) 40 chromosomes and 80 pg DNA
(2) 20 chromosomes and 80 pg DNA
(3) 20 chromosomes and 40 pg DNA
(4) 40 chromosomes and 40 pg DNA

97. Pre-mitotic gap phase is characterised by
(1) Histone protein synthesis
(2) Duplication of most of the cell organelles
(3) Tubulin protein synthesis
(4) Synthesis of DNA and chromosomes

98. The completion of prophase can be marked by the
(1) Complete disintegration of the nuclear envelope
(2) Beginning of compaction chromatin material
(3) Initiation of formation of asters
(4) Reappearance of Golgi body and ER

99. A bivalent of prophase I is referred as
(1) One centromere with one chromatid
(2) Two centromeres with two chromatids
(3) Two centromeres with four chromatids
(4) Four centromeres with four chromatids

100. Shortening of microtubules attached to the kinetochores takes place during
(1) Third stage of karyokinesis in equational and reductional division.
(2) Second and third substage of prophase I.
(3) Final stage of M-phase.
(4) Fourth stage of meiosis and mitosis.

101. Cell division proper lasts for only about one hour out of the average duration of 24 hours of cell cycle in humans, whereas
(1) The interphase lasts more than 95% of the duration
(2) The M-phase lasts more than 95% of the duration
(3) The interphase lasts less than 5% of the duration
(4) The G_2 phase lasts about 95% of the duration

102. Given below are two statements : One is labelled as **Assertion** and the other is labelled as **Reason**.
Assertion : Mitosis is also called equational division.
Reason : The two daughter cells produced after mitotic division have the same number of chromosomes as that of in the parent cell.
In the light of the above statements, choose the **correct** answer from the options given below:
(1) Both Assertion and Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion and Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements

103. Select the **incorrect** statement regarding cytokinesis.
(1) In plant cell, it occurs by formation of cell plate
(2) In animal cell, furrow starts at the periphery and then moves inward
(3) Cell plate formation starts from the centre of the cell
(4) In animal cells, cytokinesis is followed by karyokinesis

104. Match the following column I with column II and choose the correct option.

Column-I	Column-II
a. Interkinesis	(i) Cell growth
b. Pachytene	(ii) Chiasmata formation
c. Diplotene	(iii) Centriole duplication
d. G_2 phase	(iv) Recombination nodule

(1) a(iii), b(iv), c(ii), d(i)
(2) a(ii), b(i), c(iii), d(iv)
(3) a(ii), b(iii), c(iv), d(i)
(4) a(iv), b(iii), c(i), d(ii)

105. "A cell has 15 bivalents in its zygotene stage". Choose the **correct** statement associated with this cell.
(1) The cell has total 60 chromosomes
(2) Each of the four daughter cells produced from the above cell will have 15 chromosomes
(3) This cell is undergoing mitosis
(4) This cell has total 30 chromatids.

106. A cell entering M-phase of the cell cycle is
(1) Always diploid and with unduplicated chromosomes
(2) Always haploid and with duplicated chromosomes
(3) Either haploid or diploid but always with duplicated chromosomes
(4) Either haploid or diploid but always with unduplicated chromosomes

107. The most active stage of the cell cycle
a. Is also called the resting phase.
b. Constitutes less than 95% duration of the cell cycle of a human cell.
c. is a biosynthetic phase.
d. Lasts for approximately 85 minutes in a yeast cell.
(1) All a, b, c & d are correct
(2) Only a & c are correct
(3) Only b is incorrect
(4) Only a, b & c are correct

108. Final stage of meiotic prophase-I is marked by
(1) Terminalisation of chiasmata
(2) Dissolution of synaptonemal complex
(3) Appearance of tetrad
(4) Crossing over of homologous chromosomes

109. Nucleolus and nuclear membrane reappear during
(1) Anaphase
(2) Telophase
(3) Late prophase
(4) Metaphase

110. Duplication of the Golgi apparatus occurs during the
(1) G_1-phase
(2) S-phase
(3) G_2-phase
(4) Prophase

111. Centriole get duplicated during
(1) G_1 phase
(2) S phase
(3) G_2 phase
(4) G_0 phase

112. _____ marks the end of the mitotic cell division.
(1) Formation of metaphasic plate
(2) Division of nucleus into two daughter nuclei
(3) Reappearance of Golgi bodies in the cells
(4) Division of cytoplasm into two daughter cells

DreamNEET

113. Match the following columns and select the **correct** option.

	Column-I		Column-II
a.	Taxonomy	(i)	These are distinct. biological entities and not merely morphological aggregates
b.	Systematics	(ii)	A process of classification, based on characteristics, all living organisms can be classified into different taxa
c.	Classification	(iii)	It takes into account evolutionary relationships between organisms
d.	Taxonomic categories	(iv)	Process by which anything is grouped into convenient categories based on some easily observable characters

(1) a(iii), b(iv), c(i), d(ii) (2) a(ii), b(iii), c(iv), d(i)
(3) a(ii), b(i), c(iv), d(iii) (4) a(iv), b(iii), c(i), d(ii)

114. Observe the following taxonomical categories.
a. *Musca*
b. Insecta
c. Muscidae
d. Arthropoda
e. Diptera
Which of the following options depicts the correct ascending order regarding taxonomical categories for a housefly?
(1) a → d → b → e → c (2) b → e → c → d – a
(3) a → c → e → b → d (4) c → a → e → b → d

115. According to the rules of binomial nomenclature of organisms
(1) Both generic name and specific epithet are printed in italics
(2) Genus name starts with small letter
(3) Only specific epithet is printed in italics
(4) Specific epithet is written before genus

116. Read the following statements and choose the option which is **true** for them
Statement A : The number of similar characteristics goes on increasing from species to kingdom.
Statement B : Higher the category, greater is the difficulty of determining the relationship to other taxa at same level.
(1) Only statement A is correct
(2) Only statement B is correct
(3) Both statements A and B are correct
(4) Both statements A and B are incorrect

117. Read the following statements and select the **correct** option
Statement A : Families are characterised on the basis of both vegetative and reproductive features of plant species.
Statement B : Family has a group of related genera with still more number of similarities as compared to genus and species.
(1) Only statement A is correct
(2) Only statement B is correct
(3) Both statements A and B are correct
(4) Both statements A and B are incorrect

118. Select the **mismatched** pair.
(1) Class – Mammalia (2) Order – Carnivora
(3) Family – Felidae (4) Genus – Convolvulaceae

119. Choose the **incorrect** statement.
(1) The earliest classifications were based on the 'uses' of various organisms.
(2) External and internal structures, along with cell structure, development process and ecological information of organisms form the basis of modern taxonomic studies.
(3) Lion, leopard and tiger with several common features are all species of the genus *Panthera*.
(4) Order being a higher category, is the assemblage of classes which exhibit a few similar characters.

120. Which of the following taxa belong to the same rank?
(1) *Homo*, *Felis*, *pardus*
(2) Solanaceae, leo, Convolvulaceae
(3) *Mangifera*, *Solanum*, *Panthera*
(4) Hominidae, *Triticum*, Dicotyledonae

121. If we arrange the seven taxonomic categories in ascending order, then (i) comes just after (ii).
Select the option that **correctly** fills the blanks (i) and (ii).
(1) (i) Family ; (ii) Order (2) (i) Order ; (ii) Class
(3) (i) Division ; (ii) Order (4) (i) Order, (ii) Family

122. Local names of various plants and animals
(1) Help in recognising organisms worldwide
(2) Are used universally
(3) Are specific and distinct names
(4) Vary from place to place

123. Which of the following is the suffix of taxonomic category order in plants?
(1) -ales (2) -aceae
(3) -idae (4) -eae

124. The order of cats and dogs is
(1) Carnivora (2) Mammalia
(3) Primata (4) Diptera

125. Order Polymoniales include
(1) Convolvulaceae and Anacardiaceae
(2) Convolvulaceae and Solanaceae
(3) Solanaceae and Poaceae
(4) Poaceae and Anacardiaceae

126. Cell cycle is divided into how many basic phases?
(1) Two (2) Four
(3) Six (4) Three

127. In some organism, when division of nucleus is not followed by division of cytoplasm then it will leads to the formation of
(1) Asters (2) Diploid structure
(3) Syncytium (4) Multiple haploid cells

128. What will be the total number of mitotic divisions required for the formation of 64 daughter cells?
(1) 6 (2) 32
(3) 63 (4) 16

129. Longest phase of meiosis I is
(1) Prophase I (2) Metaphase I
(3) Anaphase I (4) Telophase I

130. Spindle fibres are made up of
(1) Actin (2) Myosin
(3) Alpha & beta tubulin (4) Flagellin

131. _____ marks the site where crossing over had occurred.
(1) Diakinesis (2) Synapsis
(3) Chiasmata (4) Leptotene

132. Taxonomically known number of species is
(1) 1.7 billion (2) 17 lakh
(3) 5 to 30 million (4) 17 million

133. Correct binomial epithet of garden pea is
(1) *Pisum sativum* (2) Pisum sativum Linn
(3) *Pisum sativum* Linn (4) *Pisum Sativum Linn*

CC-483 DreamNEET

134. Lowest category of taxonomic hierarchy is
(1) Taxon (2) Rank
(3) Species (4) Genus

135. Solanaceae is a
(1) Single family of related genera
(2) Species name of potato
(3) Taxon of similar genus like *Allium*, *Colchicum*
(4) Local name of tomato

ZOOLOGY

136. Amongst all, select the option that correctly represents the occupational respiratory disorder along with its **correct** description.
(1) Anthracis; as it affects the bony trachea
(2) Emphysema; in which total lung capacity decreases
(3) Asbestosis; it is characterized by the fibrosis of the upper part of lungs
(4) Asthma; inflammation of alveolar ducts only

137. Complete the analogy by selecting the **correct** option w.r.t. respiratory structures.
Moist cuticle : Earthworm : : Lung : _____
(1) Aquatic insects (2) Aquatic mammals
(3) Fishes (4) Aquatic molluscs

138. Larynx is a _____ box which helps in sound production and hence called the sound box.
Select the **correct** option to fill in the blank.
(1) Bony (2) Membranous
(3) Cartilaginous (4) Muscular

139. Which of the following is not required for clot formation?
(1) Calcium (2) Vitamin K
(3) Thrombokinase (4) Heparin

140. Total lung capacity of a normal human is represented by equation TLC = X + RV. X can be any of the lung volumes/capacities given below, **except**
(1) TV + FRC (2) TV + IRV + ERV
(3) IC + ERV (4) VC

141. Read the following:
a. Constitutes 2 – 3% of total WBC count
b. Number increases during allergic conditions
c. Bilobed nucleus.
How many of the above is/are not true for eosinophils?
(1) Two (2) Three
(3) Zero (4) One

142. The 500 mL respiratory volume in a normal adult human is referred to as
(1) Residual volume
(2) Total lung capacity
(3) Expiratory reserve volume
(4) Tidal volume

143. Match the following w.r.t partial pressures (mmHg) of O_2

	Column-I		Column-II
a.	Atmospheric air	(i)	40
b.	Blood in systemic arteries	(ii)	104
c.	Alveoli	(iii)	159
d.	Tissue	(iv)	95

Choose the **correct** option.
(1) a(iii), b(iv), c(ii), d(i) (2) a(i), b(ii), c(iii), d(iv)
(3) a(ii), b(i), c(iv), d(iii) (4) a(iv), b(iii), c(i), d(ii)

144. Read the following statements and choose the **correct** option.
Statement A : The neural signal from pneumotaxic centre can only increase the duration of inspiration.
Statement B : Increase of pCO_2 in blood increases the rate of respiration.
(1) Only statement A is correct
(2) Only statement A is incorrect
(3) Both statements A and B are correct
(4) Both statements A and B are incorrect

145. Select the **correct** match.
(1) TLC → RV + TV (2) VC → TV + ERV
(3) FRC → ERV + RV (4) IC → ERV + IRV

146. Which among the following structures prevents the entry of food into larynx?
(1) Glottis (2) Epiglottis
(3) Gullet (4) Uvula

147. The respiratory volume/capacity of air that **cannot** be measured by using a simple spirometer is
(1) Inspiratory capacity
(2) Tidal volume
(3) Expiratory reserve volume
(4) Functional residual capacity

148. A muscular two chambered heart that always pumps deoxygenated blood belongs to
(1) Crocodiles (2) Fishes
(3) Annelids (4) Amphibians

149. Carbon dioxide generated in the tissues is carried in venous blood primarily as
(1) Dissolved gas in plasma
(2) Carbamino-haemoglobin
(3) Sodium bicarbonate in venous blood
(4) Potassium bicarbonate in venous blood

150. How many of the leucocytes from the box given below is/are phagocytic?
Eosinophils, Basophils, Neutrophils, Monocytes
Select the **correct** option.
(1) One (2) Two
(3) Three (4) Four

151. In humans, lungs are covered by a _____ layered pleura.
Fill the blank with a suitable option.
(1) Single (2) Double
(3) Triple (4) Tetra

152. The normal count of platelets in human blood is
(1) 6000 - 8000 mm^{-3}
(2) 5 to 5.5 millions mm^{-3}
(3) 1,50,000 to 3,50,000 mm^{-3}
(4) 10,000 to 1,00,000 mm^{-3}

153. Branchial respiration is present in
(1) Adult frog (2) Aquatic molluscs
(3) Earthworm (4) Reptiles

154. The component of blood completely absent in lymph are
(1) WBCs (2) Clotting factors
(3) Plasma proteins (4) RBCs

CC-483 Dream NEET

155. Which organ among the following is known as the 'graveyard of RBCs'?
(1) Spleen (2) Liver
(3) Kidney (4) Bones

156. Which of the following is responsible for the movement of O_2 from the alveoli into the blood in the pulmonary capillaries?
(1) Active transport (2) Facilitated diffusion
(3) Simple diffusion (4) Osmosis

157. Under normal conditions, in a minute, an adult man respires
(1) 8 times (2) 16 times
(3) 30 times (4) 4 times

158. A chronic disorder characterized by damaged alveolar wall due to excessive smoking, resulting in reduced respiratory surface is called
(1) Emphysema (2) Fibrosis
(3) Pneumonia (4) Common cold

159. Which of the following is not observed during normal expiration?
(1) Diaphragm relaxed and arched upwards
(2) Volume of thorax is increased
(3) Reduction in pulmonary volume
(4) Increase in intra-pulmonary pressure

160. Open circulatory system is **absent** in which group of animals?
(1) Hemichordata (2) Urochordata
(3) Arthropoda (4) Cephalochordata

161. *pH* of human blood varies between
(1) 6.0 to 7.0 (2) 7.0 to 8.0
(3) 7.3 to 7.45 (4) 7.5 to 8.0

162. The opening between the right atrium and the right ventricle is guarded by _____.
(1) sino-atrial node (2) bicuspid valve
(3) tricuspid valve (4) semilunar valve

163. Under normal physiological conditions in healthy humans, every 2L of deoxygenated blood will deliver approximately _____ of CO_2 to the alveoli
Select the **correct** option to fill in the blank.
(1) 8 mL (2) 8 L
(3) 80 mL (4) 0.8 L

164. The composition of the diffusion membrane in lungs is best described as
(1) Ciliated squamous epithelium of alveoli, endothelium of alveolar capillaries and basement substance
(2) Thin columnar glandular epithelium of alveoli, endothelium of capillaries and basement substance between them
(3) Thin squamous epithelium of alveoli, endothelium of alveolar capillaries and basement substance between them
(4) Ciliated squamous epithelium of alveoli, mesothelium of alveolar capillaries and basement membrane between them

165. Pneumotaxic centre is located dorsally in the upper part of the pons, and it primarily controls the 'switch off' point of inspiration. When the neural signals given by this centre is strong, then, following events are likely to happen, **except**
(1) Inspiration will last for shorter duration
(2) Breathing rate will increase
(3) Complete filling of lungs will occur
(4) Expiration time will shorten

166. Which blood cells are responsible for secreting heparin, histamine and serotonin?
(1) Eosinophils (2) Basophils
(3) Neutrophils (4) Monocytes

167. Respiration in humans is regulated by all the following except
(1) Cerebellum (2) Medulla oblongata
(3) Pons (4) Chemosensitive area

168. The most important primary factor in determining the per cent saturation of haemoglobin with oxygen is
(1) Partial pressure of oxygen
(2) Acidity
(3) Partial pressure of carbon dioxide
(4) Temperature

169. Solubility of CO_2 in the blood is ___ times higher than O_2. Fill the blank with a suitable option.
(1) 120-125 (2) 80-100
(3) 20-25 (4) 40-70

170. Which of the following converts inactive fibrinogens of blood into fibrins during cascade of reactions of blood clotting?
(1) Thrombin (2) Thrombokinase
(3) Prothrombin (4) Thromboplastin

171. $Hb + O_2 \underset{(2)}{\overset{(1)}{\rightleftharpoons}} HbO_2$
Select (1) and (2) from the given options
(1) (1) is tissues and (2) is lungs
(2) (1) is liver and (2) is lungs
(3) (1) is blood and (2) is lungs
(4) (1) is lungs and (2) is tissues

172. What are the characteristics of alveoli?
(1) Very thin, irregular walled and highly vascularised
(2) Thick and smooth membrane
(3) Rich in network of blood capillaries and thick-walled
(4) Thick, regular-walled and lack of blood vessels

173. Which of the following is not a primary symptom of asthma?
(1) Difficulty in breathing
(2) Breathing noisily / wheezing
(3) Damaged alveolar walls
(4) Inflammation of bronchi and bronchioles

174. Which of the following factors affect diffusion of gases between alveoli and blood through respiratory membrane?
a. Thickness of respiratory membrane
b. Partial pressure gradient of gases across diffusion membrane
c. Solubility of gases
Select the **correct** option.
(1) a and b only (2) b only
(3) a and c only (4) a, b and c

175. What happens to the volume of pulmonary cavity when there is an decrease in the volume of chest chamber?
(1) It decreases
(2) It increases
(3) It remains same
(4) First decreases and then increases

176. Chordae tendinae in the heart are found in
(1) Ventricle (2) Left auricle
(3) Right auricle (4) Interventricular septum

177. Blood pumped by the heart passes into sinuses in
(1) Fishes (2) Earthworms
(3) Insects (4) Birds

178. Lymph ultimately releases the absorbed substances into
(1) Lymphatic capillaries (2) Blood stream (veins)
(3) Lymph node (4) Lymphatic duct

CC-483 CC-483 CC-483 CC-483 DreamNEET

179. Blood protein that mainly helps in maintaining osmotic balance is
(1) Fibrinogen (2) Globulin
(3) Albumin (4) Prothrombin

180. The least abundant of the total WBCs are
(1) Monocytes (2) Basophils
(3) Eosinophils (4) Neutrophils

CC-483 CC-483 CC-483
DreamNEET
CC-483 CC-483 CC-483

12/08/2026

CODE-D
Phase-2

Aakash
Medical|IIT-JEE|Foundations

Corporate Office: AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

TERM EXAM FOR NEET-2028 (XI STUDYING) PH-2

MM: 720 **TE-02D** **Time: 180 Mins.**

Answers

1. (2)	37. (2)	73. (2)	109. (2)	145. (3)
2. (3)	38. (2)	74. (1)	110. (3)	146. (2)
3. (3)	39. (2)	75. (3)	111. (2)	147. (4)
4. (2)	40. (2)	76. (4)	112. (4)	148. (2)
5. (3)	41. (1)	77. (2)	113. (2)	149. (3)
6. (1)	42. (4)	78. (4)	114. (3)	150. (2)
7. (1)	43. (3)	79. (3)	115. (1)	151. (2)
8. (4)	44. (3)	80. (1)	116. (2)	152. (3)
9. (3)	45. (3)	81. (1)	117. (1)	153. (2)
10. (3)	46. (1)	82. (2)	118. (4)	154. (4)
11. (1)	47. (1)	83. (3)	119. (4)	155. (1)
12. (1)	48. (3)	84. (4)	120. (3)	156. (3)
13. (1)	49. (3)	85. (2)	121. (4)	157. (2)
14. (4)	50. (2)	86. (3)	122. (4)	158. (1)
15. (2)	51. (3)	87. (2)	123. (1)	159. (2)
16. (3)	52. (2)	88. (1)	124. (1)	160. (4)
17. (4)	53. (2)	89. (1)	125. (2)	161. (3)
18. (1)	54. (4)	90. (2)	126. (1)	162. (3)
19. (1)	55. (4)	91. (3)	127. (3)	163. (3)
20. (4)	56. (4)	92. (1)	128. (3)	164. (3)
21. (1)	57. (3)	93. (4)	129. (1)	165. (3)
22. (1)	58. (3)	94. (2)	130. (3)	166. (2)
23. (4)	59. (3)	95. (3)	131. (3)	167. (1)
24. (4)	60. (2)	96. (2)	132. (2)	168. (1)
25. (2)	61. (3)	97. (3)	133. (3)	169. (3)
26. (1)	62. (4)	98. (1)	134. (3)	170. (1)
27. (3)	63. (1)	99. (3)	135. (1)	171. (4)
28. (2)	64. (2)	100. (1)	136. (3)	172. (1)
29. (2)	65. (2)	101. (1)	137. (2)	173. (3)
30. (3)	66. (3)	102. (1)	138. (3)	174. (4)
31. (4)	67. (1)	103. (4)	139. (4)	175. (1)
32. (3)	68. (3)	104. (1)	140. (1)	176. (1)
33. (4)	69. (3)	105. (2)	141. (3)	177. (3)
34. (1)	70. (1)	106. (3)	142. (4)	178. (2)
35. (3)	71. (1)	107. (3)	143. (1)	179. (3)
36. (2)	72. (3)	108. (1)	144. (2)	180. (2)

DreamNEET