16/08/2026

Phase-2 Code-F

Aakash
Medical|IIT-JEE|Foundations
Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18, Udyog Vihar, Gurugram, Haryana - 122015, *Ph.*+91-1244168300

MM : 720

Term Exam for NEET-2028 (XI Studying) Ph-2 - TE02F

Time : 180 Min.

Topics Covered:
Physics : Motion in a Plane, Laws of Motion
Chemistry : Structure of Atom, Classification of Elements and Periodicity in Properties
Botany : Cell Cycle and Cell Division, The Living World
Zoology : Breathing & Exchange of Gases, Body Fluids & Circulation-I (Upto Histology of heart wall)

General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.

CC-483 DreamNEET

PHYSICS

1. A platform is moving upward with an acceleration of 5 m/s^2. At the moment when its velocity is u = 3 m/s, a ball is thrown from it with a speed of 30 m/s w.r.t platform at an angle, θ = 30° from horizontal. The time taken by ball (in seconds) to return to platform is
(1) 2 (2) 3
(3) 1 (4) 2.5

2. A man can swim with a speed of 5 km/h in still water. A river of width 250 m is flowing with a speed of 7 km/h. If man starts moving perpendicularly from one bank to other, then time taken by him to cross the river will be
(1) 6 minutes (2) 3 minutes
(3) 7 minutes (4) 5 minutes

3. Which among the following statements is incorrect?
(1) The magnitude of a vector is scalar
(2) Three vectors not lying in a plane cannot be added up to give a null vector
(3) Each component of a vector is always scalar
(4) Rectangular component of a vector cannot have magnitude greater than the magnitude of the vector

4. A body is moving with constant acceleration in $x - y$ plane. Then
(1) Its velocity changes in x-direction only
(2) Its velocity changes in y-direction only
(3) Its velocity may change in both x and y direction
(4) Its velocity must change in both x and y direction

5. A vector subtends angles α, β, γ with x, y and z axis respectively. The value of $\sin^2\alpha + \sin^2\beta + \sin^2\gamma$ will be
(1) 1 (2) 2
(3) 4 (4) $\frac{1}{2}$


6. A diwali rocket with a lift-off mass 100 g is blasted upwards with an initial acceleration of 20 m/s^2. The initial thrust(force) of the blast is
(1) 2 N (2) 3 N
(3) 2.5 N (4) 4 N

7. Two forces $\vec{F}_1 = \left(2\hat{i} + 7\hat{j}\right)N$ and $\vec{F}_2 = \left(2\hat{i} - 4\hat{j}\right)N$ are acting on a body then magnitude of net force on the body will be
(1) 3 N (2) 4 N
(3) 5 N (4) 7 N

8. A projectile is fired from level ground with an initial velocity of $\left(20\hat{i} + 20\hat{j}\right)$ m s^{-1}, where $\hat{i}$ is along ground and $\hat{j}$ is along vertical. If g = 10 m s^{-2}, then read the following statements:
(a) Horizontal range of the projectile is 80 m
(b) Time of flight of the projectile is 4 s
(c) Angle of projection is 45°
(d) Speed at highest point of trajectory is 20 m s^{-1}
The correct statement(s) is/are
(1) a and b only (2) c and d only
(3) a and c only (4) All a, b, c and d

9. The net external force on a body is zero, then according to Newton's second law
(1) The body must remain at rest
(2) The body must have non-zero acceleration
(3) The body may move with uniform velocity or at rest
(4) The momentum of the body must be zero


10. Strings and pulleys shown in figure are massless. The reading shown by the light spring balance *S* is



(1) 2.4 kg (2) 5 kg
(3) 2.5 kg (4) 3 kg

11. Which of the following statement is correct regarding friction on a body?
(1) Static friction acting on the body is $f_S = \mu_S N$
(2) Static friction opposes impending motion
(3) Kinetic friction opposes motion of the body
(4) Static friction depends on the area of contact between two bodies

12. In the given situation, the pulley and string are ideal. The magnitude of accelerations of blocks of mass 2 kg and 4 kg are respectively [g = 10 m/s^2]



(1) $a_1 = a_2 = \frac{20}{6}$ m/s^2
(2) $a_1 = a_2 = 0$
(3) $a_1 = 5$ m/s^2, $a_2 = 2.5$ m/s^2
(4) $a_1 = 20$ m/s^2, $a_2 = 5$ m/s^2

13. A block of mass m is placed on a smooth wedge of inclination angle θ from horizontal. The whole system is accelerated horizontally with acceleration a, so that block does not slip on the wedge. The normal reaction on the block by the wedge will be
(1) $\frac{mg}{\tan\theta}$ (2) $\frac{mg}{\cos\theta}$
(3) $mg\tan\theta$ (4) $mg\sin\theta$

14. A car is moving on a circular path and its speed is increasing with time. Then which among the following is incorrect statement?
(1) Car has centripetal and tangential acceleration
(2) The angle between acceleration vector and velocity vector of car is an acute angle
(3) The angle between acceleration vector and velocity vector of car is an obtuse angle
(4) The acceleration of the car is variable


15. The coefficient of static friction between a block and an inclined plane is $\sqrt{3}$. The angle of repose is
(1) 30° (2) 60°
(3) 45° (4) 53°

16. A 500 kg car takes a round turn of radius 50 m with constant speed of 36 km/h. The magnitude of centripetal force acting on it is
(1) 750 N (2) 1000 N
(3) 250 N (4) 1200 N

17. **Assertion:** Uniform circular motion is a uniform accelerated motion.
Reason: Magnitude of velocity continuously changes in uniform circular motion.
(1) Both Assertion & Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion & Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements

18. If vectors $\hat{i}-2\hat{j}+6\hat{k}$ and $\hat{i}-2\hat{j}+3a\hat{k}$ are equal vectors, then the value of a is
(1) 2 (2) 1
(3) –3 (4) 4

19. Two small blocks *A* and *B* of same mass *m* are connected together, by a string as shown in the figure and placed on a smooth horizontal surface. The length of the string is 50 cm. If block *A* is given a horizontal velocity *v* as shown, then the speed of block *B* immediately when the string becomes taut is



(1) $\frac{2v}{5}$ (2) $\frac{4v}{5}$
(3) $\frac{3v}{5}$ (4) $\frac{v}{5}$

20. With reference to impulsive force, match the column-I with column-II and choose the correct option.

Column-I	Column-II
a. Force	(i) Very small
b. Time duration	(ii) Finite
c. Change in momentum	(iii) Very large

(1) a(iii), b(ii), c(i) (2) a(iii), b(i), c(ii)
(3) a(ii), b(i), c(iii) (4) a(i), b(ii), c(iii)

DreamNEET

21. From Newton's laws of motion, it can be inferred that
(1) No force is required to move a body uniformly along straight line
(2) Accelerated motion is always due to an external force
(3) Inertial mass of a body is equal to force required per unit acceleration in the body
(4) All of these

22. Which of the following operations is not defined for any vector $\vec{A}$ and an integer n?
(1) $\frac{\vec{A}}{n}$ (2) $n\vec{A}$
(3) $n^2\vec{A}$ (4) $n+\vec{A}$

23. Read the given statements and choose the **correct** option.
Statement A: It is not possible to have constant velocity and variable acceleration.
Statement B: If a particle has non-zero acceleration, its velocity has to vary in magnitude only.
(1) Only statement A is correct
(2) Only statement B is correct
(3) Both statements A and B are correct
(4) Both statements A and B are incorrect

24. A man weighing 60 kg stands on a weighing scale in a lift which is moving upwards with a uniform acceleration of 6 m/s^2. Reading on the weighing scale will be (g = 10 m/s^2)
(1) 24 kg (2) 60 kg
(3) 96 kg (4) 70 kg

25. A particle of mass 2 kg is increasing its velocity as, $\vec{v} = 4t\hat{i}\ \text{m s}^{-1}$ where t is time in seconds. Its linear momentum at any instant will be
(1) $\left(4t\hat{j}\right)\ \text{kg m s}^{-1}$ (2) $\left(8t\hat{k}\right)\ \text{kg m s}^{-1}$
(3) $\left(4t\hat{i}+4t\hat{j}\right)\ \text{kg m s}^{-1}$ (4) $\left(8t\hat{i}\right)\ \text{kg m s}^{-1}$


26. A man throws a ball making an angle 37° with horizontal and then runs on a level ground with constant velocity to catch the ball at the same horizontal level. If he had thrown the ball with speed 5 m s^{-1}, then his speed of running (in m s^{-1}) would be
(1) 3 m s^{-1} (2) 4 m s^{-1}
(3) 8 m s^{-1} (4) 10 m s^{-1}

27. A particle has an initial velocity of $\left(2\hat{i}-3\hat{j}\right)$m/s and constant acceleration $\left(\hat{i}+\hat{j}\right)$m/s^2. The time at which particle will be moving along or parallel to x axis is
(1) 1 s (2) 2 s
(3) 3 s (4) 4 s

28. A man walks 4 m north, then 3 m east. The magnitude of displacement of man is
(1) 7 m (2) 5 m
(3) 1 m (4) 6 m


29. Three Balls X, Y and Z are projected from ground from same machine with same initial speeds at an angle 30°, 45° and 60° respectively with the horizontal. Then which of the following statement is correct?
(1) X, Y and Z have unequal ranges
(2) Ranges of X and Z are equal and less than that of Y
(3) Ranges of X and Z are equal and greater than that of Y
(4) X, Y and Z have equal ranges


30. Two blocks A and B of masses 2 kg and 4 kg respectively, are connected together with an ideal spring and placed on a smooth horizontal surface as shown in figure. Block A is pushed towards B with a force F = 10 N. If at a certain instant block A has zero acceleration, then acceleration of block B at that instant will be





(1) Zero (2) 4 m/s^2
(3) 5 m/s^2 (4) 2.5 m/s^2

31. Three vector $\vec{P}$, $\vec{Q}$ and $\vec{R}$ are present such that $\vec{P}+\vec{Q}-\vec{R}=0$. Then which of the following representation may be true?

(1) 


(2) 

(3) 

(4) 

32. Consider the following statements
Statement-A: If a body is acted upon by a single external force, it cannot be in equilibrium.
Statement-B: If a body is in equilibrium under the action of only two external forces, the forces must be equal and opposite.
Statement-C: If a body is in equilibrium under the action of three forces, then they may not be coplanar.
Choose the correct option.
(1) Only statement A is correct
(2) All A, B and C are correct
(3) Both A and C are correct
(4) Both A and B are correct

33. A block of mass 2 kg is hanging with the help of a light string which is passing over a pulley as shown in figure. The tension in the string will be [g = 10 m/s^2]



(1) 20 N (2) 10 N
(3) $10\sqrt{2}N$ (4) $20\sqrt{2}N$

DreamNEET

34. Three forces $\vec{F}_1, \vec{F}_2, \vec{F}_3$ are acting on a particle of mass m such that $\vec{F}_2$ and $\vec{F}_3$ are mutually perpendicular and the particle is in equilibrium under these three forces. If the force $\vec{F}_1$ is removed now then the magnitude of acceleration of the particle is

(1) $\frac{F_1+F_2}{m}$

(2) $\frac{F_2+F_3}{m}$

(3) $\frac{F_2+F_3-F_1}{m}$

(4) $\frac{\sqrt{F_2^2+F_3^2}}{m}$

35. A mobile is lying on a table. The angle between the action of mobile on the table and the reaction of table on mobile is

(1) 0° (2) 45°
(3) 90° (4) 180°


36. A projectile is fired with velocity u at an angle θ with horizontal. At the highest point of its trajectory it splits up into three segments of masses m, m and $2m$. First part falls vertically downward with zero initial velocity and second part returns via same path to the point of projection. The velocity of third part of mass $2m$ just after explosion will be

(1) $u\cos\theta$ (2) $\frac{3}{2}u\cos\theta$
(3) $2u\cos\theta$ (4) $\frac{5}{2}u\cos\theta$

37. Which is a suitable method to decrease friction?

(1) Polishing surfaces (2) Lubrication
(3) Using ball bearings (4) All of these

38. A particle is moving eastwards with a speed of 6 m/s. After 6 s, the particle is found to be moving with same speed in a direction 60° north of east. The magnitude of average acceleration in this interval of time is



(1) 6 m/s^2 (2) 3 m/s^2
(3) 1 m/s^2 (4) Zero

39. A car is negotiating a curved road of radius R. The road is banked at an angle θ. The coefficient of friction between the tyres of the car and the road is μ_s. The maximum safe velocity on this road is


(1) $\sqrt{\frac{g}{R^2}\frac{\mu_s+\tan\theta}{1-\mu_s\tan\theta}}$

(2) $\sqrt{gR^2\frac{\mu_s+\tan\theta}{1-\mu_s\tan\theta}}$

(3) $\sqrt{gR\frac{\mu_s+\tan\theta}{1-\mu_s\tan\theta}}$

(4) $\sqrt{\frac{g}{R}\frac{\mu_s+\tan\theta}{1-\mu_s\tan\theta}}$

40. A block of mass 10 kg is moving on a rough surface as shown in figure. The frictional force acting on block is



(1) 20 N (2) 60 N
(3) 40 N (4) 80 N

41. An object is projected from ground with speed u at angle θ with horizontal. The radius of curvature of its trajectory at maximum height from ground is

(1) $\frac{u^2\sin 2\theta}{g}$ (2) $\frac{u^2\cos^2\theta}{g}$
(3) $\frac{u^2\sin^2\theta}{g}$ (4) $\frac{u^2\sin^2\theta}{2g}$

42. A vector is represented as $\vec{A} = \sqrt{3}\hat{i} + 1\hat{j} + 2\hat{k}$. The angle made by the vector with z-axis is

(1) 30° (2) 60°
(3) 45° (4) 37°

43. If impulse I varies with time t as I(kg m s^{-1}) $= 20t^2 - 40t$. The change in momentum is minimum at

(1) $t = 2$ s (2) $t = 1$ s
(3) $t = \frac{1}{2}$ s (4) $t = \frac{3}{2}$ s

44. Rain is falling vertically with a speed of 35 m s^{-1}. A woman rides a bicycle with a speed of 12 m s^{-1} in east to west direction. In which direction should she hold her umbrella?

(1) $\tan^{-1}\left(\frac{12}{35}\right)$ with vertical

(2) $\tan^{-1}\left(\frac{35}{12}\right)$ with vertical

(3) $\tan^{-1}\left(\frac{12}{35}\right)$ North of West

(4) $\tan^{-1}\left(\frac{35}{12}\right)$ North of West

45. An object of mass 2 kg at rest at origin starts moving under the action of a force

$\vec{F} = \left(3t^2\hat{i} + 4t\hat{j}\right)$ N

The velocity of the object at $t = 2$ s will be

(1) $\left(3\hat{i}+2\hat{j}\right)$ m/s (2) $\left(2\hat{i}+4\hat{j}\right)$ m/s
(3) $\left(4\hat{i}+4\hat{j}\right)$ m/s (4) $\left(3\hat{i}-4\hat{j}\right)$ m/s

CC-483 CC-483 CC-483 BeamNEET

CHEMISTRY

46. The correct order of negative electron gain enthalpy is
(1) Se < S < Br < F (2) Se < F < S < Br
(3) F < Br < Se < S (4) F < Se < S < Br

47. Energy required for ionisation of 0.04 gram atom of magnesium is y kJ. The amount of energy required to ionise 10 atoms of magnesium is (N_A = Avogadro's number)
(1) 250 y kJ (2) $\frac{250y}{N_A}$kJ
(3) $\frac{2500y}{N_A}$kJ (4) $\frac{N_A}{250y}$kJ

48. Which of the following orders of ionic radii is correctly represented?
(1) $H^+ > H^- > H$ (2) $O^{2-} > Na^+ > F^-$
(3) $H^- > H^+ > H$ (4) $O^{2-} > F^- > Na^+$

49. Match the oxides given in column I with their chemical nature given in column II

Column I	Column II
a. As_2O_3	(i) Basic
b. Cl_2O_7	(ii) Neutral
c. N_2O	(iii) Amphoteric
d. Na_2O	(iv) Acidic

The correct option is
(1) a(i), b(iii), c(iv), d(ii) (2) a(iii), b(iv), c(ii), d(i)
(3) a(iv), b(ii), c(i), d(iii) (4) a(iii), b(i), c(iv), d(ii)

50. The first ionisation potential of Na is 5.1 eV. The value of electron gain enthalpy of Na^+ will be
(1) –5.1 eV (2) –10.2 eV
(3) +2.55 eV (4) –2.55 eV

51. Which of the following is/are Dobereiner's triad?
(a) Li, Na, K
(b) Cu, Ag, Zn
(c) Fe, Co, Ni
(d) Ca, Sr, Ba
Correct answer is
(1) (a) & (b) only (2) (a) & (d) only
(3) (b) & (c) only (4) (a), (b), (c) & (d)

52. Consider the following statements.
(a) Henry Moseley experiment showed that the atomic number is a more fundamental property of an element than its atomic mass.
(b) Eka-Aluminium and Eka-Silicon are germanium and gallium respectively.
(c) Newland's Law of Octaves seemed to be true only for elements up to calcium.
Choose the correct statements.
(1) (a) and (b) only (2) (b) and (c) only
(3) (a) and (c) only (4) (a), (b) and (c)

53. Which of the following are correctly matched?

Elements	Atomic number	Group number	Period number
(A)	42	6	5
(B)	58	3	6
(C)	48	10	5
(D)	56	2	6

Choose the correct option.
(1) (A), (B) and (D) only (2) (A), (C) and (D) only
(3) (B) and (C) only (4) (B), (C) and (D) only

54. The element which is not a transuranium element is
(1) Plutonium (2) Curium
(3) Thorium (4) Berkelium

55. Correct order of first ionization potential among the elements Be, B, C, N, O is
(1) B < Be < C < N < O (2) B < Be < C < O < N
(3) Be < B < C < O < N (4) Be < B < N < O < C

56. Find the formula of halide of a metal whose successive ionization enthalpies are x, 2x, 5x, 100x kJ mol^{-1} respectively
(1) MX (2) MX_2
(3) MX_3 (4) M_2X

57. Arrange Si, Be, Mg, Na and P in the increasing order of metallic character
(1) P < Si < Be < Mg < Na (2) Na < Mg < Be < Si < P
(3) P < Si < Na < Mg < Be (4) Si < P < Mg < Na < Be

58. Which pair represents metalloids?
(1) Tellurium and thorium (2) Ruthenium and iridium
(3) Arsenic and tellurium (4) Beryllium and aluminium

59. Consider the following statements:
(a) Symbol of the element having atomic number 105 is Unp
(b) S^{2-}, K^+ and Cl^- are isoelectronic species
(c) The first ionisation enthalpy of element with atomic number 19 is higher than that of the element with atomic number 11
(d) IUPAC official name of atomic number 106 is seaborgium
The correct statements are
(1) (a), (b) and (c) only (2) (b), (c) and (d) only
(3) (a), (c) and (d) only (4) (a), (b) and (d) only

60. Consider the following statements.
(i) Bromine is more electronegative as compared to sulphur (on Pauling scale).
(ii) Both Barium and Boron are main group elements.
(iii) Tin and lead are metals of *p*-block.
(iv) The number of unpaired electrons in *d* subshell of iron is 6.
The incorrect statements is/are
(1) (i) and (iv) only (2) (iv) only
(3) (ii) only (4) (i), (ii), (iii) and (iv)

61. Match the list I with list II.

	List I (IUPAC Name of Element)		List II (IUPAC Official Name)
a.	Unnilunium	(i)	Lawrencium
b.	Unnilquadium	(ii)	Bohrium
c.	Unnilseptium	(iii)	Rutherfordium
d.	Unniltrium	(iv)	Mendelevium

Choose the most appropriate match from the options given below:
(1) a-(iii), b-(iv), c-(i), d-(ii) (2) a-(iv), b-(iii), c-(i), d-(ii)
(3) a-(iv), b-(iii), c-(ii), d-(i) (4) a-(iii), b-(iv), c-(ii), d-(i)

62. The correct order of wavelength of given electromagnetic waves is
(1) Microwave > UV > IR > Radio waves
(2) Radiowaves > Microwave > UV > IR
(3) Microwave > Radiowave > IR > UV
(4) Radiowaves > Microwave > IR > UV

Dream NEET

63. Match List I with list II

	List I (Metals)		List II (Work function)
(A)	K	(i)	4.3 eV
(B)	Cu	(ii)	2.42 eV
(C)	Li	(iii)	4.8 eV
(D)	Ag	(iv)	2.25 eV

Choose the correct answer from the options given below.
(1) (A)-(i), (B)-(ii), (C)-(iii), (D)-(iv)
(2) (A)-(iv), (B)-(iii), (C)-(ii), (D)-(i)
(3) (A)-(i), (B)-(iii), (C)-(ii), (D)-(iv)
(4) (A)-(iv), (B)-(iii), (C)-(i), (D)-(ii)

64. Energy of one mole of photons of radiation whose frequency is 10^{14} Hz is ($h = 6 \times 10^{-34}$ Js) ($N_A = 6 \times 10^{23}$)
(1) 3.6×10^{-9} J
(2) 3.6×10^{-19} J
(3) 3.6×10^{4} J
(4) 3.6×10^{14} J

65. Match List-I with List-II.

	List I (Electronic transition)		List II (Maximum number of emission lines in H atom sample)
a.	$n_2 = 5$ to $n_1 = 1$	(i)	3
b.	$n_2 = 3$ to $n_1 = 2$	(ii)	10
c.	$n_2 = 4$ to $n_1 = 2$	(iii)	1
d.	$n_2 = 6$ to $n_1 = 1$	(iv)	15

Choose the correct option.
(1) a(i), b(ii), c(iii), d(iv)
(2) a(iv), b(iii), c(ii), d(i)
(3) a(iii), b(i), c(iv), d(ii)
(4) a(ii), b(iii), c(i), d(iv)

66. The ratio of wavelength λ_2 to λ_1 for two radiations is 1:2. The possible value of energies E_1 and E_2 respectively can be
(1) 25 and 75
(2) 25 and 50
(3) 50 and 25
(4) 50 and 75

67. When electromagnetic radiation of wavelength 300 nm falls on the surface of a metal, electrons are emitted with the kinetic energy of 1.68×10^5 J mol^{-1}. What is the minimum energy needed to remove an electron from the metal?
($h = 6.626 \times 10^{-34}$ Js, $c = 3 \times 10^8$ ms^{-1}, $N_A = 6.022 \times 10^{23}$ mol^{-1})
(1) 2.31×10^5 J mol^{-1}
(2) 2.31×10^6 J mol^{-1}
(3) 3.84×10^4 J mol^{-1}
(4) 3.84×10^{-19} J mol^{-1}

68. What is the longest wavelength of Paschen series of Li^{2+} ion?
(1) $\frac{36}{R}$
(2) $\frac{16}{7R}$
(3) $\frac{7R}{16}$
(4) $\frac{4}{3R}$

69. Given below are two statements.
Statement I: Diffraction and interference can be explained by the wave nature of the electromagnetic radiation.
Statement II: For each metal, there is a characteristic frequency known as threshold frequency above which photoelectric effect is not observed.
In the light of above statements, choose the correct option.
(1) Both statement I and statement II are correct
(2) Both statement I and statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

70. According to the Bohr theory, which of the following transitions in the hydrogen atom will give rise to the least energetic photon?
(1) n = 5 to n = 1
(2) n = 5 to n = 3
(3) n = 6 to n = 5
(4) n = 5 to n = 4

71. Match the following columns I and II.

	Column I (Element)		Column II (Number of unpaired electron(s))
a.	Copper	(i)	5
b.	Manganese	(ii)	4
c.	Chromium	(iii)	1
d.	Iron	(iv)	6

Choose the correct option.
(1) a(ii), b(iv), c(i), d(iii)
(2) a(ii), b(iii), c(iv), d(i)
(3) a(iii), b(i), c(ii), d(iv)
(4) a(iii), b(i), c(iv), d(ii)

72. For multielectronic species, the correct order of energy of the given orbitals is
(1) 3d > 4p > 5s > 5p
(2) 5p > 5s > 4p > 3d
(3) 4p > 3d > 5p > 5s
(4) 5s > 4p > 3d > 5p

73. Given below are two statements.
Statement I: According to Rutherford, the radius ratio of atom to nucleus is 10^5.
Statement II: Rutherford's model successfully explains the stability of the atom.
In the light of above statements, choose the **correct** answer.
(1) Statement I is incorrect but statement II is correct
(2) Statement I is correct but statement II is incorrect
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

74. If uncertainty in position is equal to four times of uncertainty in momentum, then the uncertainty in velocity will be
(1) $\frac{1}{m}\sqrt{\frac{h}{\pi}}$
(2) $\frac{1}{2m}\sqrt{\frac{h}{\pi}}$
(3) $\frac{1}{4m}\sqrt{\frac{h}{\pi}}$
(4) $\sqrt{\frac{h}{\pi}}$

75. Total number of nodes present in 4p orbital is
(1) 2
(2) 3
(3) 1
(4) Zero

76. The de Broglie wavelength of the electron in the first orbit of Li^{2+} ion is (Given Bohr radius, $a_0 = 52.9$ pm)
(1) 105.8πpm
(2) 52.9πpm
(3) 35.3πpm
(4) 158.7πpm

77. Given below are two statements.
Statement I : The radius of 2nd orbit of He^+ ion is 1.058 Å.
Statement II : Splitting of spectral line in electrical field is called stark effect.
Choose the correct option from the following:
(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statements are incorrect
(4) Both statements are correct

CC-483 CC-483 CC-483 DreamNEET

78. Match the following items in column I with column II and choose the correct option.

	Column I (quantum nos.)		Column II (orbital)
a.	n = 2, l = 1	(i)	3*p*
b.	n = 3, l = 2	(ii)	3*d*
c.	n = 1, l = 0	(iii)	2*p*
d.	n = 3, l = 1	(iv)	1*s*

(1) a(iii), b(i), c(iv), d(ii) (2) a(iii), b(ii), c(iv), d(i)
(3) a(ii), b(i), c(iii), d(iv) (4) a(i), b(ii), c(iii), d(iv)

79. The orbital angular momentum for the valence electron of K (Z = 19) is
(1) $\sqrt{3}\ h/2\pi$ (2) $\sqrt{2}\ h/2\pi$
(3) $\frac{h}{4\pi}$ (4) Zero

80. If a particle of mass 0.01 g is moving with a velocity of 200 m/s then the de-Broglie wavelength associated with the moving particle will be ($h = 6.6 \times 10^{-34}$ Js)
(1) 3.3×10^{-34} m (2) 3.3×10^{-30} m
(3) 3.3×10^{-32} m (4) 3.3×10^{-31} m

81. Which of the following pairs of atomic numbers represents elements belonging to the same group?
(1) 11 and 20 (2) 12 and 30
(3) 13 and 31 (4) 14 and 33

82. Pd has exceptional electronic configuration of $4d^{10}\ 5s^0$. It belong to
(1) 4th period, group 11 (2) 5th period, group 10
(3) 6th period, group 9 (4) 3rd period, group 16

83. Which of the following statements concerning the four quantum number is incorrect?
(1) *n* gives the size of an orbital
(2) *l* gives the shape of an orbital
(3) *m* gives the energy of the electron in orbital
(4) *s* gives the direction of spin of electron in the orbital


84. An isotone of $^{76}_{32}Ge$ is
(1) $^{77}_{32}Ge$ (2) $^{77}_{33}As$
(3) $^{77}_{34}Se$ (4) $^{56}_{26}Fe$

85. The outermost electronic configuration of the most electronegative element is
(1) $2s^2\ 2p^3$ (2) $2s^2\ 2p^4$
(3) $2s^2\ 2p^5$ (4) $3s^2\ 3p^5$

86. The ratio of "charge to mass (e/m)" would greatest among the following is
(1) Proton (2) Electron
(3) Neutron (4) Alpha particle

87. According to Bohr's theory angular momentum of an electron in 6th orbit is
(1) $2.5\ \frac{h}{\pi}$ (2) $6\frac{h}{\pi}$
(3) $3\ \frac{h}{\pi}$ (4) $\frac{2.5\ h}{2\pi}$

88. The orbital diagram in which both Pauli's exclusion principle and Hund's rule are violated is



89. In hydrogen atom, energy of first excited state is –3.4 eV. Then find out KE of same orbit of hydrogen atom
(1) +3.4 eV (2) +6.8 eV
(3) –13.6 eV (4) +13.6 eV

90. Consider the following sets of quantum number

	n	*l*	*m*	*s*
(i)	3	0	0	+1/2
(ii)	2	2	1	+1/2
(iii)	4	3	–2	–1/2
(iv)	1	0	–1	–1/2
(v)	3	2	3	+1/2

Which of the following sets of quantum number is not possible?
(1) (i), (ii), (iii) and (iv) only (2) (ii), (iv) and (v) only
(3) (i) and (iii) only (4) (ii), (iii) and (iv) only

BOTANY

91. Read the following statements and select the **correct** option.
Statement A : Liquid endosperm of coconut is an example of syncytium.
Statement B : Meiosis results in formation of haploid daughter cells which are identical to each other.
(1) Only A is incorrect
(2) Only B is incorrect
(3) Both A and B are correct
(4) Both A and B are incorrect

92. Select the **incorrect** statements from the following.
(a) During leptotene, distinct chromosomes become gradually visible.
(b) Activity of enzyme recombinase occurs in zygotene.
(c) Exchange of genetic material occurs between sister chromatids producing genetic variations in the offspring.
(d) Dissolution of synaptonemal complex occurs during the diplotene stage.
(1) (a) and (c) only (2) (b), (c) and (d)
(3) (b) and (c) only (4) (a) and (d) only


CC-483 DreamNEET

93. Arrange the following events in the **correct** sequence of their occurrence during meiosis.
(a) Formation of a recombination nodule.
(b) Reduction in the number of chromosomes.
(c) Alignment of univalents at the equator.
(d) Terminalisation of chaismata.
(1) (a), (b), (d) and (c) (2) (a), (d), (b) and (c)
(3) (a), (c), (b) and (d) (4) (c), (d), (b) and (a)

94. State true (T) or false (F) for the following statements and select the **correct** option.
(i) Meiosis is a mechanism for replacing worn out cells by the new cells.
(ii) The growth of multicellular organisms is due to mitosis.
(iii) Mitotic divisions in the meristematic tissues result in a continuous growth of plants.
(1) (i)-T, (ii)-T, (iii)-T (2) (i)-F, (ii)-F, (iii)-T
(3) (i)-F, (ii)-T, (iii)-F (4) (i)-F, (ii)-T, (iii)-T

95. Identify the stages of meiosis given as *A'* and B' and choose the **correct** option regarding them.

A B



	A	B
(1)	Homologous chromosomes separate	Sister chromatids separate
(2)	Centromere splitting	No centromere splitting
(3)	Chromosome number remains same	Chromosome number reduces to half
(4)	Sister chromatids are at opposite poles	Chromosomes are at opposite poles

(1) (1) (2) (2)
(3) (3) (4) (4)

96. All of the following are true for direct cell division, **except**
(1) It occurs in bacteria
(2) No distinct chromosome formation
(3) Associated with spindle formation
(4) Nuclear envelope remains intact

97. Choose the **odd** one w.r.t. significance of mitosis.
(1) Growth of multicellular organisms
(2) Healing and regeneration
(3) Maintenance of cell size
(4) Maintaining genetic variability

98. Mitotic apparatus is composed of
(a) Asters
(b) Microtubules
(c) Spindle fibres
(d) Centromere
(e) Kinetochore
Choose the **correct** one (s).
(1) a, b and e only (2) a, b and d only
(3) a, b and c only (4) a, b, c and d only

99. At the onset of anaphase,
(1) Each chromosome begin to align at the metaphase plate.
(2) Each chromosome arranged at the metaphase plate splits simultaneously.
(3) Spindle fibres get attached to the disc-shaped structure present on the centromere of chromosomes.
(4) The chromosomes that have reached their respective poles, decondense and lose their individuality.

100. In which of the following phases, the morphology of chromosomes is most easily studied?
(1) The phase in which chromosomes are moved to spindle equator.
(2) The phase in which chromosomal material condensation starts.
(3) The phase in which exchange of genetic material between sister chromatids occurs.
(4) The phase in which nucleolus, Golgi complex and ER reform.

101. The best stage to study the shape of chromosome is
(1) Anaphase (2) Prophase
(3) Telophase (4) Metaphase

102. The third substage of prophase I is characterised by the
(1) Formation of synaptonemal complex that holds the homologous chromosomes together
(2) Continuous compaction of chromosomes, along with the exchange of genetic material between homologous chromosomes.
(3) Dissolution of synaptonemal complex.
(4) Clear visualisation of the X-shaped structure that shows the site of recombination.

103. Interkinesis in meiosis is followed by
(1) Meiosis-I (2) Prophase-II
(3) Cytokinesis (4) Synthetic phase

104. Karyokinesis is the division of
(1) Cytoplasm (2) Nucleus
(3) Chloroplast (4) Mitochondria

105. How many stage(s) of karyokinesis of mitosis occur(s) after the disappearance of nuclear membrane?
(1) Three (2) Two
(3) Four (4) One

106. Products of meiosis-I contain
(1) Univalent chromosomes each with two chromatids
(2) Univalent chromosomes each with single chromatid
(3) Bivalent chromosomes each with two chromatids
(4) Diploid set of chromosomes

107. In animal cells, M phase usually ends with
(1) The appearance of a furrow in the plasma membrane that deepens and ultimately leads to the formation of two cells
(2) Clustering of chromosomes at each pole, with the simultaneous development of nuclear envelope around them
(3) Disappearance of nucleolus, nuclear envelope, ER and golgi apparatus
(4) Doubling of cell organelles like mitochondria and plastids by the process of binary fission

108. During meiosis bivalents are more clearly visible in
(1) Zygotene (2) Pachytene
(3) Diplotene (4) Diakinesis

109. G_1 phase of cell cycle does not synthesise
(1) Nucleotides (2) Adenosine triphosphates
(3) Tubulin proteins (4) Amino acids

DreamNEET

110. The short-lived resting stage between two meiotic divisions is called
(1) Interphase (2) Interkinesis
(3) Telophase-I (4) Karyokinesis

111. In oocytes of some vertebrates, _____ lasts for months or years.
Choose the **correct** option to fill in the blank.
(1) Leptotene (2) Pachytene
(3) Diplotene (4) Diakinesis

112. Read the following **Assertion (A)** and **Reason (R)** and choose the **correct** option.
Assertion (A) : As we go from lower to higher categories in the taxonomic hierarchy the problem of classification becomes more complex.
Reason (R) : Higher the category, greater is the difficulty of determining the relationship to other taxa at the same level.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) A is true but (R) is false
(4) Both (A) and (R) are false

113. Identify the **incorrectly** matched pair from the following options.
(1) Leopard - Belongs to felidae
(2) Solanaceae - Belongs to polymoniales
(3) Canidae - Belongs to mammalia
(4) *Triticum* - Belongs to dicotyledonae

114. Systematics
(1) Is derived from a Greek word
(2) Does not include classification of organisms
(3) Considers taxonomy along with phylogeny
(4) Does not deal with diversity of organisms

115. Read the following statements and select the correct option.
Statement I: The first word in a biological name represents the genus while the second component denotes the specific epithet.
Statement II: Classification is the process by which anything is grouped into convenient categories based on some easily observable characters.
(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

116. Match **Column-I** with **Column-II** and select the **correct** option.

	Column-I		Column-II
a.	Mango	(i)	Muscidae
b.	Wheat	(ii)	Polymoniales
c.	Brinjal	(iii)	Poales
d.	Housefly	(iv)	Dicotyledonae

(1) a(i), b(iv), c(ii), d(iii) (2) a(iv), b(iii), c(ii), d(i)
(3) a(iv), b(iii), c(i), d(ii) (4) a(iii), b(ii), c(iv), d(i)

117. Correct binomial name for mango is
(1) *Mangifera indica* (2) Pisum sativum
(3) *Solanum melongena* (4) *Petunia Indica*

118. Select the **correct** statement.
(1) The term taxonomy is derived from Latin words 'taxis' and 'nomos'.
(2) Species like *lupus*, *familiaris* and *aureus* belong to the genus *Canis*.
(3) Phylum is the highest category in a taxonomic hierarchy.
(4) Housefly and dragonfly belong to the order Insecta.

119. Anacardiaceae, Sapindales and Dicotyledonae represent
(1) Same taxa at same category.
(2) Different taxa at same category.
(3) Same taxa at different categories.
(4) Different taxa at different categories.

120. Standardisation of names of animals is done by
(1) ICBN (2) ICZN
(3) ICVCN (4) ICNB

121. Observe the following categories.
a. Phylum
b. Order
c. Class
d. Genus
Select the option that depicts the **correct** sequence of these categories in ascending order of their hierarchy.
(1) d → c → b → a (2) d → b → c → a
(3) a → b → d → c (4) a → c → d → b

122. Various species sharing similar features are kept in
(1) Different classes
(2) A single genus
(3) Various sub-species
(4) Many genus of different family

123. ICBN stands for
(1) Indian Code for Botanical Nomenclature
(2) International Code for Biological Nomenclature
(3) International Code for Botanical Nomenclature
(4) Indian Code for Biological Nomenclature

124. Who developed the binomial system for nomenclature of organisms?
(1) Carolus Linnaeus (2) Darwin
(3) Aristotle (4) E. Haeckel

125. Read the following statements and choose the correct option
Assertion (A): Interphase is said to be most active stage as well as resting phase of cell cycle.
Reason (R): The interphase lasts more than 95% of the duration of cell cycle.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

126. Which of the following cell does not divide?
(1) Nerve cell (2) Yeast
(3) Apical meristematic cell (4) *E. coli*

127. Longest phase of meiosis I is
(1) Prophase I (2) Metaphase I
(3) Anaphase I (4) Telophase I

128. Yeast can progress through the cell cycle in about
(1) 90 sec (2) 90 min
(3) 90 hrs (4) 90 yrs

129. Temporarily suspended diplotene in oocytes of some vertebrates is called
(1) Leptotene (2) Diakinesis
(3) Dictyotene (4) Pachytene

130. The quiescent stage of cell is
(1) A metabolically active stage of cell division
(2) An abnormal stage of dividing cell
(3) Seen only in meristematic tissues
(4) Not found in higher animals

131. How many meiotic divisions are required to form 100 seeds in a typical dicotyledonous plant?
(1) 50 (2) 125
(3) 100 (4) 25

Dream NEET

132. Maturation promoting factor formation triggers the cell to cross
(1) $G_1 \rightarrow S$ (2) $S \rightarrow G_2$
(3) $G_2 \rightarrow M$ (4) $M \rightarrow G_1$

133. Classification of organisms is required because
(1) It makes the study of organisms easier and simpler
(2) It enables us to study geographical distribution of some organisms
(3) It makes the study of organisms complex
(4) It leads to ambiguity in study of various organisms

134. Different organisms belonging to different orders are placed in a single class due to the fact that
(1) They have all similar morphological and reproductive characters
(2) They have similar place of origin
(3) They share a common habitat
(4) They have few similar or common characters

135. Which of the following represents 'Phylum'?
(1) Mammalia (2) Chordata
(3) *Solanum* (4) Carnivora

ZOOLOGY

136. The structure starting with the external nostrils up to the terminal bronchioles constitute the
(1) Respiratory part (2) Exchange part
(3) Conducting part (4) Reducing part

137. Select the **odd** one w.r.t. presence of open circulatory system.
(1) Cockroach (2) Silkworm
(3) Earthworm (4) Butterfly

138. The receptors present in carotid and aortic bodies are mainly stimulated by
(1) Rise in pO_2 only
(2) Rise in pCO_2
(3) Fall in H^+ concentration only
(4) Fall in pO_2 only

139. Long exposure of dust to workers involved in grinding or stone breaking industries results in
(1) Inflammation of lungs leading to regeneration of muscles of lungs
(2) Inflammation of lungs leading to fibrosis
(3) Inflammation of bronchi and bronchioles leading to thinning of membrane
(4) No effect on lungs

140. All of the following statements are true for lymph (tissue fluid), **except**
(1) It has same mineral content as that of plasma
(2) It is a colorless fluid containing specialised lymphocytes which are responsible for the immune responses of the body.
(3) Fats are absorbed through lymph in the lacteals present in the intestinal villi.
(4) It is collected by an elaborate network of vessels called lymphatic system and is drained back directly to the major arteries.

141. Which cells among the given leucocytes are involved mainly in inflammatory reactions?
(1) Eosinophils (2) Neutrophils
(3) Basophils (4) Monocytes

142. Route of air during expiration is
(1) Alveoli → Trachea → Bronchi → Bronchioles → Nasal cavities
(2) Alveoli → Bronchioles → Pharynx → Larynx → Nasal cavities
(3) Alveoli → Bronchi → Bronchioles → Trachea → Nasal cavities
(4) Alveoli → Bronchioles → Bronchi → Trachea → Nasal cavities

143. The protein which prevents coagulation of blood in the blood vessel is
(1) Platelets (2) Globular protein
(3) Albumin (4) Heparin

144. Read the given statements carefully and select the **correct** option.
Statement A: Open circulatory system is present in arthropods and all annelids.
Statement B: In open circulatory system, blood is pumped out by the heart and the cells and tissues directly bath in it.
(1) Both statements A and B are correct
(2) Both statements A and B are incorrect
(3) Only statement A is correct
(4) Only statement B is correct

145. Condition **not** associated with asthma is
(1) Difficulty in breathing causing wheezing
(2) Spasm of smooth muscles present in the wall of the bronchioles
(3) Breakdown of alveolar septa which decreases the respiratory surface
(4) The mucus membranes on the wall of the air passage start secreting excess amount of mucous which may clog the bronchi and bronchioles during asthma

146. If antigen A and B are not present on the RBCs of a person but Anti-A and Anti-B antibodies are present in the blood plasma then the blood group of the person would be
(1) A (2) B
(3) AB (4) O

147. Systemic heart refers to
(1) The two ventricles together in humans
(2) The heart that contracts under stimulation from nervous system
(3) Left auricle and left ventricle in higher vertebrates
(4) Entire heart in lower vertebrates

148. The role of which gas is mainly significant in the regulation of normal respiratory rhythms?
(1) O_2 (2) CO_2
(3) N_2 (4) CO

149. The numerical value of which of the following pulmonary capacities is least in a healthy human at rest?
(1) Expiratory capacity
(2) Functional residual capacity
(3) Inspiratory capacity
(4) Vital capacity

150. Select the **incorrect** match.
(1) Mitral valve – Between left atrium and left ventricle
(2) Bicuspid valve – Between left ventricle and aorta
(3) Tricuspid valve – Between right atrium and right ventricle
(4) Semilunar valve – Between right ventricle and pulmonary artery

151. The nasal chamber directly opens into
(1) Pharynx (2) Trachea
(3) Bronchi (4) Alveoli

CC-483 Dream NEET

152. Which of the following conditions is **not** favourable for dissociation of oxygen from oxyhaemoglobin in the body tissues?
(1) Low H^+concentration (2) High pCO_2
(3) High temperature (4) Low pO_2

153. Vital capacity can be represented by all, **except**
(1) IRV + TV + ERV (2) ERV + IC
(3) TLC – RV (4) RV + TV

154. Choose the **correct** option w.r.t. residual volume.
(1) It allows complete emptying of lungs during forced expiration
(2) It can be measured by a simple spirometer
(3) It remains in the lungs even after forceful expiration
(4) It is not the component of FRC

155. Cellular respiration includes
(1) Exchange of gases across alveolar membrane
(2) Pulmonary ventilation
(3) Breakdown of glucose and release of CO_2
(4) Diffusion of gases between blood and tissue

156. During normal respiration, every 1000 mL of deoxygenated blood delivers approximately _____ mL of CO_2 to the alveoli. Select the option which fills the blank **correctly.**
(1) 4 (2) 40
(3) 50 (4) 30

157. Incomplete cartilaginous rings are not present around
(1) Trachea (2) Primary bronchi
(3) Secondary bronchi (4) Respiratory bronchioles

158. The outer pleural membrane is found in close proximity to all of the following structures, **except**
(1) Diaphragm (2) Ribs
(3) Sacrum (4) Sternum

159. Signals from the pneumotaxic centre result in shallow and fast breathing. This centre is present in which region of hindbrain?
(1) Pons (2) Cerebellum
(3) Medulla oblongata (4) Hippocampus

160. Each terminal bronchiole ultimately gives rise to thin vascularised bag-like structures called
(1) Trachea (2) Pleura
(3) Alveoli (4) Pharynx

161. What will be the pCO_2 and pO_2 in the oxygenated blood as compared to those in the deoxygenated blood?
(1) pCO_2 lesser, pO_2 higher (2) pCO_2 higher, pO_2 lesser
(3) pCO_2 higher, pO_2 higher (4) pCO_2 lesser, pO_2 lesser

162. The common passage for food and air is
(1) Pharynx (2) Larynx
(3) Trachea (4) Eustachian tube

163. Which organisms do **not** respire through the body surface?
(1) Sponges (2) Coelenterates
(3) Flatworms (4) Birds

164. Which of the following organs is considered as graveyard of RBCs?
(1) Pancreas (2) Red bone marrow
(3) Spleen (4) Lymph nodes

165. Partial pressure of oxygen in systemic arteries is
(1) 40 mm Hg (2) 45 mm Hg
(3) 104 mm Hg (4) 95 mm Hg

166. Read statements **(A)** and **(B)** and choose the **correct** option w.r.t humans.
Statement (A) : Pharynx is called the sound box.
Statement (B): Diaphragm is a dome shaped muscular structure which separates thoracic cavity from abdominal cavity.
(1) Only statement (A) is correct
(2) Both statements (A) and (B) are correct
(3) Only statement (B) is correct
(4) Both statements (A) and (B) are incorrect

167. In the absence of infection, what is the average number of leucocytes in human blood?
(1) 6000-8000 m^{-3} (2) 6000-8000 mm^{-3}
(3) 1,50,000-3,50,000 mm^{-3} (4) 100,000-200,000 m^{-3}

168. Consider the following for the most abundant cells of the blood in humans under normal conditions.
a. Formed in red bone marrow in adults
b. Biconvex in shape
c. Nucleus is bilobed
d. Usually destroyed in spleen
Select the option w.r.t. **correct** features.
(1) a and b (2) b and c
(3) c and d (4) a and d

169. The average percentage of human beings having Rh antigen on the surface of their RBCs is
(1) 80 percent (2) 20 percent
(3) 40 percent (4) 50 percent

170. pO_2 of deoxygenated blood is equal to all, **except**
(1) pO_2 of tissues
(2) pCO_2 of alveoli
(3) pCO_2 of oxygenated blood
(4) pCO_2 of tissue

171. All of the following are true for lecithin found in human respiratory system, except
(1) Secreted by type II alveolar epithelial cells
(2) It is a surfactant
(3) Increases surface tension between the alveolar fluid and air
(4) Prevents collapsing of lungs

172. The number of fissure(s) in right lung of humans is
(1) One (2) Three
(3) Zero (4) Two

173. Thoracic cage of man is formed of
(1) Ribs and sternum only
(2) Ribs, sternum and thoracic vertebrae
(3) Ribs, sternum and lumbar vertebrae
(4) Ribs and thoracic vertebrae only

174. One of the layer present in diffusion membrane of human respiratory system is
(1) Ciliated columnar epithelium of alveoli
(2) Cellular basement membrane between walls of alveoli and capillaries
(3) Cuboidal epithelium of tissues
(4) Endothelium of alveolar capillaries

175. Bohr's effect explains that the
(1) Decrease in H^+ concentration decreases oxygen affinity of hemoglobin
(2) Rise in pCO_2 decreases oxygen affinity of hemoglobin
(3) Rise in pCO_2 increases oxygen affinity of hemoglobin
(4) Fall in pH increases oxygen affinity of hemoglobin

CC-483 CC-483 CC-483 CC-483 DreamNEET

176. In ABO system of blood grouping, transfusion is not possible from
(1) A to AB (2) B to AB
(3) O to O (4) A to O

177. Each haemoglobin molecule has
(1) One heme group (2) Two heme groups
(3) Three heme groups (4) Four heme groups

178. Prothrombin that helps in clotting of blood, is present in
(1) Blood plasma (2) Blood corpuscles
(3) Blood platelets (4) Serum

179. Clotting of blood involves
(1) Hemolysis of RBCs
(2) Denaturation of albumins by thrombin
(3) Inactivation of plasma clotting factors
(4) Change of fibrinogen to fibrin by thrombin

180. Purkinje fibres arise from
(1) Bundle branches (2) Middle of ventricles
(3) Anterior part of atria (4) Posterior part of atria

CC-483 CC-483 CC-483

DreamNEET

CC-483 CC-483 CC-483

16/08/2026

CODE-F
Phase-2

Aakash
Medical | IIT-JEE | Foundations

Corporate Office: AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

TERM EXAM FOR NEET-2028 (XI STUDYING)

MM: 720 **Test - 02** **Time: 180 Mins.**

Answers

1. (1)	37. (4)	73. (2)	109. (3)	145. (3)
2. (2)	38. (3)	74. (3)	110. (2)	146. (4)
3. (3)	39. (3)	75. (2)	111. (3)	147. (3)
4. (3)	40. (2)	76. (3)	112. (1)	148. (2)
5. (2)	41. (2)	77. (4)	113. (4)	149. (1)
6. (2)	42. (3)	78. (2)	114. (3)	150. (2)
7. (3)	43. (2)	79. (4)	115. (3)	151. (1)
8. (4)	44. (1)	80. (4)	116. (2)	152. (1)
9. (3)	45. (3)	81. (3)	117. (1)	153. (4)
10. (1)	46. (1)	82. (2)	118. (2)	154. (3)
11. (2)	47. (2)	83. (3)	119. (4)	155. (3)
12. (3)	48. (4)	84. (2)	120. (2)	156. (2)
13. (2)	49. (2)	85. (3)	121. (2)	157. (4)
14. (3)	50. (1)	86. (2)	122. (2)	158. (3)
15. (2)	51. (2)	87. (3)	123. (3)	159. (1)
16. (2)	52. (3)	88. (1)	124. (1)	160. (3)
17. (4)	53. (1)	89. (1)	125. (2)	161. (1)
18. (1)	54. (3)	90. (2)	126. (1)	162. (1)
19. (1)	55. (2)	91. (2)	127. (1)	163. (4)
20. (2)	56. (3)	92. (3)	128. (2)	164. (3)
21. (4)	57. (1)	93. (2)	129. (3)	165. (4)
22. (4)	58. (3)	94. (4)	130. (1)	166. (3)
23. (1)	59. (4)	95. (1)	131. (2)	167. (2)
24. (3)	60. (2)	96. (3)	132. (3)	168. (4)
25. (4)	61. (3)	97. (4)	133. (1)	169. (1)
26. (2)	62. (4)	98. (3)	134. (4)	170. (4)
27. (3)	63. (2)	99. (2)	135. (2)	171. (3)
28. (2)	64. (3)	100. (1)	136. (3)	172. (4)
29. (2)	65. (4)	101. (1)	137. (3)	173. (2)
30. (4)	66. (2)	102. (2)	138. (2)	174. (4)
31. (3)	67. (1)	103. (2)	139. (2)	175. (2)
32. (4)	68. (2)	104. (2)	140. (4)	176. (4)
33. (1)	69. (3)	105. (1)	141. (3)	177. (4)
34. (4)	70. (3)	106. (1)	142. (4)	178. (1)
35. (4)	71. (4)	107. (1)	143. (4)	179. (4)
36. (4)	72. (2)	108. (2)	144. (4)	180. (1)

DreamNEET