07/10/2026

Code-D

Aakash

Medical | IIT-JEE | Foundations

Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18, Udyog Vihar, Gurugram, Haryana - 122015, *Ph.*+91-1244168300

MM : 720

Term Exam for NEET-2028 (XI Studying) Ph-2 - TE03D

Time : 180 Min.

Topics Covered:
Physics : Work, Energy & Power, System of Particles & Rotational Motion
Chemistry : Chemical Bonding and Molecular Structure, Thermodynamics
Botany : Biological Classification, Morphology of Flowering Plants
Zoology : Body Fluids & Circulation-II (from working of heart to disorders of circulatory system), Excretory Products & their Elimination, Locomotion & Movement

General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.


DreamNEET

PHYSICS

1. The case in which work done by force (on an object) would be zero is
   (1) Displacement of point of application of force is zero
   (2) Force and displacement are parallel
   (3) Force is antiparallel to displacement
   (4) All of the above

2. A force $\left(4\hat{i}+\hat{j}-2\hat{k}\right)$N acting on a body moving with instantaneous velocity $(2\hat{i}+2\hat{j}+3\hat{k})$m/s. The power exerted is
   (1) 4 W (2) 5 W
   (3) 2 W (4) 8 W

3. A block of mass 'm' moving with velocity v_0 on smooth horizontal surface strikes with a spring fixed in vertical wall as shown in the figure. If maximum compression in the spring is x_0, then spring constant of the spring will be




   (1) $\frac{4mv_0^2}{x_0^2}$
   (2) $\frac{2mv_0^2}{x_0^2}$
   (3) $\frac{mv_0^2}{2x_0^2}$
   (4) $\frac{mv_0^2}{x_0^2}$

4. Choose the correct statement out of the following.
   (1) Work done by the static friction on a body will always be positive
   (2) Work done by the kinetic friction on a body will always be negative
   (3) Work done by the static friction on a body will always be zero
   (4) Work done by the static friction on a body may either be positive, negative or zero

5. Two masses each of 2 kg move towards each other with speed 3 m s^{-1} and 2 m s^{-1}, collide and stick together. The final velocity will be
   (1) 1 m s^{-1} (2) 2 m s^{-1}
   (3) 2.5 m s^{-1} (4) 0.5 m s^{-1}

6. A small stone of mass 0.4 kg tied to a massless inextensible string of length 4 m. Its minimum speed at the highest point to complete vertical circular motion is (g = 10 m/s^2)
   (1) 6.32 m/s (2) Zero
   (3) 5 m/s (4) 3 m/s

7. Figure shows the vertical section of frictionless surface. A block of mass 2 kg is released from the position P, its kinetic energy as it reaches the position R is



(1) 108 J
(2) 40 J
(3) 140 J
(4) 280 J

8. The work done by a force $\vec{F} = \left(-6x^2\hat{i}\right)$ N in displacing a particle from $x = +3$ m to $x = -3$ m is
(1) 360 J
(2) –180 J
(3) –54 J
(4) 108 J

9. In an inelastic collision
(1) Only momentum is conserved
(2) Only kinetic energy is conserved
(3) Neither momentum nor kinetic energy is conserved
(4) Both momentum and kinetic energy are conserved

10. A small stone of mass 50 g is rotated in a vertical circle of radius 40 cm. What is the minimum tension in the string at the lowest point. ($g = 10$ m/s^2)
(1) 6 N
(2) 2 N
(3) 3 N
(4) 1.5 N


11. Potential energy of a particle at position x is given by $U = (x^2 - 4x)$ J which of the following is equilibrium position of the particle?
(1) $x = 0$
(2) $x = 5$ m
(3) $x = 2$ m
(4) $x = 4$ m

12. Two springs A and B are stretched by applying forces of equal magnitudes at the four ends. If the energy stored in A is E that in B is (Take $k_A = 2\,k_B$)
(1) $2E$
(2) E
(3) $\frac{E}{4}$
(4) $\frac{E}{2}$

13. If the K.E. of a body is increased by 300%, its momentum will increase by
(1) 175%
(2) 200%
(3) 180%
(4) 100%

14. A body of mass m falls from height h_0 on the ground. If e is the coefficient of restitution between body and the ground, then the height upto which it rises after ten collisions is
(1) $e^{10} \cdot h_0$
(2) $e^{20} \cdot h_0$
(3) $e^5 \cdot h_0$
(4) $e^{40} \cdot h_0$

15. Three identical balls 1, 2 and 3 are placed together at rest on a smooth horizontal surface. A fourth identical ball moving with velocity u in line of first three balls collides head on elastically as shown in figure, then



(1) Fourth ball comes to rest with second and third ball while first ball moves with velocity u.
(2) Fourth ball comes to rest and other three moves with speed $u/3$.
(3) All the balls will move together with speed $\frac{u}{3}$
(4) All the balls will move together with speed $\frac{u}{4}$

16. Given below are two statements, one is **Assertion (A)** and other is **Reason (R)**.
Assertion(A): In head-on elastic collision, kinetic energy transferred from projectile (m_1) hitting target (m_2) at rest is maximum for $m_1 = m_2$.
Reason(R): In head on elastic collision, fraction of kinetic energy transferred from projectile (m_1) hitting target m_2 at rest is equal to $\frac{4m_1m_2}{(m_1+m_2)^2}$.
In the light of the above statements, choose the correct answer from the options given below
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) Both (A) and (R) are false
(4) (A) is true but (R) is false

17. A particle of mass m is driven by a machine that delivers a constant power k watts. If the particle starts from rest the force on the particle at time t is
(1) $\frac{1}{2}\sqrt{mk}\,t^{\frac{-1}{2}}$
(2) $\sqrt{\frac{mk}{2}}\,t^{\frac{-1}{2}}$
(3) $\sqrt{mk}\,t^{\frac{-1}{2}}$
(4) $\sqrt{2mk}\,t^{\frac{-1}{2}}$

18. A : When a person walks on an initially stationary boat in still water, centre of mass of person and boat system is not displaced.
R : Internal force can not alter the state of motion of centre of mass.
(1) Both Assertion & Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion & Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements

19. A solid sphere of mass m and radius R is rotating about its diameter. A solid cylinder of the same mass and same radius is also rotating about its geometrical axis with an angular speed twice that of the sphere. The ratio of their kinetic energies of rotation ($E_{\text{sphere}} / E_{\text{cylinder}}$) will be
(1) 2 : 3
(2) 1 : 5
(3) 1 : 4
(4) 3 : 1

20. A thin circular ring of mass M and radius r is rotating about its axis with an angular speed ω. Two particles having mass m each are now gently attached at diametrically opposite points. The angular speed of the ring will become
(1) $\frac{\omega M}{M+m}$
(2) $\frac{\omega M}{M+2m}$
(3) $\frac{\omega(M+3m)}{m}$
(4) $\frac{\omega(M+2m)}{M}$

DreamNEET

21. Match **List-I** with **List-II** (where symbols have their usual meaning).

List-I (Quantity)	List-II (Corresponding formula)
A. Torque τ	I. $M\vec{a}_{cm}$
B. Angular momentum	II. I α
C. $\sum \vec{F}_{ext}$	III. $Mvr_{\perp}$
D. Instantaneous rotational power	IV. $\vec{\tau}\cdot\vec{\omega}$

Chose the correct answer from the options given below:

(1) A-III, B-II, C-I, D-IV (2) A-III, B-II, C-IV, D-I
(3) A-II, B-III, C-I, D-IV (4) A-II, B-III, C-IV, D-I

22. A hollow sphere of mass 1 kg and radius 10 cm is free to rotate about a fixed axis passing through its centre. If a force of 30 N is applied tangentially to it, its angular acceleration is (in rad/s^2)

(1) 5000 (2) 450
(3) 50 (4) 5

23. The radius of gyration of a uniform solid sphere about a tangent is

(1) $R\sqrt{\frac{2}{5}}$ (2) $R\sqrt{\frac{2}{3}}$
(3) $R\sqrt{\frac{5}{3}}$ (4) $R\sqrt{\frac{7}{5}}$

24. Two bodies of masses 10 kg and 2 kg are moving with velocities $2\hat{i}-7\hat{j}+3\hat{k}$ m/s and $-10\hat{i}+35\hat{j}-3\hat{k}$ m/s respectively. The velocity of their centre of mass is

(1) $2\hat{i}$ m/s (2) $2\hat{k}$ m/s
(3) $(2\hat{j}+2\hat{k})$ m/s (4) $(2\hat{i}+2\hat{j}+2\hat{k})$ m/s

25. The angular momentum of a body is given by L = 5t^2 + 2t + 1 kg m^2/s. The torque acting on the body at t = 1 s is

(1) 12 N-m (2) 10 N-m
(3) 4 N-m (4) Zero

26. Find the torque of a force $7\hat{i}+3\hat{j}-5\hat{k}$ about the origin. The force acts on a particle whose position vector is $\hat{i}-\hat{j}+\hat{k}$

(1) $\hat{i}+12\hat{j}+10\hat{k}$ (2) $2\hat{i}+2\hat{j}+2\hat{k}$
(3) $2\hat{i}+12\hat{j}+10\hat{k}$ (4) $\hat{i}+\hat{j}+\hat{k}$

27. Moment of inertia of a uniform rod about an axis perpendicular to its length and a distance $\frac{l}{2}$ from centre, is (m : mass of rod, l : length of rod)

(1) $\frac{ml^2}{4}$ (2) $\frac{ml^2}{12}$
(3) $\frac{ml^2}{3}$ (4) $\frac{ml^2}{2}$

28. From a disc of radius R and mass M, a circular hole of diameter R, whose rim passes through the centre is cut. What is the moment of inertia of the remaining part of the disc about a perpendicular axis, passing through the centre?

(1) 11MR^2/32 (2) 9MR^2/32
(3) 15MR^2/32 (4) 13MR^2/32


29. Two rings of radii R and nR made from the same wire have the ratio of moment of inertia about an axis passing through their centre equal to 1 : 8, The value of n is

(1) 2
(2) $2\sqrt{2}$
(3) 4
(4) $\frac{1}{2}$

30. The linear density of a thin rod of length 1 m varies as λ = (1 + 2x) kg/m, where x is distance from its one end placed at origin. What is distance of centre of mass from this end.

(1) $\frac{7}{12}$ m (2) $\frac{5}{6}$ m
(3) $\frac{4}{5}$ m (4) $\frac{2}{3}$ m

31. A man of mass 50 kg is standing on a plank of mass 150 kg placed on a horizontal smooth floor. If the man walks from end A to B, then displacement of plank is



(1) 3 m to right (2) 3 m to left
(3) 9 m to right (4) 9 m to left


32. Two masses m_1 and m_2 start to move towards each other due to mutual gravitational force. If distance covered by m_1 is x, then the distance covered by m_2 is

(1) $\frac{m_1 x}{m_1+m_2}$ (2) $\frac{m_1 x}{m_2}$
(3) $\frac{m_2 x}{m_1}$ (4) $\frac{m_2 x}{m_1+m_2}$

33. If a man standing on the periphery of a stationary disc starts walking in the anticlockwise direction along the boundary, then

(1) The disc remains stationary
(2) The disc rotates in the clockwise direction
(3) The disc rotates in the anticlockwise direction
(4) The disc rotates in either clockwise or anticlockwise direction

34. If a uniform rod of mass 4 kg is in horizontal position and two blocks of 4 kg and 3 kg are held as shown in figure. The tension in the string connected with rigid support is




(1) $\frac{11}{2}$g (2) 5g
(3) 6g (4) $\frac{17}{2}$g

DreamNEET

35. Given below are three statements:
Statement A: In a rigid body, angular velocity of any point with respect to any other point on the body is constant.
Statement B: Moment of Inertia of a rigid body does not depend on angular momentum.
Statement C: Theorem of perpendicular axis is applicable for planar bodies.
In the light of the above statements, choose the correct option.
(1) Only statement A is true
(2) Only statement B is true
(3) Both the statements A and B are false
(4) All the statements are true

36. A string is used to pull a block of mass m vertically up by a distance h at a constant acceleration $\frac{g}{4}$. The work done by the tension in the string is




(1) $+\frac{3mgh}{4}$ (2) $-\frac{mgh}{4}$
(3) $+\frac{5}{4}mgh$ (4) $+mgh$

37. If 250 J of work is done in sliding a 5 kg block up an inclined plane of height 4 m. Work done against friction is (g = 10 m s^{-2})
(1) 50 J (2) 100 J
(3) 200 J (4) Zero

38. If net force on a system is zero, then
(1) Its momentum is conserved
(2) Its kinetic energy may increase
(3) The acceleration of its constituent particle may be non-zero
(4) All of these


39. The kinetic energy K of a particle moving along x-axis varies with its position (x) as shown in figure.



The magnitude of force acting on particle at x = 9 m is
(1) Zero (2) 5 N
(3) 20 N (4) 7.5 N

40. A uniform chain of length L and mass M is lying on a smooth table and one third of its length is hanging vertically down over the edge of the table. If g is acceleration due to gravity, the minimum work required to pull the hanging part of the chain on the table is
(1) MgL
(2) $\frac{MgL}{3}$
(3) $\frac{MgL}{9}$
(4) $\frac{MgL}{18}$

41. From a uniform square plate, one-fourth part is removed as shown. The centre of mass of remaining part will lie on



(1) OC (2) OA
(3) OB (4) OD


42. A man of mass m is suspended in air by holding the rope of a balloon of mass M. As the man climbs up the rope, the balloon



(1) Moves upward (2) Moves downward
(3) Remains stationary (4) Cannot say


43. A particle of mass 5 kg is moving with a uniform speed $3\sqrt{2}$ in XOY plane along the line $Y = X + 4$. The magnitude of its angular momentum about the origin is
(1) 40 units (2) 60 units
(3) Zero (4) $40\sqrt{2}$ units

44. For equilibrium of the system, value of mass m should be



(1) 9 kg (2) 15 kg
(3) 21 kg (4) 1 kg

45. Three solid spheres each of mass P and radius Q are arranged as shown in figure. The moment of inertia of the arrangement about YY' axis



(1) $\frac{7}{5}PQ^2$ (2) $\frac{14}{5}PQ^2$
(3) $\frac{16}{5}PQ^2$ (4) $\frac{5}{14}PQ^2$

CHEMISTRY

DreamNEET

46. Match the species given in column I with the shape given in column II and find the correct option

	Column I		Column II
a.	XeF_4	(i)	Linear
b.	I_3^+	(ii)	Pyramidal
c.	PCl_3	(iii)	Square planar
d.	NO_2^+	(iv)	Bent

(1) a(iv), b(i), c(ii), d(iii) (2) a(iii), b(i), c(ii), d(iv)
(3) a(iii), b(iv), c(ii), d(i) (4) a(ii), b(iv), c(i), d(iii)

47. The species which does not exist, is
(1) C_2 (2) Be_2
(3) N_2^+ (4) H_2^+

48. Consider the following statements about molecular orbital theory.
(a) Molecular orbital is monocentric.
(b) Number of molecular orbitals formed is equal to the number of combining atomic orbitals.
(c) The bonding molecular orbital has lower energy and hence greater stability than the corresponding antibonding molecular orbital.
The correct statements are
(1) a and b only (2) b and c only
(3) a and c only (4) a, b and c

49. Which of the following molecules has highest dipole moment?
(1) NF_3 (2) NH_3
(3) BF_3 (4) CH_4

50. The correct order of bond length of C – C, C – N, C – H is
(1) C – H < C – N < C – C (2) C – C < C – N < C – H
(3) C – C < C – H < C – N (4) C – N < C – H < C – C


51. The bond order of P – O bond in PO_4^{3-} is
(1) 1.5 (2) 2
(3) 1.25 (4) 1.75


52. Select the correct order of polarising power of cation.
(1) $Si^{4+} < Al^{3+} < Mg^{2+} < Na^+$
(2) $Na^+ < Mg^{+2} < Al^{+3} < Si^{+4}$
(3) $Na^+ < Mg^{+2} < Si^{+4} < Al^{+3}$
(4) $Al^{+3} < Si^{+4} < Mg^{+2} < Na^+$


53. The molecule in which the central atom has 3 bond pairs and 2 lone pairs of electrons is
(1) $AlCl_3$ (2) PCl_3
(3) ClF_3 (4) NH_3


54. Given below are two statements one is labelled as Assertion (A) and the other is labelled as Reason (R)
Assertion (A): Canonical structures of a molecule are not the correct representation of the real molecule.
Reason (R): The energy of resonance hybrid of a molecule is higher than that of any of the canonical structures.
In the light of the above statements, choose the **correct** answer from the options given below:
(1) Both Assertion & Reason are true and reason is the correct explanation of the assertion
(2) Both Assertion & Reason are true but reason is not the correct explanation of the assertion
(3) Assertion is true but Reason is false
(4) Both Assertion and Reason are false

55. Which of the given overlapping of orbitals leads to zero overlapping?

(1) 

(2) 

(3) 

(4) 


56. Given below are the two statements:
Statement I: Bond length is defined as the equilibrium distance between the nuclei of two bonded atoms in a molecule.
Statement II: The covalent radius represents the overall size of the atom which includes its valence shell in a nonbonded situation.
In the light of above statements, choose the correct answer from options given below.
(1) Statement I is correct but statement II is incorrect
(2) Both statement I and statement II are correct
(3) Both statement I and statement II are incorrect
(4) Statement I is incorrect but statement II is correct

57. Given below are two statements: one is labelled as Assertion (A) and other is labelled as Reason (R)
Assertion(A): In PCl_5, the axial bonds are slightly longer and slightly weaker than equatorial bonds.
Reason(R): The axial bond pairs in PCl_5 suffer more repulsive interaction from the equatorial bond pairs.
In the light of above statements, choose the correct answer from the options given below.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) (A) is false but (R) is true

Dream NEET


58. Given below are the two statements:
Statement I: According to molecular orbital theory, total number of bonding electrons in N_2^+ is 9.
Statement II: According to molecular orbital theory, N_2 contains both sigma and pi bonds while C_2 contains only pi bonds.
In light of above statements, choose the correct answer.
(1) Statement I is correct but statement II is incorrect.
(2) Both Statement I and Statement II are correct
(3) Statement I is incorrect but Statement II is correct.
(4) Both Statement I and Statement II are incorrect


59. The hybridisation of C2, C4, C5 in the compound respectively are





(1) sp^2, sp, sp^3 (2) sp, sp^2, sp^3
(3) sp^3, sp, sp^2 (4) sp^3, sp^2, sp

60. Hybridization of Xe in $XeOF_4$ is
(1) sp^3 (2) sp^3d^2
(3) sp^3d^3 (4) sp^3d

61. Intramolecular hydrogen bond is absent in
(1) 

(2) 

(3) 

(4) 

62. Which of the following species is diamagnetic?
(1) O_2 (2) O_2^{2-}
(3) NO (4) N_2^+

63. For a reaction
$X_2 + Y_2 \rightarrow 2XY$; $\Delta H = -400$ kJ
If bond energy of X_2, Y_2 and XY are in ratio of 1 : 2 : 3 respectively then bond energy of Y_2 in kJ mol^{-1} will be
(1) 400 (2) 200
(3) $\frac{400}{3}$ (4) $\frac{800}{3}$

64. If the enthalpy change for the transition of a liquid to its vapour is 60 kJ mol^{-1} at 300 K, then the entropy change for the process is
(1) 150 J K^{-1} mol^{-1} (2) 250 J K^{-1} mol^{-1}
(3) 200 J K^{-1} mol^{-1} (4) 100 J K^{-1} mol^{-1}

65. In which of the following reaction $\Delta H = \Delta U$
(1) $N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$
(2) $H_2(g) + I_2(g) \rightleftharpoons 2HI(g)$
(3) $CaCO_3(s) \rightleftharpoons CaO(s) + CO_2(g)$
(4) $PCl_5(g) \rightleftharpoons PCl_3(g) + Cl_2(g)$

66. Which of the following is not an intensive property?
(1) Enthalpy (2) Temperature
(3) Pressure (4) Melting point

67. Read the statements marked as assertion (A) and reason (R).
Assertion (A): For isothermal reversible change work done by the system is equal to change in internal energy.
Reason (R): Change in internal energy depends on temperature of system.
In the light of above statements, choose the correct option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) (A) is false but (R) is true

68. Given below are two statements
Statement I: For a spontaneous process, the total entropy change (ΔS_{total}) is always greater than zero.
Statement II: For $CO_2(s) \rightarrow CO_2(g)$ phase transition, ΔH and ΔS both are positive.
In the light of above statements, choose the correct answer from the options given below.
(1) Both statement I and statement II are correct
(2) Both statement I and statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

69. Bomb-calorimeter is used to experimentally measure
(1) ΔH (2) ΔU
(3) ΔS (4) ΔG

70. At a certain temperature, T (K), during a process, 500 J is absorbed by the system and work of 200 J is done by the system. Then change in internal energy of the system is :
(1) 700 J (2) 400 J
(3) 300 J (4) 500 J

71. For which of the following substances the standard molar enthalpy of formation is zero?
(a) $O_3(g)$ (b) $I_2(s)$
(c) C(graphite) (d) S(rhombic)
The correct option is
(1) (a), (b) and (d) only (2) (c) and (d) only
(3) (b), (c) and (d) only (4) (a) and (c) only

72. If the volume of an ideal gas gets changed isothermally and reversibly from 1 L to 100 L then the change in entropy for 2 moles of this gas is
(1) 38.2 J K^{-1} (2) 76.59 J K^{-1}
(3) 7.22 J K^{-1} (4) 23.0 J K^{-1}

73. For the reaction, A(l) → 2B(g) + C(g) if $\Delta U = 4.2$ kcal, $\Delta S = 40$ cal K^{-1} at 300 K then ΔG for the reaction will be
(1) –7.5 kcal (2) –6.0 kcal
(3) –4.5 kcal (4) –8.1 kcal

74. Consider the following terms
(a) Entropy
(b) Enthalpy
(c) Work done
(d) Gibb's energy
The state functions are
(1) a and b only (2) a, b and c only
(3) a, b and d only (4) b, c and d only

Dream NEET

75. Match List I with List II.

List I Processes	List II Conditions
(a) Adiabatic	(i) $\Delta V = 0$
(b) Isochoric	(ii) $q = 0$
(c) Isothermal	(iii) $\Delta P = 0$
(d) Isobaric	(iv) $\Delta T = 0$

Choose the **correct** option.

(1) a(i), b(ii), c(iii), d(iv) (2) a(ii), b(i), c(iv), d(iii)
(3) a(iv), b(iii), c(ii), d(i) (4) a(iii), b(iv), c(i), d(ii)

76. Standard molar enthalpy of formation of CO(g) and CO_2(g) are –110.53 kJ mol^{-1} and –393.51 kJ mol^{-1} respectively. The enthalpy change for the following reaction is

$$CO(g) + \frac{1}{2} O_2(g) \rightarrow CO_2(g)$$

(1) –504.04 kJ mol^{-1} (2) 504.04 kJ mol^{-1}
(3) 282.98 kJ mol^{-1} (4) –282.98 kJ mol^{-1}

77. Given below are two statements

Statement I: Heat capacity of vaporisation of water at 373 K temperature and 1 atm pressure is infinite.

Statement II: Amount of heat required to raise the temperature of given amount of substance by 1°C is heat capacity.

In the light of the above statements, choose the correct answer from the options given below.

(1) Both Statement I and Statement II are true
(2) Both Statement I and Statement II are false
(3) Statement I is true but Statement II is false
(4) Statement I is false but Statement II is true

78. A reaction can never be spontaneous if

(1) $\Delta H > 0$ and $\Delta S > 0$ (2) $\Delta H < 0$ and $\Delta S < 0$
(3) $\Delta H > 0$ and $\Delta S < 0$ (4) $\Delta H < 0$ and $\Delta S > 0$

79. A gas is allowed to expand in an insulated container against a constant external pressure of 4.5 atm from initial volume of 3.5 L to 7.5 L. The work done by the gas is (1 L-atm = 101.3 J)

(1) –1.82 kJ (2) –2.51 kJ
(3) –12.51 kJ (4) 4.51 kJ

80. Consider the following reactions

Reaction	ΔH(kJ)
$A \rightarrow B$	+300
$2B \rightarrow 3C + D$	–200
$E + C \rightarrow 4D$	+700

ΔH (in kJ) for the reaction 2A + 3E → 13D, will be

(1) –2000 (2) +1200
(3) +2500 (4) –2800

81. Molecule which follows octet rule is

(1) ClO_2 (2) NO
(3) NO_2 (4) NH_3

82. The type of bonds present in NH_4Cl are

(1) Electrovalent, covalent and coordinate
(2) Only ionic
(3) Only covalent
(4) Only covalent and coordinate

83. Which of the following compound of group-14 elements would you expect to be most ionic in character?

(1) CCl_4 (2) $SiCl_4$
(3) $PbCl_2$ (4) $PbCl_4$

84. $d\pi - p\pi$ bond present in

(1) CO_3^{2-} (2) PO_4^{3-}
(3) NO_3^- (4) NO_2^-

85. The correct order of increasing bond angles in the following triatomic species is

(1) $NO_2^+ < NO_2^- < NO_2$ (2) $NO_2^- < NO_2^+ < NO_2$
(3) $NO_2^- < NO_2 < NO_2^+$ (4) $NO_2^+ < NO_2 < NO_2^-$

86. The correct relation between molar heat capacities C_P and C_V is

(1) $C_P + C_V = R$ (2) $C_P - C_V = 2R$
(3) $C_P - C_V = R$ (4) $C_P - C_V = \frac{R}{2}$

87. The enthalpy of reaction is maximum in which of the following reaction?

(1) $NaOH + HCl \rightarrow NaCl + H_2O$
(2) $NaOH + HF \rightarrow NaF + H_2O$
(3) $NaOH + HBr \rightarrow NaBr + H_2O$
(4) $CH_3COOH + NH_4OH \rightarrow CH_3COONH_4 + H_2O$

88. The standard entropies of N_2 (g), H_2 (g) and NH_3 (g) are 191.5, 130.5, 192.6 JK^{-1} mol^{-1}. The value of $\Delta S°$ of formation of ammonia is

(1) –98.9 JK^{-1} mol^{-1} (2) Zero
(3) +129.4 JK^{-1} mol^{-1} (4) –29.4 JK^{-1} mol^{-1}

89. The dissociation energy of CH_4 (g) is 360 kcal mol^{-1} and that of C_2H_6 (g) is 620 kcal mol^{-1}. The C – C bond energy is

(1) 260 kcal mol^{-1} (2) 180 kcal mol^{-1}
(3) 130 kcal mol^{-1} (4) 80 kcal mol^{-1}

90. During stretching of rubber, Entropy

(1) Increases
(2) First increases then decreases
(3) Decreases
(4) First decreases then increases

BOTANY

91. Bacterial viruses usually contain

(1) Double stranded RNA (2) Single stranded RNA
(3) Double stranded DNA (4) Single stranded DNA

92. Read the characteristics given below.

(a) Presence of chloroplast
(b) Saprophytic mode of nutrition
(c) Main body is flagellated
(d) Ability to reproduce sexually
(e) Presence of fruiting bodies

How many of the above characteristics is/are true for the members of Protista, but not for the members of fungi?

(1) Two (2) Three
(3) One (4) Four

93. Instead of a cell wall, Euglenoids have a layer called pellicle, which makes their body flexible, is rich in
(1) Chitin (2) Protein
(3) Cellulose (4) Hemicellulose

94. How many organisms in the list given below form fruiting body called ascocarp?
Agaricus, Albugo, Utilago, Neurospora, Penicillium, Rhizopus, Claviceps
(1) 3 (2) 6
(3) 4 (4) 5

95. Algal bloom in polluted water body is formed by
(1) Archaebacteria (2) Cyanobacteria
(3) Chemosynthetic bacteria (4) Heterotrophic bacteria

96. Mark True (T) or False (F) for the statements given below.
I. Only the sexual phases of imperfect fungi are known.
II. The mycelium is septate and branched in Deuteromycetes.
III. Members of Deuteromycetes help in mineral cycling.

	I	II	III
(1)	T	T	F
(2)	F	T	T
(3)	F	F	T
(4)	T	F	F

(1) (1) (2) (2)
(3) (3) (4) (4)

97. Read the following statements and select the **correct** option.
Statement A: In members of Phycomycetes, asexual reproduction takes place by zoospores or by aplanospores.
Statement B: Members of Ascomycetes can be saprophytic, decomposers, parasitic or coprophilous.
(1) Only statement A is correct
(2) Only statement B is correct
(3) Both statements A & B are correct
(4) Both statements A & B are incorrect

98. Potato spindle tuber disease is caused by
(1) Viroid (2) Virus
(3) Virusoid (4) Prion

99. Find out the feature that is **not** true for dinoflagellates.
(1) They are found in marine environments
(2) They contribute to the formation of diatomaceous earth
(3) They have two flagella; one lies longitudinally and the other transversely
(4) They contain photosynthetic pigments

100. Archaebacteria differ from eubacteria in
(1) Having cellular body organisation
(2) Having 70S ribosomes
(3) Having different cell wall structure/composition
(4) Having nucleolus

101. Dikaryophase can be observed in the sexual life cycle of
(1) *Mucor* (2) *Rhizopus*
(3) *Alternaria* (4) *Puccinia*

102. Which of the following is endoparasitic protozoan?
(1) *Paramoecium* (2) *Euglena*
(3) *Amoeba* (4) *Plasmodium*

103. The mycobiont and phycobiont partners of lichen are respectively
(1) Heterotrophic and autotrophic
(2) Parasitic and heterotrophic
(3) Autotrophic and parasitic
(4) Autotrophic and heterotrophic

104. Which of the given fungus is used extensively in biochemical and genetic work?
(1) *Neurospora* (2) *Alternaria*
(3) *Puccinia* (4) *Penicillium*

105. *Euglena* does not
(1) Have chlorophyll a (2) Reproduce asexually
(3) Have rigid cell wall (4) Behave like heterotrophs

106. The outermost covering of seed is a seed coat. The seed coat has two layers, the outer A and inner B.
Select the **correct** option for A and B.
(1) A - Perisperm, B - Testa (2) A - Tegmen, B - Testa
(3) A - Testa, B - Tegmen (4) A - Pericarp, B - Epicarp

107. Cymose inflorescence differs from racemose as former has
(1) Peduncle with indefinite growth
(2) Oldest flower present at tip
(3) Main axis which continuous to grow
(4) Flowers borne laterally in an acropetal manner

108. When the margins of sepals or petals overlap one another but not in any particular direction, the aestivation is termed as
(1) Vexillary (2) Imbricate
(3) Twisted (4) Valvate

109. The ornamental plant of Solanaceae family is
(1) Ashwagandha (2) *Solanum nigrum*
(3) *Petunia* (4) Belladonna

110. Endosperm is found to be present in mature seeds of
(1) Bean (2) Orchid
(3) Rea (4) Maize

111. Select the **incorrect** match.
(1) Epiphyllous – Lily
(2) Epipetalous – Brinjal
(3) Diadelphous – Pea
(4) Polyadelphous – China rose
(1) (1) (2) (2)
(3) (3) (4) (4)

112. Which of the following is **not** the basis of classification of fungi?
(1) Morphology of the mycelium
(2) Mode of spore formation
(3) Mode of nutrition
(4) Fruiting bodies

113. Which of the following statements are **true** for calyx?
(a) It protects the flower in the bud stage.
(b) It is usually brightly coloured to attract insects for pollination.
(c) It is an outermost accessory whorl of flower.
(d) Its members are generally green and leaf-like.
Choose the **correct** option
(1) (b) and (c) only (2) (a), (b) and (c) only
(3) (a), (c) and (d) only (4) (b) and (d) only

Dream NEET

114. Given below are two statements:

Statement I: In a floral formula, $\widehat{C\ A}$ stands for epiphyllous condition of stamens and $\widehat{P\ A}$ stands for epipetalous condition of stamens.

Statement II: In a floral formula, % stands for zygomorphic flowers, and $\oplus$ stands for bisexual flowers.

In the light of the above statements, choose the **correct** answer from the options given below:

(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

115. In Neem, a number of leaflets are present on a common axis called

(1) Midrib (2) Veinlet
(3) Rachis (4) Lamina

116. Plants were classified into trees, shrubs and herbs by using simple morphological characters by

(1) Linnaeus (2) Ernst Mayr
(3) Aristotle (4) Carl Woese

117. The plumule and radicle are enclosed in sheaths which are called

(1) Coleorhiza and coleoptile respectively
(2) Coleoptile and coleorhiza respectively
(3) Scutellum and epiblast respectively
(4) Aleurone layer and coleoptile respectively

118. Select the **incorrect** option w.r.t. androecium of a typical flower.

(1) It is the third whorl of the flower which arises just inner to the calyx and is composed of stamens
(2) A stamen consists of anther and filament
(3) Anthers are usually bilobed
(4) Staminode is the sterile stamen

119. The cells proximal to the region of meristematic activity

(1) Are responsible for growth of root in length.
(2) Consist of very small, thin walled cell with dense protoplasm.
(3) Show formation of fine, thread like root hairs.
(4) Represent region of maturation.

120. Mango and coconut develop from

(1) Monocarpellary superior ovary
(2) Multicarpellary superior ovary
(3) Monocarpellary inferior ovary
(4) Multicarpellary inferior ovary

121. In which of the following plants, flower can be divided into two equal radial halves in any radial plane passing through the centre?

(a) Chilli
(b) *Cassia*
(c) Canna
(d) Gulmohur
(e) Mustard

Choose the **correct** one(s)

(1) (a) only (2) (b), (c) and (d) only
(3) (a) and (e) only (4) (a), (d) and (e) only

122. Which of the following is **not** a sac-fungus?

(1) *Aspergillus* (2) *Penicillium*
(3) *Agaricus* (4) *Saccharomyces*

123. The flowers of plum are said to be

(1) Hypogynous with inferior ovary
(2) Epigynous with half inferior ovary
(3) Epigynous with superior ovary
(4) Perigynous with half inferior ovary

124. In which group of fungi, asexual spores are produced exogenously and haploid sexual spores are produced endogenously?

(1) Ascomycetes (2) Basidiomycetes
(3) Phycomycetes (4) Deuteromycetes

125. Epipetalous stamens are found in

(1) Brinjal (2) Lily
(3) Bean (4) *Trifolium*

126. The organism which is also the smallest living cell

(1) Cannot survive without oxygen
(2) Can be pathogenic in animals and plants
(3) Is sensitive to penicillin
(4) Cannot pass through the bacterial filters

127. Which of the following is **incorrect** about Protista?

(1) All are single celled eukaryotes
(2) Protistans reproduces asexually and sexually
(3) Sexual reproduction involves cells fusion and zygote formation
(4) Members of Protista are primarily terrestrial

128. When the outermost whorl of flower members are united the condition is termed as

(1) Gamopetalous (2) Gamosepalous
(3) Polysepalous (4) Polypetalous

129. Domain Eukarya includes how many kingdoms (w.r.t. six kingdom system)?

(1) 2 (2) 3
(3) 1 (4) 4

130. In five kingdom classification, which of the following groups of organisms is placed in the same kingdom?

(1) *Chlorella*, *Amoeba*, *Paramoecium*, *Spirogyra*
(2) *Chlamydomonas*, *Amoeba*, *Gonyaulax*, *Chlorella*
(3) *Spirogyra*, *Nostoc*, *Anabaena*, *Mycoplasma*
(4) *Spirogyra*, *Chlamydomonas*, *Euglena*, *Nostoc*

131. In which of the following plants, the type of placentation is free central?

(1) Mustard (2) Garden pea
(3) *Dianthus* (4) Wheat

132. In maize seed, the outer covering of endosperm separates the embryo by a proteinaceous layer, called

(1) Scutellum (2) Aleurone layer
(3) Plumule (4) Radicle

DreamNEET
CC-483 CC-483 CC-483

133. Match the column-I with column-II w.r.t. aestivation and choose the **correct** option.

	Column-I		Column-II
a.		(i)	Valvate
b.		(ii)	Vexillary
c.		(iii)	Twisted
d.		(iv)	Imbricate

(1) a(ii), b(i), c(iv), d(iii) (2) a(iii), b(ii), c(iv), d(i)
(3) a(iv), b(ii), c(iii), d(i) (4) a(i), b(iii), c(iv), d(ii)

134. Consider the following statements of Assertion and Reason and choose the **correct** option.
Assertion (A): Position of the ovary on the thalamus with respect to other floral whorls cannot be represented in the floral diagram.
Reason (R): The type of flower on the basis of the position of other floral whorls with respect to the ovary on thalamus is represented in the floral formula.
(1) Both (A) and (R) are true and (R) is correct explanation of (A)
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A)
(3) Only (A) is true but (R) is false
(4) Both (A) and (R) are false

135. Nodes and internodes are present in the
(1) Leaf (2) Fibrous root
(3) Tap root (4) Stem

ZOOLOGY

136. Closure of semilunar valve almost coincides with which of the events occur during the ECG?
(1) Start of the Q-wave (2) End of the P-wave
(3) End of the T-wave (4) During QRS complex

137. The volume of blood pumped out by each ventricle of a normal healthy adult (under normal physiological condition) in half a minute is approximately
(1) 2500 mL (2) 5000 mL
(3) 500 mL (4) 1000 mL

138. **Assertion (A):** Sinoatrial node is called pacemaker of the heart.
Reason (R): Sinoatrial node is responsible for initiating and maintaining rhythmic contractile activity of heart.
In the light of above statements, choose the **correct** option.
(1) Both Assertion and Reason are false statements
(2) Assertion is true statement but Reason is false
(3) Both Assertion & Reason are true but reason is not the correct explanation of assertion
(4) Both Assertion & Reason are true and the reason is the correct explanation of assertion

139. Flat T-wave in ECG with no other prominent changes can occur most likely due to
(1) Atherosclerosis or insufficient oxygen supply to heart muscles
(2) Enlargement of ventricles
(3) Enlargment of atria
(4) No clinically significant pathological changes in the heart

140. How many cardiac cycles are completed in a normal healthy person per minute?
(1) 16 (2) 72
(3) 0.8 (4) 4.0

141. Myocardial infarction is a condition when the heart muscle is suddenly damaged by an inadequate blood supply. It is also called
(1) Heart failure (2) Coronary artery disease
(3) Atherosclerosis (4) Heart attack

142. The middle layer in the wall of blood vessels which is comparatively thicker in arteries than that in corresponding veins, is made up of
(1) Squamous endothelium
(2) Fibrous connective tissue with collagen fibres
(3) Smooth muscle and elastic fibres
(4) Fibrous connective tissue and squamous endothelium

143. Read the four statements (a-d) given below.
a. Bundle of His is present in pericardium.
b. P–wave in ECG represents atrial depolarisation.
c. Single circulation is found in fishes and amphibians.
d. Maximum blood enters from atria into ventricles during ventricular diastole.
The two **correct** statements are
(1) a and b (2) b and c
(3) a and d (4) b and d

144. Choose the **incorrect** match.
(1) SAN – Right upper corner of right atrium
(2) AVN – Lower right corner of left atrium
(3) Chordae tendinae – Present in ventricles only
(4) AV bundle – Atrioventricular septum

145. During emergency situations, heart beat increases in response to
(1) Secretion of adrenaline
(2) Secretion of acetylcholine
(3) Hypersecretion of renin
(4) Rennin secretion

146. The excretory material in many bony fishes, aquatic amphibians and aquatic insects that is generally eliminated by diffusion across their body surfaces or through gill surfaces is
(1) Guanine (2) Ammonium ions
(3) Urea (4) Uric acid

147. Glomerulus along with Bowman's capsule is known as
(1) Malpighian body (2) Renal tubule
(3) Renal portal system (4) Malpighian tubule

148. If animal 'A' excretes ammonia, 'B' excretes urea and 'C' excretes uric acid as their major nitrogenous wastes then, the correct order of animals w.r.t. decreasing order of toxicity of nitrogenous wastes is
(1) C < B < A (2) A > C > B
(3) B < A < C (4) A > B > C

149. Which of the following statements is **incorrect** w.r.t tubular reabsorption?
(1) Nearly 99% of the filtrate is reabsorbed by the renal tubules.
(2) Substances like glucose, amino acids and Na^+ in the filtrate are always reabsorbed only passively whereas the nitrogenous wastes are absorbed by active transport.
(3) Reabsorption of water also occurs passively in the initial segments of the nephron.
(4) Conditional reabsorption of Na^+ and water takes place in DCT.

150. A person who is on a long hunger strike and is surviving only on water, will have
(1) Less urea in his urine
(2) More sodium in his urine
(3) More amino acids in his urine
(4) More glucose in his blood

151. On an average, A mL of blood is filtered by the kidneys per minute which constitutes roughly B of the blood pumped out by each ventricle of the heart in a minute.
Choose the option which fills the blanks A and B **correctly**.
(1) A -125, B - 1/2
(2) A - 1100 – 1200 , B- $1/5^{th}$
(3) A - 700 – 800, B - $1/4^{th}$
(4) A - 1100 – 1200, B - $3/4^{th}$
(1) (1) (2) (2)
(3) (3) (4) (4)

152. Which of the following ions is **not** eliminated from the human kidneys by tubular secretion?
(1) K^+ (2) NH_4^+
(3) Na^+ (4) H^+

153. Which segement allows passage of small amounts of urea into the medullary interstitium to keep up the osmolarity?
(1) Proximal convoluted tubule
(2) Distal convoluted tubule
(3) Collecting duct
(4) Henle's loop

154. Listed below are some substances.
a. Cholesterol
b. Vitamins
c. Drugs
d. Biliverdin
e. Hydrocarbons
f. Waxes
How many of the above substances are not present in secretion of liver?
(1) Six (2) Four
(3) Five (4) Two

155. The hormone named Renin which is responsible for the increase in GFR is secreted from
(1) Certain cells of PCT
(2) Loop of Henle
(3) JG cells of afferent arteriole
(4) Certain cells of DCT

156. Ciliary movement occurs in all of the following, **except**
(1) Movement of foreign particles trapped in mucus in trachea
(2) Movement of ova through female reproductive tract
(3) Movement of food through cytopharynx in *Paramoecium*
(4) Movement of sperms in female reproductive tract

157. How many of the following **cannot** be considered as function(s) of the skeletal system?
(i) Support for locomotion
(ii) Protection from enemies
(iii) Source of minerals
(iv) Production of blood cells
Choose the **correct** option
(1) One (2) Two
(3) Four (4) Zero

158. Identify the structures labelled as X, Y and Z in the given figure.



Subunit of which of the following binds to the calcium to expose myosin-binding site on actin filament?
(1) X only (2) Y and Z
(3) X and Z (4) Z only

159. Smooth muscle fibres differ from skeletal muscle fibres in all of the following features, **except**
(1) Location of nucleus (2) Appearance
(3) Shape (4) Absence of branching

160. During contraction of skeletal muscles, which of the following event causes the breakdown of cross-bridge between actin and myosin?
(1) Binding of ADP with actin
(2) Removal of ADP and Pi from myosin head
(3) Binding of ATP with myosin head
(4) Breakdown of ATP

161. A motor neuron along with muscle fibres connected to it constitute a
(1) Motor-end plate (2) Motor unit
(3) Neuromuscular junction (4) Synaptic cleft

162. During muscle contraction, the length of 'H' zone
(1) First increases then decreases
(2) Decreases
(3) Increases
(4) Remains unchanged

Dream NEET

163. The movement exhibited by some specialised cells in our body like macrophages, is effected by
(1) Cilia (2) Pseudopodia
(3) Flagella (4) Muscles

164. **Assertion (A):** Extensor muscles in human back do not get fatigued easily.
Reason (R): They contain red muscle fibres which store myoglobin that releases oxygen during strenuous conditions.
In the light of above statements, choose the **correct** option.
(1) Both Assertion & Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion & Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements

165. White muscle fibres are **not** characterised by
(1) Presence of very less quantity of myoglobin
(2) Presence of high amount of sarcoplasmic reticulum
(3) Fast rate of contraction for short periods
(4) Abundant mitochondria and aerobic respiration

166. Which of the following is the **incorrect** description of pelvic girdle?
(1) It consists of two coxal bones
(2) Acetabulum interacts with head of femur forming ball and socket joint
(3) Its two halves meet dorsally to form pubic symphysis
(4) It is the site for articulation of thigh bone

167. Select the **odd** one w.r.t. cranial bones.
(1) Parietal (2) Mandible
(3) Sphenoid (4) Frontal

168. Knee joint is an example of
(1) Hinge joint (2) Gliding joint
(3) Ball and socket joint (4) Pivot joint

169. Choose the **incorrect** match w.r.t. adult humans.
(1) Carpals in both forelimbs – 16
(2) Tarsals in both hindlimbs – 14
(3) Thoracic vertebrae – 12
(4) Vertebrosternal ribs – 7

170. Select the **odd** one w.r.t paired bones of human skeleton.
(1) Parietal (2) Occipital
(3) Temporal (4) Stapes

171. Nitrogenous wastes are produced in our body by metabolism of
(1) Carbohydrates (2) Proteins
(3) Lipids (4) Vitamins

172. What is the osmolarity of the filtrate at the hairpin bend of loop of Henle in a normal healthy human?
(1) 300 mOsmolL^{-1} (2) 1200 mOsmolL^{-1}
(3) 600 mOsmolL^{-1} (4) 800 mOsmolL^{-1}

173. We can produce highly concentrated urine facilitated by a special mechanism called
(1) Reabsorption from PCT
(2) Reabsorption from collecting duct
(3) Reabsorption/secretion in DCT
(4) Counter current mechanism in Henle's loop/vasa recta

174. In which segment of the nephron, reabsorption is minimum?
(1) Proximal convoluted tubule (PCT)
(2) Distal convoluted tubule (DCT)
(3) Ascending limb of loop of Henle
(4) Descending limb of loop of Henle

175. Complete the analogy by selecting the correct option.
Renal calculi : Insoluble mass of crystallised salts within kidneys :: Glomerulonephritis:_____
(1) Inflammation of glomeruli of nephrons
(2) Excess of urea in blood
(3) Presence of ketone bodies in urine
(4) Presence of glucose in urine

176. A bundle of muscle fibres is called
(1) Fascia (2) Myofibril
(3) Myocyte (4) Fasciculus

177. A sarcomere consists of
(1) One A-band and one I-band
(2) Half A-band and two half I-band
(3) Half A-band and one I-band
(4) One A-band and two half I-band

178. Match the following

	Column I		Column II
a.	Beginning of oesophagus	(i)	Skeletal muscle
b.	Posterior end of oesophagus	(ii)	Cardiac muscle
c.	Heart	(iii)	Smooth muscle

Choose the correct option
(1) a(i), b(iii), c(ii) (2) a(i), b(ii), c(iii)
(3) a(ii), b(iii), c(i) (4) a(iii), b(i), c(ii)

179. When the muscle fibre is relaxed, all of the following are seen, **except**
(1) Low concentration of calcium in sarcoplasm as compared to sarcoplasmic reticulum
(2) Active binding site on actin is covered by troponin-tropomyosin complex
(3) Formation of cross bridge
(4) Complete length of A band

180. Read the following statements
Statement A : A neural signal reaching neuromuscular junction releases acetylcholine which generates an action potential in the sarcolemma.
Statement B: When Ca^{++} ions are pumped back into the sarcoplasmic cisternae, it results in the masking of myosin filaments by subunit of troponin
In light of above statements, choose the correct option
(1) Both statements A and B are correct
(2) Both statements A and B are incorrect
(3) Only statement A is correct
(4) Only statement A is incorrect

DreamNEET

07/10/2026

CODE-D

Aakash
Medical | IIT-JEE | Foundations

Corporate Office: AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

TERM EXAM FOR NEET-2028 (XI STUDYING) PH-2

MM: 720 **Test - 03** **Time: 180 Mins.**

Answers

1. (1)	37. (1)	73. (2)	109. (3)	145. (1)
2. (1)	38. (4)	74. (3)	110. (4)	146. (2)
3. (4)	39. (2)	75. (2)	111. (4)	147. (1)
4. (4)	40. (4)	76. (4)	112. (3)	148. (4)
5. (4)	41. (2)	77. (1)	113. (3)	149. (2)
6. (1)	42. (2)	78. (3)	114. (2)	150. (1)
7. (3)	43. (2)	79. (1)	115. (3)	151. (2)
8. (4)	44. (2)	80. (3)	116. (3)	152. (3)
9. (1)	45. (3)	81. (4)	117. (2)	153. (3)
10. (3)	46. (3)	82. (1)	118. (1)	154. (4)
11. (3)	47. (2)	83. (3)	119. (1)	155. (3)
12. (1)	48. (2)	84. (2)	120. (1)	156. (4)
13. (4)	49. (2)	85. (3)	121. (3)	157. (4)
14. (2)	50. (1)	86. (3)	122. (3)	158. (1)
15. (1)	51. (3)	87. (2)	123. (4)	159. (4)
16. (1)	52. (2)	88. (1)	124. (1)	160. (3)
17. (2)	53. (3)	89. (4)	125. (1)	161. (2)
18. (1)	54. (3)	90. (3)	126. (2)	162. (2)
19. (2)	55. (1)	91. (3)	127. (4)	163. (2)
20. (2)	56. (1)	92. (1)	128. (2)	164. (1)
21. (3)	57. (1)	93. (2)	129. (4)	165. (4)
22. (2)	58. (2)	94. (1)	130. (2)	166. (3)
23. (4)	59. (2)	95. (2)	131. (3)	167. (2)
24. (2)	60. (2)	96. (2)	132. (2)	168. (1)
25. (1)	61. (4)	97. (3)	133. (4)	169. (4)
26. (3)	62. (2)	98. (1)	134. (2)	170. (2)
27. (3)	63. (4)	99. (2)	135. (4)	171. (2)
28. (4)	64. (3)	100. (3)	136. (3)	172. (2)
29. (1)	65. (2)	101. (4)	137. (1)	173. (4)
30. (1)	66. (1)	102. (4)	138. (4)	174. (3)
31. (2)	67. (4)	103. (1)	139. (1)	175. (1)
32. (2)	68. (1)	104. (1)	140. (2)	176. (4)
33. (2)	69. (2)	105. (3)	141. (4)	177. (4)
34. (3)	70. (3)	106. (3)	142. (3)	178. (1)
35. (4)	71. (3)	107. (2)	143. (4)	179. (3)
36. (3)	72. (2)	108. (2)	144. (2)	180. (3)

Predict NEET Aakash Medical | IIT-JEE | Foundations