10/10/2026

Code-E

Aakash
Medical|IIT-JEE|Foundations
Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18, Udyog Vihar, Gurugram, Haryana - 122015, *Ph.*+91-1244168300

MM : 720

Term Exam for NEET-2028 (XI Studying) Ph-2 - TE03E

Time : 180 Min.

Topics Covered:
Physics : Work, Energy & Power, System of Particles & Rotational Motion
Chemistry : Chemical Bonding and Molecular Structure, Thermodynamics
Botany : Biological Classification, Morphology of Flowering Plants
Zoology : Body Fluids & Circulation-II (from working of heart to disorders of circulatory system), Excretory Products & their Elimination, Locomotion & Movement

General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.

DreamNEET

PHYSICS

1. The kinetic energy acquired by a body of mass m after travelling a fixed distance from rest under the action of a constant force is
   (1) Directly proportional to mass
   (2) Inversely proportional to square root of mass
   (3) Directly proportional to square root of mass
   (4) Independent of mass


2. A ball of mass 1 kg is projected with kinetic energy E at angle 30° with the vertical from ground. Minimum kinetic energy of the ball during its motion will be
   (1) Zero (2) $\frac{3E}{4}$
   (3) $\frac{E}{2}$ (4) $\frac{E}{4}$

3. A sphere A is impinges directly on an identical sphere B at rest. If coefficient of restitution is e, then ratio of velocities of A and B after collision (V_A / V_B) is
   (1) $\frac{e}{1+e}$ (2) $\frac{1-e}{1+e}$
   (3) $\frac{1+e}{1-e}$ (4) $\frac{2e}{1+e}$

4. If a force $\vec{F} = \left(4\hat{i} + 5\hat{j}\right)$ N causes a displacement $\vec{S} = \left(3\hat{i} + 6\hat{k}\right)$ m, then the work done by force is
   (1) 42 J (2) 12 J
   (3) 50 J (4) Zero

5. A block of mass 1 kg is forced up a rough inclined surface with angle of inclination 30° by a force of magnitude 12 N parallel to the inclined surface. Coefficient of friction 0.2. If the block is pushed up by 5 m along inclined surface, then (Take $g = 10$ m/s^2).
   (1) Work done by gravity is –25 J
   (2) Work done by friction is –15 J
   (3) Work done by normal is 10 J
   (4) All of these

6. The variation of a position (x) dependent force F acting on a particle is shown in figure. Work done on the particle when it is displaced from $x = 0$ to $x = 10$ m is




   (1) 50 J (2) 100 J
   (3) 25 J (4) 75 J

7. A body falls on a surface of coefficient of restitution 0.6 from a height of 1 m. Then after first collision the body rebounds to a height of
   (1) 0.6 m (2) 0.4 m
   (3) 1 m (4) 0.36 m

8. The velocity of a particle of mass 1 kg is given by $V = 10\sqrt{x}$. The work done by the all force acting on the particle during its motion from $x = 4$ to $x = 9$ m is
(1) 250 J (2) 300 J
(3) 450 J (4) 500 J

9. A 5 kg sphere moving with a velocity of 3 m/s collides with an another sphere of 2 kg moving with 2 m/s as shown. If final kinetic energy of the system is less than initial kinetic energy then the collision is



(1) Inelastic, one-dimensional
(2) Inelastic, two-dimensional
(3) Elastic, one-dimensional
(4) Elastic, two-dimensional


10. A : In inelastic collision, a part of kinetic energy is converted into heat energy, sound energy and light energy etc.
R : The force of interaction in inelastic collision is conservative in nature.
(1) If both Assertion & Reason are true and the reason is the correct explanation of the assertion, then mark **(1)**.
(2) If both Assertion & Reason are true but the reason is not the correct explanation of the assertion, then mark **(2)**.
(3) If Assertion is true statement but Reason is false, then mark **(3)**.
(4) If both Assertion and Reason are false statements, then mark **(4)**.

11. A particle of mass m, strikes the ground with an angle of incidence of 45°. If $e = \frac{1}{\sqrt{2}}$ the magnitude of velocity of reflection is
(1) $\sqrt{3}v$ (2) $\frac{\sqrt{3}}{2}v$
(3) $\frac{v}{2}$ (4) $\frac{v}{\sqrt{3}}$

12. A block of mass 10 kg moving in x direction with a constant speed of 10 ms^{-1}, is subjected to a retarding force $F = 0.1x$ J/m during its travel from $x = 20$ m to 30 m. Its final KE will be
(1) 250 J (2) 475 J
(3) 450 J (4) 275 J

13. A force $\vec{F} = \left(x^2y^2\hat{i} + x^2y^2\hat{j}\right)$ N acts on a particle which moves in x-y plane

The work done by $\vec{F}$ as the particle moves from A to C along path ABC is



(1) $\frac{a^5}{3}$ (2) $\frac{a^5}{5}$
(3) $\frac{3a^5}{5}$ (4) $\frac{2a^5}{3}$


14. An automobile of mass m accelerates from rest. If the engine supplies constant power P, the velocity at time t varies as
(1) $v \propto t$ (2) $v \propto t^2$
(3) $v \propto t^{3/2}$ (4) $v \propto t^{1/2}$

15. A simple pendulum of length 'l' carries a bob of mass m. If the breaking strength of string is $\frac{3}{2}mg$, the maximum angular amplitude from the vertical can be
(1) 60° (2) 30°
(3) $\cos^{-1}\left(\frac{2}{3}\right)$ (4) $\cos^{-1}\left(\frac{3}{4}\right)$

16. Which of the following statement is not true?
(1) Work done by conservative force on an object depends only on the initial and final states and not on the path taken
(2) The change in the potential energy of a system corresponding to conservative internal forces is equal to negative of the work done by these forces
(3) If some of the internal forces within a system are non-conservative, then the mechanical energy of the system is not constant
(4) If the internal forces are conservative, the work done by the internal forces is equal to the change in mechanical energy

17. Two springs, S_1, and S_2 have spring constants 200 N/m and 400 N/m respectively. For same spring force in the springs, the energy stored in the springs are in ratio
(1) 4 : 3 (2) 1 : 6
(3) 2 : 1 (4) 8 : 1

18. Two forces having magnitude 10 N and 2 N act on a disc as shown in the figure. The magnitude of net torque acting on the body shown in the figure about the point O is




(1) 12 N m (2) 30 N m
(3) 18 N m (4) 42 N m

19. During somersault, a swimmer bends his body to
(1) Increase moment of inertia
(2) Decrease moment of inertia
(3) Increase angular momentum
(4) Decrease angular speed

DreamNEET

20. The object shown in figure is constructed by uniform cylindrical rods of same material and equal radius. The position of centre of mass with respect to its origin *O* is



(1) $\left(\frac{19}{28}L, \frac{1}{7}L\right)$ (2) $\left(\frac{25}{28}L, \frac{6}{7}L\right)$

(3) $\left(\frac{25}{28}L, \frac{1}{7}L\right)$ (4) $\left(\frac{25}{29}L, \frac{6}{7}L\right)$

21. Choose the incorrect statement regarding centre of mass.

(1) There may or may not be any mass present physically at the centre of mass

(2) Position of centre of mass depends on the shape of the body

(3) Centre of mass is independent of the co-ordinate system


(4) For symmetrical bodies having homogeneous distribution of mass centre of mass is always at certain distance from geometrical centre.

22. The instantaneous power of a body rotating with angular velocity 30 rad/s, when an external torque of 10 N m is applied on it in the direction of angular velocity, is

(1) 3000 W (2) 300 W

(3) 1500 W (4) 150 W

23. Two block of mass *m* and 3 m connected with a spring having spring constant *k* placed on a smooth horizontal surface of show in figure. If a force *F* is applied on block of mass 3 m, then maximum elongation in the spring will be



(1) $\frac{F}{2K}$ (2) $\frac{F}{4K}$

(3) $\frac{F}{3K}$ (4) $\frac{F}{K}$

24. A uniform metre scale balances at 40 cm mark when weight of 20 g and 40 g are suspended at 10 cm and 20 cm mark respectively. The mass of the metre scale is

(1) 200 g (2) 60 g

(3) 70 g (4) 140 g

25. A particle starts from rest and moves along a circle of radius $\frac{10}{\pi}$ m with constant angular acceleration. If the velocity of the particle is 10 m/s at the end of second revolution, then tangential acceleration of particle is

(1) 1 m/s^2 (2) 1.25 m/s^2


(3) π m/s^2 (4) 2π m/s^2

26. A square frame of mass '*m*' is made of four identical rods with each rod of length '*a*'. Find its moment of inertia about an axis passing through centre of frame and perpendicular to it.

(1) $\frac{ma^2}{2}$ (2) $\frac{ma^2}{3}$

(3) $\frac{ma^2}{4}$ (4) $\frac{ma^2}{6}$

27. The graph between angular velocity versus time for a flywheel is shown. The angle in (rad) through which flywheel turns during 30 s is



(1) 300 (2) 400

(3) 200 (4) 100

28. A force $F = \left(2\hat{i} + 3\hat{j} - \hat{k}\right)$ N is acting at a point $\left(\hat{i} - \hat{j} + 3\hat{k}\right)$ m on a body. The magnitude of torque of force about origin will be

(1) $\sqrt{138}$ N m (2) $\sqrt{129}$ N m

(3) $\sqrt{128}$ N m (4) $\sqrt{140}$ N m

29. A circular disc of moment of inertia *I* is rotating in a horizontal plane about its symmetric axis, with a constant angular speed ω. Another disc of moment of inertia 2*I* is dropped coaxially onto the rotating disc. Initially the second disc has zero angular speed. Eventually both the discs rotate with a constant angular speed together. The energy lost by the system

(1) $\frac{I\omega^2}{3}$ (2) $\frac{2}{3}I\omega^2$

(3) $\frac{1}{2}I\omega^2$ (4) $I\omega^2$

30. A particle of mass 2 kg moving along line $y = 2x + 1$ with speed 20 m/s. Find angular momentum of the particle about origin.

(1) $6\sqrt{5}$ kg m^2 s^{-1} (2) $5\sqrt{5}$ kg m^2 s^{-1}

(3) $8\sqrt{5}$ kg m^2 s^{-1} (4) $4\sqrt{5}$ kg m^2 s^{-1}

31. A bomb at rest explodes. The centre of mass of the system (Just after explosion)

(1) Moves at the certain angle from horizontal direction

(2) Moves in vertically upwards direction

(3) Moves horizontally

(4) Is at rest

32. A ring of radius *R* is first rotated with an angular velocity ω_0 and then carefully placed on a rough horizontal surface. The coefficient of friction between the surface and ring is μ. The time after which its angular speed is reduced to half is

(1) $\frac{\mu\omega_0 R}{2g}$ (2) $\frac{\omega_0 g}{2\mu R}$

(3) $\frac{2\omega_0 R}{\mu g}$ (4) $\frac{\omega_0 R}{2\mu g}$

33. Consider the given statements and choose the correct option (where symbols have their usual meaning).

Statement-I: A rigid body having constant linear momentum, will also have constant angular momentum about an axis.

Statement-II: Linear momentum remains constant, if $\vec{F}_{net} = 0$ and angular momentum remains constant, if $\vec{\tau}_{net} = 0$.

(1) Statement-I is false but statement-II is true

(2) Statement-I is true but statement-II is false

(3) Both statements-I & II are true

(4) Both statements-I & II are false

DreamNEET

34. Consider the following two statements.
(a) Moment of inertia is a vector quantity
(b) Among a set of parallel axes, the moment of inertia is minimum about the axis passing through centre of mass
Which of the following statement is correct?
(1) (a) only (2) (b) only
(3) (a) and (b) both (4) Neither (a) nor (b)

35. Match the following.

Column I	Column II
(A) Perfectly Elastic collision	(P) $e = 0$
(B) Inelastic collision	(Q) $0 < e < 1$
(C) Explosion	(R) $e = 1$
(D) Perfectly inelastic collision	(S) Final K.E > Initial K.E

(1) (A) → P, (B) → Q, (C) → R, (D) → S
(2) (A) → R, (B) → P, (C) → Q, (D) → S
(3) (A) → S, (B) → R, (C) → Q, (D) → P
(4) (A) → R, (B) → Q, (C) → S, (D) → P

36. A body constrained to move in z direction is subjected to a force given by $\vec{F} = \left(3\hat{i} - 10\hat{j} + 5\hat{k}\right)$ N. What is the work done by this force in moving the body through a distance of 5 m along z-axis?
(1) 15 J (2) –15 J
(3) –50 J (4) 25 J

37. The total work done on a particle is equal to the change in its kinetic energy. This is applicable
(1) Always
(2) Only if the conservative forces are acting on it
(3) Only in inertial frames
(4) Only when pseudo forces are absent

38. Under the action of a force, a 2 kg body moves such that its position x as a function of time t is given by $x = \frac{t^2}{3}$, where x is in metre and t in second. The work done by the force in first two seconds is
(1) 1600 J (2) 160 J
(3) 16 J (4) $\frac{16}{9}$ J

39. Potential energy is defined
(1) Only in conservative fields
(2) As the negative of work done by conservative forces
(3) As the negative of work done by external forces when $\Delta K = 0$
(4) All of these

40. From a water fall, water is pouring down at the rate of 100 kg/s, on the blades of a turbine. If the height of the fall is 100 m, the power delivered to the turbine is approximately equal to
(1) 100 kW (2) 10 kW
(3) 1 kW (4) 100 W

41. A shell following a parabolic path explodes somewhere in its flight. The centre of mass of fragments will move in
(1) Vertical direction (2) Any direction
(3) Horizontal direction (4) Same parabolic path

42. A ball of mass m is thrown upward and another ball of same mass is thrown downward so as to move freely under gravity. The magnitude of acceleration of centre of mass is
(1) g (2) $\frac{g}{2}$
(3) $2g$ (4) Zero

43. The moment of inertia of a thin uniform circular disc about one of its diameter is I. Its moment of inertia about an axis tangent to it and perpendicular to its plane is
(1) $\frac{2I}{3}$ (2) $2I$
(3) $\frac{I}{2}$ (4) $6I$

44. A thin circular ring of mass M and radius r is rotating about its axis with a constant angular velocity ω. Two objects, each of mass m are attached gently to the opposite ends of a diameter of the ring. The ring now rotates with an angular velocity
(1) $\frac{\omega M}{m+M}$ (2) $\frac{\omega(M-2m)}{M+2m}$
(3) $\frac{\omega M}{M+2m}$ (4) $\omega\left(\frac{M+2m}{M}\right)$


45. The equilibrium of the rod as shown below is (consider the mass of rod to be negligible)



(1) Only rotational
(2) Only translational
(3) Both rotational and translational
(4) Neither rotational nor translational

CHEMISTRY

46. The formal charge on S in



structure is
(1) 0 (2) + 1
(3) + 2 (4) – 2

47. The species with bond angle 120° is
(1) PCl_3 (2) NCl_3
(3) BCl_3 (4) BrF_3

48. Correct order of bond length in O_2, O_2^+, O_2^- is
(1) $O_2^+ < O_2 < O_2^-$ (2) $O_2^- < O_2 < O_2^+$
(3) $O_2^- < O_2^+ < O_2$ (4) $O_2 < O_2^+ < O_2^-$

49. Correct order of dipole moment is
(1) $CH_4 < NF_3 < NH_3 < H_2O$
(2) $NF_3 < CH_4 < NH_3 < H_2O$
(3) $NH_3 < NF_3 < CH_4 < H_2O$
(4) $H_2O < NH_3 < NF_3 < CH_4$

50. Bond length of H-X is 0.94 Å and observed dipole moment of H-X is 1.8 D, then % of ionic character of H-X is
(1) 21.2% (2) 62.3 %
(3) 39.9% (4) 78.4%

51. The bond order of 'Cl – O' bond in ClO_4^- is
(1) 1.5 (2) 2
(3) 1.75 (4) 1.25


DreamNEET

52. During conversion of O_2 to O_2^-, coming electron will enter in
(1) $\pi 2p_x$ (2) $\sigma 2p_z$
(3) $\pi^* 2p_x$ (4) $\sigma^* 2s$

53. Shape of SF_4 molecule is
(1) Pyramidal (2) Tetrahedral
(3) Square planar (4) See-saw

54. If internuclear axis is z then zero overlap will take place between
(1) p_z and p_z
(2) p_x and p_x
(3) p_x and p_y
(4) p_z and s

55. Number of σ-bonds and π-bonds present in the given molecule respectively are




(1) 16 and 3 (2) 14 and 4
(3) 15 and 3 (4) 15 and 5

56. In which of the following species the central atom is sp^3d^2 hybridised?
(1) XeF_4 (2) SO_3
(3) SO_4^{2-} (4) XeO_3


57. The change in the hybridisation of B as result of the following reaction is
$BF_3 + NH_3 \rightarrow H_3N \rightarrow BF_3$
(1) sp^2 to sp^3 (2) sp^2 to sp
(3) sp to sp^3 (4) sp^3 to sp^2

58. Which of the following are isoelectronic and isostructural?
(1) SO_3, ClO_3^- (2) ClO_3^-, CO_3^{2-}
(3) NO_3^-, CO_3^{2-} (4) CO_3^{2-}, XeO_3

59. Intramolecular hydrogen-bonding is present in
(1) NH_3
(2) CH_3OH
(3)



(4)



60. The heat of combustion of graphite is –440 kJ/mol. The enthalpy of formation of 15.4 g of CO_2 is
(1) +154 kJ (2) –28.57
(3) –154 kJ (4) +28.57

61. Mean bond enthalpy of C–H bond is 416 kJ mol^{-1}. $\Delta_a H°$ for CH_4 is
(1) 416 kJ mol^{-1} (2) –416 kJ mol^{-1}
(3) 1664 kJ mol^{-1} (4) –1664 kJ mol^{-1}

62. 10 mol of an ideal gas expanded irreversibly and isothermally against a pressure of 2 atm from 2 L to 12 L. The work done during the process is
(1) –20 L atm (2) 20 L atm
(3) 2 L atm (4) –2 L atm

63. If the bond energies of H–H, Br–Br and H–Br are a, b and c kJ mol^{-1} respectively then $\Delta H°$ for the reaction $H_2(g) + Br_2(g) \rightarrow 2HBr(g)$ in kJ mol^{-1} will be
(1) a + b –2c (2) 2c – a – b
(3) c – 2a – 2b (4) a + b – 4c


64. Consider the following statements:
(a) If $\Delta_f H° > 0$ and $\Delta_f S° > 0$, then reaction is spontaneous at high temperature.
(b) At equilibrium, $\Delta G = 0$.
(c) Heat capacity and internal energy are extensive properties.
The correct statements are
(1) (a), (b) and (c) (2) (a) and (c) only
(3) (b) and (c) only (4) (a) and (b) only

65. Match reactions in list-I with value of $\Delta H - \Delta U$ at 'T'K in list-II

List-I	List-II
(a) $H_2(g) + I_2(g) \rightarrow 2HI(g)$	(I) $-2RT$
(b) $PCl_5(g) \rightarrow PCl_3(g) + Cl_2(g)$	(II) $-RT$
(c) $N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$	(III) 0
(d) $2H_2(g) + O_2(g) \rightarrow 2H_2O(g)$	(IV) RT

Correct match is
(1) (a) (III), (b) (II), (c) (I), (d) (IV)
(2) (a) (III), (b) (IV), (c) (I), (d) (II)
(3) (a) (I), (b) (II), (c) (III), (d) (IV)
(4) (a) (IV), (b) (III), (c) (II), (d) (I)


66. Which of the following graphs represents adiabatic process?



(1) A (2) B
(3) C (4) D

67. When two moles of ammonia gas are produced through Haber's process at 298 K, 83 kJ energy is released. The bond dissociation enthalpy of nitrogen gas is 946 kJ mol^{-1} and that of hydrogen gas is 435 kJ mol^{-1}. The bond dissociation enthalpy of N–H bond is
(1) 323 kJ mol^{-1} (2) 389 kJ mol^{-1}
(3) 489 kJ mol^{-1} (4) 423 kJ mol^{-1}

Dream

68. 

The correct expression for given cycle is
(1) $\Delta H_1 + \Delta H_2 = \Delta H_3 + \Delta H_4$
(2) $\Delta H_1 + \Delta H_3 = \Delta H_2 + \Delta H_4$
(3) $\Delta H_1 + \Delta H_2 + \Delta H_3 = \Delta H_4$
(4) $\Delta H_1 + \Delta H_4 = \Delta H_2 + \Delta H_3$

69. If 10 J of heat is given to the system at constant pressure and 40 J of work is done by the system, then the change in internal energy is
(1) – 30 J (2) 30 J
(3) – 50 J (4) 50 J

70. For which of the following species, standard molar enthalpy of formation at 298 K will not be zero?
(1) $H_2(g)$ (2) $Cl_2(g)$
(3) $Br_2(g)$ (4) $I_2(s)$

71. Given below are the two statements.
Statement (I): For adiabatic process, q = 0.
Statement (II): For adiabatic process work is done on the expense of change in internal energy.
Choose the correct option from the following
(1) Both statement I and Statement II are correct
(2) Statement I is correct but statement II is incorrect
(3) Statement I is incorrect but statement II is correct
(4) Both statement I and II are incorrect

72. $C(s) + O_2(g) \rightarrow CO_2(g) + X$ kJ
$2CO(g) + O_2(g) \rightarrow 2CO_2(g) + Y$ kJ
The enthalpy of formation of CO is
(1) X – Y (2) 2X – Y
(3) $X - \frac{Y}{2}$ (4) $\frac{Y}{2} - X$

73. For a reaction $\Delta_r H = -40$ kJ mol^{-1} and $\Delta_r S = -80$ J mol^{-1} K^{-1} then equilibrium temperature of reaction will be nearly
(1) 500°C (2) 1000°C
(3) 227°C (4) 727°C

74. The equilibrium constant for a reaction at 27°C is 100. What will be the value of $\Delta G°$?
(1) 1381.8 R (2) –1381.8 R
(3) –600 R (4) 600 R

75. When 6 moles of He gas at 27°C undergoes reversible isothermal expansion from 30 L to 60 L, then work done will be
(1) –4.5 kJ (2) 4.5 kJ
(3) –10.4 kJ (4) 10.3 kJ

76. Consider the following processes:
(a) Temperature of crystalline solid raised from 20 K to 100 K.
(b) A liquid crystallizes into solid
(c) $2CO(g) + O_2(g) \rightarrow 2CO_2(g)$
(d) Boiling of egg
(e) Stretching of rubber
In which of the above processes entropy decreases?
(1) (a) and (d) only (2) (b), (d) and (e) only
(3) (b), (c) and (e) only (4) (b) and (d) only

77. Given below are two statements
Statement I : Reversible process occurs in infinite steps.
Statement II : Irreversible process occurs in finite steps.
In light of above statements, choose the correct option
(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

78. The species having bond order same as that of CN^- are
(a) CO
(b) O_2
(c) H_2
(d) N_2
(1) (a) & (b) only (2) (a) & (d) only
(3) (c) & (d) only (4) (a), (b) & (d) only

79. Which factor(s) favour the formation of Ionic bond?
(A) High ionization enthalpy.
(B) Low negative electron gain enthalpy.
(C) High lattice energy
(1) (A) only (2) (A) and (B) only
(3) (A), (B) and (C) (4) (C) only

80. Given below are the two statements:
Statement I: Octet theory does not account for the shape of the molecules.
Statement II: Octet theory is not applicable to SCl_2 molecule.
In the light of above statements, choose the correct answer from options given below.
(1) Statement I is correct but statement II is incorrect
(2) Statement I is incorrect but statement II is correct
(3) Both statement I and statement II are correct
(4) Both statement I and statement II are incorrect

81. The correct order of C — O bond order among CO, CO_3^{2-}, CO_2 is
(1) $CO < CO_3^{2-} < CO_2$ (2) $CO_3^{2-} < CO_2 < CO$
(3) $CO < CO_2 < CO_3^{2-}$ (4) $CO_2 < CO_3^{2-} < CO$

82. The correct sequence of increasing covalent character is represented by
(1) $LiCl < NaCl < BeCl_2$ (2) $BeCl_2 < LiCl < NaCl$
(3) $NaCl < LiCl < BeCl_2$ (4) $BeCl_2 < NaCl < LiCl$

83. The correct order regarding the electronegativity of hybrid orbitals of carbon is
(1) $sp < sp^2 < sp^3$ (2) $sp^3 < sp < sp^2$
(3) $sp^3 < sp^2 < sp$ (4) $sp^2 < sp^3 < sp$

84. In which of the following molecules all the bonds are not equal?
(1) NF_3 (2) ClF_3
(3) BF_3 (4) PF_3

85. Strongest hydrogen bonding is present in
(1) HF (2) HCl
(3) HBr (4) HI

86. For which of these reactions will there be ΔS positive?
(1) $H_2O(g) \rightarrow H_2O(l)$
(2) $H_2(g) + I_2(g) \rightarrow 2HI(g)$
(3) $CaCO_3(s) \rightarrow CaO(s) + CO_2(g)$
(4) $N_2(g) + 3H_2(g) \rightarrow 2NH_3(g)$

DreamNEET

87. Which of the following is correct?

	ΔH	ΔS	Nature of reaction
(1)	(–)	(+)	Spontaneous only at high temperature
(2)	(+)	(–)	Nonspontaneous regardless of temperature
(3)	(+)	(+)	Spontaneous only at low temperature
(4)	(–)	(–)	Spontaneous at all temperatures

(1) (1) (2) (2)
(3) (3) (4) (4)

88. Consider the following reaction:
$C_{(graphite)} + O_2(g) \rightarrow CO_2(g)$; $\Delta H = -x_1$ cal
$C_{(diamond)} + O_2(g) \rightarrow CO_2(g)$; $\Delta H = -x_2$ cal
What is the heat of transition of graphite into diamond?
(1) $x_1 + x_2$ (2) $x_2 - x_1$
(3) $x_1 - x_2$ (4) $x_1 x_2$

89. In the reactions
$HCl + NaOH \rightarrow NaCl + H_2O + x$ cal.
$H_2SO_4 + 2NaOH \rightarrow Na_2SO_4 + 2H_2O + y$ cal.
(1) $x = y$ (2) $x = 2y$
(3) $x = \frac{y}{2}$ (4) $x = \sqrt{y}$


90. For strong acid strong base neutralisation enthalpy for 1 mole H_2O formation is –57.1 kJ. If 0.25 mole of strong monoprotic acid is reacted with 0.5 mole of strong monohydroxy base then enthalpy of neutralisation is
(1) –(0.25 × 57.1) (2) 0.5 × 57.1
(3) 57.1 (4) –(0.5 × 57.1)

BOTANY

91. Asexual spores are generally present in all of the given classes of fungi, **except**
(1) Phycomycetes (2) Deuteromycetes
(3) Ascomycetes (4) Basidiomycetes

92. Organisms responsible for the formation of diatomaceous earth are
(1) Flagellated and photosynthetic
(2) Planktonic and autotrophic
(3) Marine and chemosynthetic
(4) Multicellular and saprophytic

93.



Select the option that **correctly** depicts the above labels of the given organism.
(1) 'X' represents the cellulosic cell wall consisting of polysaccharide, along with amino acid
(2) 'Y' represents the capsule, which protects the organism from bursting and collapsing
(3) 'Z' represents the genetic material of the organism which is a circular DNA
(4) 'Y' represents the mucilaginous sheath that covers the cell wall of the organism

94. According to R.H. Whittaker's five kingdom classification, organisms with simple body organization but very complex behaviour is placed under the kingdom
(1) Fungi (2) Plantae
(3) Protista (4) Monera

95. Study the four statement (A-D) given below and select the correct statements.
A. Cell wall is absent in euglenoids
B. Euglenoids have a fat rich pellicle
C. Only a few protozoans are heterotrophs
D. Flagellated Protozoans are either free living or parasitic
(1) C & D (2) B & C
(3) A & D (4) B & D

96. Sac fungi differ from imperfect fungi in having
(1) Septate and branched mycelium
(2) Dikaryophase
(3) Chitinous cell wall
(4) Conidia as asexual spores

97. A prokaryotic organism 'X' that completely lack a cell wall and is smallest living cell known, can survive without oxygen. This organism 'X' will most likely to be
(1) *Nostoc* (2) Methanogens
(3) *Mycoplasma* (4) Halophiles

98. Select the **incorrect** one w.r.t. diatoms.
(1) Cell membrane is impregnated with silica
(2) They form diatomaceous earth
(3) They are known as chief producers of oceans
(4) They are included in Chrysophytes

99. The kingdom which has only unicellular eukaryotic organisms does **not** have
(1) Well defined boundaries (2) Flagellated individuals
(3) Spore forming organisms (4) Pathogenic individuals

100. Who showed that viruses could be crystallised?
(1) D.J. Ivanowsky (2) M.W. Beijerinck
(3) W.M. Stanley (4) L. Pasteur

101. According to the five kingdom classification system by R.H. Whittaker in which pair of kingdoms, both autotrophic as well as heterotrophic mode of nutrition is found?
(1) Protista and fungi (2) Fungi and Monera
(3) Animalia and Protista (4) Monera and Protista

102. Infectious agents, that were discovered by T.O. Diener
(1) Are larger than viruses
(2) Have a protein coat
(3) Cause bovine spongiform encephalopathy (BSE)
(4) Are free RNA molecules with low molecular weight

DreamNEET

103. Non-cellulosic cell wall is found
(1) Only in monerans (2) Only in fungi
(3) Monerans and fungi (4) Fungi and plants

104. Archaebacteria found in saline conditions are
(1) Thermoacidophiles (2) Halophiles
(3) Methanogens (4) Cyanobacteria

105. Select the **odd** one w.r.t eukaryotic cells
(1) *Amoeba* (2) *Anabaena*
(3) *Euglena* (4) *Paramoecium*

106. Identify the **incorrect** match for flowers of china rose.
(1) Symmetry – Actinomorphic
(2) Cohesion of stamens – Diadelphous
(3) Placentation – Axile
(4) Aestivation of petals – Twisted

107. The floral formula $\oplus\ \varphi\ K_{2+2}C_4A_{2+4}\underline{G}_{(2)}$ represents
(1) Lily family (2) Mustard family
(3) Pea family (4) Potato family

108. Adventitious root system is found in all of the following plants, **except**
(1) Grasses (2) *Monstera*
(3) Banyan tree (4) Mustard

109. In epigynous flowers, ovary
(1) Is located at the rim of thalamus
(2) Is said to be half inferior
(3) Occupies the highest position
(4) Is enclosed by thalamus and getting fused with it

110. Which of the following show opposite and alternate phyllotaxy respectively?
(1) *Alstonia* and mustard
(2) *Calotropis* and guava
(3) *Calotropis* and China rose
(4) China rose and guava

111. In monocotyledonous seed, what will be the ploidy of the outer covering of endosperms that separates the embryo by a proteinaceous layer
(1) Haploid (2) Diploid
(3) Triploid (4) Tetraploid

112. In garden pea plant, stamens are united to form _____.
(1) One bundle (2) Two bundles
(3) Three bundles (4) Four bundles

113. Persistent calyx are found in members of family
(1) Brassicaceae (2) Solanaceae
(3) Liliaceae (4) Fabaceae

114. Bilateral symmetry is shown by the flowers of
(1) Pea, Gulmohar, Bean, Chilli
(2) Bean, Mustard, *Canna*, *Cassia*
(3) Mustard, *Datura*, Chilli
(4) Pea, *Cassia*, Bean, Gulmohar

115. Four whorls of flower are successively arranged on the
(1) Thalamus (2) Petiole
(3) Corolla (4) Stamens

116. Vexillary aestivation in corolla is present in
(1) Pea (2) Gulmohur
(3) *Cassia* (4) *Calotropis*

117. A single ovule is present in the ovary of
(1) *Dianthus* (2) Tomato
(3) Sunflower (4) Makoi

118. Leaves originate from A and are arranged in a/an B order.
Select the **correct** option for A and B.
(1) **A** – Floral meristem, **B** – Basipetal order
(2) **A** – Shoot apical meristem, **B** – Acropetal order
(3) **A** – Internode, **B** – Basipetal order
(4) **A** – Shoot apical meristem, **B** – Basipetal order

119. Syncarpous gynoecium is/are found in
(a) Mustard
(b) Tomato
(c) Lotus
(d) Rose
(1) Only (c) (2) Only (a) and (b)
(3) Only (c) and (d) (4) Only (a), (b) and (d)

120. In silk cotton,
(1) Axillary bud is present in the axil of all leaflets
(2) The leaf blade is not broken into distinct leaflets and the incisions do not reach the midrib
(3) The midrib forms a common axis called rachis and a number of leaflets are present on rachis
(4) The tip of petiole bears all the leaflets in the form of a bunch or a cluster

121. Read the following features.
A. The gynoecium occupies the highest position.
B. Ovary is one chambered but it becomes two chambered due to the formation of false septum.
Above given features are **correct** for
(1) Mustard (2) China rose
(3) Brinjal (4) Sunflower

122. The potato family, that is widely distributed in tropics, subtropics and even temperate zones, generally exhibits which of the below given characteristics?
(1) Majority of the members show presence of two lateral small leaf like structures at leaf base
(2) Bicarpellary, apocarpous, bilocular ovary with swollen placenta
(3) Calyx and corolla show same type of aestivation
(4) Non-endospermous seeds and capsule fruits are produced by the members

123. Match List I with List II

List I		List II
a. Epicotyl	(i)	Scar on the seed coat
b. Hypocotyl	(ii)	It has shoot apex and a few leaf primordia
c. Endosperm	(iii)	Terminates at its lower end in the radicle
d. Hilum	(iv)	Not found in the mature seeds of orchids

Choose the option with all **correct** matches.
(1) a(iv), b(iii), c(i), d(ii) (2) a(ii), b(iv), c(iii), d(i)
(3) a(ii), b(iii), c(iv), d(i) (4) a(iv), b(iii), c(ii), d(i)

124. In castor A is present which is formed by B.
Fill the blanks with **correct** words for A and B.
(1) **A** – Endosperm, **B**– Syngamy
(2) **A** – Embryo, **B**–Triple fusion
(3) **A** – Endosperm, **B**–Triple fusion
(4) **A** – Embryo sac, **B**–Syngamy

125. In seed, perisperm is
(1) Modified integument
(2) Consumed nucellus after fertilization
(3) Persistent nucellus
(4) Modified endosperm

Dream

126. Match the category of bacteria with the shapes shown by the figure and select the correct option.


Column I Column I

a. Coccus (i)

b. Bacillus (ii)

c. Vibrium (iii)

d. Spirillum (iv)



(1) a(iv), b(iii), c(i), d(ii) (2) a(iv), b(i), c(iii), d(ii)
(3) a(ii), b(i), c(iii), d(iv) (4) a(ii), b(iii), c(iv), d(i)

127. Which is **correct** w.r.t. lichens?
(1) Mycobiont is autotrophic component
(2) Phycobiont is heterotrophic component
(3) They are good pollution indicators
(4) They do not grow in non-polluted areas

128. Heterocysts present in *Anabaena* is specialised for
(1) Nitrogen fixation (2) Food storage
(3) Fission (4) Sexual reproduction

129. Mark the **incorrect** one about slime moulds.
(1) Are saprophytic protists.
(2) Form plasmodium under suitable conditions
(3) Spores possess true walls.
(4) Spores are dispersed by water currents.

130. Which of the following are sexual spores of fungi?
(1) Aplanospores (2) Zoospores
(3) Ascospores (4) Conidia

131. All given statements w.r.t. cymose inflorescence are correct, *except*
(1) Centrifugal opening pattern of flowers
(2) Unlimited growth of axis
(3) Main axis terminates in a flower
(4) Basipetal arrangement of flowers

132. Read the following statements of **Assertion (A)** and **Reason (R)** and select the correct answer from the options.
Assertion (A): White spots seen on mustard leaves are due to a parasitic fungus.
Reason (R): Most fungi are heterotrophic and absorb soluble organic matter from dead substrates.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A)
(2) Both (A) and (R) are true and (R) is not the correct explanation of (A)
(3) (A) is true but (R) is false
(4) Both (A) and (R) are false

133. Find **odd** one w.r.t. zygomorphic flower.
(1) Mustard (2) Pea
(3) Gulmohur (4) Bean

134. Select the **correct** statement w.r.t. mango and coconut.
(1) They develop from monocarpellary superior ovaries
(2) They develop from monocarpellary inferior ovaries
(3) They have fibrous epicarp
(4) They have fleshy edible mesocarp

135. Mark the following statements as true (T) or false (F) and select the **correct** option.
A. In Salvia, filaments of stamens in a flower are of variable lengths.
B. Epiphyllous stamens are found in the flowers of tomato.
C. A sterile stamen is called staminode.

	A	B	C
(1)	T	F	F
(2)	T	T	F
(3)	T	F	T
(4)	F	T	F

(1) (1) (2) (2)
(3) (3) (4) (4)

Exam/NEET

ZOOLOGY

136. Which of the following waves in ECG represents the initiation of ventricular depolarisation?
(1) P-wave (2) S-wave
(3) T-wave (4) Q-wave

137. Which of the following is **correct** w.r.t. the second heart sound during a cardiac cycle?
(1) It is associated with the closure of semilunar valves at the beginning of ventricular systole
(2) It is produced after an interval of 0.8 seconds from the first heart sound.
(3) It is lower pitched and cannot be easily heard through a stethoscope
(4) It is associated with the closure of semilunar valves at the beginning of ventricular diastole

138. The duration of atrial diastole in a normal cardiac cycle is
(1) 0.7 s (2) 0.1 s
(3) 0.4 s (4) 0.3 s

139. Which of the following is **incorrect** regarding blood vessels?
(1) Tunica intima consists of endothelium
(2) Tunica media consists of smooth muscles and chiefly collagen fibres
(3) Tunica externa is outermost layer of arteries and veins but is absent in capillaries
(4) Tunica media is comparatively thinner in veins than in arteries

140. Narrowing of lumen of arteries caused due to deposition of calcium, fat, cholesterol and fibrous tissue that affects blood supply to the myocardium of heart is called
(1) Angina (2) Atherosclerosis
(3) Heart failure (4) Cardiac arrest

141. At the end of ventricular diastole
(1) Both semilunar and AV valves are closed
(2) Both semilunar and AV valves are open
(3) Semilunar valves are open and AV valves are closed
(4) Semilunar valves are closed and AV valves are open.

142. Read the following statements carefully and choose the option that fills the blanks **correctly**

Statement A : P is a unique vascular connection that exists between the digestive tract and liver.

Statement B : A special Q is present in our body exclusively for circulation of blood to and from the cardiac musculature.

	P	Q
(1)	Coronary system	Systemic circulatory system
(2)	Renal portal system	Pulmonary circulation
(3)	Hepatic portal system	Coronary system
(4)	Splanchnic system	Hypophyseal portal system

(1) (1) (2) (2)
(3) (3) (4) (4)

143. During a cardiac cycle, about ___A___ % of ventricular filling occurs prior to atrial contraction and ___B___ % of ventricular filling occurs due to atrial contraction.
Choose the option that fills the blanks **correctly.**

	A	B
(1)	50	50
(2)	70	30
(3)	30	70
(4)	10	90

(1) (1) (2) (2)
(3) (3) (4) (4)

144. If the cardiac output of a person is about 6.3 litres/minute and his stroke volume is 70 mL, then heart rate of the person will be
(1) 100/minute (2) 90/minute
(3) 80/minute (4) 70/minute

145. Select the absolute period between the closure of atrioventricular valve and semilunar valve.
(1) 0.1 s (2) 0.5 s
(3) 0.4 s (4) 0.3 s

146. 'A' and 'B' represents the structures found in renal medulla and renal cortex of the kidney respectively. Identify A and B and choose the correct option.

	A	B
(1)	Bowman's capsule	Vasa recta
(2)	Loop of Henle	DCT
(3)	PCT	Collecting duct
(4)	DCT	Malpighian corpuscle

(1) (1) (2) (2)
(3) (3) (4) (4)

147. Match column I and column II and choose the **correct** option.

Column I	Column II
a. Protonephridia	(i) Cockroach
b. Nephridia	(ii) Earthworms
c. Green glands	(iii) Prawns
d. Malpighian tubules	(iv) Flatworms

(1) a(i), b(iii), c(ii), d(iv) (2) a(ii), b(i), c(iv), d(iii)
(3) a(iv), b(iii), c(ii), d(i) (4) a(iv), b(ii), c(iii), d(i)

148. Choose the structure which is not a part of the glomerular filtration membrane of humans.
(1) Fenestrated endothelium of glomerular capillaries
(2) Basement membrane
(3) Podocyte foot processes
(4) Outer layer of Bowman's capsule

149. Choose the **correct** statement w.r.t the human kidneys.
(1) Collecting ducts in a kidney converge and open into medullary pyramids through calyces.
(2) Thick segment of ascending limb of loop of Henle is almost situated in the renal cortex.
(3) They have built-in mechanism for the regulation of glomerular filtration rate.
(4) JGA is a special sensitive region formed by the cellular modifications only in the distal convoluted tubules and efferent arteriole.

150. ADH is released by posterior pituitary gland when there is
(1) Fall in the osmolarity of blood in the body
(2) Increase in blood volume in the body
(3) Excessive loss of fluid from the body
(4) An increase in GFR

151. In a healthy adult man under normal conditions, the volume of blood filtered by the each kidney per minute is about
(1) 1100 – 1200 mL (2) 550 – 600 mL
(3) 5500 – 6000 mL (4) 2200 – 2400 mL

152. In humans, the ascending limb of loop of Henle is _____ to water but allows transport of electrolytes _____.
Select the correct option to fill in the respective blanks.
(1) Impermeable, actively or passively
(2) Impermeable, only actively
(3) Permeable, only passively
(4) Permeable, only actively

153. In humans, sebaceous glands through sebum majorly eliminate
(1) Lactic acid (2) Waxes
(3) Bilirubin (4) Urea

154. Complete the analogy by selecting the **correct** option.
Uremia : Accumulation of urea in blood :: Glycosuria : _____.
(1) Accumulation of glucose in liver
(2) Presence of glucose in urine
(3) Absence of glucose in urine
(4) Absence of glucose in blood

155. In a normal healthy adult human, quantity of which of the following components of blood remains almost unchanged even after circulating through kidney?
(1) Urea and uric acid (2) Urea and proteins
(3) Urea and glucose (4) Glucose and proteins

156. In *Paramoecium*, cilia help in
(1) Movement of tentacles
(2) Streaming of protoplasm
(3) Movement of food through cytopharynx
(4) Capturing of prey but not in locomotion

157. Muscle bundles of organised skeletal muscle are held together by a common collagenous connective tissue layer called
(1) Myofibrils (2) Fascicles
(3) Fascia (4) Myofilaments

158. **Assertion (A) :** All locomotions are movements but all movements are not locomotions.
Reason (R) : Locomotion results in change of place or location for food, shelter, mate or to escape from predators where as movement may or may not include change of place.
In the light of above statements, select the **correct** option.
(1) Both Assertion and Reason are true and Reason is the correct explanation of the Assertion.
(2) Both Assertion and Reason are true but Reason is not the correct explanation of the Assertion.
(3) Assertion is true statement but Reason is false.
(4) Both Assertion and Reason are false statements,.

DreamNEET

159. In human beings, the movement of limbs, jaws and tongue occurs due to
(1) Contraction and relaxation of muscles
(2) Contraction and relaxation of flagella
(3) Contraction and relaxation of cilia
(4) Contraction and relaxation of pseudopodia

160. Select the **incorrect** statement.
(1) In the centre of each I band is an elastic fibre called Z line which bisects it.
(2) The thick filaments in the 'A' band are held together by a thin fibrous membrane called M line.
(3) The central part of thick filament, overlapped by thin filaments is called the H-zone.
(4) Actin and myosin are polymerised proteins

161. All the ribs are attached to
(1) Sternum (2) Vertebral column
(3) Clavicle (4) Ilium

162. According to the sliding filament theory:
(1) The actin filaments slide away from A-band resulting in shortening of sarcomere.
(2) Actin and myosin filaments slide over each other to increase the length of the sarcomere.
(3) Length of A-band does not change
(4) I-band increases in length.

163. Which of the following pairs of ribs do **not** articulate ventrally to sternum, but join the 7th rib with the help of hyaline cartilage?
(1) 1st to 5th (2) 8th, 9th and 10th
(3) 11th and 12th (4) 10th and 12th

164. In a resting state of muscle, the edges of X on either side of Y partially overlap the free ends of Y leaving the central part of the Y, that is not overlapped by X and is called Z.
Choose the option that **correctly** identifies X, Y and Z.

	X	Y	Z
(1)	Thick filament	Thin filament	'H' zone
(2)	Thick filament	Thin filament	'A' Band
(3)	Thin filament	Thick filament	'H' Zone
(4)	Thin filament	Thick filament	'Z' line

(1) (1) (2) (2)
(3) (3) (4) (4)

165. Red muscle fibres differ from white muscle fibres w.r.t.
(1) Presence of myoglobin
(2) Absence of sarcoplasmic reticulum
(3) Having plenty of mitochondria
(4) Being dependent on anaerobic process for energy

166. Pubic symphysis is a type of
(1) Fibrous joint (2) Pivot joint
(3) Saddle joint (4) Cartilaginous joint

167. Arrange the different vertebrae in sequential order starting from neck and select the correct option.
(1) Cervical – Lumbar – Thoracic – Sacral – Coccygeal
(2) Cervical – Thoracic – Sacral – Lumbar – Coccygeal
(3) Cervical – Sacral – Thoracic – Lumbar – Coccygeal
(4) Cervical – Thoracic – Lumbar – Sacral – Coccygeal

168. 'The joint between adjacent vertebrae usually allow limited movement'. The joint between which of the following adjacent vertebrae is an exception to this fact?
(1) Last cervical and first thoracic vertebrae
(2) Last thoracic and first lumbar vertebrae
(3) First and second lumbar vertebrae
(4) First and second cervical vertebrae

169. In human body, which one of the following is anatomically **correct**?
(1) The facial region is made up of 14 skeletal elements
(2) A single S-shaped hyoid bone is present at the base of the buccal cavity
(3) Two occipital condyles are present in first vertebra
(4) Ribs are connected to the sternum with the help of white fibrocartilage

170. Acromion process articulates with the
(1) Head of femur (2) Head of humerus
(3) Collar bone (4) Sternum

171. Read the following statements and choose the **correct** option.
Statement A: Terrestrial adaptation necessitated the production of lesser toxic nitrogenous wastes like urea and uric acid for conservation of water.
Statement B: Ammonia is the least toxic form and requires large amounts of water for its elimination.
(1) Only statement A is correct
(2) Both statements A and B are correct
(3) Both statements A and B are incorrect
(4) Only statement B is correct

172. Filtrate in nephron is called urine in segment labelled



(1) A (2) B
(3) C (4) D

173. **Assertion (A):** The functioning of the kidneys is efficiently monitored and regulated by hormonal feedback mechanisms involving the hypothalamus, JGA and heart.
Reason (R): Hypothalamus, JGA and heart secrete renin, aldosterone and ANF, respectively, which contribute to efficient functioning of kidneys.
In the light of above statements,select the **correct** option.
(1) Both (A) and (R) are true and (R) is the correct explanation of (A).
(2) Both (A) and (R) are true but (R) is not the correct explanation of (A).
(3) (A) is true, but (R) is false.
(4) (A) is false, but (R) is true.

174. Select the incorrect statement w.r.t. cortical nephrons.
(1) Loop of Henle is short and extends very little into the medulla
(2) They are the most abundant type of nephrons in kidneys
(3) Vasa recta is well developed in cortical nephrons
(4) Malpighian corpuscle, PCT and DCT of these nephrons are situated in outer cortex

175. Which of the following animals are not uricotelic?
(1) Reptiles and birds
(2) Birds and land snails
(3) Land snails and terrestrial insects
(4) Aquatic insects and marine fishes

176. The muscle is a specialised tissue which originates from
(1) Endoderm (2) Ectoderm
(3) Yolk sac (4) Mesoderm

177. Match the following w.r.t. number of bones in a limb of an adult man.

Column I	Column II
a. Tarsal	(i) 14
b. Phalanges	(ii) 1
c. Meta tarsal	(iii) 7
d. Femur	(iv) 5

Choose the **correct** option
(1) a(iii), b(i), c(iv), d(ii) (2) a(i), b(ii), c(iii), d(iv)
(3) a(ii), b(iii), c(iv), d(i) (4) a(iv), b(i), c(iii), d(ii)

178. Which of the following is a genetic disorder ?
(1) Muscular dystrophy (2) Osteoporosis
(3) Arthrisis (4) Gout

179. Type of joint where flat skull bones fuse end to end with the help of dense fibrous connective tissue is called
(1) Synovial joint (2) Cartilaginous joint
(3) Gliding joint (4) Fibrous joint

180. Sliding filament model of muscle contraction suggests that, the polymerised molecules that move to shorten a muscle are those of
(1) Troponin (2) Collagen
(3) Actin (4) Myosin

DreamNEET

10/10/2026

CODE-E

Aakash

Medical|IIT-JEE|Foundations

Corporate Office: AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

TERM EXAM FOR NEET-2028 (XI STUDYING) PH-2

MM: 720 **TE - 03** **Time: 180 Mins.**

Answers

1.	(4)	37.	(1)	73.	(3)	109.	(4)	145.	(4)
2.	(4)	38.	(4)	74.	(2)	110.	(3)	146.	(2)
3.	(2)	39.	(1)	75.	(3)	111.	(3)	147.	(4)
4.	(2)	40.	(1)	76.	(3)	112.	(2)	148.	(4)
5.	(1)	41.	(4)	77.	(3)	113.	(2)	149.	(3)
6.	(3)	42.	(1)	78.	(2)	114.	(4)	150.	(3)
7.	(4)	43.	(4)	79.	(4)	115.	(1)	151.	(2)
8.	(1)	44.	(3)	80.	(1)	116.	(1)	152.	(1)
9.	(2)	45.	(2)	81.	(2)	117.	(3)	153.	(2)
10.	(3)	46.	(1)	82.	(3)	118.	(2)	154.	(2)
11.	(2)	47.	(3)	83.	(3)	119.	(2)	155.	(4)
12.	(2)	48.	(1)	84.	(2)	120.	(4)	156.	(3)
13.	(1)	49.	(1)	85.	(1)	121.	(1)	157.	(3)
14.	(4)	50.	(3)	86.	(3)	122.	(3)	158.	(1)
15.	(4)	51.	(3)	87.	(2)	123.	(3)	159.	(1)
16.	(4)	52.	(3)	88.	(2)	124.	(3)	160.	(3)
17.	(3)	53.	(4)	89.	(3)	125.	(3)	161.	(2)
18.	(2)	54.	(3)	90.	(1)	126.	(1)	162.	(3)
19.	(2)	55.	(2)	91.	(4)	127.	(3)	163.	(2)
20.	(3)	56.	(1)	92.	(2)	128.	(1)	164.	(3)
21.	(4)	57.	(1)	93.	(3)	129.	(4)	165.	(3)
22.	(2)	58.	(3)	94.	(4)	130.	(3)	166.	(4)
23.	(1)	59.	(4)	95.	(3)	131.	(2)	167.	(4)
24.	(4)	60.	(3)	96.	(2)	132.	(2)	168.	(4)
25.	(2)	61.	(3)	97.	(3)	133.	(1)	169.	(1)
26.	(2)	62.	(1)	98.	(1)	134.	(1)	170.	(3)
27.	(2)	63.	(1)	99.	(1)	135.	(3)	171.	(1)
28.	(1)	64.	(1)	100.	(3)	136.	(4)	172.	(4)
29.	(1)	65.	(2)	101.	(4)	137.	(4)	173.	(3)
30.	(3)	66.	(3)	102.	(4)	138.	(1)	174.	(3)
31.	(4)	67.	(2)	103.	(3)	139.	(2)	175.	(4)
32.	(4)	68.	(1)	104.	(2)	140.	(2)	176.	(4)
33.	(1)	69.	(1)	105.	(2)	141.	(4)	177.	(1)
34.	(2)	70.	(3)	106.	(2)	142.	(3)	178.	(1)
35.	(4)	71.	(1)	107.	(2)	143.	(2)	179.	(4)
36.	(4)	72.	(4)	108.	(4)	144.	(2)	180.	(3)

DreamNEET