07/10/2026

Code-G_(Phase-3)

Aakash

Medical|IIT-JEE|Foundations

Corporate Office : AESL, 3rd Floor, Incuspaze Campus-2, Plot No. 13, Sector-18, Udyog Vihar, Gurugram, Haryana - 122015; *Ph.*+91-1244168300

MM : 720

Term Test for NEET-2028 (XI-Studying_P3)_JE2G

Time : 180 Min.

Topics Covered:
Physics : Motion in a Plane, Laws of Motion
Chemistry : Structure of Atom, Classification of Elements and Periodicity in Properties
Botany : The Living World, Biological Classification
Zoology : Breathing & Exchange of Gases, Body Fluids & Circulation

General Instructions :
Duration of Test is 3 hrs.
The Test consists of 180 questions. The maximum marks are 720.
There are four parts in the question paper consisting of Physics, Chemistry, Botany and Zoology having 45 questions in each part of equal weightage.
Each question carries +4 marks. For every wrong response, –1 mark shall be deducted from the total score. Unanswered/unattempted questions will be given no marks.
Use blue/black ballpoint pen only to darken the appropriate circle.
Mark should be dark and completely fill the circle.
Dark only one circle for each entry.
Dark the circle in the space provided only.
Rough work must not be done on the Answer sheet and do not use white fluid or any other rubbing material on the Answer sheet.

Dream NEET

PHYSICS


1. Which of the following quantities is a vector?
(1) Mass of proton
(2) Energy of thermal neutron
(3) Velocity
(4) Volume

2. The resultant of two forces acting at an angle of 150° is 10 kgwt, and is perpendicular to one of the forces. The magnitude of smaller force is
(1) 20 kgwt (2) 10 kgwt
(3) $20\sqrt{3}$ kgwt (4) $10\sqrt{3}$kgwt

3. Given below are two statements: one is labelled as assertion (A) and the other is labelled as reason (R)
Assertion (A): A vector $(\hat{i}+\hat{j})$ is a unit vector.
Reason (R): $|\hat{i}+\hat{j}|=1$
In the light of the above statements, choose the correct answer from the options given below.
(1) Both (A) and (R) are true and the (R) is the correct explanation of the (A)
(2) Both (A) and (R) are true but the (R) is not the correct explanation of the (A)
(3) (A) is true statement but (R) is false
(4) Both (A) and (R) are false statements

4. A particle moves from a point having position vector $(2\hat{i})m$ to another point having position vector $(3\hat{j})$m. The magnitude of displacement of particle is
(1) 13 m (2) 14 m
(3) 15 m (4) $\sqrt{13}m$

5. Six vectors $\vec{a}$ through $\vec{f}$ have the directions as shown in figure. Which statement may be true?





(1) $\vec{b}+\vec{d}=\vec{f}$ (2) $\vec{d}+\vec{c}=\vec{f}$
(3) $\vec{a}+\vec{e}=\vec{f}$ (4) $\vec{b}+\vec{e}=\vec{f}$


6. The equation of trajectory of an oblique projectile is $y=\sqrt{3}x-\frac{gx^2}{2}$. The angle of projection is
(1) 30° (2) 45°
(3) 60° (4) 15°


7. If two vectors are $\vec{A}=2\hat{i}+p\hat{j}+q\hat{k}$, $\vec{B}=4\hat{i}+8\hat{j}+16\hat{k}$ and $\vec{A}\|\vec{B}$, then the values of p and q respectively are
(1) 4 and 8 (2) 16 and 32
(3) 8 and 4 (4) 1 and 4

8. Which of the following velocity-time graphs represent uniform motion?

(1) 


(2) 

(3) 

(4) 

9. A shell fired at an angle of 15° to the horizontal hits the ground 3 km away. At what angle it should be projected so that it can hit a target 8 km away?
(1) 30° (2) 60°
(3) 45° (4) Can't hit the target

10. A particle starting from rest undergoes a linear motion with acceleration a. The variation of a with time is shown in figure. The final velocity attained by the particle is



(1) 30 m/s (2) 15 m/s
(3) 10 m/s (4) 25 m/s

11. A : If $\left|\frac{d\vec{v}}{dt}\right| = 0$, then $\frac{d|\vec{v}|}{dt}$ must be zero.
R : If $\left|\frac{d\vec{v}}{dt}\right| \neq 0$, then $\frac{d|\vec{v}|}{dt}$ may be zero.
(1) Both Assertion & Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion & Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements

12. A particle has initial velocity $2\hat{i}+3\hat{j}$ and acceleration $\left(\hat{i}+\hat{j}\right)$. The magnitude of velocity after 10 s will be
(1) $\sqrt{313}$ units (2) $\sqrt{300}$ units
(3) $\sqrt{169}$ units (4) $\sqrt{144}$ units

13. For ground-to-ground projectile, kinetic energy of the projectile is maximum
(1) At the highest point of trajectory
(2) At the point of projection
(3) At the point of strike on the ground
(4) Both (2) and (3)

14. A man crosses a river of width 400 m flowing at 40 m/s in minimum time. If velocity of man in still water is 50 m/s, then net displacement of man while he reaches the opposite bank of the river will be
(1) 80 m (2) $8\sqrt{4}\,m$
(3) $80\sqrt{41}\,m$ (4) $10\sqrt{41}\,m$

15. Rain is falling in vertically downward direction with speed $10\sqrt{3}$ km/h. If wind is blowing in eastward direction with speed 10 km/h, then the velocity of rain observed by a person standing on the ground is
(1) 20 km/h (2) 10 km/h
(3) $10\sqrt{3}$ km/h (4) $10\left(\sqrt{3}-1\right)$ km/h


16. Angle swept by a particle in a circular path is given by $\theta = (4t^2 + 3t - 2)$ rad, where t is time in seconds. Angular speed of the particle at $t = 2$ s will be
(1) 24 rad/s (2) 7 rad/s
(3) 19 rad/s (4) 12 rad/s

17. A particle starts moving along a circle of radius $\left(\frac{40}{\pi}\right)$ m with a constant tangential acceleration. If the velocity of the particle is 120 m/s at the end of the second revolution after the motion has begun, the tangential acceleration is
(1) 40 m/s^2 (2) 35 m/s^2
(3) 45 m/s^2 (4) 50 m/s^2

DreamNEET

18. Newton's first law is applicable
(1) In all reference frames
(2) Only in inertial reference frames
(3) Only in non-inertial reference frames
(4) None of these

19. The net contact force between surface and mass in the given figure is ($g = 10\ m/s^2$)



(1) 20 N (2) $20\sqrt{2}$ N
(3) 30 N (4) Zero


20. A man fires a bullet of mass 200 g at speed of 500 ms^{-1}. The gun is of mass 10 kg. By what velocity does the gun recoil?
(1) 6 ms^{-1} (2) 10 ms^{-1}
(3) 20 ms^{-1} (4) 100 ms^{-1}

21. The net external force on a body is zero, then according to Newton's second law
(1) The body must remain at rest
(2) The body must have non-zero acceleration
(3) The body may move with uniform velocity or at rest
(4) The momentum of the body must be zero

22. The momentum P (in kg m/s) of a particle is varying with time as $P = 3 + 3t^2$. The force acting on the particle at $t = 3$ s will be
(1) 18 N (2) 9 N
(3) 21 N (4) 30 N


23. The kinetic energy acquired by a mass (m) in travelling a given distance starting from rest under the action of constant force is directly proportional to
(1) $\frac{1}{\sqrt{m}}$ (2) $\frac{1}{m}$
(3) $\sqrt{m}$ (4) m^0

24. A 5 kg block is resting on a frictionless plane. It is struck by a jet, releasing water at the rate of 3 kg/s and emerging with a speed of 4 m/s. The initial acceleration of block is




(1) 1.2 m/s^2 (2) 0.5 m/s^2
(3) 2.4 m/s^2 (4) 3.6 m/s^2

25. The force acting on a particle of mass 5 kg at $t = 4$ s for the following v–t graph is



(1) 5 N (2) Zero
(3) 20 N (4) 15 N

26. A body of mass 10 kg is suspended by a spring balance on an inclined plane as shown. The reading of spring balance will be equal to (Take $g = 10\ m/s^2$)




(1) 25 N (2) $50\sqrt{3}$ N
(3) 50 N (4) 30 N

27. Consider the following statements
Statement-A: If a body is acted upon by a single external force, it cannot be in equilibrium.
Statement-B: If a body is in translational equilibrium under the action of only two external forces, the forces must be equal and opposite.
Statement-C: If a body is in equilibrium under the action of three forces, then they may not be coplanar.
Choose the correct option.
(1) Only statement A is correct
(2) All A, B and C are correct
(3) Both A and C are correct
(4) Both A and B are correct

28. The coefficient of static friction between a block and an inclined plane is $\sqrt{3}$. The angle of repose is
(1) 30° (2) 60°
(3) 45° (4) 53°

29. Which of the following is correct regarding the reading of a weighing machine?
(1) It always shows the actual weight of the object placed on it
(2) It may sometimes show the actual weight of the object
(3) It always shows the normal contact force between the object and the machine
(4) Both statements (2) and (3) are correct


30. Two blocks of masses M_1 and M_2 are connected by a string passing over a light pulley as shown. Assuming all the surfaces to be smooth, the downward acceleration of mass M_2 is



(1) $\frac{M_1 g}{M_1 + M_2}$ (2) $\frac{M_2 g}{M_1 + M_2}$
(3) $\frac{M_1 g}{M_2 - M_1}$ (4) $\frac{M_2 g}{M_2 - M_1}$

DreamNEET

31. Two blocks A and B of masses 4 kg and 12 kg are placed on a smooth horizontal surface. A force of magnitude 80 N is applied on A as shown in the figure. The contact force between A and B is




(1) 90 N (2) 25 N
(3) 30 N (4) 60 N

32. The banking angle of a road to move a vehicle with speed of 36 km/h at a radius of 10 m is (Take $g = 10\ m/s^2$)
(1) 20° (2) 30°
(3) 45° (4) 63.4°

33. Which of the following statements is correct?
(1) The centripetal force must be acting on the particle moving in circular path
(2) If no tangential component of the force is acting on particle moving in circular path, then speed is changing
(3) If tangential component of force is acting on particle moving in circular path, the speed of particle changes
(4) Both (1) and (3)

34. A body of mass m rests on horizontal surface. The coefficient of friction between the body and the surface is μ. If the mass is pulled by a force P as shown in the figure, the limiting friction between body and surface will be



(1) μmg
(2) $\mu\left(mg-\frac{\sqrt{3}}{2}P\right)$
(3) $\mu\left(mg+\frac{P}{2}\right)$
(4) $\mu\left(mg-\frac{P}{2}\right)$


35. Match the following

Physical quantity		Dimensional formulae	
(A)	Force	(P)	$[M^0L^0T^0]$
(B)	Centripetal acceleration	(Q)	$[MLT^{-1}]$
(C)	Momentum	(R)	$[M^0LT^{-2}]$
(D)	Cofficient of friction	(S)	$[MLT^{-2}]$

(1) A–S, B–R, C–Q, D–P (2) A–P, B–R, C–Q, D–S
(3) A–S, B–Q, C–R, D–P (4) A–P, B–Q, C–R, D–S

36. Which one of the following pair cannot be the rectangular component of force vector of 10 N?
(1) 6 N & 8 N (2) 7 N & $\sqrt{51}$ N
(3) $6\sqrt{2}$ N & $2\sqrt{7}$ N (4) 9 N & 1 N

37. In the graph shown in figure, which quantity associated with projectile motion is plotted along y-axis?



(1) Kinetic energy (2) Momentum
(3) Horizontal velocity (4) Speed of projectile


38. Two objects are thrown up at angles of 45° and 60° respectively, with the horizontal. If both objects attain same vertical height, then the ratio of magnitude of velocities with which these are projected is
(1) $\sqrt{\frac{5}{3}}$ (2) $\sqrt{\frac{3}{5}}$
(3) $\sqrt{\frac{2}{3}}$ (4) $\sqrt{\frac{3}{2}}$

39. The ratio of angular speeds of minute hand and hour hand of a watch is
(1) 6 : 1 (2) 12 : 1
(3) 60 : 1 (4) 1 : 60

40. If speed of an object revolving in a circular path is doubled and angular speed is reduced to half of original value, then centripetal acceleration will become/remain
(1) Same (2) Double
(3) Half (4) Quadruple


41. In uniform circular motion
(1) Acceleration of the particle changes continuously
(2) Acceleration of the particle remains constant
(3) Velocity of the particle remains constant
(4) Speed of the particle changes continuously

42. The ratio of tension T_1 and T_2 is (strings are massless)



(1) 7 : 2 (2) 7 : 5
(3) 5 : 2 (4) 2 : 7

43. A vehicle is moving on a track with constant speed, as shown in figure. Apparent weight of vehicle is



(1) Maximum at A (2) Maximum at B
(3) Maximum at C (4) Same A, B and C

Dream NEET

44. If a block moving in gravity-free space region breaks into two parts, then
(1) The total linear momentum of system must remain conserved.
(2) The total kinetic energy of system must be conserved.
(3) The total linear momentum of system must change.
(4) The linear momentum of individual parts must remain conserved.

45. Select correct statement regarding pseudo force
(1) It is electromagnetic in origin
(2) Newton's 3rd law is applicable for it
(3) It is a fundamental force
(4) It is used to make Newton's 2nd law applicable in non-inertial frame

CHEMISTRY

46. Which of the following has maximum nucleons?
(1) Deuterium (2) Tritium
(3) Helium (4) Protium

47. ${}_1^1H$ and ${}_1^3T$ are
(1) Isobars (2) Isotones
(3) Isosters (4) Isotopes

48. Neutron was discovered by bombarding a thin sheet of metal by α-particles. The metal used was
(1) Sodium (2) Silver
(3) Gold (4) Beryllium

49. Rutherford's experiment, which established the nuclear model of the atom, used a beam of
(1) Helium atoms, which impinged on a metal foil and got scattered
(2) β-particles, which impinged on a metal foil and got absorbed
(3) γ-rays which impinged on a metal foil and ejected electrons
(4) Helium nuclei, which impinged on a metal foil and got scattered

50. Which of the following species are isoelectronic?
(a) CH_3^+
(b) H_3O^+
(c) NH_3
(d) H_2O
Choose the correct option.
(1) (a) and (c) only (2) (c) and (d) only
(3) (a) and (b) only (4) (b), (c) and (d) only

51. If electromagnetic radiation of wavelength 100 nm falls on the surface of a metal then electrons from metal surface are emitted with kinetic energy of 6.25×10^5 J mol^{-1}. The minimum energy needed to remove one mole electrons from the metal surface is
(1) 5.7×10^5 J (2) 3.2×10^5 J
(3) 4.5×10^4 J (4) 6.5×10^5 J

52. A 100 watt bulb emits monochromatic light of wavelength 400 nm. The number of photons emitted per second by the bulb is
(1) 1×10^{15} (2) 2×10^{20}
(3) 2×10^{10} (4) 8×10^{20}

53. The wave number of radiation whose wavelength is 5000 Å is
(1) 2×10^8 m^{-1} (2) 2×10^6 m^{-1}
(3) 2.4×10^4 m^{-1} (4) 4.1×10^6 m^{-1}

54. The ionization energy of hydrogen atom is 13.6 eV. The energy of the second excited state of He^+ ion will be
(1) –13.6 eV (2) –3.4 eV
(3) +5.4 eV (4) –6.04 eV

55. What is the longest wavelength of Paschen series of Li^{2+} ion?
(1) $\frac{36}{R}$ (2) $\frac{16}{7R}$
(3) $\frac{7R}{16}$ (4) $\frac{4}{3R}$

56. Select the incorrect statement regarding photoelectric effect
(1) The number of ejected electrons do not depends upon the frequency of light.
(2) The kinetic energy of ejected electrons depends upon the frequency of the light used
(3) The number of the ejected electrons is proportional to the intensity of the light used
(4) There is a time lag between the striking of light and ejection of electrons

57. Match List-I with List-II.

List-I (Lower energy Level) n_1	(Higher energy Level) n_2	List-II	Series
(a) 2	3, 4...	(i)	Brackett
(b) 4	5, 6...	(ii)	Paschen
(c) 3	4, 5...	(iii)	Pfund
(d) 5	6, 7...	(iv)	Lyman

The **correct** match is
(1) (a)-(i), (b)-(iv), (c)-(ii), (d)-(iii)
(2) (a)-(iv), (b)-(i), (c)-(ii), (d)-(iii)
(3) (a)-(i), (b)-(iv), (c)-(iii), (d)-(ii)
(4) (a)-(ii), (b)-(iv), (c)-(i), (d)-(iii)

58. Ratio of the radius of the first orbit of He^+ to the second orbit of Li^{2+} is
(1) 1 : 4 (2) 2 : 3
(3) 3 : 8 (4) 2 : 9

59. Number of degenerate orbital(s) present in the first excited state of He^+ ion is
(1) 2 (2) 3
(3) 4 (4) 1

60. Minimum wavelength of emitted photon of Paschen series for H atom (R_H : Rydberg constant of hydrogen atom) is
(1) $\frac{3}{R_H}$ (2) $\frac{9}{2R_H}$
(3) $\frac{9}{R_H}$ (4) $\frac{1}{R_H}$

61. Given below are two statements
Statement I: Splitting of spectral lines in the presence of electric field is known as Zeeman effect.
Statement II: Splitting of spectral lines in the presence of magnetic field is known as Stark effect.
In the light of above statements, choose the **correct** option.
(1) Both statement I and statement II are correct
(2) Both statement I and statement II are incorrect
(3) Statement I is correct but statement II is incorrect
(4) Statement I is incorrect but statement II is correct

Dream NEET

62. A football has a mass of 50g and a speed of 30 m/s. If the speed can be measured within accuracy of 2%. Calculate uncertainty in the position (in meters)

(1) 1.63×10^{-33} (2) 1.79×10^{-31}

(3) 1.72×10^{-32} (4) 1.75×10^{-33}

63. Calculate the mass of photon with wavelength 3.313 Å.

(1) 6.67×10^{-29} kg (2) 6.67×10^{-33} kg

(3) 4.28×10^{-30} kg (4) 4.28×10^{-35} kg

64. The de-Broglie's wavelength of an electron in the 3rd excited state for hydrogen atom is $x\pi a_0$. The value of x is (Where a_0 = Bohr's radius)

(1) 3 (2) 4


(3) 8 (4) 6

65. Maximum possible electrons in Mn for which n + l = 4 are

(1) 8 (2) 5

(3) 13 (4) 2

66. Consider the following schematic plots of orbital wavefunction (ψ_r) against distance (r) from the nucleus.



The figure representing two radial nodes in the orbital is

(1) B (2) C

(3) D (4) A

67. Match List I with List II :

	List I (Quantum Numbers)			List II (Orbital)
	'n'	'l'		
A.	2	1	I.	3d
B.	4	0	II.	2p
C.	5	3	III.	4s
D.	3	2	IV.	5f

Choose the **correct** answer from the options given below.

(1) A-IV, B-II, C-III, D-I (2) A-II, B-III, C-I, D-IV

(3) A-II, B-III, C-IV, D-I (4) A-I, B-II, C-III, D-IV

68. Number of unpaired electrons present in Co^{2+} ion is

(1) 3 (2) 4

(3) 2 (4) 5

69. Two electrons occupying the same orbital are distinguished by

(1) Principal quantum number

(2) Azimuthal quantum number

(3) Magnetic quantum number

(4) Spin quantum number

70. Orbital for which number of angular node(s) is/are maximum

(1) 2*p*

(2) 3*p*

(3) 4*p*

(4) All have equal number of angular nodes

71. Match the List-I with List-II.

List I	List II
(a) Nickel	(i) Non-metal
(b) Chlorine	(ii) Lanthanoid
(c) Germanium	(iii) Transition metal
(d) Samarium	(iv) Metalloid

Choose the correct match.

(1) (a)-(ii), (b)-(iii), (c)-(i), (d)-(iv)

(2) (a)-(iii), (b)-(ii), (c)-(iv), (d)-(i)

(3) (a)-(iii), (b)-(i), (c)-(ii), (d)-(iv)

(4) (a)-(iii), (b)-(i), (c)-(iv), (d)-(ii)

72. Identify the correct order of electronegativity for the given species: (on Pauling scale)

(1) Si < C < N < O (2) Si < N < C < O

(3) C < Si < O < N (4) C < N < Si < O

73. Eka-silicon and Eka-aluminium are known as

(1) Germanium and Gallium respectively

(2) Carbon and Boron respectively

(3) Sulphur and Iron respectively

(4) Boron and Gallium respectively

74. The general electronic configuration of *p*-block elements is

(1) $ns^{1-2}np^{0-6}$ (2) $ns^{0}np^{1-6}$

(3) $ns^{2}np^{0-6}$ (4) $ns^{2}np^{1-6}$

75. If A, B and C are three elements of Dobereiner's Triad and the atomic weights of A and B are 7 g/mol and 15 g/mol respectively, then the atomic weight of C (in g/mol) is

(1) 28 (2) 23

(3) 1 (4) 25

76. The IUPAC official name of element having atomic number Z = 104 is

(1) Bohrium (2) Rutherfordium

(3) Meitnerium (4) Nobelium

77. Lithium is diagonally related with

(1) B (2) Al

(3) Be (4) Mg

78. Neutral oxide among the following is

(1) N_2O (2) N_2O_3

(3) NO_2 (4) N_2O_5

79. Select the ion of largest size in gas phase among the given species

(1) Mg^{2+} (2) O^{2-}

(3) Na^{+} (4) N^{3-}

80. Which of the following has a positive value of electron gain enthalpy?


(1) Hydrogen (2) Sulphur

(3) Neon (4) Oxygen

DreamNEET

81. Which is the correct graphical representation based on photoelectric effect? (where K.E. = kinetic energy & ν = frequency, ν_0 = threshold frequency)


I.




II.



III.



IV.



(1) I and II only
(2) II and III only
(3) III and IV only
(4) II and IV only

82. The time taken by the electron in one complete revolution in the nth Bohr's orbit of the hydrogen atom is
(1) Inversely proportional to n^2
(2) Directly proportional to n^3
(3) Directly proportional to $\frac{h}{2\pi}$
(4) Inversely proportional to $\frac{n}{h}$

83. In the ground state, an element has 13 electrons in its M-shell. The element is
(1) Manganese
(2) Cobalt
(3) Nickel
(4) Iron

84. Among the following which one is not paramagnetic? [Atomic numbers; Be = 4, Ne = 10, As = 33, Cl = 17]
(1) Ne^{2+}
(2) Be^{+}
(3) Cl^{-}
(4) As^{+}

85. Quantum numbers for some electrons are given below
A : n = 4, l = 1
B : n = 4, l = 0
C : n = 3, l = 2
D : n = 3, l = 1
The correct increasing order of energy of electrons
(1) A < B < C < D
(2) D < C < B < A
(3) D < B < C < A
(4) C < B < A < D

86. Which of the following is correct order of metallic character for Si, Be, Mg, Na and P?
(1) P < Si < Be < Na < Mg
(2) P < Si < Be < Mg < Na
(3) Na > Be > Mg > Si > P
(4) Na > Si > Mg > Be > P

87. Find the formula of halide of a metal whose successive ionization enthalpies are x, 2x, 5x, 100x kJ mol^{-1} respectively
(1) MX
(2) MX_2
(3) MX_3
(4) M_2X

88. Which of the following equation represents first enthalpy of ionization?
(1) $Hg_{(s)} \rightarrow Hg^{+}_{(g)} + e^{-}$
(2) $Hg_{(l)} \rightarrow Hg^{+}_{(g)} + e^{-}$
(3) $Hg_{(g)} \rightarrow Hg^{+}_{(g)} + e^{-}$
(4) $Hg^{+}_{(g)} \rightarrow Hg^{2+}_{(g)} + e^{-}$

89. Which of the following pairs of atomic numbers represents elements belonging to the same group?
(1) 11 and 20
(2) 12 and 30
(3) 13 and 31
(4) 14 and 33

90. Which one of the following represents a d-block element?
(1) [Rn] $6d^{10}\ 7s^2\ 7p^2$
(2) [Xe] $4f^1\ 5d^1\ 6s^2$
(3) [Xe] $4f^{14}\ 5d^1\ 6s^2$
(4) [Xe] $5d^1\ 6s^2$

DreamNEET

BOTANY

91. Given below are two statements : One is labelled as **Assertion** and the other is labelled as **Reason**.
Assertion : The two kingdom classification used for a long time but later found inadequate.
Reason : Classification of organisms into plants and animals was easily done and was easy to understand.
In the light of the above statements, choose the **correct** answer from the options given below:
(1) Both Assertion and Reason are true and the reason is the correct explanation of the assertion
(2) Both Assertion and Reason are true but the reason is not the correct explanation of the assertion
(3) Assertion is true statement but Reason is false
(4) Both Assertion and Reason are false statements


92. Identify the following statements as **true(T)** or **false(F)** and choose the option accordingly.
A. Mumps is a bacterial disease.
B. Leaf rolling and curling can be a symptom of viral infection.
C. Both bacteria and viruses play a great role in nutrient recycling.

	A	B	C
(1)	T	T	T
(2)	F	T	T
(3)	F	F	F
(4)	F	T	F

(1) (1) (2) (2)
(3) (3) (4) (4)

93. Read the following statements and select the **correct** ones.
A. *Nostoc* and *Anabaena* are photosynthetic protists.
B. The smallest living organisms lack cell wall.
C. In *Penicillium* karyogamy is delayed after plasmogamy.
D. All fungi possess a pure cellulosic cell wall.
(1) A and B (2) B and C
(3) C and D (4) A and D

94. Observe the given diagram.



Select the **correct** feature for the organism given in above diagram.
(1) It has two flagella; one lies longitudinally and the other transversely in a furrow between the wall plates.
(2) Instead of a cell membrane, it has a protein rich layer called pellicle.
(3) They possess cellulosic cell wall.
(4) It possesses pigments identical to those present in higher plants.

95. Read the following statements and state true (T) or false (F) and choose the **correct** option.
A. In *Paramoecium*, the coordinated movement of rows of cilia causes the water laden with food to be steered into the gullet.
B. All members of kingdom fungi are filamentous.
(1) A – F, B – T (2) A – T, B – F
(3) A – F, B – F (4) A – T, B – T

96. Some important characteristics that diatoms share with Dinoflagellates are
(1) Presence of fucoxanthin, chlorophyll-a, and silicious cell wall
(2) Photoautotrophic nutrition, unicellularity & chlorophyll-a
(3) Chemoheterotrophic nutrition, binary fission and cellulosic plates in cell wall
(4) Kingdom, class, and heterotropic mode of nutrition

97. Read the following statements and select the **correct** option.
Statement A: In members of Phycomycetes, asexual reproduction takes place by zoospores or by aplanospores.
Statement B: Members of Ascomycetes can be saprophytic, decomposers, parasitic or coprophilous.
(1) Only statement A is correct
(2) Only statement B is correct
(3) Both statements A & B are correct
(4) Both statements A & B are incorrect

98. The structure(s) where karyogamy and meiosis occur in some fungi is/are
(a) Basidiospore
(b) Basidium
(c) Ascus
Choose the **correct** answer from the options given below:
(1) All (a), (b) and (c) (2) (b) only
(3) (a) and (c) only (4) (b) and (c) only

99. The main criteria for classification, used by R.H. Whittaker include
(i) Cell structure
(ii) Body organisation
(iii) Mode of nutrition
(iv) Phylogenetic relationship
(v) Reproduction
The **correct** ones are.
(1) (i), (ii) and (iii) only (2) (i), (iii) and (iv) only
(3) All (i), (ii), (iii), (iv) and (v) (4) (ii), (iv) and (v) only

109. Read the following Assertion (A) and Reason (R) carefully.
Assertion (A) : The fungi are widespread in distribution and they even live inside other plants and animals.
Reason (R) : Fungi are able to grow anywhere on land, water or on other organisms because they have a variety of pigments, including chlorophyll, carotenoids, fucoxanthin and phycoerythrin.
Choose the **correct** option.
(1) Both the assertion and the reason are true and the reason is a correct explanation of the assertion
(2) Both the assertion and reason are true but the reason is not a correct explanation of the assertion
(3) The assertion is true but the reason is false
(4) The assertion is false but reason is true

101. *Trypanosoma* is a
(1) Free-living flagellated protozoan
(2) Parasitic ciliated protozoan
(3) Parasitic flagellated protozoan
(4) Parasitic sporozoan

102. Outermost layer is **not** cell wall in
A) *Gonyaulax*
B) *Euglena*
C) *Paramoecium*
D) *Amoeba*
The **correct** ones are
(1) A only (2) A, B & C
(3) B, C & D (4) B & C only

103. Viruses are/have
(1) Saprophytic mode of nutrition
(2) Multicellular organisms
(3) Obligate parasites
(4) Ability of growth outside the host

104. Two kingdom classification given by Linnaeus placed bacteria in kingdom Plantae because
(1) They are photosynthetic
(2) They show locomotion
(3) They have cell wall
(4) They have 70S ribosomes

105. Three domains of life according to Carl Woese are
(1) Protista, Plantae and Animalia
(2) Monera, Plantae and Fungi
(3) Bacteria, Eukarya and Archaea
(4) Protista, Monera and Eukarya

106. Halophiles are those (i) which live in (ii).
Select the **correct** option to fill in the blanks (i) and (ii).
(1) (i) – Bacteria, (ii) – Hot springs
(2) (i) – Plants, (ii) – Marshy areas
(3) (i) – Fungi, (ii) – Hot springs
(4) (i) – Archaebacteria, (ii) – Salty areas

107. Find the **incorrect** statement.
(1) Bacterial structure is very complex
(2) Bacteria occur almost every where
(3) Bacteria are most abundant micro organisms
(4) Bacteria are able to survive in extreme habitats

108. Select the **odd** one w.r.t bacterial diseases.
(1) Typhoid (2) Sleeping sickness
(3) Tetanus (4) Citrus canker

109. Food ingestion in *Amoeba* is aided by
(1) False feet (pseudopodia)
(2) Coordinated beating of cilia
(3) Contractile vacuole
(4) Gullet

110. Lichens are symbiotic association between
(1) Algae and roots of higher plants
(2) Algae and fungi
(3) Fungi and roots of higher plants
(4) Bacteria and algae

111. According to R.H. Whittaker classification blue green algae are grouped in
(1) Monera (2) Plantae
(3) Protista (4) Fungi

112. *Amoeba* posseses all of the following, except
(1) Pseudopodia (2) Cytoskeleton
(3) Mesosome (4) Contractile vacuole

113. In five kingdom classification, how many kingdoms may have photosynthetic members but without membrane bound cell organelles?
(1) Three (2) Four
(3) One (4) Two

114. On the basis of different shapes, bacteria are grouped under
(1) 2 categories (2) 3 categories
(3) 5 categories (4) 4 categories

115. Select the option in which both the fungi belong to the same class.
(1) *Claviceps* and *Ustilago* (2) *Puccinia* and *Agaricus*
(3) *Ustilago* and *Albugo* (4) *Aspergillus* and *Rhizopus*

116. Match the following columns and select the **correct** option.

	Column-I		Column-II
a.	Taxonomy	(i)	These are distinct biological entities and not merely morphological aggregates
b.	Systematics	(ii)	A process of classification, based on characteristics, all living organisms can be classified into different taxa
c.	Classification	(iii)	It takes into account evolutionary relationships between organisms
d.	Taxonomic categories	(iv)	Process by which anything is grouped into convenient categories based on some easily observable characters

(1) a(iii), b(iv), c(i), d(ii) (2) a(ii), b(iii), c(iv), d(i)
(3) a(ii), b(i), c(iv), d(iii) (4) a(iv), b(iii), c(i), d(ii)

117. When we move from species to kingdom, the number of common characteristics
(1) Goes on increasing
(2) Remains same
(3) Goes on decreasing
(4) Increases but gradually decreases after class

118. All of the rules of binomial nomenclature are correct, except
(1) Biological names are generally in Latin
(2) Both the words in a biological name when hand written are separately underlined
(3) The genus is in capital letters while the specific epithet is in small letters
(4) Name of the author appears after the specific epithet

119. Taxonomic categories which come lower to the rank of class are
(1) Order, phylum, family, species
(2) Order, family, genus, species
(3) Division, family, order, genus
(4) Order, division, genus, species

120. Which of the following taxa belong to the same rank?
(1) *Homo*, *Felis*, *pardus*
(2) Solanaceae, leo, Convolvulaceae
(3) *Mangifera*, *Solanum*, *Panthera*
(4) Hominidae, *Triticum*, Dicotyledonae

121. The processes that are basic to classical taxonomy are
(a) Characterization
(b) Identification
(c) Nomenclature
(d) Classification
(1) Only (a) is correct
(2) All are correct
(3) Only (a) and (b) are correct
(4) Only (a) and (c) are correct

122. Scientific name of an organism is based on principles and criteria provided in ICBN. It can be said that, this organism
(1) Is acellular
(2) Has cellulosic cell wall
(3) Lacks nucleus
(4) Shows holozoic mode of nutrition

Dream NEET
CC-483

123. Which of the following represents 'Class'?
(1) Hominidae (2) Primata
(3) Insecta (4) Angiospermae

124. The equivalent rank of Carnivora in taxonomic categories of man and housefly are respectively
(1) *Homo* and *Musca*
(2) Hominidae and Muscidae
(3) Mammalia and Insecta
(4) Primata and Diptera

125. Convolvulaceae and Solanaceae are included in
(1) Sapindales (2) Polymoniales
(3) Poales (4) Monocotyledonae

126. According to R.H. Whittaker, all of the following are common characteristics among fungi and plantae, **except**
(1) Presence of cell wall
(2) Presence of nuclear membrane
(3) Presence of autotrophic mode of nutrition
(4) Multicellular body organisation

127. Aristotle used simple morphological characters to classify plants into
(1) Aquatic and terrestrial plants
(2) Herbs, shrubs and trees
(3) Xerophytic, mesophytic and hydrophytic plants
(4) Flowering and non-flowering plants

128. Which is the main photosynthetic pigment of cyanobacteria?
(1) Chlorophyll a (2) Chlorophyll b
(3) Xanthophyll (4) Carotenoids

129. Which of the given fungi cause rust disease in wheat plant?
(1) *Agaricus* (2) *Puccinia*
(3) *Ustilago* (4) *Alternaria*

130. Mark the **incorrect** one about slime moulds.
(1) Are saprophytic protists.
(2) Form plasmodium under suitable conditions
(3) Spores possess true walls.
(4) Spores are dispersed by water currents.

131. Which of the following is **incorrect** w.r.t. species?
(1) A group of individual organisms with fundamental similarities
(2) Two different species breed together to produce fertile offsprings
(3) Human beings belong to the species *sapiens*
(4) *Panthera* has many specific epithet as *tigris*, *leo* and *pardus*

132. All related species are kept under
(1) One common genus
(2) Different genus due to different evolutionary courses
(3) Various groups according to the similarities and differences
(4) Different higher taxa on basis of morphological differences

133. Various groups of related genera are kept in
(1) A single species
(2) A single family
(3) Many species but single family
(4) Taxon which comes lower to genus

134. All plants are included in
(1) Division – Angiospermae (2) Class – Dicotyledonae
(3) Kingdom – Animalia (4) Kingdom – Plantae

135. Classification of organisms is required because
(1) It makes the study of organisms easier and simpler
(2) It enables us to study geographical distribution of some organisms
(3) It makes the study of organisms complex
(4) It leads to ambiguity in study of various organisms

Dream NEET

ZOOLOGY

136. The function of coronary artery is to supply blood to the
(1) Liver (2) Lower limbs
(3) Heart (4) Brain

137. The exchange of nutrients and gases between the blood and the cells occurs through
(1) Plasma (2) Serum
(3) Transporter proteins (4) Tissue fluid

138. Conditions like low pCO_2 and low H^+ concentration will have _____ on binding of O_2 with Hb
(1) Adverse effect (2) Enhancing effect
(3) No effect (4) Variable effect

139. Body of a person contains 5 L blood. What amount of O_2 can be delivered by 5 L of blood to tissues under normal physiological conditions?
(1) 750 mL (2) 500 mL
(3) 250 mL (4) 150 mL

140. A reduction in the number of which of the following can lead to clotting disorders that lead to excessive loss of blood from the body?
(1) Platelets (2) Erythrocytes
(3) Neutrophils (4) Monocytes

141. Which of the following pulmonary capacities/volume **cannot** be measured by spirometer?
(i) FRC
(ii) RV
(iii) TLC
Choose the correct option.
(1) Only (i) (2) (i), (ii) & (iii)
(3) Only (ii) & (iii) (4) Only (i) & (iii)

142. Read the given statements:
Statement A : Individuals with blood group AB are called universal recipients.
Statement B : Individuals with AB blood group harbour anti-A, anti-B antibodies in their plasma.
Choose the **correct** option.
(1) Both statements A and B are incorrect
(2) Statement B explains statement A
(3) Statement B is correct but does not explain statement A
(4) Statement A is correct

143. In human heart, a thin muscular wall separates
(1) Right and left ventricles
(2) Right auricle from right ventricle
(3) Right and left atria
(4) Left auricle from left ventricle

144. The factor **not** responsible for increasing the cardiac output is
(1) Release of epinephrine
(2) Neural signals from sympathetic nervous system
(3) Release of adrenaline
(4) Parasympathetic neural signals

145. In the human brain, a chemosensitive area which is highly sensitive to CO_2 and H^+ is situated adjacent to 'X'. Select the **correct** option w.r.t 'X'.
(1) Present in the pons region of the forebrain
(2) Its function can be moderated by the pneumotaxic centre
(3) Neural signals from it can increase the duration of inspiration
(4) Functions mainly when recognises changes in O_2 concentration in blood to regulate the respiratory rhythm.

146. The oxygen – haemoglobin dissociation curve will show a left shift in case of
(1) High temperature
(2) High partial pressure of carbon dioxide
(3) High partial pressure of oxygen
(4) High hydrogen ion concentration

147. The diffusion membrane helping in exchange of gases in lungs is made up of three major layers. Which of the following is **not** included in respiratory diffusion membrane?
(1) Thin squamous epithelium of the alveoli
(2) Endothelium of the alveolar capillaries
(3) Cellular basement substance
(4) Acellular layer between alveolar wall and wall of alveolar capillaries

148. The maximum number of action potentials which sino-atrial node can generate in a healthy adult human in normal physiological conditions of the body are
(1) 60-65/minute (2) 70-75/minute
(3) 85-90/minute (4) 200-110/minute

149. **Assertion (A):** Any change in the volume of the thoracic cavity, will be reflected in the lung cavity.
Reason (R): We can directly alter the pulmonary volume and any change in the volume of the thoracic cavity will be reflected in the pulmonary cavity.
In the light of the above statements, choose the correct option.
(1) Both (A) and (R) are true but (R) does not explain (A) correctly.
(2) (A) is true, (R) is false.
(3) Both (A) and (R) are false.
(4) Both (A) and (R) are true and (R) explains (A) correctly.

150. Complete the analogy w.r.t. disorders of circulatory system and select the correct option.
Cardiac arrest : Heart stops beating :: Angina : _____
(1) Deposition of fats or cholesterol in blood vessels
(2) Heart muscle is suddenly damaged due to inadequate blood supply
(3) Acute chest pain
(4) Congestion of lungs is one of the main symptoms

151. The conducting part of human respiratory system does **not** facilitate
(1) Humidification of inhaled air
(2) Temperature adjustment of inhaled air
(3) Clearing of foreign particles from the inhaled air
(4) Exchange of gases between alveolar air and blood

152. A chronic disorder in which alveolar walls are damaged due to excessive cigarette smoking is
(1) Asthma (2) Emphysema
(3) Silicosis (4) Bronchitis

153. Which one of the following has the smallest diameter?
(1) Right primary bronchus (2) Left primary bronchus
(3) Trachea (4) Respiratory bronchiole

154. Which of the following parts of human brain has cardiovascular center that can moderate the cardiac function?
(1) Mid brain (2) Medulla oblongata
(3) Cerebrum (4) Cerebellum

155. Match column I with column II and select the **correct** option.

	Column I		Column II
a.	Total lung capacity	(i)	ERV + TV + IRV
b.	Vital capacity	(ii)	ERV + RV
c.	Functional residual capacity	(iii)	RV + ERV + TV + IRV
d.	Expiratory capacity	(iv)	TV + ERV

(1) a(iii), b(ii), c(iv), d(i) (2) a(iv), b(ii), c(i), d(iii)
(3) a(iii), b(i), c(ii), d(iv) (4) a(i), b(iii), c(iv), d(ii)

156. Select the **mismatch** w.r.t. organisms and their respiratory organs.
(1) Aquatic molluscs – Gills
(2) Earthworms – Tracheal tubes
(3) Frog – Moist skin
(4) Parrot – Lungs

157. During blood coagulation, the conversion of fibrinogen to fibrin is caused by an enzyme 'E'. Select the option that represents the inactive form of 'E'.
(1) Thrombokinase (2) Prothrombin
(3) Thrombin (4) Fibrinolysin

158. The condition, erythroblastosis fetalis can be avoided by administering
(1) Rh antigens to the Rh $^{-ve}$ mother immediately after the delivery of the first Rh^{-ve} child
(2) Anti-A to the Rh $^{+ve}$ mother immediately after the delivery of the first Rh $^{-ve}$ child
(3) Anti-Rh antibodies to the Rh $^{-ve}$ mother immediately after the delivery of the first Rh $^{+ve}$ child
(4) Anti-B to the Rh $^{+ve}$ mother immediately after the delivery of the first Rh $^{-ve}$ child

159. Blood from intestine is carried to the liver via _____ before it is returned to systemic circulation. The **correct** option which fills the blank is
(1) Hepatic vein (2) Hepatic portal vein
(3) Hepatic artery (4) Inferior mesenteric artery

160. All of the following are true about human heart, **except**
(1) Heart is a mesodermally derived organ
(2) The atrium and ventricle of the same side are separated by atrio-ventricular septum
(3) Right and left ventricles are separated by inter-ventricular septum
(4) Heart is protected by a single walled membranous bag called pericardium

DreamNEET

161. Plasma, an essential component of human blood, constitutes around
(1) 65% of blood (2) 55% of blood
(3) 70% of blood (4) 90% of blood

162. Choose the **incorrect** statement w.r.t. healthy adult humans.
(1) When ribs are raised, it is followed by expansion of lungs.
(2) Thoracic chamber is a structurally enclosed and anatomically air-tight chamber.
(3) Thoracic chamber is bounded laterally by the sternum and dorsally by the lumbar vertebrae.
(4) The initial phase of the respiratory cycle is characterised by the active muscular contractions.

163. All of the given events of cardiac cycle are incorrect, **except**
(1) 70% of ventricular filling occurs passively during joint diastole
(2) Intra-ventricular pressure decreases during ventricular systole
(3) The signals from SA node generates an action potential which causes atrial diastole.
(4) The AV valves remain closed throughout joint diastole

164. Which among the following is observed during the process of normal inspiration in humans?
(1) Flattening of diaphragm
(2) Contraction of abdominal muscles
(3) Decrease in the volume of thoracic chamber
(4) Relaxation of the external inter-costal muscles

165. The maximum volume of air a person can breathe in after forced expiration is
(1) IC + ERV (2) ERV + RV
(3) FRC + IC (4) ERV – TV

166. Closed circulatory system with 4 chambered heart is found in all of the following, **except**
(1) Birds (2) Mammals
(3) Amphibians (4) Crocodiles

167. The first step of respiration is
(1) Transport of gases from lungs to blood
(2) Transport of gases from blood to tissues
(3) Pulmonary ventilation
(4) Catabolism of food substances to release energy within cells

168. Incomplete double circulation is present in
(1) Cow (2) Parrot
(3) Horse (4) Snake

169. Alveoli are characterized by all of the following features **except**
(1) Richly supplied with blood capillaries
(2) Lined by squamous epithelium
(3) Lecithin secreted by type II alveolar epithelial cells
(4) 300 million alveoli are present in each lung and are not involved in exchange of gases

170. In ECG of human heart, QRS complex denotes
(1) Repolarisation of atrium
(2) Depolarisation of atrium
(3) Repolarisation of ventricle
(4) Depolarisation of ventricle

171. Branchial mode of respiration is used by
(1) Humans (2) Birds
(3) Reptiles (4) Fishes

172. Outer pleural membrane is in close contact with
(1) Surface of lungs (2) Thoracic cavity
(3) Abdominal cavity (4) Alveoli

173. The number of fissure(s) in right lung of humans is
(1) One (2) Three
(3) Zero (4) Two

174. In oxygen dissociation curve, p50 is interpreted as
(1) Value of pCO_2 at which Hb is 50% saturated with oxygen to form oxyhaemoglobin
(2) Value of pO_2 at which Hb is 50% saturated with oxygen to form oxyhaemoglobin
(3) The total pressure of all gases at with oxygen is 50% bounded to Hb
(4) The amount of Hb which is required to bind to 50% of all oxygen available

175. In a molecule of haemoglobin, the haem contains _____ and the globin part is a _____. Select the **correct** option to fill in the blanks respectively.
(1) Iron; non-protein (2) Calcium; protein
(3) Zinc; glycolipid (4) Iron; protein

176. Complete the analogy by selecting the correct option.
Least abundant formed elements : _____ : : Most abundant formed elements: Erythrocytes.
(1) Thrombocytes (2) Eosinophils
(3) Basophils (4) Monocytes

177. Histamine and serotonin are secreted by
(1) Agranulocytes (2) Erythrocytes
(3) Thrombocytes (4) Basophils

178. Which of the following statements is **incorrect**?
(1) Lymph nodes are the site for lymphocyte proliferation.
(2) The mineral distribution of both plasma and tissue fluid are similar
(3) Thoracic duct drains the lymph into the left subclavian vein
(4) The lymphatic capillaries and ducts are called lymphoid organs

179. Origin of heart beat and its conduction is represented by
(1) AV bundle → Bundle of His → SA node → Purkinje fibres
(2) SA node → Purkinje fibres → AV node → Bundle of His
(3) Purkinje fibres → AV node → Bundle of His → SA node
(4) SA node → AV node → Bundle of His → Purkinje fibres

180. Which of the following is **mismatched**?

(1)	Lub	:	First heart sound associated with closure of tricuspid and bicuspid valves
(2)	Cardiac output	:	Stroke volume multiplied by heart rate
(3)	Oub	:	Second heart sound, due to opening of semilunar valves
(4)	Duration of a cardiac cycle	:	0.8 seconds

(1) (1) (2) (2)
(3) (3) (4) (4)

DreamNEET

07/10/2026

CODE-G
Phase-3

Aakash
Medical|IIT-JEE|Foundations

Corporate Office: AESL, 3rd Floor, Incuspaze Campus-2, Plot no. 13, Sector-18, Udyog Vihar, Gurugram, Haryana-122015

TERM EXAM FOR NEET-2028 (XI STUDYING)

MM: 720 **TE-02** **Time: 180 Mins.**

Answers

1. (3)	37. (3)	73. (1)	109. (1)	145. (2)
2. (4)	38. (4)	74. (4)	110. (2)	146. (3)
3. (4)	39. (2)	75. (2)	111. (1)	147. (3)
4. (4)	40. (1)	76. (2)	112. (3)	148. (2)
5. (4)	41. (1)	77. (4)	113. (3)	149. (2)
6. (3)	42. (2)	78. (1)	114. (4)	150. (3)
7. (1)	43. (2)	79. (4)	115. (2)	151. (4)
8. (3)	44. (1)	80. (3)	116. (2)	152. (2)
9. (4)	45. (4)	81. (4)	117. (3)	153. (4)
10. (2)	46. (3)	82. (2)	118. (3)	154. (2)
11. (2)	47. (4)	83. (1)	119. (2)	155. (3)
12. (1)	48. (4)	84. (3)	120. (3)	156. (2)
13. (4)	49. (4)	85. (3)	121. (2)	157. (2)
14. (3)	50. (4)	86. (2)	122. (2)	158. (3)
15. (1)	51. (1)	87. (3)	123. (3)	159. (2)
16. (3)	52. (2)	88. (3)	124. (4)	160. (4)
17. (3)	53. (2)	89. (3)	125. (2)	161. (2)
18. (2)	54. (4)	90. (4)	126. (3)	162. (3)
19. (2)	55. (2)	91. (2)	127. (2)	163. (1)
20. (2)	56. (4)	92. (4)	128. (1)	164. (1)
21. (3)	57. (2)	93. (2)	129. (2)	165. (1)
22. (1)	58. (3)	94. (4)	130. (4)	166. (3)
23. (4)	59. (3)	95. (2)	131. (2)	167. (3)
24. (3)	60. (3)	96. (2)	132. (1)	168. (4)
25. (2)	61. (2)	97. (3)	133. (2)	169. (4)
26. (3)	62. (4)	98. (4)	134. (4)	170. (4)
27. (4)	63. (2)	99. (3)	135. (1)	171. (4)
28. (2)	64. (3)	100. (3)	136. (3)	172. (2)
29. (4)	65. (1)	101. (3)	137. (4)	173. (4)
30. (2)	66. (2)	102. (3)	138. (2)	174. (2)
31. (4)	67. (3)	103. (3)	139. (3)	175. (4)
32. (3)	68. (1)	104. (3)	140. (1)	176. (3)
33. (4)	69. (4)	105. (3)	141. (2)	177. (4)
34. (4)	70. (4)	106. (4)	142. (4)	178. (4)
35. (1)	71. (4)	107. (1)	143. (3)	179. (4)
36. (4)	72. (1)	108. (2)	144. (4)	180. (3)

DreamNEET

DreamNEET