# BIOLOGY

1) In Erythroblastis foetalis condition__A__from the mother can leak into the blood of the foetus. This can be avoided by administering__B__to the mother immediately after the delivery of the first child. In the above paragraph A and B are :-

| | A | B |
|---|---|---|
| (1) | Rh-antigen | Rh-antibody |
| (2) | Rh-antibody | Rh-antigen |
| (3) | Rh-antibody | Anti-Rh antibodies |
| (4) | Anti-Rh antibodies | Rh-antigen |

(1) 1
(2) 2
(3) 3
(4) 4

2)

Systemic heart refers to

(1) The two ventricles together in humans
(2) The heart that contracts under stimulation from nervous system
(3) Left auricle and left ventricle in higher vertebrates
(4) Entire heart in lower vertebrates.

3) Given below are two statements : **Statement-I :-** Neutrophils are the most abundant cells of the total WBC.
**Statement-II :-** Neutrophils and lymphocyte are phagocytic cells which destroy foreign organism entering the body
In the light the above statements, choose the most appropriate answer from the options given below :

(1) Both Statement I and Statement II are incorrect
(2) Statement I is correct but Statement II is incorrect
(3) Statement I is incorrect but Statement II is correct
(4) Both Statement I and Statement II are correct.

4) Which of the following statement is incorrect.

(1) RBC are devoid of nucleus in most of the mammals
(2) Most of mammals RBC are biconcave in shape.

AIM : FREE EDUCATION TO ALL APUL

(3) RBC have an average life span of 120 days

(4) RBC are formed in spleen in the adult stage

5) Match the column :-

| | Column-A | | Column-B |
|---|---|---|---|
| (i) | Albumins | (a) | Basophil |
| (ii) | Spleen | (b) | Platelets |
| (iii) | Least leucocyte | (c) | For osmotic balance |
| (iv) | Mega karyocyte | (d) | Grave yard of RBC |

(1) (i)-(c), (ii)-(d), (iii)-(a), (iv)-(b)

(2) (i)-(a), (ii)-(b), (iii)-(c), (iv)-(d)

(3) (i)-(b), (ii)-(c), (iii)-(d), (iv)-(a)

(4) (i)-(d), (ii)-(a), (iii)-(b), (iv)-(c)

6) Choose the correct option for X, Y, Z and P :-

| Blood Group | May Receive blood from | May donate blood to |
|---|---|---|
| O | O | Z |
| A | X | A, AB |
| B | B,O | B, AB |
| AB | Y | P |

(1) X–A,O Y–O, A, B, AB, Z–O,A,B,AB, P–AB

(2) X–A, Y–O,A,B,AB, Z–O,A,B,AB, P–A,B

(3) X–O, Y–O, A,B,AB, Z–O,A,B,AB, P–A

(4) X–O, Y–O,A,B,AB, Z–O,A,B,AB, P–B

7) Which one of the following option gives the correct categorisation of formed elements with respect to their count and function :-

| | (A) Element | (B) Count | (C) Function |
|---|---|---|---|
| (1) | Erythrocyte | 55 million/$mm^3$ | Transport of gas |
| (2) | Leucocyte | 6000 - 8000/$mm^3$ | Clotting of Blood |
| (3) | Thrombocyte | 1.5 - 3.5 lakh/$mm^3$ | Immunity |
| (4) | Platelets | 1.5 - 3.5 lakh/$mm^3$ | Coagulation |

(1) 1

(2) 2

(3) 3

(4) 4

AIM : FREE EDUCATION TO ALL APUL

8) How many of the following animals have double circulation with more than one atrium with sinus venosus absent in their heart ?
Rabbit, Rat, Frog, Dolphin, Lizard, Whale, Peacock, Pigeon, Fish(catla), Butterfly


(1) Five

(2) Eight

(3) Seven

(4) Six

9) Identify a, b, c, d and e in the diagram given below :-




| | a | b | c | d | e |
|---|---|---|---|---|---|
| (1) | Pulmonary artery | Pulomnary vein | Ventral aorta | Vena cava | Body part |
| (2) | Pulmonary artery | Pulmonary vein | Dorsal aorta | Vena cava | Body parts |
| (3) | Pulmonary vein | Pulmonary artery | Dorsal aorta | Vena cava | Lungs |
| (4) | Pulmonary vein | Pulmonary artery | Dorsal aorta | Vena cava | Body part |

(1) 1

(2) 2

(3) 3

(4) 4

10) Match the following three columns giving some information/detail about the vertebrate's heart.

| Column I | | Column II | | Column III | |
|---|---|---|---|---|---|
| i | Pisces | a. | 3 chambered | A | One atrium, &<br>Two ventricles |
| ii | Amphibians | b. | 2 chambered | B | 2 atria, & 1 ventricle |
| iii | Reptiles | c. | 4 chambered | C | 1 atrium, & 1 ventricle |
| iv | Aves | d. | single chambered | D | 2 atria, & 2 ventricles |

(1) i-b-C, ii-c-D, iii-a-B, iv-c-B

(2) i-b-B, ii-a-B, iii-a-C, iv-c-D

(3) i-b-B, ii-b-C, iii-b-C, iv-a-B

(4) i-b-C, ii-a-B, iii-a-B, iv-c-D

11) Neural signal from which centre can reduce the duration of inspiration ?

(1) Chemosensitive area

(2) Respiratory rhythm centre

AIM : FREE EDUCATION TO ALL APUL

(3) Pneumotaxic centre
(4) Aortic body

12) Which of following have minimum value :-

(1) Tidal volume
(2) Vital capacity
(3) Residual volume
(4) Dead space volume

13) By the contraction in diaphragm the volume of thoracic chamber increases in the :-

(1) Dorso-ventral axis
(2) Antero-posterior axis
(3) Antero-ventral axis
(4) Dorso-posterior axis

14) Painful breathing is known as :-

(1) Dyspnoea
(2) Eupnoea
(3) Apnoea
(4) Asphyxia

15) Volume of air remaining in lungs after maximum forceful expiration is

(1) Vital capacity
(2) Residual volume
(3) Total lung capacity
(4) Tidal volume

16)

Receptors associated with aortic arch and carotid artery can recognise the change in :
(a) $CO_2$
(b) $H^+$
(c) $O_2$

(1) Only a
(2) Only b
(3) Only c
(4) Both a and b

17)

Respiratory rate of healthy human normally is :-

AIM : FREE EDUCATION TO ALL APUL

(1) 10-12 Breath/min
(2) 12-16 Breath/min
(3) 20-25 Breath/sec
(4) 33 Breath/min

18) The lungs are enclosed in a covering called

(1) Perichondrium
(2) Pleural membrane (Pleura)
(3) Pericardium
(4) Peritoneum

19) A chronic disorder in which alveolar walls are damaged due to which respiratory surface area is decreased is called :-

(1) Asthma
(2) Emphysema
(3) Fibrosis
(4) Bronchitis

20) Trachea is lined with incomplete rings of

(1) Fibrous cartilage
(2) Calcified cartilage
(3) Elastic cartilage
(4) Hyaline cartilage

21) Trachea is straight tube extending up to the mid thoracic cavity, which divides at the level of which vertebra in to a right and left primary bronchi :

(1) $5^{th}$ thoracic
(2) $7^{th}$ cervical
(3) $1^{st}$ lumbar
(4) $4^{th}$ thoracic

22) The impulse for voluntary muscles for forced breathing starts in

(1) Medulla
(2) Vagus nerve
(3) Cerebrum
(4) Cerebellum

23) The maximum volume of air a person can breath in after forceful expiration is -

(1) V.C.
(2) ERV + T.V + IRV

AIM : FREE EDUCATION TO ALL APUL

(3) E.C + IRV

(4) All of the above

24) Epiglottis is a .....A.....,  .....B.....cartilagenous plap that cover.....C.....

| | A | B | C |
|---|---|---|---|
| (1) | Thin | Collagenous | Gullet |
| (2) | Thick | Elastic | Glottis |
| (3) | Thin | Elastic | Glottis |
| (4) | Thin | Elastic | Gullet |

(1) 1

(2) 2

(3) 3

(4) 4

25) **Statement - I** : Larynx is also called sound box.
**Statement - II** : Larynx is a bony box which help in sound production.

(1) Statement I is correct and statement II is incorrect

(2) Both Statement I & II correct

(3) Statement I is incorrect and statement II is correct

(4) Both statement I & II incorrect

26) Which one of the following is a correct pathway of air :-

(1) Nostrils → Nasal chamber → Larynx → Pharynx

(2) Nostrils → Larynx → Pharynx → Nasal chamber

(3) Nostrils → Nasal chamber → Pharynx → Trachea

(4) Nostril → Pharynx → Trachea → Larynx

27) Match Column-I with Column-II and select the correct option :-

| Column-I | | Column-II | |
|---|---|---|---|
| (a) | Inspiratory capacity | (i) | TV + ERV |
| (b) | Total lung capacity | (ii) | ERV + RV |
| (c) | Functional capacity residual | (iii) | Vital capacity + Residual Volumn |
| (d) | Expiratory capacity | (iv) | TV + IRV |

(1) a-iv, b-ii, c-iii, d-i

(2) a-i, b-iii, c-iv, d-ii

(3) a-iv, b-iii, c-ii, d-i

(4) a-iii, b-ii, c-i, d-iv

AIM : FREE EDUCATION TO ALL APUL

28) Select correct match in column :-

| | Column-I | Column-II |
|---|---|---|
| (1) | Asthma | Cigarette |
| (2) | Emphysema | Stone bracking dust |
| (3) | Occupational respiratory disease | Fibrosis |
| (4) | Pneumonia | Affect upper respiratory tract |

(1) 1
(2) 2
(3) 3
(4) 4

29) Thoracic chamber is formed dorsally by __A__and ventrally by__B__.

| | A | B |
|---|---|---|
| **1.** | Sternum | Vertebral column |
| **2.** | Vertebral column | Sternum |
| **3.** | Clavicle | Diaphragm |
| **4.** | Diaphragm | Ribs |

(1) 1
(2) 2
(3) 3
(4) 4

30) Read all statements carefully and find out incorrect statement -

(1) Thoracic chamber is anatomically air tight chamber.
(2) Ribs cover thoracic chamber laterally
(3) Diaphragm is dome shaped at rest
(4) We can directly alter the pulmonary volume.

31) All are the functions of conducting part except :-

(1) Transportation of atmospheric air to the alveoli.
(2) Clears it from foreign particles.
(3) Brings air to the body temperature.
(4) Exchange of gases

32) Match column A and column B and choose the correct answer :

AIM : FREE EDUCATION TO ALL APUL

| | Column A | | Column B |
|---|---|---|---|
| (A) | Branchial respiration | (i) | By lungs in human |
| (B) | Pulmonary respiration | (ii) | By skin |
| (C) | Cutaneous respiration | (iii) | By gills |
| (D) | Tracheal respiration | (iv) | Cockroach |

(1) A-iv, B-iii, C-ii, D-i

(2) A-i, B-ii, C-iii, D-iv

(3) A-iii, B-i, C-ii, D-iv

(4) A-ii, B-iv, C-i, D-iii

33) In the ___A___, where there is ___B___, low $PCO_2$, ___C___ and lower temperature, the factors are all favourable for formation of oxyhaemoglobin.
Fill in the blanks :


(1) A - alveoli, B - low $PO_2$, C - higher $H^+$ concentration

(2) A - alveoli, B - high $PO_2$, C - lesser $H^+$ concentration

(3) A - tissue, B - low $PO_2$, C - Higher $H^+$ concentration

(4) A - tissue, B - high $PO_2$, C - lesser $H^+$ concentration

34) Which statement correctly matched with given diagram ?




(1) In given diagram diaphragm is flat.

(2) Intra pulmonary pressure greater than to atmospheric pressure.

(3) Represent forceful inspiration.

(4) Volume of thoracic cavity increase.

35) Exchange of $O_2$ and $CO_2$ only by simple diffusion over general body surface is seen in ____A____, ____B____ & ___C___.

| | A | B | C |
|---|---|---|---|
| (1) | Arthropods | Sponges | Flatworms |

AIM : FREE EDUCATION TO ALL APUL

| | | | |
|---|---|---|---|
| (2) | Sponges | Flatworms | Coelenterates |
| (3) | Mollusc | Sponges | Coelenterates |
| (4) | Sponges | Arthropoda | Mollusc |

(1) 1

(2) 2

(3) 3

(4) 4

36) Consider the following four statements and select the option which includes all the incorrect ones only :-
(a) At the time of expiration, contraction in diaphragm takes place.
(b) A healthy human breaths 72 times/minute
(c) Increase in the pulmonary volumes leads the increase in intrapulmonary pressure.
(d) We can increase the strength of inspiration and expiration with the help of internal intercostal muscles.

(1) a,b,c,d

(2) a,b,c

(3) a only

(4) c and d only

37) Which one of the following volume can not be measured by spirometer ?

(1) Volume of air inspired or expired.

(2) Volume of air remain in lungs after normal expiration.

(3) Volume of air remain in lungs after forcedful expiration.

(4) Volume of air remain in lungs after forcedful inspiration

38) Read the statements carefully and find out the total numbers of incorrect statements :
(A) The naso-pharynx serves as a common passage for both food and air.
(B) The larynx, also known as the sound box, is involved in sound production.
(C) The epiglottis covers the glottis during swallowing to prevent food from entering the larynx.
(D) The trachea divides into right and left primary bronchi at the level of the $7^{th}$ thoracic vertebra.
(E) The conducting part of the respiratory system transports air to the alveoli, humidifies it, and participate in gaseous exchange.

(1) 1

(2) 2

(3) 3

(4) 4

39) Fill in the blanks A, B, C and D
I. Tidal volume (TV) represents the amount of air inspired or expired during normal respiration and is approximately __(A)__ ml in a healthy man.
II. Residual volume (RV) is the volume of air that remains in the lungs after a forceful expiration, generally between __(B)__ ml.

AIM : FREE EDUCATION TO ALL APUL

III. Functional Residual Capacity (FRC) is the amount of air remaining in the lungs after normal expiration, calculated by adding ERV and RV. It is approx. __(C)__ ml.
IV. Inspiratory Capacity (IC) is calculated as the sum of IRV and TV, resulting in an approximate volume of __(D)__ ml.

| | A | B | C | D |
|---|---|---|---|---|
| (1) | 1100 | 3500 | 500 | 2400 |
| (2) | 500 | 1100 | 2400 | 3500 |
| (3) | 3500 | 500 | 1100 | 1100 |
| (4) | 2400 | 2400 | 3500 | 500 |

(1) 1
(2) 2
(3) 3
(4) 4

40) Blood from head, neck and arms enters the heart through :-

(1) Superior vena cava
(2) Inferior vena cava
(3) Pulmonary artery
(4) Pulmonary vein

41) Maximum action potential for heart muscles are generated by -

(1) SA node
(2) AV node
(3) Bundle of His
(4) Purkinje fibres

42) In ECG the "P" wave represents :-

(1) Depolarisation of the atria
(2) Depolarisation on ventricles
(3) The return of the ventricles from excited state to normal state
(4) Contraction of ventricles

43) Centre for heart beat regulation is present in :

(1) Pons varoli
(2) Cerebellum
(3) Cerebrum
(4) Medulla

44) When the heart is not pumping the blood effectively enough to meet the needs of the body, it is called :

AIM : FREE EDUCATION TO ALL APUL

(1) Heart failure

(2) Cardiac Arrest

(3) Heart attack

(4) Angina

45) Select the odd one :

(1) Eosinophil

(2) Basophil

(3) Monocyte

(4) Neutrophil

46) How many of the following have closed circulatory system :
*Annelida, Echinodermata, Vertebrata, Platyhelminthes, Arthropoda*

(1) 1

(2) 2

(3) 3

(4) 4

47) Select the incorrect statement about heart :

(1) Human heart has four chambers

(2) Left ventricle is largest

(3) S.A. node present in left ventricle

(4) Left auricle recieve blood from lungs

48) Select the option which correctly identifies cells given in column-A with number of cells in blood given in column-B.

| | **Column-A** | | **Column-B (Per $mm^3$ of blood)** |
|---|---|---|---|
| (a) | RBCs | (i) | 1.5 to 3.5 Lakh |
| (b) | Platelets | (ii) | 6000 – 8000 |
| (c) | WBCs | (iii) | 5–5.5 Million |

(1) a-ii, b-i, c-iii

(2) a-iii, b-i, c-ii

(3) a-iii, b-ii, c-i

(4) a-i, b-iii, c-ii

49) During atrial systole in a cardiac cycle, What amount of blood is flow from atria to respective ventricle ?

(1) 50 percent

(2) 30 percent

AIM : FREE EDUCATION TO ALL APUL

(3) 70 percent

(4) 100 percent

50) During each cardiac cycle two prominent sounds are produced which can be easily heard through :-

(1) Pulse oxymeter

(2) Sphygmomanometer

(3) Stethoscope

(4) Electrocardiogram

51) A unique vascular connection exist between the digestive tract and liver called :-

(1) Hepatic portal system

(2) Renal portal system

(3) Hypophyseal portal system

(4) Coronary circulation

52) First heart sound is produced by the ?


(1) Closing of atrio-ventricular valve.

(2) Closing of semi-lunar valve.

(3) Opening of bicuspid valve.

(4) Opening of tricuspid valve.

53) Identify the correct option which includes correct statements for the diagram given below related to human lymphatic system :




(A) P → Afferent lymphatics which carries lymph from interstitial space to the lymph node
(B) Q → Lymph node, filter and clean the lymph
(C) R → Efferent lymphatics, drain lymph in thoracic duct
(D) S → thoracic duct → opens into vein

(1) A, B only

(2) A, B, C only

(3) A, B, D only

(4) A, B, C, D all

54) Which is **correct** about joint diastole ?

(1) Bicuspid and tricuspid valves are open

(2) Bicuspid and tricuspid valves are closed

(3) A.V. valves and semilunar valves are closed

(4) Only Semilunar valves are open

AIM : FREE EDUCATION TO ALL APUL

55) Read the following statements and select the incorrect option.

(1) Purkinje fibres found only in ventricle wall

(2) Pulmonary artery carry deoxygenated blood from the right atrium to lung

(3) Lymph is colourless fluid

(4) Kidney shaped nucleus occurs in monocyte

56) Given below are two statements :
**Statement-I :** ECG is a graphical representation of the electrical activity of the heart during a cardiac cycle.
**Statement-II :** T-wave in ECG represents the return of the ventricles from excited to normal state.
In the light of the above statements, choose the most appropriate answer from the options given below :-

(1) Both statement-I and statement-II are correct.

(2) Statement-I is correct but statement-II is incorrect.

(3) Statement-I is incorrect but statement-II is correct.

(4) Both statement-I and statement-II are incorrect.

57) Which statement is not correct for leucocyte ?

(1) Total leucocyte count in an adult person is 6000-8000 WBC/$mm^3$ of blood.

(2) Increase in TLC is called leucocytopenia

(3) Acidophil has bilobed shape of nucleus

(4) 'S' shape nucleus is present in basophil

58) Which statement is incorrect regarding first heart sound ?

(1) It is produced at the beginning of ventricular systole

(2) It is associated with the closure of the tricuspid and bicuspid valves

(3) It is called "LUBB"

(4) It is high pitch sound for short period

59) Match the following columns :-

| **Column-I** | | **Column-II** | |
|---|---|---|---|
| (A) | Tachycardia | (1) | Increased heart rate |
| (B) | Arteriosclerosis | (2) | Irregular heart beat |
| (C) | Bradycardia | (3) | Decreased heart rate |
| (D) | Arythemia | (4) | Hardening or losening of elasticity of arteries |

(1) A–1, B–2, C–3, D–4

(2) A–4, B–3, C–2, D–1

(3) A–1, B–3, C–2, D–4

AIM : FREE EDUCATION TO ALL APUL

(4) A–1, B–4, C–3, D–2

60) Which of the following statement is not true about blood pressure ?

(1) Blood pressure is measured with an instrument called sphygmomanometer.
(2) If the blood pressure of an individual is 140/90 mm Hg or higher, it shows hypertension.
(3) The normal systolic pressure is 120 mm Hg and diastolic pressure is 80 mm Hg.
(4) Hypertension is caused by vasodilation which results in increased resistance to blood flow.

AIM : FREE EDUCATION TO ALL APUL

# BIOLOGY

| Q. | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **A.** | **3** | **3** | **2** | **4** | **1** | **1** | **4** | **4** | **2** | **4** | **3** | **4** | **2** | **1** | **2** | **4** | **2** | **2** | **2** | **4** |
| **Q.** | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 |
| **A.** | **1** | **3** | **4** | **3** | **1** | **3** | **3** | **3** | **2** | **4** | **4** | **3** | **2** | **2** | **2** | **1** | **3** | **3** | **2** | **1** |
| **Q.** | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 |
| **A.** | **1** | **1** | **4** | **1** | **3** | **2** | **3** | **2** | **2** | **3** | **1** | **1** | **4** | **1** | **2** | **1** | **2** | **4** | **4** | **4** |

AIM : FREE EDUCATION TO ALL APUL

BIOLOGY

1)

NCERT-XI, Pg. # 196

2) In human out of 4 chamberes of heart left auricle and left ventricle called systemic heart.

3) NCERT Pg.# 194

4) NCERT Pg.# 194

5) NCERT Pg. # 193-195

6)

NCERT-XI, Pg. # 195

7)

NCERT XI Page No. # 280

8)

Those organism which have 4 chambered heart like birds and mammals doesnot have sinus venosus.

9)

NCERT-XI, Pg. # 202

10)

NCERT-XI, Pg. # 197

11) NCERT (XI) Pg. # 275; para-3

12)

Dead space volume is 150 ml

AIM : FREE EDUCATION TO ALL APUL

13) NCERT XI Pg # 270

14)

Painful breathing is known as Dyspnoea.

15)

NCERT - XI, Pg.# 272

16)

NCERT-XI, Pg. # 196

17) NCERT XI Pg. # 271

18)

NCERT-XI, Pg. # 184

19)

NCERT XI, Pg. # 191

20)

Module No. # 4

21)

NCERT XI, Pg. # 184

22)

Cerebrum control voluntary forceful breathing.

23) NCERT Pg. # 186 - 187

24) NCERT Pg. # 184

25) NCERT Pg. # 184

26)

AIM : FREE EDUCATION TO ALL APUL

NCERT-XI, Pg. # 184

27) NCERT Pg. # 187

28) NCERT Pg. # 190

29) NCERT Pg. # 185

30) NCERT Pg. # 185

31) NCERT Pg. # 185

32) NCERT XI Pg # 183

33) NCERT Pg. No. # 274

34) NCERT Pg. # 185-186

35) NCERT Pg. # 184

36) NCERT Pg. # 185, 186

37) NCERT Pg. # 186 - 187

38) NCERT, Pg # 184-185

39) NCERT, Pg # 185

40)

NCERT-XI, Pg.# 198

41)

NCERT XI, Pg # 199

42)

NCERT-XI, Pg. # 201

AIM : FREE EDUCATION TO ALL APUL

43)

NCERT XI, Pg # 287

44)

NCERT XI, Pg # 288

45)

NCERT XI, Pg # 279

46)

NCERT XI, Animal Kingdom

47)

NCERT XI # 284,285

48) NCERT Pg. # 194,195

49)

Question Explanation: Asks for the amount of blood flow from atria to ventricle during atrial systole.

Concept: Cardiac Cycle.

Solution: During atrial systole, the atria contract and push the remaining blood into the ventricles, increasing their volume by about 30 percent. The other 70% flows in passively.

Final Answer: 2

50)

Question Explanation: Asks what is used to hear the two prominent heart sounds.

Concept: Medical Instruments.

Solution: During each cardiac cycle, two prominent sounds are produced which can be easily heard through a stethoscope. These are the "lubb" and "dub" sounds.

Final Answer: 3

51) NCERT Pg. # 286 (18.4)

AIM : FREE EDUCATION TO ALL APUL

52)

Question Explanation: Identifying the cause of the first heart sound ("Lubb").

Concept: Heart Sounds

Solution: The first heart sound, "Lubb," is produced by the closure of the atrio-ventricular (AV) valves (the tricuspid and bicuspid/mitral valves) at the beginning of ventricular systole (contraction).

Final Answer: 1

53) Afferent lymphatics drain blood into lymph node than efferent lymphatics drain it into thoracic duct in humans.

54)

Joint diastole is the period when all four chambers of the heart are relaxed.

Therefore, during joint diastole, the bicuspid and tricuspid valves are open, and the semilunar valves are closed.

**Final Answer :** (1) Bicuspid and tricuspid valves are open


55) NCERT-(XIth)  Pg. # 284

56) NCERT Pg. # 200, 201

57) NCERT-XI , Pg# 279,280

58) NCERT-XI , Pg# 285

59)




60) NCERT-XI, Pg. # 202, 203

AIM : FREE EDUCATION TO ALL APUL