

Sri Chaitanya
Educational Institutions


Sri Chaitanya
Educational Institutions




Sri Chaitanya Educational Institutions | Infinity Learn












Sri Chaitanya Educational Institutions | Infinity Learn



3 2







Compound ‘A’ react with alcoholic KOH compound ‘B’ which on

Compound ‘A’ is

–

–






–

–

–

–





– – –

– –

P = $CH_3 - CH_2 - COCl$

Q = $CH_3 - \underset{\displaystyle Cl}{\underset{|}{CH}} - COOH$

P = $CH_3 - \underset{\displaystyle Cl}{\underset{|}{CH}} - COOH$

Q = $CH_3 - CH_2 - COCl$

Kjeldahl's method is used for the


$$Q \xleftarrow{PCl_3} \text{Propanoic acid} \xrightarrow[(ii)\ H_2O]{(i)\ Cl_2/\text{Red P}} P$$


– –


– –


–


Sri Chaitanya Educational Institutions | Infinity Learn



























Sri Chaitanya Educational Institutions | Infinity Learn



(i) H_3C-Cl/Anhydrous $AlCl_3$,
(ii) $KMnO_4$, $H^{\oplus}$,
(iii) Conc. HNO_3 + Conc. H_2SO_4

(i) Conc. HNO_3 + Conc. H_2SO_4,
(ii) $KMnO_4$, $H^{\oplus}$,
(iii) H_3C-CH_2Cl/Anhydrous $AlCl_3$


(i) O_3/Zn-H_2O, (ii) $KMnO_4$, $H^{\oplus}$,
(iii) Conc. NaOH

(i) CO_2/NaOH, (ii) $CHCl_3$+NaOH, (iii) HNO_2

(1)	Matrix	Link reaction and Krebs cycle
(2)	Cristae	Krebs cycle and ETS
(3)	Matrix	Krebs cycle only
(4)	Cytoplasm	Link reaction and Krebs cycle

A.		I. Penial setae
B.	*A*	II. Epidermal scales
C.		III. Pneumatic bones
D.		IV. Calcareous ossicles

(1)	A-I	B-IV	C-II	D-III
(2)	A-IV	B-I	C-III	D-II
(3)	A-IV	B-I	C-II	D-III
(4)	A-I	B-II	C-IV	D-III


B
A
C
D



(1) A only

(2) A, B and D only

(3) B only

(4) B and C only

A.	Glomerulonephritis	I. Inflammation of joints
B.	Myasthenia gravis	II. Hormonal disorder
C.	Rheumatoid arthritis	III. Paralysis of skeletal muscle
D.	Cushing's syndrome	IV. Kidney damage
		V.Genetic disorder

(1)	A-I	B-III	C-II	D-V
(2)	A-IV	B-III	C-I	D-II
(3)	A-IV	B-V	C-I	D-III
(4)	A-I	B-II	C-III	D-V

B.	Glycogen	II.	α-1,4 and α-1,6 linkages; highly branched; storage polysaccharide
C.	Chitin	III.	Polymer of N-acetyl glucosamine; nitrogen-containing
D.	Lecithin	IV.	Amphipathic molecule; major component of membranes
E.	Cholesterol	V.	Steroid with a four-ring structure that regulates membrane fluidity

(1) A-I, B-II, C-III, D-V, E-IV
(2) A-II, B-I, C-III, D-IV, E-V
(3) A-I, B-II, C-IV, D-III, E-V
(4) A-I, B-II, C-III, D-IV, E-V

Grave's disease

Bright's disease

A.	Cellulose	I.	β-1,4 linkage; forms microfibrils; structural role in plants

Statement I :

Statement II :

correctly describes Mendel's Law of

Statement I :

→

Statement II :

incorrect

–

Pteranodon

Ichthyosaur

Brachiosaurus

Tyranosaurus

→ → →

incorrect

→ → → →

→ → → →

→ → → →

→ → → →

Statement I :

Statement II :

incorrect

Sri Chaitanya Educational Institutions | Infinity Learn

Bt

Bt

Bt

	List I	List II
A.	Thermostable enzyme used for amplification of DNA in PCR (thermocycler)	I. galacto-sidase
B.	Enzyme inactivated during blue – white screening (X – gal hydrolysis)	II. DNase
C.	Enzyme used to prove DNA as transforming principle	III. Polynucleotide phosphorylase
D.	Enzyme involved in RNA synthesis without template	IV. Taq DNA polymerase

(1)	A-II,	B-I,	C-IV,	D-III
(2)	A-II,	B-I,	C-III,	D-IV
(3)	A-I,	B-III,	C-II,	D-IV
(4)	A-IV,	B-I,	C-II,	D-III

	List I	List II
A.	GIFT	I. Transfer of early embryo into fallopian tube
B.	IUI	II. Transfer of donor ovum into fallopian tube
C.	ZIFT	III. Transfer of semen of donor into uterus
D.	IVF	IV. Fertilisation of gametes *in vitro*

(1)	A-II	B-III	C-I	D-IV
(2)	A-III	B-I	C-IV	D-II
(3)	A-I	B-IV	C-II	D-III
(4)	A-IV	B-II	C-I	D-III

Sri Chaitanya Educational Institutions | Infinity Learn

$\male$, %, $K_{(5)}$ $C_{1+2+(2)}$

– –

– –

Assertion(A) :

Reason (R) :

	List I		List II
A.	Gel electrophoresis	I.	Separation and analysis of DNA fragments after restriction enzyme digestion
B.	Downstream processing	II.	Extraction and purification of the final gene product
C.	Elution (in bio-technology)	III.	Isolation of DNA from cells using chilled ethanol
D.	Replica plating method	IV.	Selection of transformed bacteria by transferring colonies onto multiple plates
E.	Spooling	V.	Recovery of desired DNA fragments from agarose gel after staining

(1) A-I B-II C-III D-IV E-V
(2) A-II B-I C-III D-IV E-V
(3) A-I B-III C-II D-IV E-V
(4) A-I B-II C-V D-IV E-III

not

not

Sri Chaitanya Educational Institutions | Infinity Learn

a

not represented by '+' and '0'?

Balanus

Apis

P - wave **QRS** **T – wave**

(1)

(2)

(3)

(4)

Human gut health is enhanced by '*A*' by a protein synthesized by '*B*'

A

B

A	***B***
Lactobacillus	*Bacillus thuringiensis*
Escherichia coli	*Meloidogyne*
Lactobacillus	*Bacillus thuringiensis*

Assertion(A) :

Reason (R) :

Assertion(A) :

Reason (R) :

mitochondria oxidize '*A*' and reduce '*B*'

A *B*

A ***B***

Lac

growth patterns of 'a' or 'b'?

_

_

_

_

Sri Chaitanya Educational Institutions | Infinity Learn

D.	Environmental heterophylly (Plasticity)	IV.	*Cycas*

(1) A-III, B-IV, C-II, D-I
(2) A-IV, B-II, C-I, D-III
(3) A-II, B-I, C-III, D-IV
(4) A-I, B-IV, C-III, D-II

incorrect

	List I		**List II**
A.	Mixotrophic nutrition (Autotrophic and Heterotrophic)	I.	Buttercup
B.	Dioecious nature (Male & Female on separate plants)	II.	Sunflower
C.	Presence of both Ray and Disc florets	III.	*Euglena*

(1)
(2)
(3)
(4)

Sri Chaitanya Educational Institutions | Infinity Learn

Statement I :

Statement II :

β

– –

chromosomal disorder doesn't represent

–

A B C D

Down's syndrome

Klinefetter's syndrome

Turner's syndrome

Edward's syndrome

in vitro

α

A

B *A*

B

(1)	Morphogenesis	Stomatal movement
(2)	Seed germination	Seed dormancy
(3)	Cell division	Apical dominance
(4)	Apical dominance	Senescence

→ → → →

→ → → →

→ → → →

Citrus

not *Locusta* *Columba*

Which of the following plant cell doesn't

(1) 1.25 10^{3} (2)

(3) (4)

i

not

(1) (2)

not (3) (4)

→

→

→

→

(1) / (2) /

(3) / (4) /

(1) 30 g (2) 40 g

(3) 20 g (4) 10 g

R *g* *h*

N

Sri Chaitanya Educational Institutions | Infinity Learn

(1) $\sqrt{\quad}$ (2) $\sqrt{\quad}$

(3) $\sqrt{\quad}$ (4) $\sqrt{\quad}$

Assertion (A) : Molecules of air in a room do not fall and settle on the ground due to gravity.

Reason (R) : Air molecules possess high kinetic energy and undergo incessant collisions, due to which their average kinetic energy is much greater than the gravitational potential energy over room heights.


In light of the above statements, choose the correct answer from the options given below.

(1) Both (A) and (R) are true and (R) is the correct explanation of (A).

(2) Both (A) and (R) are true but (R) is not the correct explanation of (A).

(3) (A) is true, but (R) is false.

(4) (A) is false, but (R) is true.



(1) 1 A (2) 4 A

(3) 2 A (4) 3 A

Statement I : The earth without its atmosphere would be inhospitable.

Statement II : A brass tumbler feels much colder than a wooden tray on a chilly day.

Statement III : Heating systems based on circulation of steam are more efficient in warming a building than those based on circulation of hot water.

(1) Statement I and Statement II are alone incorrect


(2) Statement I and Statement III are alone correct

(3) Statement II and Statement III are alone correct

(4) Statement I, Statement II and Statement III are correct

t

t



(1) – (2) Bv –

(3) – (4) Bv –

1

(1) less than that before the balls touched

(2) greater than that before the balls touched


(3) same as that before the balls touched

(4) zero

A right isosceles triangle of side 'a' has q q $-q$

q


$-q$



(1) —— (2) ——

(3) —— (4) ——

air at equal distance 'd' from each other. The area of each plate is 'S'. If the



(1) —— (2) ——

(3) —— (4) ——

Statement I : Specific resistance depends on nature of material and independent of temperature of the material.

Statement II : A wire of resistance is drawn out so that its new length is four times its original length. The resistance of the new wire is .

Statement III : Drift velocity is the average constant velocity acquired by free electrons inside a metal by the application of an electric field which results in current.

In light of the above statements, choose the correct answer from the options given below.


Which of the following is correct?

(1) Statement I, II and III are true.

(2) Statement I is true but statement II, III are false.

(3) Statement III is true but statement I, II are false.

(4) Statements II, III are true but statement I is false.



(1) θ (2)

(3) Zero (4)

(1) increase at the equator but remain unchanged at the poles.

(2) decrease at the equator but remain unchanged at the poles.

(3) decrease at the poles but remain unchanged at the equator.

(4) increase at the pole but remain unchanged at equator.

Assertion (A) : Steel used in the construction of buildings and bridges

Reason (R) : Steel is more elastic and its elastic limit is high

In light of the above statements, choose the correct answer from the options given below.

(1) Both (A) and (R) are true and (R) is the correct explanation of (A).

(2) Both (A) and (R) are true but (R) is not the correct explanation of (A).

(3) (A) is true, but (R) is false.

(4) (A) is false, but (R) is true.

Statement I : Viscosity of liquids decreases with decrease of temperature

Statement II : Surface tension of a liquid decreases with increase of temperature

In light of the above statements, choose the correct answer from the options given below.

(1) Both statement I and statement II are correct.

(2) Statement I is correct, but statement II is incorrect.

(3) Statement I is incorrect, but statement II is correct.

(4) Both statement I and statement II are incorrect.

not

(1) In an adiabatic process the system is insulated from the surroundings.

(2) In an isochoric process pressure remains constant.

(3) In an isothermal process the temperature remains constant.

(4) In an adiabatic process

= constant.

incorrect

A. The direction of eddy currents is given by Lenz's law.

B. A choke coil is a pure inductor used for controlling current in an A.C. circuit.

C. The r.m.s. value of A.C. current is $\sqrt{}$ times the peak value of A.C. current.

D. Quality factor is a measure of sharpness of resonance in A.C. circuit.

E. Magnetic field energy stored in an inductor of inductance L is — .

k.

E


(1) —

(2)

(3)

(4) ——

x x



L g


a v

(1) upon the system by a non-conservative force

(2) by the system against a conservative force


(3) by the system against a non-conservative force

(4) upon the system by a conservative force.



R

h R



(1) 5 cm (2) —

(3) — (4) 2 cm

Statement I :

Statement II :

Statement III : When two equal masses undergo a glancing elastic collision with one of them at rest then after the collision, they will move at right angles to each other.


In light of the above statements, choose the correct answer from the options given below.

(1) I and II are true

(2) I and III are true

(3) II and III are true

(4) I, II and III are true



(1) —— (2) ——

(3) —— (4) —

166. When a body is in SHM, then match the following.

	List I		List II
A.	Velocity is maximum.	I.	At extreme position
B.	K.E is $(3/4)^{th}$ of total energy	II.	At mean position
C.	P.E is $(3/4)^{th}$ of total energy	III.	At half of the amplitude
D.	Acceleration is maximum.	IV.	At $\frac{\sqrt{3}}{2}$ times of the amplitude


Choose the correct answer from the options given below.

(1) A-III B-I C-IV D-II

(2) A-I B-III C-IV D-II

(3) A-II B-III C-IV D-I

(4) A-II B-I C-IV D-III




(1) A and C; B and D

(2) B and D; A and C

(3) A and B; C and D

(4) C and D; A and B



(1) AND gate (2) OR gate

(3) NAND gate (4) NOR gate

(1) Gamma rays, ultraviolet, infrared, microwave

(2) Microwave, gamma rays, infrared, ultraviolet

(3) Infrared, microwave, ultraviolet, gamma rays

(4) Microwave, infrared, ultraviolet, gamma rays

Li^7

$_2He^4$ n

→

++

In Bohr's model of hydrogen atom, the

n


n

C is ' '. What will its

(1) — (2) —


(3) — (4) —

V I



(1) √ (2)

(3) (4)




(1) yellow, orange, red

Sri Chaitanya Educational Institutions | Infinity Learn

(2) violet, indigo, blue

(3) all colours

(4) all colours except green



(1) The angle of prism is

(2) The refractive index of the prism is $\sqrt{}$

(3) For deviation to be , the angle of incidence $_1 = 45^0$

(4) The curve of vs i is parabolic

(1) width of central maxima decreases and intensity decreases.

(2) width of central maxima decreases and intensity increases

(3) both width of central maxima and intensity increases

(4) width of central maxima increases and intensity decreases

Sri Chaitanya Educational Institutions | Infinity Learn

41 Years of Excellence 1986-2026

A CHOICE ROOTED IN TRUST A RESULT CROWNED IN GLORY SRI CHAITANYA

NEET 2025 RESULTS

5 ALL INDIA RANKS IN TOP 10



19 Ranks below 100 in All India Open Category



In the All India Open Category	In the All India Open Category	In the All India Open Category	In the All India All Category	In the All India All Category	In the All India All Category
16 Ranks within the Top 100	55 Ranks within the Top 500	95 Ranks within the Top 1000	49 Ranks within the Top 100	172 Ranks within the Top 500	294 Ranks within the Top 1000

In NEET - 2025 **Sri Chaitanya** Ranks **22,320+**

Sri Chaitanya Students – Ready to Secure Medical Seats **9,683+**

*CATIATSOLP