# VVT COACHING CENTRE

**Time : 3Hrs** **NEET MODEL GRAND TEST- 2** **Max. Marks : 720**

**01.** Which one of the following options gives the correct categorization of six animals according to the chief nitrogenous wastes they excrete?

| | **Ammono-telic** | **Ureotelic** | **Uricotelic** |
|---|---|---|---|
| (1) | Rohu<br>Catla | Locust<br>Monkey | Shark<br>Ostrich |
| (2) | Catla<br>Shark | Rohu<br>Monkey | Locust<br>Ostrich |
| (3) | Shark<br>Monkey | Rohu<br>Catla | Locust<br>Ostrich |
| (4) | Rohu<br>Catla | Shark<br>Monkey | Locust<br>Ostrich |

**02.** E*x situ* conservation of plant germplasm is done with
(1) Herbarium (2)Museum
(3) Botanical gardens (4)Flora

**03.** Correctly matched with reference to Virus and host
(1) Zymophages - Algae
(2) Phycophages - Mosses
(3) Cyanophages – Green algae
(4) Mycophages – Fungi

**04.** The first clinical gene therapy was given in 1990 to a 4-year old girl suffering with deficiency of
(1) Adenosine deaminase
(2) Phenylalanine hydroxylase
(3) Homogentisic acid oxidase
(4) Glucose-6-phosphate dehydrogenase

**05.** What is true for Actinomycetes ?
(1) They lack cell wall
(2) They are the smallest living cells known
(3) They are filamentous protistans
(4) They are filamentous monerans

**06.** The component of ECG that represents the return of the ventricles from excited to normal state is
(1) P wave (2)T wave
(3) QRS complex (4)ST segment

**07.** Which of the following is an allosomal genetic disorder caused by trisomy?
(1) Down syndrome
(2)Turner syndrome
(3) Klinefelter syndrome
(4) Marfan syndrome

**08.** The diatoms and desmids are also called
(1) Chrysophytes (2) Dinoflagellates
(3) Euglenoids (4) Slime moulds

**09.** A population of 300 individuals is experiencing exponential growth. If 27 births and 9 deaths occur in one year, the 'intrinsic rate of natural increase' for this population is
(1) 0.09 (2) 0.18 (3)0.06 (4) 0.03

**10.** Which organisms are correctly assigned to their taxonomic group ?
(1) Lichen is a composite organism formed from the symbiotic association of a photo-autotroph and a chemo-autotroph
(2) Yeast is a fungus used in making bread and beer
(3) *Nostoc* and *Anabaena* are photo-autotrophic Protistans
(4) *Paramecium* and *Plasmodium* belong to the same kingdom as that of Mycoplasmas

**11.** When a resting axonal membrane is stimulated,
(1) The membrane's potential first decreases and then increases
(2) The membrane's $Na^+$ permeability increases first followed by a decrease in $K^+$ permeability
(3) The membrane's $Na^+$ permeability increases first followed by an increase in $K^+$ permeability
(4) The membrane's $K^+$ permeability increases first followed by an increase in $Na^+$ permeability

**12.** Which one of the following pairs is correctly matched ?
(1) Viroids – Proteins
(2) Mustard – Vessel less angiosperm
(3) *Ginkgo* – Naked fruits
(4) *Salvinia* – Heterophyllous cryptogam

**13.** Energy available for consumption to herbivores in an ecosystem is
(1) Gross primary production
(2) Gross secondary production
(3) Net primary production
(4) Net secondary production

**14.** Select the correct option regarding general characters of Hemichordata.

| | **Respiratory Organs** | **Circulatory system** | **Excretory organ** |
|---|---|---|---|
| (1) | Skin | Closed | Nephridia |
| (2) | Gills | Open | Proboscis gland |
| (3) | Tube feet | Closed | Flame cell |
| (4) | Gills | Open | Green gland |

**15.** Cycas and Pteris resemble each other in having
(1) Ciliated Sperms
(2) Open vascular bundles
(3) Rhizome
(4) Seeds

**16.** The tallest tree with naked seeds is
(1) *Cycas* (2) *Pinus*
(3) *Sequoia* (4) *Eucalyptus*

**17.** Match Column - I with Column - II and select the correct option.

| **Column I** | | **Column II** | |
|---|---|---|---|
| (a) | Pneumonia | (i) | *Microsporum* |
| (b) | Common cold | (ii) | Rhinovirus |
| (c) | Typhoid | (iii) | *Salmonella* |
| (d) | Ringworm | (iv) | *Streptococcus* |

Options:

| | **(a)** | **(b)** | **(c)** | **(d)** |
|---|---|---|---|---|
| (1) | (ii) | (iv) | (iii) | (i) |
| (2) | (iv) | (ii) | (iii) | (i) |
| (3) | (iii) | (ii) | (iv) | (i) |
| (4) | (iv) | (ii) | (i) | (iii) |

**18.** Cymose inflorescence is present in
(1) *Sesbania* (2) *Trifolium*
(3) *Brassica* (4) *Solanum*

**19.** How many plants in the list given below have marginal placentation ?
Mustard, Gram, Tulip, Asparagus, Redgram, Sunhemp, Chilli, Colchicum, Onion, Moong, Pea, Tobacco, Lupin
(1) 6 (2)3 (3)4 (4)5

**20.** Gross calorific value of proteins is
(1) 5.65 kcal (2)4.1 kcal
(3) 9.45 kcal (4)4 kcal

**21.** The correct floral formula of chilli is
(1) $\oplus\ \delta\ K_{(5)}\ C_5\ A_5\ G_{(2)}$
(2) $\oplus\ \delta\ K_{(5)}\ C_{(5)}\ A_5\ G_{(2)}$
(3) $\oplus\ \delta\ K_{(5)}\ C_{(5)}\ A_{(5)}\ G_{\underline{2}}$
(4) $\oplus\ \delta\ K_5\ C_5\ A_{(5)}\ G_{\underline{2}}$

**22.** Which is *not true* for anatomy of the Dicot stem ?
(1) Collenchymatous hypodermis
(2) Medullated stele
(3) Vascular bundles are conjoint and closed
(4) Presence of medullary rays

**23.** The type of interspecific interaction between sea anemone and clown fish is
(1) Commensalism (2) Mutualism
(3) Amensalism (4) Parasitism

**24.** Sutures between the cranial bones are a type of
(1)Cartilaginous joints (2)Synovial joints
(3)Freely movable joints (4)Fibrous joints

**25.** The common bottle cork is a product of
(1) Phellogen (2)Xylem
(3) Vascular Cambium (4)Dermatogen

**26.** Progestasert is a
(1) Hormone releasing IUD
(2) Oral contraceptive pill
(3) Non-medicated IUD
(4) Cervical cap

**27.** About _____ percent of $CO_2$ is transported in the form of $HCO_3^-$.
(1) 50 (2) 70
(3) 20-25 (4) 7

COACHING
NEET | IIT-JEE

**28.** Vascular bundles with water containing cavities are found in
(1) Maize (2) *Cycas*
(3) *Pinus* (4) Sunflower

**29.** When a cell is plasmolysed, it becomes
(1) Flaccid and its TP becomes 0
(2) Turgid and its TP becomes maximum
(3) Turgid and TP becomes equal to OP
(4) Flaccid and $\psi$ becomes 0

**30.** What will be the effect of inbreeding in a population?
(1) It will increase the frequency of heterozygotes
(2) It will increase the frequency of dominant individuals
(3) It will increase the frequency of homozygotes
(4) It will decrease the frequency of recessive individuals

**31.** Which one of the following options gives the correct categorization of six enzymes according to the digestive juice in which they are present?

| | **Gastric juice** | **Pancreatic juice** | **Intestinal juice** |
|---|---|---|---|
| (1) | Pepsinogen Trypsinogen | Nucleosidase Lipase | Enterokinase Nuclease |
| (2) | Enterokinase Lipase | Trypsinogen Pepsinogen | Nuclease Nucleosidase |
| (3) | Pepsinogen Lipase | Nuclease Trypsinogen | Enterokinase Nucleosidase |
| (4) | Pepsinogen Nuclease | Enterokinase Lipase | Nucleosidase Trypsinogen |

**32.** Guttation differs from transpiration in which aspect ?
(1) It is the loss of water and minerals
(2) It is the loss of water vapour
(3) It occurs during day time
(4) It is controlled by stomata

**33.** Hormone that activates vitamin D is
(1) Parathormone (2) ADH
(3) Cortisol (4) Aldosterone

**34.** For its action, nitrogenase requires
(1) $O_2$ (2)High temperature
(3) High input of energy (4)Light

**35.** Which one of the following is wrong statement ?
(1) Symbiotic $N_2$ fixers live as aerobes under free-living conditions
(2) Free living $N_2$ fixers are all anaerobes
(3) *Nitrosomonas* and *Nitrobacter* are non-pigmented autotrophs
(4) *Anabaena* and *Nostoc* are capable of fixing nitrogen in free-living state also

**36.** Read the following four statements (A-D).
A) Both, photophosphorylation and oxidative phosphorylation involve same mechanism of ATP synthesis.
B) In dicot stems, a new cambium dedifferentiates from cells of pericycle at the time of secondary growth.
C) The flowers of *Gloriosa* and *Petunia* are hypogynous.
D) Major part of woody stem is parenchymatous.
The number of correct statements are
(1) 4 (2) 1 (3)2 (4) 3

**37.** A process that makes important difference between $C_3$ and $C_4$ plants is
(1) EMP pathway (2)$C_3$ pathway
(3) Glycolate pathway
(4) Glycolytic pathway

**38.** Which of the following in mitochondrial E.T.S is not a proton pump ?
(1) NADH dehydrogenase
(2) Succinate dehydrogenase
(3) Cytochrome $bc_1$ complex
(4) Cytochrome *c* oxidase

**39.** The main difference between GIFT and ZIFT is that
(1) In ZIFT, fertilization takes place *in vivo*
(2) GIFT involves *in vitro* fertilization followed by embryo transfer
(3)ZIFTinvolves intrauterine insemination
(4)In GIFT, fertilization takes place inside the fallopian tube

**40.** Which of these steps in Kreb's cycle is energy yielding ?
(1) Conversion of oxalo succinic acid to $\alpha$ –ketoglutaric acid
(2) Conversion of fumaric acid to malic acid
(3) Conversion of succinyl CoA to succinic acid
(4) Conversion of citric acid to isocitric acid

**41.** Anti-auxin property of cytokinins is
(1) Removal of apical dominance
(2) Prevention of leaf abscission
(3) Induction of opening of stomata
(4) Delay of scenescene

**42.** Which among these is a correct combination of marine animals?
(1) *Spongilla, Sepia, Salpa*
(2) *Ctenoplana, Cucumaria, Catla*
(3) *Balaenoptera, Balanoglossus, Betta*
(4) *Adamsia, Ascidia, Asterias*

**43.** Wrongly matched of the following is
(1) Phytochrome – Flowering hormone
(2) Auxins – Indole compounds
(3) Cytokinins – Adenine derivatives
(4) Ethylene – Methionine derivative

**44.** Exponential growth occurs when
(1) Environmental resistance is maximum
(2) Resources are unlimited
(3) Biotic potential is minimum
(4) Individuals compete for limited resources

**45.** Select the correct route for the passage of urine in man.
(1) Calyx → Pelvis → Urinary bladder → Ureter → Urethra
(2) Ureter → Calyx → Pelvis → Urinary bladder → Urethra
(3) Calyx → Pelvis → Ureter → Urinary bladder → Urethra
(4) Ureter → Urinary bladder → Calyx → Pelvis → Urethra

**46.** Go through the following statements.
i) In geometric growth, only one daughter cell out of two continues to divide.
ii) The ability of plants to follow different phases of life to form different kinds of structures, is called plasticity.
iii) The mathematical expression for arithmetic growth is $L_t = L_0 + rt$ while for geometric growth, it is $W_1 = W_0 e^{rt}$.
iv) The growth and differentiation in plants are both open.
Which of these are correct?
(1) iii & iv (2) ii, iii & iv
(3) ii & iv (4) All are correct

**47.** Select the correct option regarding features present in three animals.

| | Character | Earthworm | Cockroach | Frog |
|---|---|---|---|---|
| (1) | Coelom | Pseudocoel | Haemocoel | Enterocoel |
| (2) | Respiratory pigment | Haemo-globin | Haemo-cyanin | Haemo-globin |
| (3) | Heart | Absent | Thirteen chambered | Two chambered |
| (4) | Excretory organs | Nephridia | Malpighian tubules | Kidneys |

**48.** Which one of the following cellular parts is correctly described ?
(1) Ribosomes – 80S with 40S and 50S while 70S with 30 and 60S subunits
(2) Lysosomes – Glycosidation of lipids and proteins
(3) Thylakoids – flattened membranous sacs forming the grana of chloroplasts
(4) Centrioles – locomotory structures

**49.** Which one of the following does not make a difference between Monerans and protistans ?
(1) Chromosomal organization
(2) Cell wall
(3) Cell membrane
(4) Ribosomes

**50.** Which one of the following biomolecules is correctly characterised?
(1) Adenylic acid – adenosine without phosphate
(2) Basic amino acid – does not contain carboxyl group
(3) Lecithin – Phosphorylated glyceride
(4) Palmitic acid – Unsaturated fatty acid with 18 carbon atoms

**51.** Which of the following is *not* an example of *in-situ* conservation?
(1) National park (2)Wildlife sanctuary
(3) Zoological park (4) Sacred grove

**52.** During oogenesis, meiosis I produces
(1) Secondary oocyte and first polar body
(2) Primary oocyte and first polar body
(3) Secondary oocyte and second polar body
(4) Primary oocyte and second polar body

**53.** Montreal protocol is an international agreement that aims at
(1) Reducing the emissions of greenhouse gases in order to prevent global warming
(2) Banning all nuclear explosions for both civilian and military purpose
(3) Prohibiting the development and use of biological weapons
(4) Protecting the ozone layer by phasing out the production and consumption of ozone-depleting substances

**54.** Which one is the most abundant protein in the animal world ?
(1) Haemoglobin (2) Collagen
(3) Insulin (4) Trypsin

**55.** Spindles are arrested by colchicine at
(1) Anaphase (2) Metaphase
(3) Telophase (4) Prophase

**56.** Steroid hormones influence gene expression in the target cells. Which of the following statements are most appropriate explanation for this feature?
(a) They bind to membrane bound receptors on the cell surface.
(b) Being lipid soluble, steroid hormones can enter the target cells through the cell membrane.
(c) They generate a second messenger in the target cells.
(d)Hormone-receptor complex binds to DNA.
**Options:**
(1) (a) and (c) (2) (b) and (d)
(3) (b), (c) and (c) (4) (a), (b) and (d)

**57.** Chiasmata can be distinctively seen in
(1) Zygotene (2) Pachytene
(3) Diplotene (4) Leptotene

**58.** Biological response modifier used in the treatment of cancer is
(1) α-1- antitrypsin (2) α amylase
(3) α lactalbumin (4) α interferon

**59.** $F_1$ generation resembles neither the parent due to
(1) Inheritance of one gene (2)Co-dominance
(3) Incomplete dominance (4)Dominance

**60.** Mis-match regarding the phenotypical ratios of following crosses is
(1) YyRr x yyrr – 1 : 1 : 1 : 1 (Pea)
(2) tt x TT – 1 : 1 (Pea)
(3) yyRR x YYrr – 9 : 3 : 3 : 1 ($F_2$ progeny of pea)
(4) Rr x Rr – 1 : 2 : 1 (Snapdragon)

**61.** Match List-I with List-II given below.

| **List-I** | **List-II** |
|---|---|
| A) Incomplete dominance | 1) Human skin colour |
| B) Codominance | 2) Pea seed shape and starch grain size |
| C) Polygenes | 3) Human being belonging to AB blood group |
| D) Pleiotropic | 4) Flower colour in genes dog flower |

| | **A** | **B** | **C** | **D** |
|---|---|---|---|---|
| (1) | 4 | 3 | 1 | 2 |
| (2) | 3 | 4 | 2 | 1 |
| (3) | 4 | 3 | 2 | 1 |
| (4) | 3 | 4 | 1 | 2 |

**62.** Which one of the following is a wrong statement regarding mutations ?
(1) UV and Gamma rays are physical mutagens
(2) Base substitution of DNA is not mutation
(3) Deletion and insertion of base pairs cause frame-shift mutation
(4) Cancer cells commonly show chromosomal aberrations

**63.** Which of the following are homologous?
(1) Thorn of *Bougainvillea* and tendril of *Cucurbita*
(2) Sweet potato and potato
(3) Eyes of *Octopus* and of mammals
(4) Wings of butterfly and bird

**64.** Edward Wilson popularized the term
(1) Biodiversity (2) Ecosystem
(3) Biosphere (4) Ecology

**65.** Volume of air remaining in the lungs even after a forcible expiration is
(1) Expiratory reserve capacity
(2) Tidal volume
(3) Functional residual capacity
(4) Residual volume

**66.** True about tRNA is
(1) It was known after postulation of genetic code
(2) It is double stranded
(3) It's actual structure looks like clover-leaf
(4) It has some unusual bases

**67.** The increase in concentration of a toxicant at successive trophic levels is referred to as
(1) Bioremediation (2)Eutrophication
(3) Biomagnification (4)Incineration

**68.** Menstruation occurs due to
(1) Fall in the levels of oestrogens and progesterone
(2) Surge of FSH and LH around mid-cycle
(3) Rise in the levels of oestrogens and progesterone
(4) Transformation of primary follicle into secondary follicle

**69.** Choose the correct statement pertaining to genetic code ?
(1) It may be doublet code rarely
(2) It can never be overlapping

(3) It is usually ambiguous in prokaryotes
(4) It has no punctuations

**70.** In small populations, there is a greater chance of
(1) Mutations (2)Genetic drift
(3) Natural selection
(4) Hardy-Weinberg equilibrium

**71.** Of the 'X' billion base pairs that make up human genome, only 'Y' percent code for proteins. Select the option that correctly represents 'X' and 'Y' and provides the explanation.

| | | |
|---|---|---|
| (1) | X = 3 billion<br>Y = less than 2 | The average gene consists of 3000 bases, but sizes vary greatly |
| (2) | X = 3 million<br>Y = 3 | Functions are unknown for over 50 percent of the discovered genes |
| (3) | X = 3 billion<br>Y = 50 | Eukaryotic genes are split genes with introns |
| (4) | X = 3 billion<br>Y = less than 2 | Non-coding sequences make up a very large portion of the human genome |

**72.** When acetylcholine is released at the neuromuscular junction, action potential is generated first in the
(1) Sarcolemma (2)T tubule
(3) Terminal cistern (4)Cross arm

**73.** Explant used for virus free plant production is
(1) Root (2)Shoot tip
(3) Leaf (4)Leaf and Root

**74.** All the components of the conducting system can generate an action potential for the contraction of heart muscle, but the sino-atrial node acts as the pacemaker because
(1) All the other components in heart cannot conduct the action potential.
(2) Only the sino-atrial node is auto-excitable and auto-rhythmic.
(3) The sino-atrial node has a higher inherent rate of depolarisation.
(4) The sino-atrial node has a lower inherent rate of depolarisation.

**75.** Choose the correct sequence of the following IUCN red list categories from most threatened to least threatened.
(a) Least concern
(b) Endangered
(c) Vulnerable
(d) Critically endangered
Options:
(1) (b), (d), (c), (a) (2)(d), (b), (c), (a)
(3) (d), (b), (a), (c) (4)(d), (c), (b), (a)

**76.** The superiority of hybrids over their parents is called
(1) Heterosis (2)Transformation
(3) Splicing (4)Inbreeding depression

**77.** Non-$N_2$ fixing bio-fertilizer is
(1) Anabaena (2)Oscillatoria
(3) Aulosira (4)Glomus

**78.** *Monascus purpureus* is a yeast used commercially in the production of
(1) Streptokinase for removing clots from the blood vessels
(2) Citric acid
(3) Blood cholesterol lowering statins
(4) Ethanol

**79.** Which of the following statements is correct?
(1) Vaccines generate memory B cells but not memory T cells.
(2) Innate immunity is characterized by specificity and memory.
(3) The spleen acts as a filter of the blood by trapping blood-borne microorganisms.
(4) The exaggerated response to allergens is due to the release of histamine and serotonin from plasma cells.

**80.** In India, the Air (Prevention and Control of Pollution) Act came into force in
(1) 1986 (2) 1981 (3)1974 (4) 1988

**81.** The restriction enzyme (s) that make staggered cuts in DNA leaving sticky ends is / are
(1) *Eco R I* (2) Hind III
(3) *Bam* H I (4) All of these

**82.** The mouth of molluscs contains a file-like rasping organ called
(1) Ctenidium (2) Mantle
(3) Osphradium (4) Radula

**83.** Biolistics (gene-gun) is suitable for
(1) Selecting pathogen vectors
(2) Transformation of plant cells
(3) Constructing chimeric DNA
(4) DNA amplification

**84.** Vertical distribution of different species occupying different levels is seen best in
(1) Grassland (2) Tropical rain forest
(3) Temperate forest (4) Tropical savannah

**85.** Which one of the following is a case of wrong matching ?
(1) Somatic hybridization – Fusion of two diverse cells
(2) Embryoid - Zygotic embryo
(3) Micropropagation - *in vitro* production of plants in large numbers
(4) Callus - Undifferentiated mass of cells

**86.** Identify the correct sequence of stages in spermatogenesis.
(1) Spermatocytes → Spermatogonia → Spermatids → Spermatozoa
(2) Spermatogonia → Spermatocytes → Spermatids → Spermatozoa
(3) Spermatogonia → Spermatocytes → Spermatozoa → Spermatids
(4) Spermatogonia → Spermatids → Spermatocytes → Spermatozoa

**87.** The gene that encodes for BT protein, specific to cotton boll worm is
(1) Cry I AC (2) Cry II Abc
(3) Cry II Ac (4) Cry II Ab

**88.** Industrial melanism in the peppered moth is an example of
(1) Directional selection because more individuals acquired peripheral character value at both ends of the distribution curve
(2) Stabilizing selection because more individuals acquired mean character value
(3) Directional selection because it pushed the mean character value of the population in one direction
(4) Disruptive selection because it split the population into two equal groups

**89.** Which of the following are a part of mononuclear phagocytic system?
(1) Mast cells and Schwann cells
(2) Monocytes and astrocytes
(3) Kupffer cells and ependymal cells
(4) Macrophages and microglia

**90.** Vestibular apparatus of the inner ear is involved in maintenance of body balance. Select the correct option from the following statements.
(a) The maculae present in the utricle and the saccule are the receptors for static equilibrium.
(b) Maculae detect angular acceleration and deceleration.
(c) The crista ampullaris of each semicircular duct contains receptors for dynamic equilibrium.
(d) The hair cells of crista ampullaris respond to the gravitational pull due to the movement of otoliths.
Options:
(1) (a) and (c) (2) (b) and (d)
(3) (a), (c) and (d) (4) (a), (b) and (c)

91. Mark the incorrect option
(1) When an uncharged capacitor is connected across the battery, just after the connections has been made, it behaves as short circuit
(2) When capacitor is fully charged it behave as short circuit
(3) When capacitor is fully charged it behaving as open circuit
(4) 1 and 3 both

92. A student measures the distance traversed in face fall of a body, initially at rest in a given time. He uses this data to estimate g, the acceleration due to gravity. If the maximum percentage error in measurement of the distance and the time are $e_1$ and $e_2$ respectively, the percentage error in the estimation of g is
(1) $e_1 + 2e_2$ (2) $e_1 + e_2$
(3) $e_1 - 2e_2$ (4) $e_2 - e_1$

**93.** In an adiabatic change, the pressure and temperature of a monatomic gas are related as $P \propto T^C$, where C equals
(1) 3/5 (2) 5/3 (3) 5/2 (4) 2/5

**94.** A circular current carrying coil has a radius R. The distance from the centre of the coil on its axis where the magnetic induction will be $(1/8)^{th}$ of its value at the centre of the coil, is
(1) $R\sqrt{3}$ (2) $R/\sqrt{3}$ (3) $2R\sqrt{3}$ (4) $\left(2\sqrt{3}\right)R$

COACHING NEET | IIT-JEE

**95.** A particle moves along a circle of radius $(20/\pi)$m with constant tangential acceleration. If the velocity of the particle is 80 m/s at the end of the second revolution after motion has begin, the tangential acceleration is

(1) $40\,ms^{-2}$ (2) $640\pi\,ms^{-2}$

(3) $160\pi\,ms^{-2}$ (4) $40\pi\,ms^{-2}$

**96.** The r.m.s velocity of a gas at a certain temperature is $\sqrt{2}$ times than that of the oxygen molecules at that temperature. The gas can be

(1) $H_2$ (2) He (3) $CH_4$ (4) $SO_2$

**97.** A p-n junction diode can be used as

(1) condenser (2) rectifier

(3) amplifier (4) regulator

**98.** A sphere of solid material of specific gravity 8 has a concentric spherical cavity and just sinks in water. Then the ratio of radius of cavity to that of outer radius of the sphere must be

(1) $\frac{(3)^{1/3}}{2}$ (2) $\frac{(5)^{1/3}}{2}$ (3) $\frac{(7)^{1/3}}{2}$ (4) $\frac{(9)^{1/3}}{2}$

**99.** A person at rest is observing two trains one coming towards him and other leaving with the same speed 4 m/s. If their whistling frequencies are 240 Hz each, then the number of beats per second heard by the person will be (if velocity of sound is 320 m/s)

(1) 3 (2) 6 (3) 9 (4) zero

**100.** Identify the wrong statement

(1) De – Broglie waves are probability waves

(2) De – Broglie wavelength of a moving particle is inversely proportional to its momentum.

(3) Wave nature is associated with atomic particles only

(4) In general wave nature of matter is not observed

**101.** Four solid spheres A, B, C and D are of same radius but made of different metals. Their densities are in ratio 6 : 3 : 4 : 5 and specific heats are in ratio 2 : 5 : 4 : 6. These are initially kept at the same temperature and placed in the same surroundings. The sphere which has the slowest rate of cooling is

(1) C (2) B (3) D (4) A

**102.** If $I_0$ is the intensity of principle maximum in the single slit diffraction pattern, then what will be its intensity when the slit width is doubled

(1) $I_0$ (2) $\frac{I_0}{4}$ (3) $2I_0$ (4) $4I_0$

**103.** A child is standing with folded hands at the centre of a platform rotating about its central axis. The kinetic energy of the system is K. The child now stretches his arm so that moment of inertia of the system doubles. The kinetic energy of the system now is


(1) 2K (2) K/2 (3) K/4 (4) 4K

**104.** Water is flowing continuously from a tap having an internal diameter $8\times10^{-3}\,m$. The water velocity as it leaves the tap is $0.04\,ms^{-1}$. The diameter of the water stream at a distance $8\times10^{-1}\,m$ below the tap is close to

(1) $9.6\times10^{-3}\,m$ (2) $3.6\times10^{-3}\,m$

(3) $0.8\times10^{-3}\,m$ (4) $6.4\times10^{-3}\,m$

**105.** A solid sphere of mass M is rolling with a speed V on a horizontal surface and strikes a massless spring of force constant K. Then the maximum compression of spring is




(1) $\sqrt{\frac{5MV^2}{3K}}$ (2) $\sqrt{\frac{7MV^2}{5K}}$

(3) $\sqrt{\frac{MV^2}{K}}$ (4) $\sqrt{\frac{3MV^2}{2K}}$

**106.** The additional kinetic energy to be provided to a satellite of mass m revolving around a planet of mass M, to transfer it from a circular orbit of radius $R_1$ to another of radius $R_2\,(R_2 > R_1)$ is

(1) $GmM\left(\frac{1}{R_1}-\frac{1}{R_2}\right)$ (2) $2GmM\left(\frac{1}{R_1}-\frac{1}{R_2}\right)$


(3) $\frac{1}{2}GmM\left(\frac{1}{R_1}-\frac{1}{R_2}\right)$ (4) $GmM\left(\frac{1}{R_1^2}-\frac{1}{R_2^2}\right)$

**107.** An atomic power nuclear reactor can deliver 300 MW. The energy released due to fission of each nucleus of uranium atom $U^{235}$ is 170 MeV. The number of uranium atoms fissioned per hour will be

(1) $4\times10^{22}$ (2) $30\times10^{22}$

(3) $10\times10^{20}$ (4) $5\times10^{15}$

**108.** In the given potentiometer arrangement a cell is balanced on length $l$ across potentiometer wire as shown in figure. If cross sectional radius at potentiometer wire is made double then balancing length on wire would be




(1) $2l$ (2) $\frac{l}{4}$ (3) $\frac{l}{2}$ (4) $l$

**109.** Electromagnetic wave of intensity 1400 W/m² falls on metal surface on area 1.5m² is completely absorbed by it. Find our force exerted by beam

(1) $14\times10^{-5}N$ (2) $14\times10^{-6}N$

(3) $7\times10^{-5}N$ (4) $7\times10^{-6}N$

**110.** The colour coded carbon resistance has three bands. The bands from left are blue, yellow and red the resistance is

(1) 6400 ± 20% (2) 642 ± 20%

(3) 6420 ± 10% (4) 4600 ± 5%

**111.** (a) Centre of gravity (C.G) of a body is the point at which the weight of the body acts.

(b) Centre of mass coincides with the centre of gravity if the earth is assumed to be a perfect sphere of uniform density

(c) To evaluate the gravitational field intensity due to any body at an external point, the entire mass of the body can be considered to be concentrated at its C.G.

(d) The radius of gyration of anybody rotating about an axis is the length of the perpendicular dropped from the C.G. of the body to the axis of rotation.

Which one of the following pairs of statements is correct?

(1) a and b (2) b and c

(3) c and d (4) d and a

**112.** If $\lambda_1$ and $\lambda_2$ are the wavelengths of the first members of the Lyman and Paschen series, respectively, then $\lambda_1:\lambda_2$ is

(1) 1 : 3 (2) 1 : 30 (3) 7 : 50 (4) 7 : 108

**113.** The first overtone of an open pipe has frequency n. The first overtone of a closed pipe of the same length will have frequency

(1) n/2 (2) 2n (3) 3n/4 (4) 4n/3

**114.** A black body is at a temperature of 500 K. It emits energy at a rate which is proportional to

(1) $(500)^3$ (2) 500 (3) $(500)^4$ (4) $(500)^2$

**115.** Two ice skaters A and B approach each other at right angles. Skater A has a mass 30 kg and velocity 1 m/s and skater B has a mass 20 kg and velocity 2 m/s. They meet and cling together. Their final velocity of the couple is


(1) 2 m/s (2) 1.5 m/s





(3) 1 m/s (4) 2.5 m/s

**116.** A magnetic substance has susceptibility $-0.05$ at 300K. The magnetic susceptibility of the substance at 600K will be

(1) $-0.025$ (2) $-0.1$ (3) $-0.05$ (4) $-0.0125$


**117.** Box may have any series combination of L, C and R.




| Column – I | Column – II |
|---|---|
| A)   | P) Box contain LCR at resonance |
| B)   | Q) Box contain only LR |
| C)   | R) Power factor of box zero |
| D)   | S) Box contain only CR |

(1) A → P; B → R; C → S; D → Q
(2) A → P; B → S; C → R; D → Q
(3) A → P; B → R; C → Q; D → S
(4) A → Q; B → S; C → R; D → P

**118.** A liquid of refractive index 1.6 is contained in the cavity of a glass specimen of refractive index 1.5 as shown in figure. If each of the curved surface has a radius of curvature of 0.20 m, the arrangement behaves as a




(1) converging lens of focal length 0.25 m
(2) diverging lens of focal length 0.25 m
(3) diverging lens of focal length 0.17 m
(4) converging lens of focal length 0.72 m

**119.** Two sound waves having a phase difference of $60^0$ have path difference of

(1) $2\lambda$ (2) $\frac{\lambda}{3}$ (3) $\frac{\lambda}{6}$ (4) $\frac{\lambda}{2}$


**120.** A transistor is operated in common emitter configuration at $V_C$ = 2 V such that a change in the base current from $100\,\mu A$ to $300\,\mu A$ produces a change in the collector current from 10 mA to 20 mA. The current gain is


(1) 100 (2) 75 (3) 50 (4) 25


**121.** Two coil have a mutual inductance 0.005 H. The current changes in first coil according to equation $I = I_0 \sin \omega t$, where $I_0 = 2A$ and $\omega = 100\pi$ rad / sec. The maximum value of induced emf in second coil is


(1) $4\pi V$ (2) $3\pi V$ (3) $2\pi V$ (4) $\pi V$

**122.** The electric field due to a uniformly charged non-conducting sphere of radius R as a function of the distance from its centre is represented graphically by

(1)



(2)



(3)



(4)



**123.** In the Y.D.S.E., the slits are separated by 0.28 mm and the screen is placed 1.4 m away. The distance between the central bright fringes and the fourth bright fringe is measured to be 1.2 cm. Determine the wavelength of light used in the experiment

(1) $3000\,\overset{0}{A}$ (2) $6000\,\overset{0}{A}$
(3) $9000\,\overset{0}{A}$ (4) $4800\,\overset{0}{A}$

**124.** What should be the displacement of a simple pendulum whose amplitude is A, at which potential energy is $1/4^{th}$ of the total energy?

(1) $\frac{A}{\sqrt{2}}$ (2) $\frac{A}{2}$
(3) $\frac{A}{4}$ (4) $\frac{A}{2\sqrt{2}}$

**125.** A copper wire and a steel wire of the same diameter and length are connected end to end and a force is applied which stretches their combined length by 1 cm. Then the two wires will have

(1) The same stress and strain
(2) The same stress but different strain
(3) The same strain but different stresses
(4) Different stresses and strain

**126.** An eye specialist prescribes spectacles having a combination of convex lens of focal length 40 cm in contact with a concave lens of focal length 25 cm. The power of this lens combination in dioptre is

(1) + 1.5 (2) – 6.6 7
(3) +6.67 (4) – 1.5

**127.** The difference in the value of 'g'at pole and at a latitude is $\frac{3}{4}R\omega^2$ then latitude angle is

(1) $60^0$ (2) $30^0$
(3) $45^0$ (4) $95^0$

**128.** The velocity of a particle moving in the positive direction of the X-axis varies as $V = K\sqrt{S}$ where K is a positive constant. The corresponding V – t graph is
(1) A straight line intercepts Y axis
(2) A straight line passing through the origin
(3) A parabola
(4) A symmetric parabola

**129.** The energy stored in a capacitor of capacity C and potential V is given by
(1) $\frac{CV^2}{2}$ (2) $\frac{C^2V^2}{2}$
(3) $\frac{C^2V}{2}$ (4) $\frac{CV}{2}$


**130.** When radiation of wavelength $\lambda$ is incident on a metallic surface, the stopping potential is 4.8 volts. If the same surface is illuminated with radiation of double the wavelength, then the stopping potential becomes 1.6 volts. Then the threshold wavelength for the surface is
(1) $2\lambda$ (2) $4\lambda$
(3) $6\lambda$ (4) $8\lambda$

**131.** A ship A is moving Westwards with a speed of 10 km $h^{-1}$ and a ship B 100 km South of A, is moving Northwards with a speed of 10 km $h^{-1}$. The time after which the distance between them becomes shortest,is
(1) $5\sqrt{2}$h (2) $10\sqrt{2}$h
(3) 5h (4) 0 h

**132.** A galvanometer has a current range of 15mA and voltage range of 750mv. To convert this galvanometer into an ammeter of range 25A, the shunt resistance required is nearly
(1) 0.2 $\Omega$ (2) 0.02 $\Omega$
(3) 0.03 $\Omega$ (4) 0.5 $\Omega$

**133.** A ball A moving with a certain velocity collides, with another ball B of the same mass at rest. If the coefficient of restitution is e, the ratio of the velocities of A and B just after the collision is
(1) $\frac{1+e}{1-e}$ (2) $\frac{1+e}{2}$
(3) $\frac{1-e}{2}$ (4) $\frac{1-e}{1+e}$

**134.** In the figure shown the angle made by the light ray with the normal in the medium of refractive index $\sqrt{2}$ is





(1) $30^0$ (2) $60^0$ (3) $90^0$ (4) $45^0$

**135.** A block of mass m is placed on a surface with a vertical cross section given by $y = \frac{x^3}{6}$. If the coefficient of friction is 0.5, the maximum height above the ground at which the block can be placed without slipping is
(1) $\frac{1}{2}$m (2) $\frac{1}{6}$m (3) $\frac{2}{3}$m (4) $\frac{1}{3}$m

**136.** In an atom, an electron is moving with a speed of 600m/sec with an accuracy of 0.005%. Certainty with which the position of the electron can be located is:
(1) $1.92 \times 10^{-3}$ m (2) $1.52 \times 10^{-4}$ m
(3) $2.62 \times 10^{-6}$ m (4) $0.22 \times 10^{-1}$ m

**137.** Given
a) n = 4 , m = +1
b) $n = 2, l = 1, m_l = -1, m_s = -1/2$
The maximum number of electron(s) in an atom that can have the quantum numbers as given in (a) and (b) are respectively
(1) 25 and 1 (2) 6 and 1
(3) 2 and 4 (4) 4 and 1

**138.** Which among the following is incorrect?
(1) $MX_2$ type of molecule will have zero dipole moment if 'M' uses sp hybrid orbitals for bonding
(2) NaCN contains both covalent and ionic bonds
(3) S.I. unit of dipole moment is Debye
(4) Positive overlap: 

**139.** Which of the following molecules has two sigma ($\sigma$) and two pi ($\pi$) bonds?
(1) $C_2H_4$ (2) $N_2F_2$
(3) $C_2H_2Cl_2$ (4) HCN

**140.** $SO_2$ and He are kept in a container at partial pressure $P_1$ and $P_2$. A thin perforation is made in the wall of the container and it is observed that gases effuse at the same rate. The ratio of $P_1$ and $P_2$ will be

(1) 4 : 1 (2) 1 : 4 (3) 1 : 16 (4) 16 : 1

**141.** Which among the following contains same number of atoms as in 10 grams of calcium?

(1) 2grams of He (2) 8grams of He
(3) 1 gram of He (4) 4grams of He

**142.** $NH_4Cl$ crystallizes in a body-centred cubic lattice with edge length of unit cell equal to 387 pm. If the radius of the $Cl^-$ ion is 181 pm, radius of $NH_4^+$ ion is (assume all ions are spherical in shape)

(1) 264.1 pm (2) 92.6 pm
(3) 154.1 pm (4) 206 pm

**143.** Equal volumes of 0.1M $AgNO_3$ and 0.2M NaCl are mixed. The concentration of $NO_3^{-1}$ ions in the mixture will be:

(1) 0.1M (2) 0.01M (3) 0.2M (4) 0.05M

**144.** The solubility of AgCl is highest in:

(1) 0.1M $NH_3$ (2) 0.1M NaCl
(3) 0.1M $BaCl_2$ (4) Water

**145.** At what concentration of $ZnSO_4$, the reduction potential of Zn electrode is -0.82V (SRP of Zn electrode is -0.76V)?

(1) 1M (2) 0.1M (3) 0.05M (4) 0.01M

**146.** 2 litres of 1M $CuSO_4$ solution is electrolysed. The molarity of $CuSO_4$ solution after passing 2F of electrical charge is: (ignore the change in volume of solution)

(1) 1M (2) 0.5M (3) 2M (4) 1.5M

**147.** For a first order reaction, A→ products, the rate of reaction at [A] = 0.2 M is $1.0 \times 10^{-2}$mol.$L^{-1}$.$min^{-1}$. The half life period for the reaction is :

(1) 6.56min (2) 10.45min
(3) 3.86min (4) 13.86min

**148.** Values of dissociation constant, $K_a$ are given as follows :

| Acid | $K_a$ |
|---|---|
| HCN | $6.2\times10^{-10}$ |
| HF | $7.2\times10^{-4}$ |
| $HNO_2$ | $4.0\times10^{-4}$ |

Correct order of increasing basic strength of the base $CN^-, F^-$ and $NO_2^-$ will be :

(1) $F^- < CN^- < NO_2^-$

(2) $NO_2^- < CN^- < F^-$

(3) $F^- < NO_2^- < CN^-$

(4) $NO_2^- < F^- < CN^-$

**149.** Which among the following acts as basic buffer ?

(1) NaCl + $NaHCO_3$
(2) $CH_3COOH$ + $CH_3COONa$
(3) $C_6H_5NH_2$ + $C_6H_5NH_3^+Cl^-$
(4) $CH_3COONH_4$(aq)

**150.** For which of the following reactions, $K_p$ and $K_c$ are equal ?

(1) $N_2(g) + O_2(g) \leftrightarrow 2NO(g)$
(2) $CaCO_3(s) \leftrightarrow CaO(s) + CO_2(g)$
(3) $N_2(g) + 3H_2(g) \leftrightarrow 2NH_3(g)$
(4) $2SO_3(g) \leftrightarrow 2SO_2(g) + O_2(g)$

**151.** The enthalpy of vaporization of liquid is 30 kJ $mol^{-1}$ and entropy of vaporization is $75 JK^{-1}mol^{-1}$. The boiling point of the liquid at 1 atm is

(1) 250 K (2) 400 K (3) 450 K (4) 600 K

**152.** Freshly prepared precipitate sometimes gets converted into colloidal solution by:

(1) peptisation (2) coagulation
(3) diffusion (4) electrophoresis

**153.** Statement-I: In froth floatation process sodium ethyl xanthate is used as collector
Statement-II: Mond's process is used in the purification of Ni

(1) Statement-I is right. Statement-II is right
(2)Statement-I is right. Statement-II is wrong
(3)Statement-I is wrong. Statement-II is right
(4)Statement-I is wrong.Statement-II is wrong

**154.** Which of the following polymer has ester linkage?

(1) Dacron (2) Nylon-6,6
(3) Buna-S (4) Bakelite

**155.** Which among the following is incorrect statement ?

(1) reaction of glucose with Fehling's reagent indicates the presence of –CHO group in glucose
(2) Aspartame is a dipeptide
(3) Sucrose is a reducing sugar
(4) Nucleotide contains base , sugar and phosphate

**156.** Which among the following indicates the complete three dimensional structure that results from twisting, bending and folding of protein helix ?
(1) Primary structure
(2) Secondary structure
(3) Tertiary structure
(4) Quaternary structure

**157.** Which among the following is responsible to prevent rapid drying of shaving soaps?
(1) cetyl trimethyl ammonium bromide
(2) glycerol
(3) Butylated hydroxyl anisole
(4) N-acetyl para amino phenol

**158.** Total number of lone pair of electrons on 'Xe' in $XeOF_4$ is
(1) 0 (2) 1 (3) 2 (4) 3

**159.** Propene on hydro formylation will give a compound 'X', which on further reduction will give compound 'Y', then 'Y' is:
(1) Butan-1-ol (2) Butan-1-al
(3) Propanol (4) t-Butyl alcohol

**160.** Sodium metal dissolves in liq.$NH_3$ to form a solution which is para magnetic and also has ------ colour
(1) Red (2) Green (3)Nocolour (4) Blue





**161.** Which of the following plays an important role in neuromuscular function?
(1) Be (2) Al (3) Ba (4) Ca

**162.** $Na_2B_4O_7.10H_2O \xrightarrow{Heat} Na_2B_4O_7 \xrightarrow[heat]{strong} NaBO_2 + Y$
Y is
(1) $H_3BO_3$ (2) $HBO_2$ (3) $B_2H_6$ (4) $B_2O_3$






**163.** Regarding Silicone rubbers incorrect is
(1) Repeating unit is RSi
(2) They are hydrophobic
(3) They have high tensile strength
(4) They are condensation homo polymers



**164.** Colour of KI solution containing starch turns blue when chlorine water is added to it. This happens because
(1) Chlorine displace iodine from solution which gives blue colour with starch
(2) Chlorine reacts with potassium iodidesolution to from a blue precipitate
(3) Iodine which is liberated is more soluble in KI resulting in blue colour
(4) Chlorine acts as bleaching agent which decolourises KI and becomes blue






**165.** The brown haze of photochemical smog is largely attributable to:
(1) NO (2) $NO_2$
(3) $CH_2=\underset{\underset{O}{\|}}{C}OONO_2$ (4) $CH_2=CHCHO$

**166.** Kjeldahl's method can be used to estimate nitrogen present in
(1)  (2) 
(3)  (4) 

**167.** Alkenes give vicinal diols when they react with
(1) $O_3/Zn + H_2O$ (2) $KMnO_4/OH^-$
(3) $K_2Cr_2O_7/H^+$ (4) HOBr

**168.** 
(1)  (2) 
(3)  (4) 

**169.** A = $CH_3I$ ; B =  ; C=  .
Correct order of reactivity towards $SN^2$ reaction
(1) B > C > A (2) B > A > C
(3) C > A > B (4) A > B > C

**170.** The structure of the major product formed in the following reaction

(1)  (2) 
(3)  (4) 

**171.** Which of the following gives both Tollen's test and iodoform test?

(1) $CH_3CHO$ (2) $HCHO$

(3) $C_6H_5CHO$ (4) $CH_3COCH_3$

**172.** Which of the following is not properly matched

(1) $C_6H_5SO_2Cl$ --- Hinsberg reagent

(2) $CrO_3 + H_2SO_4$ ---- Jone's reagent

(3) $Na/liq\,NH_3$ ---- Birch reagent

(4) $C_5H_5NHCrO_3Cl$ ---- Lucas reagent

**173.** $\text{Benzene} \xrightarrow{C_2H_5Cl/Fe} A \xrightarrow[H_3O^+]{CrO_2Cl_2/CS_2} B.$

B is

(1) $C_6H_5CHO$ (2) $C_6H_5CH_2CHO$

(3) $C_6H_5COOH$ (4) $C_6H_5CH_2COOH$


**174.** In the reaction, B is


$CH_3CH_2COOH \xrightarrow[Cl_2]{Red\,P} A \xrightarrow{NaOH(aq)} B.$


(1) Lactic acid (2) Alanine


(3) hexanoic acid (4) acrylic acid


**175.** The final product in the following sequence of reaction is





(1) 



(2) 



(3) 



(4) 


**176.** Which of the following cannot give benzoic acid on oxidation with alkaline $KMnO_4$ followed by acidification

(1) 


(2) 


(3) 


(4) 


**177.** $Pb(NO_3)_2 \xrightarrow{\Delta} X\uparrow \xrightarrow{H_2O} NO + Y.$

'X' is a coloured para magnetic oxide of nitrogen , then 'Y' is

(1) $N_2O_3$ (2) $N_2O_4$

(3) $N_2O$ (4) $HNO_3$

**178.** Incorrect about rhombic and monoclinic sulphur

(1) Both coexist at about 369K

(2) Both are soluble in $CS_2$

(3) Thermodynamically most stable is rhombic sulphur

(4) Monoclinic sulphur is hexa atomic

**179.** Melting point is highest for

(1) Zn (2) Cr (3) Cu (4) Sc

**180.** Field strength of ligand influences crystal field splitting energy in complexes. Crystal field splitting energy $(\Delta_o)$ is highest for

(1) $[Co(CN)_6]^{-3}$ (2) $[Co(C_2O_4)_3]^{3-}$

(3) $[Co(H_2O)_6]^{3+}$ **(4)** $[Co(NH_3)_6]^{3+}$

COACHING
NEET | IIT-JEE

# NEET MODEL GRAND TEST- 2 KEY

## BIOLOGY

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 1) **4** | 2) **3** | 3) **4** | 4) **1** | 5) **4** | 6) **2** | 7) **3** | 8) **1** | 9) **3** | 10) **2** |
| 11) **3** | 12) **4** | 13) **3** | 14) **2** | 15) **1** | 16) **3** | 17) **2** | 18) **4** | 19) **1** | 20) **1** |
| 21) **2** | 22) **3** | 23) **1** | 24) **4** | 25) **1** | 26) **1** | 27) **2** | 28) **1** | 29) **1** | 30) **3** |
| 31) **3** | 32) **1** | 33) **1** | 34) **3** | 35) **2** | 36) **3** | 37) **3** | 38) **2** | 39) **4** | 40) **3** |
| 41) **1** | 42) **4** | 43) **1** | 44) **2** | 45) **3** | 46) **2** | 47) **4** | 48) **3** | 49) **3** | 50) **3** |
| 51) **3** | 52) **1** | 53) **4** | 54) **2** | 55) **2** | 56) **2** | 57) **3** | 58) **4** | 59) **3** | 60) **2** |
| 61) **1** | 62) **2** | 63) **1** | 64) **1** | 65) **4** | 66) **4** | 67) **3** | 68) **1** | 69) **4** | 70) **2** |
| 71) **4** | 72) **1** | 73) **2** | 74) **3** | 75) **2** | 76) **1** | 77) **4** | 78) **3** | 79) **3** | 80) **2** |
| 81) **4** | 82) **4** | 83) **2** | 84) **2** | 85) **2** | 86) **2** | 87) **4** | 88) **3** | 89) **4** | 90) **1** |

## PHYSICS

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 91) **2** | 92) **1** | 93) **3** | 94) **1** | 95) **1** | 96) **3** | 97) **2** | 98) **3** | 99) **2** | 100) **3** |
| 101) **3** | 102) **4** | 103) **2** | 104) **3** | 105) **2** | 106) **3** | 107) **1** | 108) **4** | 109) **4** | 110) **1** |
| 111) **1** | 112) **4** | 113) **3** | 114) **3** | 115) **3** | 116) **3** | 117) **1** | 118) **2** | 119) **3** | 120) **3** |
| 121) **4** | 122) **2** | 123) **2** | 124) **2** | 125) **2** | 126) **4** | 127) **2** | 128) **2** | 129) **1** | 130) **2** |
| 131) **3** | 132) **3** | 133) **4** | 134) **1** | 135) **2** | | | | | |

VVT COACHING NEET | IIT-JEE

## CHEMISTRY

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 136) **1** | 137) **2** | 138) **3** | 139) **4** | 140) **1** | 141) **3** | 142) **3** | 143) **4** | 144) **1** | 145) **4** |
| 146) **2** | 147) **4** | 148) **3** | 149) **3** | 150) **1** | 151) **2** | 152) **1** | 153) **1** | 154) **1** | 155) **3** |
| 156) **3** | 157) **2** | 158) **2** | 159) **1** | 160) **4** | 161) **4** | 162) **4** | 163) **1** | 164) **1** | 165) **2** |
| 166) **3** | 167) **2** | 168) **1** | 169) **4** | 170) **4** | 171) **1** | 172) **4** | 173) **2** | 174) **1** | 175) **3** |
| 176) **3** | 177) **4** | 178) **4** | 179) **2** | 180) **1** | | | | | |