English

(1001CMD303052250106)

ALLEN® CAREER INSTITUTE KOTA (RAJASTHAN)

CLASSROOM CONTACT PROGRAMME

(Academic Session : 2025-2026)

Test Pattern

NEET (UG)

MAJOR

05-04-2026

PRE-MEDICAL : ENTHUSE, LEADER & ACHIEVER COURSE PHASE - ALL ENTHUSIAST

MLU,MAZA,B,L,M,N,MAPX,MAPA,MAAX,MAAW,LAKSHYA

This Booklet contains **28** pages.

Test Booklet Code

L10

Do not open this Test Booklet until you are asked to do so.

Important Instructions :

1. The Answer Sheet is inside this Test Booklet. When you are directed to open the Test Booklet, take out the Answer Sheet and fill in the particulars on ORIGINAL Copy carefully with **blue/black** ball point pen only.
2. The test is of **3 hours** duration and this Test Booklet contains **180** questions. Each question carries **4** marks. For each correct response, the candidate will get **4** marks. For each incorrect response, **one mark** will be deducted from the total scores. The maximum marks are **720**.
3. Use **Blue/Black Ball Point Pen only** for writing particulars on this page/marking responses on Answer Sheet.
4. Rough work is to be done in the space provided for this purpose in the Test Booklet only.
5. On completion of the test, the candidate **must hand over the Answer Sheet (ORIGINAL and OFFICE Copy) to the Invigilator** before leaving the Room/Hall. The candidates are allowed to take away this Test Booklet with them.
6. The candidates should ensure that the Answer Sheet is not folded. Do not make any stray marks on the Answer Sheet. Do not write your Form No. anywhere else except in the specified space in the Test Booklet/Answer Sheet.
7. Use of white fluid for correction is **NOT** permissible on the Answer Sheet.
8. Each candidate must show on-demand his/her Allen ID Card to the Invigilator.
9. No candidate, without special permission of the Invigilator, would leave his/her seat.
10. The candidates should not leave the Examination Hall without handing over their Answer Sheet to the Invigilator on duty and sign (with time) the Attendance Sheet **twice. Cases, where a candidate has not signed the Attendance Sheet second time, will be deemed not to have handed over the Answer Sheet and dealt with as an Unfair Means case.**
11. Use of Electronic/Manual Calculator is prohibited.
12. The candidates are governed by all Rules and Regulations of the examination with regard to their conduct in the Examination Room/Hall. All cases of unfair means will be dealt with as per the Rules and Regulations of this examination.
13. **No part of the Test Booklet and Answer Sheet shall be detached under any circumstances.**
14. The candidates will write the Correct Test Booklet Code as given in the Test Booklet/Answer Sheet in the Attendance Sheet.

Name of the Candidate (in Capitals) : _____

Form Number : in figures _____

: in words _____


Centre of Examination (in Capitals) : _____

Candidate's Signature : _____ **Invigilator's Signature :** _____

Your Target is to secure Good Rank in Pre-Medical 2026

Scanned with OKEN Scanner

1. A particle is moving along a straight line such that square of its velocity varies with time as shown in the figure. What is the acceleration of the particle at t = 4 s ?





(1) 4 m/s²
(2) 1/4 m/s²
(3) 1/2 m/s²
(4) 0


2. Two bodies are thrown up at angles of 45° and 60° respectively with the horizontal. If both bodies attain same maximum height, then the ratio of speed with which these are thrown is :


(1) $\sqrt{\frac{2}{3}}$
(2) $\frac{2}{\sqrt{3}}$
(3) $\sqrt{\frac{3}{2}}$
(4) $\frac{\sqrt{3}}{2}$


3. The velocity versus displacement graph of particle moving on straight line is given as below the corresponding acceleration versus velocity graph will be :



(1) 

(2) 


(3) 


(4) 


4. A ball is projected horizontally with velocity v_0 from the top of a tower. The horizontal distance on the ground is ηH, H is the height of tower. The speed of the ball when it reaches the ground is :-


(1) $\eta\sqrt{\frac{gH}{2}}$
(2) $\sqrt{\frac{gH}{2\eta}}$
(3) $\sqrt{\left(\frac{\eta^2+4}{2}\right)gH}$
(4) $\sqrt{\left(\frac{2}{\eta^2+4}\right)gH}$


5. When a piece of wire is held diametrically in a screw gauge [pitch = 1 mm, number of division on circular scale = 100], the readings obtained are as shown. Now if we measure the same with help of vernier callipers [1 MSD = 1 mm, 10 divisions of vernier coinciding with 9 divisions of main scale] having a negative zero error of 0.5 mm, then find which of the following figures correctly represents the reading ?



(1) 


(2) 

(3) 

(4) 

Scanned with OKEN Scanner

6. Velocity-time graph of a particle of mass 2 kg moving in a straight line is as shown in figure. Work done by all the forces on the particle is :-



(1) 400 J (2) – 400 J

(3) – 200 J (4) 200 J

7. A body is moved along a straight line by a machine delivering constant power. The distance moved by the body in time t is proportional to :

(1) $t^{1/2}$ (2) $t^{3/4}$ (3) $t^{3/2}$ (4) t^2

8. An annular ring with inner and outer radii R_1 and R_2 respectively is rolling without slipping with a uniform angular speed. The ratio of the forces experienced by the two particles situated on the inner and outer parts of the ring, $\frac{F_1}{F_2}$ is

(1) 1 (2) $\frac{R_1}{R_2}$

(3) $\frac{R_2}{R_1}$ (4) $\left(\frac{R_1}{R_2}\right)^2$

9. The force required just to move a body up an inclined plane is double the force required just to prevent the body sliding down. If the coefficient of friction is 0.25, the angle of inclination of the plane is :-

(1) 37° (2) 45° (3) 30° (4) 53°

10. A person is sitting in a travelling train and facing the engine. He tosses up a coin and the coin falls behind him. It can be concluded that the train is :


(1) Moving forward and gaining speed

(2) Moving forward and losing speed

(3) Moving forward with uniform speed

(4) Moving backward with uniform speed

11. If the density of material of cone and cylinder shown in figure is same, then which of the following is correct about the y-coordinate of COM (y_{COM}) w.r.t. point O.



(1) $y_{COM} > H$

(2) $y_{COM} = H$

(3) $y_{COM} < H$

(4) None of the above

12. Match the column:-

Column-I (Process of Collision)		Column-II (Coefficient of restitution)	
(a)	Ball dropped on a perfectly rigid floor, rebounds to same height	(1)	e = 0
(b)	Two clay balls collide and stick together	(2)	e = 1
(c)	A superelastic collision (fictitious, where KE increases)	(3)	0 < e < 1
(d)	A glass ball dropped on a steel plate, rebound to a lesser height	(4)	e > 1

(1) a→2;b→1;c→4;d→3


(2) a→1;b→2;c→3;d→4

(3) a→2;b→1;c→3;d→4

(4) a→4;b→1;c→2;d→3

Scanned with OKEN Scanner

13. Two particle A and B are joined together as shown in the diagram and revolving on the horizontal circular path. Masses of A and B are 3m and 2m. P, V, E and F represent the linear momentum, velocity, kinetic energy and centripetal force respectively then match the column :



	Column-A		Column-B
(i)	$\frac{V_A}{V_B}$	(P)	$\frac{27}{2}$
(ii)	$\frac{E_A}{E_B}$	(Q)	$\frac{81}{4}$
(iii)	$\frac{F_A}{F_B}$	(R)	$\frac{9}{3}$
(iv)	$\left(\frac{P_A}{P_B}\right)^2$	(S)	$\frac{9}{2}$

(1) (i) ⟶ S, (ii) ⟶ Q, (iii) ⟶ P, (iv) ⟶ R

(2) (i) ⟶ Q, (ii) ⟶ P, (iii) ⟶ R, (iv) ⟶ S

(3) (i) ⟶ R, (ii) ⟶ P, (iii) ⟶ S, (iv) ⟶ Q

(4) (i) ⟶ P, (ii) ⟶ R, (iii) ⟶ Q, (iv) ⟶ S

14. Distance travelled by a particle moving in a circle of radius 8m is $x = 2t^2$, its acceleration after 2 sec will be in m/s^2 :-

(1) $\sqrt{24}$ (2) $4\sqrt{5}$ (3) 6 (4) $5\sqrt{4}$

15. One mole of Argon gas undergoes a process given by $PV^{3/2}$ = constant. If heat obtained by gas is Q and molar specific heat in the process in C, then which of the following is correct if temperature of gas changes by –26K? (R ⟶ gas constant)


(1) C = 0.5 R, Q = 13R

(2) C = –0.5 R, Q = 15R

(3) C = –0.5 R, Q = 13R

(4) C = 0, Q = 13R

16. The heat energy absorbed by a system in going through a cyclic process shown in the adjacent figure is-



(1) $10^3 \pi$ J (2) $10^2 \pi$ J

(3) $10^4 \pi$ J (4) $10^7 \pi$ J

17. A water heater of power 2000 W is used to heat water. The specific heat capacity of water is 4200 J kg^{-1} K^{-1}. The efficiency of heater is 70%. Time required to heat 2 kg of water from 10°C to 60°C is :-

(1) 400 min

(2) 300 sec


(3) 200 sec

(4) 300 min

18. The ratio of the densities of the two bodies is 3 : 4 and the ratio of specific heats is 4 : 3 . Find the ratio of their thermal capacities for unit volume ?

(1) 1 : 1 (2) 1 : 2 (3) 1 : 4 (4) 1 : 6

19. Temperature difference of 120°C is maintained between two ends of a uniform rod AB of length 2L. Another bent rod PQ, of same cross-section and same material as AB and length $\frac{3L}{2}$, is connected across AB (See figure). In steady state, temperature difference between P and Q will be close to :



(1) 40°C (2) 45°C

(3) 50°C (4) 55°C


Scanned with OKEN Scanner

20. Two electric lamps A and B radiate the same power. Their filaments have the same dimensions, and have emissivities e_A and e_B. Their surface temperatures are T_A and T_B. The ratio $\frac{T_A}{T_B}$ will be equal to

(1) $\left(\frac{e_B}{e_A}\right)^{1/4}$ (2) $\left(\frac{e_B}{e_A}\right)^{1/2}$

(3) $\left(\frac{e_A}{e_B}\right)^{1/2}$ (4) $\left(\frac{e_A}{e_B}\right)^{1/4}$

21. When a mass m is connected individually to two springs S_1 & S_2, the frequencies are f_1 & f_2. if both springs are attached as shown, the frequency of system will be –



(1) $f_1 + f_2$ (2) $\sqrt{f_1^2 + f_2^2}$

(3) $\left[\frac{1}{f_1} + \frac{1}{f_2}\right]^{-1}$ (4) $\sqrt{f_1^2 - f_1^2}$

22. The bob of a simple pendulum of length L is released at time t = 0 from a position of small angular displacement θ_0. Its linear displacement at time t is given by :


(1) $x = \theta_0 \sin 2\pi\sqrt{(L/g)}t$

(2) $x = L\theta_0 \cos 2\pi\sqrt{(g/L)}t$

(3) $x = L\theta_0 \sin \sqrt{(g/L)}t$

(4) $x = L\theta_0 \cos \sqrt{(g/L)}t$

23. A particle executing SHM, starts from mean position. It passes through a certain point P at time $t_1 = 0.5$ s and $t_2 = 1.5$ s with speed of 3 m/s. Find velocity at mean position :



(1) 3 m/s (2) 5 m/s

(3) $3\sqrt{2}$ m/ s (4) None

24. The equation of a stationary wave is $Y = 10 \sin \frac{\pi x}{4} \cos 20\pi t$. The distance between two consecutive nodes in meters is -

(1) 4 (2) 2 (3) 5 (4) 8

25. A source of unknown frequency gives 4 beats/s, when sounded with a source of known frequency 500 Hz. The third harmonic of the source of unknown frequency gives 2 beats per second, when sounded with a source of frequency 1510 Hz. The unknown frequency is

(1) 510 Hz (2) 504 Hz

(3) 496 Hz (4) 490 Hz

26. Two waves having intensity I and 9I produce interference. If the resultant intensity at a point is 7I, what is the phase difference between the two waves :-

(1) 0° (2) 60° (3) 90° (4) 120°

27. Match the column:

Column I		Column II	
A.	Sound waves	P.	Electromagnetic wave
B.	Waves in strings	Q.	Longitudinal wave
C.	Waves in a long spring	R.	Transverse wave
D.	Light waves	S.	Both transverse and longitudinal

(1) A-P, B-Q, C-R, D-S

(2) A-Q, B-R, C-S, D-P

(3) A-P, B-R, C-S, D-Q

(4) A-Q, B-P, C-R, D-S

28. Two liquids are at temperature 20°C and 40°C. When same mass of both of them is mixed then temperature of mixture is 32°C. What is ratio of their specific heat of liquids :-

(1) $\frac{1}{3}$ (2) $\frac{2}{3}$ (3) $\frac{1}{5}$ (4) $\frac{2}{5}$

Scanned with OKEN Scanner

29. If the speed of light (c), acceleration due to gravity (g) and pressure (p) are taken as the fundamental quantities, then the dimension of gravitational constant is :-


(1) $c^2g^0p^{-2}$ (2) $c^0g^2p^{-1}$

(3) cg^3p^{-2} (4) $c^{-1}g^0p^{-1}$

30. A new system of units is proposed in which unit of mass is α kg, unit of length is β m and unit of time is γ s. What will be value of 5J in this new system :

(1) $5\alpha\beta^2\gamma^{-2}$ (2) $5\alpha^{-1}\beta^{-2}\gamma^2$

(3) $5\alpha^{-2}\beta^{-1}\gamma^{-2}$ (4) $5\alpha^{-1}\beta^2\gamma^2$

31. 


A monkey of mass 1 kg is climbing on rope to just balance the weight of the block of mass 2kg. After some time monkey stop moving with respect to string. Find change in acceleration of monkey.

(1) g (2) g/3 (3) 2g/3 (4) g/4

32. A body of mass 3kg is under a force which causes a displacement in it, given by $s = t^2/3$ (in m). Find the work done by the force in 2 second.

(1) 2 J (2) 3.8 J (3) 5.2 J (4) 2.6 J

33. A rod of length L and mass M is bent to form a semicircular ring as shown in the adjoining figure. The moment of inertia about XY is :-



(1) $\frac{ML^2}{2\pi^2}$ (2) $\frac{ML^2}{\pi^2}$ (3) $\frac{ML^2}{4\pi^2}$ (4) $\frac{2ML^2}{\pi^2}$

34. **Assertion (A) :** A couple does not exert a net force on an object even though it exerts a torque.

Reason (R) : Couple is a pair of two forces with equal magnitude but opposite directions acting simultaneously on a body in different lines of action.


(1) Both **(A)** and **(R)** are correct but **(R)** is not the correct explanation of **(A)**

(2) **(A)** is correct but **(R)** is not correct

(3) **(A)** is incorrect but **(R)** is correct

(4) Both **(A)** and **(R)** are correct and **(R)** is the correct explanation of **(A)**

35. Find the value of mass m to keep the disc horizontal. (Given string is attached at point B on disc.)



(1) M (2) $\frac{M}{2}$ (3) $\frac{M}{4}$ (4) $\frac{M}{3}$

36. The acceleration due to gravity g and mean density of earth ρ are related by which of the following relations? [G = gravitational constant and R = radius of earth] :

(1) $\rho = \frac{4\pi gR^2}{3G}$ (2) $\rho = \frac{4\pi gR^3}{3G}$

(3) $\rho = \frac{3g}{4\pi GR}$ (4) $\rho = \frac{3g}{4\pi GR^3}$

37. Potential energy of a 3kg body at the surface of a planet is -54J, then escape velocity will be:

(1) 18 m/s (2) 162 m/s

(3) 36 m/s (4) 6 m/s

38. Two solid spherical planets of equal radii R having masses 4M and 9M and their centres are separated by a distance 6R. A projectile of mass m is sent from the planet of mass 4 M towards the heavier planet. What is the distance r of the point from the lighter planet where the gravitational force on the projectile is zero?

(1) 1.4 R (2) 1.8 R (3) 1.5 R (4) 2.4 R

Scanned with OKEN Scanner

39. Young's modulus of steel is 2×10^{11} N/m^2. A steel wire has a length of 1 m and area of cross section 1 mm^2. The work required to increase its length by 1 mm is :-


(1) 0.1 J

(2) 1 J

(3) 10 J

(4) 100 J

40. A liquid x of density 3.36 g/cm^3 is poured in a U tube which contains Hg. Another liquid y is poured in left arm with height 8 cm upper levels of x and y are same then density of y is:




(1) 0.8 g/cm^3


(2) 1.2 g/cm^3


(3) 1.4 g/cm^3


(4) 1.6 g/cm^3


41. A rectangular tank is filled completely with water. A hole at its bottom is unplugged. The graph between the velocity of efflux (through a small hole) vs depth of water h from the top of tank.




(1) 

(2) 

(3) 

(4) 

42. The load versus elongation graph for four wires of the same length and material is represented by the four lines OA, OB, OC and OD as shown in the figure. Which line represents the thinnest wire?




(1) line OB


(2) line OA


(3) line OD


(4) line OC

43. A capillary tube (A) is dipped in water. Another identical tube (B) is dipped in a soap-water solution. Which of the following shows the relative nature of the liquid columns in the two tubes?

(1) 

(2) 

(3) 

(4) 

44. A vernier calliper has 10 division on the vernier scale which coincide with 9 division on the mainscale. The least count of the instrument is 0.1 mm. The value of one small division on main scale is :-

(1) 0.5 mm (2) 2 mm

(3) 1 mm (4) 0.1 mm


45. In a resonance tube, the first resonance with a tuning fork occurs at 16 cm and second at 49 cm. If the velocity of sound is 330 m/s, the frequency of tuning fork is (in Hz) :-

(1) 500 (2) 300

(3) 330 (4) 165

Scanned with OKEN Scanner

46. The correct order of acid character of the following compounds is :



I II III IV

(1) III > II > I > IV (2) IV > III > II > I

(3) I > II > III > IV (4) II > III > IV > I

47. Which of the following compound is added to the sodium extract before addition of silver nitrate for testing of halogens ?

(1) Nitric acid (2) Ammonia



(3) Hydrochloric acid (4) Sodium hydroxide


48. $CH_3CHCl_2 \xrightarrow{2NaNH_2} X \xrightarrow[\Delta]{Fe} Y \xrightarrow[Zn/H_2O]{O_3} Z$ is :-

(1) $\begin{matrix}CH_2\text{–}OH\\ |\\ CH_2\text{–}OH\end{matrix}$ (2) $CH_3\text{–}CH_2\text{–}OH$



(3) $CH_3\text{–}COOH$ (4) $\begin{matrix}CH{=}O\\ |\\ CH{=}O\end{matrix}$

49. Which alkyl bromide will produce only one alkene upon dehydrohalogenation :-

(1)  (2) 

(3)  (4) 

50. Match the Column I with Column II.

	Column-I		Column-II
(A)		(P)	Aromatic
(B)		(Q)	Non-aromatic
(C)		(R)	Anti-aromatic
(D)		(S)	Follows Huckel Rule



(1) (A)–Q ; (B)–P,S ; (C)–P,S ; (D)–R

(2) (A)–P,S ; (B)–P,R ; (C)–P,S ; (D)–R,S

(3) (A)–Q,S ; (B)–R,S ; (C)–P,S ; (D)–Q,S

(4) (A)–P,S ; (B)–P,S ; (C)–R,S ; (D)–R

51. Which of the following best explains the reason for the relative stabilities of the conformers shown?

(I)  (II) 


(1) I has more torsional strain


(2) I has more steric strain


(3) II has more torsional strain


(4) II has more steric strain

52. In which pair's I more stable than II


(1) 

(2) 

(3) 

(4) 

53. Choose the correct IUPAC name of compound :



(1) 3-methyl-5-bromo benzene carbaldehyde

(2) 3-formyl-5-bromo phenyl methyl ether


(3) 3-bromo-5-methoxy benzaldehyde


(4) 3-formyl-5-bromo-1-methoxy benzene


Scanned with OKEN Scanner

54. Which of following compound has keto content more than enol content :


(1) 

(2) 

(3) 

(4) 


55. Correct order of indicated bond-length




(1) $\ell_2 > \ell_3 > \ell_1$ (2) $\ell_3 > \ell_1 > \ell_2$


(3) $\ell_3 > \ell_2 > \ell_1$ (4) $\ell_1 > \ell_3 > \ell_2$


56.




Identify product (A) & (B) :-


(1) 


(2) 


(3) 


(4) 

57. In which of the following reaction benzene is not formed as major product?

(1) 

(2) 

(3) 

(4) 

58. In Duma's method for estimation of nitrogen, 0.25 g of an organic compound gave 40 mL of nitrogen collected at 300 K temperature and 725 mm pressure. If the aqueous tension at 300 K is 25 mm, the percentage of nitrogen in the compound is :-

(1) 18.20 (2) 16.76

(3) 15.76 (4) 17.36

59. Match **List-I** with **List-II** :

	List-I		**List-II**
(a)	Separation of aniline-water mixture	(i)	Fractional distillation
(b)	Separation of aniline-chloroform mixture	(ii)	Distillation under reduced pressure
(c)	Separation of glycerol from spent-lye	(iii)	Distillation
(d)	Separation of different fractions of crude oil	(iv)	Steam distillation

Choose the **correct answer** from the options given below

(1) (a)-(iv), (b)-(i), (c)-(iii), (d)-(ii)


(2) (a)-(iv), (b)-(ii), (c)-(iii), (d)-(i)


(3) (a)-(iv), (b)-(iii), (c)-(ii), (d)-(i)


(4) (a)-(i), (b)-(iii), (c)-(ii), (d)-(iv)


Scanned with OKEN Scanner

60. An alkene "A" on reaction with O_3 and $Zn-H_2O$ gives propanone and ethanal in equimolar ratio. Addition of HCl to alkene "A" gives "B" as the major product. The structure of product "B" is :-

(1) 

(2) 

(3) 

(4) 

61. Which of the following option is incorrectly matched according to given property.

(1) F < Cl < Br < I [Atomic radius]

(2) Cl > F > Br > I [Electron Gain Enthalpy]

(3) O > S > Se > Te > Po [Electron Gain Enthalpy]

(4) Li > Na > K > Rb > Cs [Ionisation Enthalpy]

62. Which of the following is the correct order of acidic, basic, amphoteric and neutral oxide respectively.

(1) As_2O_3, Na_2O, N_2O, Cl_2O_7

(2) Cl_2O_7, Na_2O, N_2O, As_2O_3

(3) N_2O, Cl_2O_7, As_2O_3, Na_2O

(4) Cl_2O_7, Na_2O, As_2O_3, N_2O

63. Which of the following is the incorrect statement regarding C_2 molecule by molecular orbital theory.

(1) It is diamagnetic

(2) Double bond in C_2 consists of both pi bonds

(3) Double bond in C_2 consists one sigma and one pi bond

(4) It has no unpaired electron

64. Boiling point of HF is greater than HCl due to presence of _____

(1) Intra molecular Hydrogen bonding

(2) Intermolecular Hydrogen bonding

(3) Vander Waal force of attraction

(4) Covalent bond

65. The shape of the following species are XeF_4, BrF_5, SF_4 respectively -

(1) Square planar, Square pyramidal, See-Saw

(2) Square pyramidal, See-Saw, Square planar

(3) Octahedral, Square planar, Trigonal bipyramidal

(4) Tetrahedral, Pyramidal, Trigonal bipyramidal

66. **Statement I :** A molecular orbital is polycentric
Statement II : The electron probability distribution around a group of nuceli is given by a molecular orbital

(1) Both **Statement I** and **Statement II** are incorrect.

(2) **Statement I** is correct but **Statement II** is incorrect.

(3) **Statement I** is incorrect but **Statement II** is correct.

(4) Both **Statement I** and **Statement II** are correct.

Scanned with OKEN Scanner

67. The correct order of increasing bond length of N = O, C = C, C = O, C = N is _____.

(1) C = O < C = C < C = N < N = O

(2) C = O < C = N < C = O < N = O

(3) C = O < N = O < C = C < C = N

(4) C = N < C = C < N = O < C = O

68. Which of the following statement is incorrect

(1) Noble gases have large positive electron gain enthalpy

(2) Electronegativity of any given element is not constant, it varies depending on the element to which it is bound.

(3) The process of adding electrons to the atom always endothermic

(4) The ionisation enthalpy is expressed in units of kJ/mole.

69. **Statement-I** : The hybridised orbitals are always equivalent in energy and shape.

Statement-II : The hybrid orbitals are more effective in forming stable bonds than the pure atomic orbitals.

(1) Both statement-I and statement-II are correct

(2) Both statement-I and statement-II are incorrect

(3) Statement-I is correct and statement-II is incorrect

(4) Statement-I is incorrect and statement-II is correct

70. Which of the following represent incorrect match according to given property.

(1) $Na_2O < MgO < Al_2O_3$ [Lattice energy]

(2) AgF < AgCl < AgBr < AgI [Covalent character]

(3) $F_2 < Cl_2 < Br_2 < I_2$ [Boiling point]

(4) F–F > Cl–Cl > Br–Br [Bond dissociation energy]

71. Correct match the column-I with column-II and select the correct option given below.

	Column-I (Atomic number)		Column-II (IUPAC official name)
(A)	106	(p)	Nihonium
(B)	113	(q)	Tennessine
(C)	108	(r)	Seaborgium
(D)	117	(s)	Hassium

(1) (A - r) , (B - p), (C - q), (D - s)

(2) (A - r) , (B - p), (C - s), (D - q)

(3) (A - p) , (B - r), (C - s), (D - q)

(4) (A - s) , (B - p), (C - q), (D - r)

72. In H spectrum a certain electronic transition from an excited state to ground state in multistep produces 15 lines. Find number of lines in visible region.

(1) 5

(2) 4

(3) 3

(4) 2

73. **Assertion (A)** : At constant volume addition of inert gas has no effect on equilibrium.

Reason (R) : Addition of inert gas at constant volume does not change the partial pressure or the molar concentrations of the substances involved in the reaction.

(1) Both **(A)** & **(R)** are true and **(R)** is a correct explanation of the **(A)**.

(2) Both **(A)** and **(R)** are true and **(R)** is not the correct explanation of **(A)**.

(3) **(A)** is true but **(R)** is false

(4) **(A)** is false but **(R)** is true

Scanned with OKEN Scanner

74. Match Column-I with Column-II -

Column-I (Orbital)		Column-II (Nodal properties)	
(a)	5s	(P)	Number of radial node = 1
(b)	$3d_{yz}$	(Q)	Number of angular node = 0
(c)	$4d_{xy}$	(R)	Sum of radial and angular node = 3
(d)	$3p_x$	(S)	Number of radial node = 0

(1) (a) $\longrightarrow$ (Q); (b) $\longrightarrow$ (S); (c) $\longrightarrow$ (P,R); (d) $\longrightarrow$ (P)

(2) (a) $\longrightarrow$ (Q,R); (b) $\longrightarrow$ (Q,S); (c) $\longrightarrow$ (S); (d) $\longrightarrow$ (P)

(3) (a) $\longrightarrow$ (R,S); (b) $\longrightarrow$ (P,Q); (c) $\longrightarrow$ (R); (d) $\longrightarrow$ (R)

(4) (a) $\longrightarrow$ (P); (b) $\longrightarrow$ (Q,R); (c) $\longrightarrow$ (S); (d) $\longrightarrow$ (R)

75. Which of the pair of two orbitals are located along the axis and not between the axis ?

(1) d_{xy}, d_{z^2}

(2) d_{xy}, p_z

(3) d_{yz}, p_x

(4) p_z, $d_{x^2-y^2}$

76. The value of stoichiometric coefficients (a, b, c, d and e) for the following reaction is :

$aPtCl_4 + bXeF_2 \longrightarrow cPtF_6 + dClF + eXe$

(1) a = 2, b = 5, c = 2, d = 4, e = 5

(2) a = 1, b = 4, c = 1, d = 4, e = 4

(3) a = 1, b = 5, c = 1, d = 4, e = 5

(4) a = 1, b = 4, c = 1, d = 2, e = 4

77. The pair of compounds in which the metals are in their highest oxidation state is

(1) MnO_2, $FeCl_3$

(2) MnO_4^-, CrO_2Cl_2

(3) $MnCl_2$, $CrCl_3$

(4) $[NiCl_4]^{2-}$, Hg_2Cl_2

78. Which of the following is a redox reaction ?

(1) $NaCl + KNO_3 \longrightarrow NaNO_3 + KCl$

(2) $CaCO_3 \longrightarrow CaO + CO_2$

(3) $Zn + 2AgCN \longrightarrow 2Ag + Zn(CN)_2$

(4) $Mg(OH)_2 + 2NH_4Cl \longrightarrow MgCl_2 + 2NH_3 + 2H_2O$

79. For a reaction $2NO_2 + \frac{1}{2}O_2 \rightleftharpoons N_2O_5$, if equilibrium constant is k_p, then k_p for this reaction $2N_2O_5 \rightleftharpoons 4NO_2 + O_2$ will be:-

(1) k_p^2 (2) $\frac{2}{k_p}$

(3) $\frac{1}{(k_p)^2}$ (4) $\frac{1}{\sqrt{k_p}}$

80. $2CO_2(g) \rightleftharpoons 2CO(g) + O_2(g)$, the dissociation of 2 moles of CO_2 is carried out in container with volume 5 L. If at equilibrium 60% CO_2 is dissociated then total number of moles at equilibrium will be :-

(1) 2.3

(2) 2.6

(3) 3.0

(4) 3.2

81. If initially 1 mol each of A and B is taken in the reaction $A + B \rightleftharpoons C + D$, the degree of dissociation would be :- [K is equilibrium constant]

(1) $\frac{\sqrt{K}}{\sqrt{K}+1}$ (2) $\sqrt{K}+1$

(3) $\frac{1-\sqrt{K}}{\sqrt{K}}$ (4) $\sqrt{K}-1$

82. 1 mole of each of $H_2(g)$ and $I_2(g)$ are heated in a closed vessel till equilibrium is obtained. If 80% of the hydrogen is converted to HI(g), the K_C at this temperature is :-

(1) 64 (2) 16

(3) 4 (4) 256

Scanned with OKEN Scanner

83. For the reaction,
$4NH_3(g) + 5O_2(g) \rightleftharpoons 4NO(g) + 6H_2O(\ell)$,
ΔH = positive. At equilibrium which factor will not effect the concentration of NH_3 is.

(1) Change in pressure

(2) Change in volume

(3) Catalyst

(4) Change in temperature

84. 56 g of red hot iron is treated with 36 mL water. The weight of Fe_3O_4 produced would be (Atomic weight of Fe = 56)
$3Fe(s) + 4H_2O(\ell) \longrightarrow Fe_3O_4(s) + 4H_2\uparrow$

(1) 77.33 g

(2) 11.6 g

(3) 232 g

(4) 58 g

85. The mass percent of oxygen in NaOH is ?

(1) 40 (2) 16 (3) 8 (4) 1

86. Match the following

	Reaction		Entropy change
(a)	A liquid vaporises	(i)	$\Delta S = 0$
(b)	Reaction is non spontaneous at all temperatures and ΔH is positive	(ii)	ΔS = Positive
(c)	Reversible adiabatic expansion of an ideal gas	(iii)	ΔS = negative

(1) (a) - ii, (b) - i, (c) - iii

(2) (a) - i, (b) - ii, (c) - iii

(3) (a) - iii, (b) - ii, (c) - i

(4) (a) - ii, (b) - iii, (c) - i

87. **Statement-I :** To some extent ℓ also determines the energy of the orbital in multi electron atom.
Statement-II : m_s refers to orientation of the spin of electron.

(1) Both statement-I and statement-II are correct

(2) Both statement-I and statement-II are incorrect

(3) Statement-I is correct and statement-II is incorrect

(4) Statement-I is incorrect and statement-II is correct

88. **Statement (I) :** ΔG is known as free energy of reaction.
Statement (II) : ΔH_{sys} is the enthalpy change of reaction, $T\Delta S_{sys}$ is the energy which is not available to do useful work hence ΔG is net energy available to do useful work.

(1) Both Statement I and Statement II are correct.

(2) Both Statement I and Statement II are incorrect.

(3) Statement I is correct but Statement II is incorrect.

(4) Statement I is incorrect but Statement II is correct.

89. Which of the following reaction(s) represents enthalpy of atomization.
(a) $H_2(g) \longrightarrow 2H(g)$
(b) $\frac{1}{3}NH_3(g) \longrightarrow \frac{1}{3}N(g) + H(g)$
(c) $CH_4(g) \longrightarrow C(g) + 4H(g)$
(d) $Na(s) \longrightarrow Na(g)$
(e) $SO_2(g) \longrightarrow S(s) + O_2(g)$

(1) a & c only (2) a, c & d only

(3) a, b, c and d only (4) a, b, c & e only

90. If $H^+ + OH^- \longrightarrow H_2O + 13.7$ kCal, then heat of complete neutralisation of 1 gm molecules of H_2SO_4 with strong base in excess will be :

(1) −13.7 kCal (2) − 27.4 kCal

(3) − 6.85 k Cal (4) − 3.425 kCal

Scanned with OKEN Scanner

91. Which of the following statement is **correct** for transferases ?

(1) They catalyse oxidoreduction between two substrates.

(2) They are responsible for transfer of e^- and H^+.

(3) They catalyse a transfer of a group other than hydrogen between a pair of substrates.

(4) The example of these is aldolase.

92. _____ structure is the most stable structure of protein.

(1) Primary (2) Secondary

(3) Tertiary (4) Quaternary

93. **Statement (I)** : Alkaloid, flavonoids, rubber, essential oils etc are secondary metabolites.
Statement (II) : Nucleotides and amino acids are primary metabolites.

(1) Both **Statement I** and **Statement II** are incorrect.

(2) **Statement I** is correct but **Statement II** is incorrect.

(3) **Statement I** is incorrect but **Statement II** is correct.

(4) Both **Statement I** and **Statement II** are correct.

94. Maltose has _____ glycosidic bond between α-D glucose & α-D glucose.

(1) 1'-4" (2) 1'-2" (3) 1'-1" (4) 4'-2"

95. Identify incorrect statement from the options given below :

(1) Mesophyll cells of the leaves, have a large number of chloroplasts.

(2) Chloroplast align themselves along the walls of the mesophyll cells according to light intensity

(3) There is no division of labour within the chloroplast.

(4) Membrane system of chloroplast is responsible for trapping the light energy.

96. Match list-I with list-II

	List-I		List-II
A.	Synthesis of ATP and NADPH	i	Light reaction
B	Enzymatic reaction (synthesise sugar)	ii	In membrane system
C	Photochemical reactions	iii	In stroma
D	Dark reactions	iv	Not directly light driven

Choose correct answer from options given below :

(1) A - ii, B - iii, C - i, D - iv

(2) A - ii, B - iii, C - iv, D - i

(3) A - ii, B - iv, C - iii, D - i

(4) A - i, B - ii, C - iii, D - iv

97. Which of the following is/are green house crops ?


(1) Tomato

(2) Bell pepper

(3) Sugarcane

(4) Both (1) and (2)

98. Identify the below graph :



(1) Action spectrum of photosynthesis

(2) Absorption spectrum of chlorophyll a

(3) Absorption spectrum of chlorophyll b

(4) Action spectrum of photosynthesis superimposed on absorption spectrum of chlorophyll a

Scanned with OKEN Scanner

99. Identify the correct statements :

A. Light reaction or photochemical phase includes light absorption, water splitting and oxygen release only.

B. Chemiosmosis requires a membrane, a proton pump, a proton gradient and ATP synthase.

C. Cyclic photophosphorylation also occurs when light of wavelengths beyond 680 nm are available for excitation.

D. Peak of light absorption of the reaction center is same in both the photosystems.

Choose the **correct** answer from the options given below :-

(1) A and D only (2) A, B and D only

(3) B and C only (4) A, B and C only

100. In a coupled reaction GTP is converted to GDP with the simultaneous synthesis of ATP from ADP. This reaction is related with :

(1) Glycolysis

(2) Tricarboxylic acid cycle

(3) Fermentation

(4) ETS

101. Identify the correct sequence of electron transport in ETS -

(1) Complex - I $\xrightarrow{e^-}$ complex -II

(2) Complex - II $\xrightarrow{e^-}$ complex - I

(3) Complex - II $\xrightarrow{e^-}$ complex - III

(4) Complex - III $\xrightarrow{e^-}$ complex - V

102. Identify the correct statement from following statements :-

(1) None of the intermediates in the respiratory pathway are utilised to synthesize any other compound.

(2) Neither photosynthesis nor respiration is an amphibolic pathway

(3) $RQ = \frac{\text{volume of } CO_2 \text{ evolved}}{\text{volume of } CO_2 \text{ consumed}}$

(4) Ultimately aerobic respiration, releases CO_2 & H_2O

103. Match list-I with list-II :

	List-I		List-II
A	Glucose → Glucose-6-Phosphate	I	Hexokinase
B	Fructose-6-Phosphate → Fructose-1,6-bisphosphate	II	Phosphofructokinase
C	Phosphoenol pyruvate → Pyruvate	III	Pyruvate kinase
D	Oxaloacetic acid + Acetyl coA $\xrightarrow{H_2O}$ Citric acid	IV	Citrate synthase

Choose the correct answer from the options given below :

(1) A-I, B-II, C-III, D-IV

(2) A-II, B-I, C-III, D-IV

(3) A-III, B-II, C-I, D-IV

(4) A-II, B-III, C-I, D-IV

104. **Statement-I** :- During fermentation the reducing agent is $NADH + H^+$.

Statement-II :- $NADH + H^+$ is reoxidised to NAD^+ in both lactic acid and alcoholic fermentation.

Select the correct answer from the options given below.

(1) Both Statement I and Statement II are correct

(2) Only Statement I is correct

(3) Only Statement II is correct

(4) Both Statement I and Statement II are incorrect

Scanned with OKEN Scanner

105. Match the following :

	Column-I		Column-II
A	GA_3	i	Stress Hormone
B	Kinetin	ii	Apical dominance
C	ABA	iii	Brewing industry
D	IBA	iv	Coconut milk

(1) A - i, B - ii, C - iii, D - iv

(2) A - ii, B - iii, C - iv, D - i

(3) A - iii, B - iv, C - i, D - ii

(4) A - iv, B - iii, C - ii, D - i

106. The volatile substance is released from ripened oranges that __A__ the ripening of stored un-ripened banana. It was identified as __B__.

(1) A-Reduced , B-Ascisic acid

(2) A-Hastened, B-Ethylene

(3) A-Stop, B-Auxin

(4) A-Hastened, B-Cytokinins

107. Ethylene is used to initiate flowering and for synchronising fruit set in :-

(1) Rice

(2) Potato

(3) Pineapples

(4) Cherry

108. How many of the following statement/s is/are correct?

(a) Cells differentiate and mature to perform specific functions is termed as differentiation.

(b) Interfascicular cambium and cork cambium formed from fully differentiated parenchyma cells.

(c) PGRs are small, simple molecules of diverse chemical composition.

(d) Only auxin breaks seed and bud dormancy, initiates germination in peanut seeds.

(1) Four (2) Three (3) Two (4) One

109. Fill in the blank in given statement.

The cell of elongation zone has increased _A_, cell enlargement and new _B_ deposition.

Choose correct answer from option given below.

(1) A. Vacuolation
B. Cell Wall

(2) A. Water
B. Cell Wall

(3) A. Vacuolation
B. Protoplasm


(4) A. Reserved food
B. Ergastic material

110. Kelps are related with :-

(1) Chlorophyceae (2) Phaeophyceae

(3) Rhodophyceae (4) Cyanophyceae

111. Examine the figure given below and choose the structure in which asexual buds are produced :-



(1) A (2) B (3) C (4) D

112. Match the following genera with their respective divisions:-

(a)	*Ginkgo*	(p)	Angiospermae
(b)	*Sphagnum*	(q)	Gymnospermae
(c)	*Adiantum*	(r)	Bryophyta
(d)	*Eucalyptus*	(s)	Pteridophyta

	(a)	(b)	(c)	(d)
1	(p)	(q)	(r)	(s)
2	(s)	(p)	(q)	(r)
3	(q)	(s)	(r)	(p)
4	(q)	(r)	(s)	(p)

Scanned with OKEN Scanner

113. Which of the following is not a character related to red algae ?

(1) Sexual reproduction is oogamous.

(2) They occur in both well lighted areas and great depths of oceans.

(3) The stored food is cyanophycean starch, very similar to amylopectin and glycogen.

(4) They reproduce asexually by non motile spores.

114. Identify the set of correct statements.

A. The seed habit is considered an important step in evolution.

B. The prothallus of pteridophyta represents the gametophyte.

C. *Equisetum* is heterosporous pteridophyte.

D. The spread of living pteridophytes is limited and restricted to narrow geographical area.

E. The pteridophytes include horsetails and ferns.

Choose the correct answer from the options given below :

(1) C, D and E only

(2) A, B, C and D only

(3) B, C, D and E only

(4) A, B, D and E only

115. The development of pollen grain in gymnosperm take place with in __x__ retained on the parental __y__.

(1) x - Archegonia, y - gametophyte

(2) x - Antheridium, y - sporophyll

(3) x - Microsporangia, y - sporophyte

(4) x - Megasporangia, y - gametophyte

116. Which of the following group of organisms includes chemoautotrophs, according to five kingdom classification?

(1) Monera (2) Fungi

(3) Plantae (4) Animalia

117. Which one is an **incorrectly** matched pair ?

(1) Phycomycetes - *Mucor, Albugo*

(2) Ascomycetes - *Neurospora, Aspergillus*

(3) Basidiomycetes - *Puccinia, Agaricus*

(4) Deuteromycetes - *Ustilago, Trichoderma*

118. **Assertion :** A virus is a nucleoprotein and the genetic material is infectious.

Reason : No virus contains both RNA and DNA.


(1) **Assertion** and **Reason** both are correct but **Reason** is NOT correct explanation of **Assertion**.

(2) **Assertion** and **Reason** both are correct and **Reason** is correct explanation of **Assertion**.

(3) **Assertion** is correct but **Reason** is incorrect.

(4) **Assertion** is incorrect but **Reason** is correct.

119. Identify the given figure and select the correct statements regarding it ?



(i) It is *Paramoecium*, having mixotrophic nutrition.

(ii) It is *Euglena* having one functional flagellum.

(iii) It is *Euglena* having pigments identical to higher plants.

(iv) It is *Paramoecium*, a ciliated protozoan.

(1) (i) & (iv) (2) only (i)

(3) only (iii) (4) (ii) & (iii)

120. Identify the mismatched one :-

(1)	Desmids	These are members of kingdom protista.
(2)	Slime moulds	Under suitable conditions these form plasmodium.
(3)	Ciliated protozoans	These possess two cillia-one large and another small.
(4)	Mycoplasma	These can survive without oxygen.

Scanned with OKEN Scanner

121. **Statement-I :** Sporozoans have an infectious spore like stage in their life cycle. The most notorious is *Plasmodium* which causes malaria, a disease which has a staggering effect on human population.
Statement-II : Slime moulds spores are dispersed by air currents.

(1) **Statement I** is correct but **Statement II** is incorrect.

(2) **Statement I** is incorrect but **Statement II** is correct

(3) Both **Statement I** and **Statement II** are incorrect.

(4) Both **Statement I** and **Statement II** are correct.

122. In which of the following organisms reproduction is not synonymous with growth ?

(1) Bacteria

(2) Unicellular algae

(3) *Amoeba*

(4) Housefly

123. Which of the following statement regarding nomenclature is correct?

(1) Generic name always begins with capital letter whereas specific epithet with small letter.

(2) Scientific name should be printed in italics.

(3) Scientific name when typed or handwritten should be underlined.

(4) All of the above

124. Arrange the following in ascending order of similar characteristics.
I. Family II. Genus
III. Class IV. Species

(1) Class < Family < Genus < Species

(2) Family < Class < Genus < Species

(3) Species < Order < Family < Class

(4) Class < Genus < Species < Family

125. Match the column-I with column-II and choose correct answer :

	Column-I		Column-II
(A)	Endoplasmic reticulum	(i)	Osmoregulation
(B)	Lysosome	(ii)	Digestion of protein
(C)	Golgi apparatus	(iii)	Steroidal hormone synthesis
(D)	Contractile vacuole	(iv)	Formation of glycolipid

(1) A-iii, B-ii, C-iv, D-i

(2) A-iv, B-iii, C-ii, D-i

(3) A-ii, B-iii, C-iv, D-i

(4) A-iii, B-iv, C-ii, D-i

126. Which of the following statement is incorrect regarding eukaryotic cell.

(1) The eukaryotes include all the protist, plant, animal and fungi.

(2) All eukaryotic cell are not identical.

(3) Eukaryotic cells possess an organised nucleus with a nuclear evelope.

(4) Ribosomes are non-membrane bound organelles found only in eukaryotic cells.

127. Plasmodesmata are :

(1) Cemented layers between the cells

(2) Locomotory structure

(3) Membrane connecting the nucleus with plasmalemna

(4) Connections between the cytoplasm of adjacent plant cells

128. Nucleoprotein fibers are called chromatin net. These are observed during :-

(1) Interphase nucleus

(2) Metaphase

(3) Anaphase

(4) Late prophase

Scanned with OKEN Scanner

129. The organelle considered as the site of aerobic respiration :-

(1) Produce cellular energy in the form of glucose

(2) Outer membrane forms number of infoldings known as cristae

(3) Divide by fission like division

(4) Matrix possesses single, circular and single stranded DNA molecule

130. Read the statements carefully :

(a) The ribosomes of a polysome translate the __A__ into proteins.

(b) ER divides the __B__ space into luminal (inside ER) and extra luminal (cytoplasm) compartments.

(c) Nucleolus is a site for active __C__ synthesis.

(d) Cilia and flagella are hair-like outgrowths of the __D__

Identify A,B,C and D respectively :

	(A)	(B)	(C)	(D)
(1)	tRNA	Intracellular	mRNA	cell wall
(2)	rRNA	Intracellular	tRNA	cell membrane
(3)	mRNA	Intracellular	rRNA	cell membrane
(4)	tRNA	Intercellular	mRNA	cell wall

131. If the amount of DNA in end of S-phase of onion root cell is 40 pg, what would be the amount of DNA in the cell at the time of entry in cell cycle at G_1 stage?

(1) 20 pg (2) 40 pg

(3) 10 pg (4) 5 pg

132. Identify the meiotic stage in which the sister chromatids separates :-

(1) Anaphase-I (2) Anaphase-II

(3) Metaphase-I (4) Metaphase-II

133. Read the following statements and find out the incorrect statement :-

(1) In an animal cell, cytokinesis is achieved by the appearance of a furrow in the plasma membrane.

(2) Furrow formation starts in the centre of cell and grows outward to meet the existing lateral walls.

(3) Cell plate represents the middle lamella between the walls of two adjacent plant cells.

(4) During cytokinesis, organelles like mitochondria and plastids get distributed between the two daughter cells.

134. Which one of the following cell division stage is correctly described with its event?

(1)	Anaphase	The bivalent chromosomes align on the equatorial plate.
(2)	Diakinesis	Beginning of dissolution of synaptonemal complex.
(3)	Metaphase	Spindle fibres attach to kinetochores of chromosomes.
(4)	Zygotene	Appearance of recombination nodule.

135. Which of the following option is not true about anaphase of mitosis and anaphase I meiosis ?

	Anaphase of mitosis	Anaphase of meiosis-I
(1)	Centromere divides	Centromere does not divide
(2)	Each chromosome has single chromatid	Each chromosome has two chromatids
(3)	Total number of chromosome in a cell remains same	Total number of chromosome in a cell become double
(4)	Daughter chromosomes with single chromatids move towards the opposite poles	Chromosomes with two chromatids move towards the opposite poles

Scanned with OKEN Scanner

136. Which of the following sentence is incorrect regarding Hemichordata ?

(1) They have open type of circulatory system

(2) Respiration take place through Gills

(3) Fertilization is external in them

(4) Their excretory organ is Protonephridia

137. Identify the correct statements for bony fishes :-

(A) Body is not streamlined

(B) Skin is covered by placoid scales

(C) Air bladder and operculum present

(D) Mouth mostly terminal

(E) External fertilization

(1) A, B, D

(2) A, B, E

(3) C, D, E

(4) A, D, E

138. Which one of the following option is correct about the figures A, B and C given below?



(A) (B) (C)

(1) A-Acoelomate, B-Pseudocoelomate, C-Coelomate

(2) A-Coelomate, B-Acoelomate, C-Pseudocoelomate

(3) A-Pseudocoelomate, B-Coelomate, C-Acoelomate

(4) A-Acoelomate, B-Coelomate, C-Pseudocoelomate

139. Column A has some characters and B has their examples. Select the option, which correctly matches them :

Column-A		Column-B	
(P)	Canal system	(a)	*Asterias*
(Q)	Spiny body	(b)	*Obelia*
(R)	Stomochord	(c)	*Euspongia*
(S)	Metagenesis	(d)	*Columba*
(T)	Pneumatic bone	(e)	*Balanoglossus*

(1) P-c, Q-a, R-e, S-b, T-d

(2) P-a, Q-c, R-b, S-e, T-d

(3) P-e, Q-a, R-c, S-d, T-b

(4) P-b, Q-c, R-a, S-d, T-e

140. Identify the organism from the following hints :-

(A) Fresh water habitat with streamlined body

(B) Two chambered heart

(C) Air bladder present to regulate buoyancy

(D) Four pair of gills with operculum

(1) *Exocoetus*

(2) *Trygon*

(3) *Myxine*

(4) *Catla*

141. **Assertion :** Adult echinoderms are the radially symmetrical animals with true coelom.

Reason : Echinoderms have larval stage which is bilaterally symmetrical.

(1) Both Assertion & Reason are True and the Reason is the correct explanation of the Assertion


(2) Both Assertion & Reason are True but the Reason is not the correct explanation of the Assertion

(3) Assertion is True statement but Reason is false

(4) Both Assertion and Reason are False statements

Scanned with OKEN Scanner

142. Select correct option with reference to ground substances of given diagram.



(1) Solid and pliable

(2) Semi-solid and non-pliable

(3) Abundant elastic fibres

(4) Rich in calcium salts and collagen fibres

143. How many statements are correct for simple cuboidal epithelium?

(A) The function is secretion and absorption.

(B) It is single layer of cube like cells.

(C) It is commonly present in duct of glands and tubular part of nephron.

(D) The nucleus is located at the base.

(1) 3 (2) 1 (3) 2 (4) 4

144. Which of following is not a part of male cockroach ?

(1) Titillator (2) Phallomer

(3) Collateral glands (4) Pseudopenis

145. In cockroach, the sense organs are :-

(1) Anal style (2) Spiracles

(3) Anal cerci (4) Phallomeres

146. **Assertion :** In male frog, internal connection present between testes and kidney.

Reason : In frog, after spermatogenesis , sperms enter into kidney through vasa-efferentia.

(1) Assertion and reason both are true and the reason is correct explanation of assertion.

(2) Assertion and reason both are true but the reason is not correct explanation of assertion.

(3) Assertion is true but reason is wrong.

(4) Assertion and reason both are wrong.

147. Match the list I with list II given about structures of frog

List I		List II	
(i)	Copulatory pad	a	10–12
(ii)	Egg	b	10 pairs
(iii)	Vas efferentia	c	2500–3000
(iv)	Cranial Nerves	d	First digit

(1) i-b, ii-a, iii-c, iv-d (2) i-d, ii-c, iii-a, iv-b

(3) i-d, ii-a, iii-c, iv-b (4) i-a, ii-b, iii-c, iv-b

148. Persons with 'AB' blood group are called as "Universal recipient". This is due to

(1) Presence of anti-A and anti-B antibodies on RBCs

(2) Absence of anti-A and anti-B antibodies in plasma

(3) Absence of antigen A and B on the surface of RBCs

(4) Absence of antigen A and B in Plasma

149. Match the items given in Column-I with those in Column-II and select the correct option given below :

	Column-I		Column-II
(a)	Fibrinogen	(i)	Osmotic balance
(b)	Globulin	(ii)	Blood Clotting
(c)	Albumin	(iii)	Defence mechanism

(1) a – iii; b – ii; c – i

(2) a – i; b – ii; c – iii

(3) a – i; b – iii; c – ii

(4) a – ii; b – iii; c – i

150. Identify correct location of SAN (sino-atrial node) :-

(1) Right upper corner of left atrium.

(2) Right upper corner of right atrium.

(3) Left upper corner of left atrium.

(4) Left lower corner of right atrium.

Scanned with OKEN Scanner

151. **Assertion:** Angina is common among the middle age and elderly.

Reason: Acute chest pain appear when not enough oxygen in reaching the heart muscle.

(1) Both Assertion & Reason are True & the Reason is a correct explanation of the Assertion.

(2) Both Assertion & Reason are True but Reason is not a correct explanation of the Assertion.

(3) Assertion is True but the Reason is False.

(4) Both Assertion & Reason are False.

152. Which of the following statement is incorrect ?

(1) Due to atrial contraction flow of blood increases into vertricles by about 30 percent.

(2) The action potential is conducted to the atrial side by purkinje fibre.

(3) Ventricular systole causes the closure of tricuspid and bicuspid valve.

(4) When verticular pressure falls it causes the closure of semilunar valve.

153. Which one of the following is the correct statement for respiration in human beings ?

(1) Workers in grinding and stone-breaking industries may suffer from lung fibrosis

(2) About 90% of carbon dioxide (CO_2) is carried by heamoglobin as carbaminohaemoglobin

(3) Cigarette smoking does not cause any harm

(4) Neural signals from pneumotaxic centre in medulla region of the brain can increase the duration of inspiration

154. Choose the correct chemical equation related to respiration.

(1) $KHbO_2 \underset{RBC}{\rightleftharpoons} Hb + K\,H_2O$

(2) $Hb + O_2 \underset{\text{Dissociation in lungs}}{\overset{\text{Association in tissues}}{\rightleftharpoons}} HbO_2$

(3) $Na + HCO_3^- \underset{\text{Erythrocyte}}{\overset{\text{Plasma}}{\rightleftharpoons}} NaHCO_3$

(4) $HbO_2 \underset{\text{Association in lungs}}{\overset{\text{Dissociation in tissues}}{\rightleftharpoons}} Hb + O_2$

155. Which of the given option correctly represents total lung capacity (TLC) ?

(1) VC + RV (2) IC + ERV

(3) ERV + RV (4) IC + RV

156. **Statement-I :** Lungs are situated in the thoracic chamber which is anatomically an air tight chamber.
Statement-II : Any change is the volume of thoracic cavity is reflected in lungs cavity.

(1) Both Statement I and Statement II are correct.

(2) Both Statement I and Statement II are incorrect.

(3) Statement I is correct but Statement II is incorrect.

(4) Statement I is incorrect but Statement II is correct.

157. **Statement - I** : Mechanism of breathing vary among different groups of animals depending mainly in their Habitats & Level of organisation.
Statement - II : Sponges respire through Gills.

(1) Both statement I and statement II are correct

(2) Both statement I and statement II are incorrect

(3) Statement I is correct and statement II is incorrect

(4) Statement I Incorrect But Statement II correct

158. Identify the correct option for the part of nephron which is lined by single layer of cube like cells with rounded nuclei in the centre along with minute finger like projections at free surface of the cells.

(1) Passive reabsorption of most of the glucose and amino acids

(2) Active reabsorption of nitrogenous wastes like ammonia

(3) Minimum reabsorption

(4) 70-80% of electrolytes and water are reabsorbed

Scanned with OKEN Scanner

159. The outline of principal events of urination in human are given below

(a) Stretch receptors on the wall of urinary bladder send signals to CNS

(b) The bladder fills with urine and become distended

(c) Micturition

(d) CNS passes motor messages to initiate the contraction of unstriped muscles of the bladder and relaxation of the urethral sphincter

Correct sequence of events is

(1) (a) → (b) → (c) → (d)

(2) (d) → (c) → (b) → (a)

(3) (b) → (a) → (d) → (c)

(4) (c) → (b) → (a) → (d)

160. Match the animals with their primary forms of nitrogenous waste excretion :

	Animals Group		Excretory Waste
(1)	Mammals	(a)	Ammonia
(2)	Birds	(b)	Urea
(3)	Bony fishes	(c)	Uric acid
(4)	Insects	(d)	Carbon dioxide

(1) 1-a, 2-b, 3-c, 4-d (2) 1-b, 2-c, 3-a, 4-c

(3) 1-d, 2-c, 3-b, 4-a (4) 1-c, 2-d, 3-b, 4-a

161. Give the below statement :-

Statement-I :- Some amount of urea may be retained in the kidney matrix of some animals to maintain a desired osmolarity.

Statement-II :- Each kidney of an adult human measures 10-12 cm in width, 5-7 cm in length, 2-3 cm in thickness.

Option :-

(1) Both statement-I and statement-II are correct.

(2) Both statement-I and statement-II are incorrect.

(3) Statement-I is correct & statement-II is incorrect.

(4) Statement-I is incorrect & statement-II is correct.

162. Which of the following sets of statements are correct ?

(A) JG cells release angiotensinogen in blood.

(B) ANF can cause vasodilation.

(C) Decrease in blood flow to the atria of the heart can cause the release of ANF.

(D) Aldosterone causes reabsorption of Na^+ and water from the distal parts of the tubule.

Choose the correct answer from the options given below :-

(1) A, B and C (2) B and D

(3) B and C (4) Only B

163. The urine formed is a light yellow coloured and having pH ___A___. On an average, ___B___ of urea is excreted out per day.

Select the option which correctly represent A & B in the above mentioned statement.

(1) A-(6), B-(50-55 gm)

(2) A-(3), B-(20-25 gm)

(3) A-(6), B-(25-30 gm)

(4) A-(5), B-(15-20 gm)

164. The part of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc.

(1) Limbic system (2) Brain stem

(3) Medulla (4) Both (1) & (3)

165. Based on the number of axon and dendrites, the neurons are divided into three types

(i) Multipolar neuron found in __A__.

(ii) Bipolar neuron found in __B__.

(iii) Unipolar neuron found in __C__.

(1) A - Medulla oblongata ; B - Embryonic stage ; C - Cranial nerve

(2) A - Cerebellum ; B - Embryonic stage ; C - Dorsal root ganglion of spinal cord

(3) A - Cerebral cortex ; B - Retina ; C - embryonic stage

(4) A - Pons ; B - Cerebral cortex ; C - embryonic stage

Scanned with OKEN Scanner

166. Choose the correct statement from given below.


(1) Hypothalamus lies at the base of cerebellum

(2) Cerebral hemispheres are connected by a tract of nerve fibres called corpus Albicans.

(3) A large region in cerebral cortex that are neither clearly sensory nor motor called association area.

(4) Cerebrum wraps around pons.

167. In reference to given diagram, choose the correct set of option after reading following statements :-



a. The flow of impulse is from A to C

b. The flow of impulse is from C to A

c. A is in a state of polarisation

d. C is in a state of polarisation

(1) a, d

(2) a, c

(3) b, c

(4) b, d

168. The function of oestrogen hormone in human female is except :-

(1) Stimulation of growth and activities of female secondary sex organs.

(2) Development of growing ovarian follicles

(3) Appearance of female secondary sex characters

(4) Support Pregnancy

169. Match the hormone with its primary function :

Column-A		Column-B	
(1)	Estrogen	(A)	Stimulates ovarian follicle development
(2)	Progesterone	(B)	Supports pregnancy
(3)	PRL	(C)	Stimulates growth of female secondary sex organs
(4)	Follicle-stimulating hormone	(D)	Stimulates milk secretion

(1) (1)-(D), (2)-(C), (3)-(B), (4)-(A)

(2) (1)-(C), (2)-(B), (3)-(D), (4)-(A)

(3) (1)-(A), (2)-(B), (3)-(C), (4)-(D)

(4) (1)-(B), (2)-(A), (3)-(C), (4)-(D)

170. **Assertion :** Parathyroid hormone (PTH) increases blood calcium levels.

Reason : PTH acts on bones and stimulates bone resorption, releasing calcium into the bloodstream.

(1) Assertion is true but reason is wrong.

(2) Assertion and reason both are true but the reason is not correct explanation of assertion.

(3) Assertion and reason both are true and the reason is correct explanation of assertion.

(4) Assertion is and reason both are wrong.

171. Which of the following statements is correct ?

(1) Pars distalis produces six trophic hormones.

(2) Pineal gland secretes melanin, which plays a very Important role in the regulation of 24-hour (diurnal) rhythms of our body (e.g., rhythms of sleep and state of being awake, body temperature, etc.)

(3) The thyroid gland secrete thyrocalcitonin (TCT) which increases the blood Ca^{2+} levels and plays a major role in calcium homeostasis

(4) GIP stimulate gastric secretion and motility

Scanned with OKEN Scanner

172. In humans ___A___ parathyroid glands are present on the ___B___ the thyroid gland-

(1) A - Two, B - Back

(2) A - Two, B - Front

(3) A - Four, B - Front

(4) A - Four, B - Back

173. Which of the following is not a function of cortisol ?

(1) Hyperglycemia

(2) Stimulate inflammation

(3) Gluconeogenesis

(4) Stimulate RBC production

174. Find out correct statement regarding adrenal cortex hormone ?

(1) Underproduction of hormone alters carbohydrate metabolism causing acute weakness and fatigue.

(2) Adrenaline and nor-adrenaline are commonly called as catecholamines.

(3) Cortisol is involved in maintaining the hepatic portal circulation.

(4) Androgenic proteins play a role in the growth of axial hair, pubic hair and facial hair.

175. Identify A, B, C and D in the given statement.
Exopthalmic goitre is a form of ___A___, characterised by enlargement of the ___B___, protrusion of the eye ball, ___C___ basal metabolic rate and weight ___D___, also called Graves' disease.

(1) A-Hypothyroidism, B-thyroid gland, C-decreased, D-gain

(2) A-Hypothyroidism, B-Pituitary gland, C-increased, D-loss

(3) A-Hyperthyroidism, B-Pituitary gland, C-increased, D-gain

(4) A-Hyperthyroidism, B-Thyroid gland, C-increased, D-loss

176. Correctly match column-I with column-II.

	Column-I		Column-II
(A)	Amoeboid movement	(i)	Trachea
(B)	Ciliary movement	(ii)	Macrophage
(C)	Flagellar movement	(iii)	Limbs
(D)	Muscular movement	(iv)	Spermatozoa

(1) (A)-(i), (B)-(ii), (C)-(iii), (D)-(iv)

(2) (A)-(ii), (B)-(iv), (C)-(i), (D)-(iii)

(3) (A)-(ii), (B)-(i), (C)-(iv), (D)-(iii)

(4) (A)-(iv), (B)-(i), (C)-(ii), (D)-(iii)

177. How many of the statements given below are/is correct ?

(a) Muscles have special properties like excitability, contractility, extensibility and elasticity.

(b) Muscles are mesodermal in origin.

(c) 40-50% of the body weight of a human adult is contributed by blood

(1) One

(2) Two

(3) Three

(4) None is correct

178. Given below are two statements :

Statement-I : Activity of smooth muscles is not under voluntary control.

Statement-II : Smooth muscle assist in transportation of food through the digestive tract.

In the light of the above statements, choose the most appropriate answer from the options given below :

(1) Both Statement-I and Statement-II are correct.

(2) Statement-I is correct but Statemen-II is incorrect.

(3) Statement-I is incorrect but Statemen-II is correct.

(4) Both Statement-I and Statement-II are incorrect.

Scanned with OKEN Scanner

179. Match the following columns.

	Column 1		Column 2
A	Sternum	I	Synovial fluid
B	Glenoid cavity	II	Vertebrae
C	Freely movable joint	III	Pectoral girdle
D	Cartilaginous joint	IV	Flat bones

Codes

	A	B	C	D
(1)	II	I	III	IV
(2)	IV	III	I	II
(3)	II	I	IV	III
(4)	IV	I	II	III

180. **Statement-I :** Our vertebral column formed by 26 serially arranged units called vertebra and is dorsally placed.


Statement-II : There are 10 pair of ribs. Each ribs is a thin flat bone connected dorsally to the vertebral column and ventrally to the sternum.


(1) Both Statement-I and Statement-II are correct.

(2) Both Statement-I and Statement-II are incorrect.

(3) Statement-I is correct and Statement-II is incorrect.

(4) Statement-I is incorrect and Statement-II is correct.





Scanned with OKEN Scanner