Module 20: Programming in C++

Namespaces

Intructors: Abir Das and Sourangshu Bhattacharya

Department of Computer Science and Engineering
Indian Institute of Technology, Kharagpur

{abir, sourangshu}@cse.iitkgp.ac.in

Slides taken from NPTEL course on Programming in Modern C++

by **Prof. Partha Pratim Das**

- Understand `namespace` as a free scoping mechanism to organize code better

1. **namespace Fundamental**

2. **namespace Scenarios**

3. **namespace Features**
   - **Nested namespace**
   - **using namespace**
   - **Global namespace**
   - **std namespace**
   - **namespaces are Open**

4. **namespace vis-a-vis class**

5. **Lexical Scope**

6. **Module Summary**

namespace Fundamental

- A `namespace` is a declarative region that provides a scope to the identifiers (the names of types, functions, variables, etc) inside it
- It is used to organize code into logical groups and to prevent name collisions that can occur especially when your code base includes multiple libraries
- `namespace` provides a `class`-like modularization without `class`-like semantics
- Obliviates the use of File Level Scoping of C (file) `static`
- A good resource for File Level Scoping in C Something Linky

- Example:

```cpp
#include <iostream>
using namespace std;

namespace MyNameSpace {
    int myData;                                                    // Variable in namespace
    void myFunction() { cout << "MyNameSpace myFunction" << endl; } // Function in namespace
    class MyClass { int data;                                      // Class in namespace
    public:
        MyClass(int d) : data(d) { }
        void display() { cout << "MyClass data = " << data << endl; }
    };
}
int main() {
    MyNameSpace::myData = 10;     // Variable name qualified by namespace name
    cout << "MyNameSpace::myData = " << MyNameSpace::myData << endl;

    MyNameSpace::myFunction();    // Function name qualified by namespace name

    MyNameSpace::MyClass obj(25); // Class name qualified by namespace name
    obj.display();
}
```

- A name in a `namespace` is prefixed by the name of it
- Beyond scope resolution, all `namespace` items are treated as global

Module 20

Intructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

namespace
Fundamental

**namespace
Scenarios**

namespace
Features

Nested namespace

using namespace

Global namespace

std namespace

namespaces are
Open

namespace
vis-a-vis class

Lexical Scope

Module Summary

Scenario 1: Redefining a Library Function
Program 20.02

- cstdlib has a function `int abs(int n);` that returns the absolute value of parameter n
- You need a special `int abs(int n);` function that returns the absolute value of parameter `n` if `n` is between -128 and 127. Otherwise, it returns 0
- **Once you add your `abs`, you cannot use the `abs` from library! It is hidden and gone!**
- **`namespace` comes to your rescue**

Name-hiding: abs()	namespace: abs()
``#include <iostream>
#include <cstdlib>

int abs(int n) {
    if (n < -128) return 0;
    if (n > 127) return 0;
    if (n < 0) return -n;
    return n;
}

int main() { std::cout << abs(-203) << " "
        << abs(-6) << " "
        << abs(77) << " "
        << abs(179) << std::endl;
    // Output: 0 6 77 0
}``` | ```#include <iostream>
#include <cstdlib>
namespace myNS {
    int abs(int n) {
        if (n < -128) return 0;
        if (n > 127) return 0;
        if (n < 0) return -n;
        return n;
    }
}

int main() { std::cout << myNS::abs(-203) << " "
        << myNS::abs(-6) << " "
        << myNS::abs(77) << " "
        << myNS::abs(179) << std::endl;
    // Output: 0 6 77 0
    std::cout << abs(-203) << " " << abs(-6) << " "
        << abs(77) << " " << abs(179) << std::endl;
    // Output: 203 6 77 179
}``` |

Scenario 2: Students' Record Application: The Setting Program 20.03

- An organization is developing an application to process students records
- `class St` for Students and `class StReg` for list of Students are:

```cpp
#include <iostream>
#include <cstring>
using namespace std;
class St { public: // A Student
    typedef enum GENDER { male = 0, female };
    St(char *n, GENDER g) : name(strcpy(new char[strlen(n) + 1], n)), gender(g) { }
    void setRoll(int r) { roll = r; }        // Set roll while adding the student
    GENDER getGender() { return gender; } // Get the gender for processing
    friend ostream& operator<< (ostream& os, const St& s) { // Print a record
        cout << ((s.gender == St::male) ? "Male " : "Female ")
             << s.name << " " << s.roll << endl;
        return os;
    }
private: char *name; GENDER gender; // name and gender provided for the student
         int roll;                  // roll is assigned by the system
};
class StReg {        // Students' Register
    St **rec; /* List of students */ int nStudents; // Number of student
public: StReg(int size) : rec(new St*[size]), nStudents(0) { }
    void add(St* s) { rec[nStudents] = s; s->setRoll(++nStudents); }
    St *getStudent(int r) { return (r == nStudents + 1) ? 0 : rec[r - 1]; }
};
```

- The classes are included in a header file `Students.h`

- Two engineers – Sabita and Niloy – are assigned to develop processing applications for male and female students respectively. Both are given the `Students.h` file
- The lead Purnima of Sabita and Niloy has the responsibility to integrate what they produce and prepare a single application for both male and female students. The engineers produce:

Processing for males by Sabita	Processing for females by Niloy

```
//////////////// App1.cpp ////////////////
#include <iostream>
using namespace std;
#include "Students.h"
extern StReg *reg;
void ProcSt() { cout << "MALE STUDENTS: " << endl;
    int r = 1; St *s;
    while (s = reg->getStudent(r++))
        if (s->getGender() == St::male) cout << *s;
    cout << endl << endl;
    return;
}
//////////////// Main.cpp ////////////////
#include <iostream>
using namespace std;
#include "Students.h"
StReg *reg = new StReg(1000);
int main()
{ St s("Ravi", St::male); reg->add(&s); ProcSt(); }
```

```
//////////////// App2.cpp ////////////////
#include <iostream>
using namespace std;
#include "Students.h"
extern StReg *reg;
void ProcSt() { cout << "FEMALE STUDENTS: " << endl;
    int r = 1; St *s;
    while (s = reg->getStudent(r++))
        if (s->getGender() == St::female) cout << *s;
    cout << endl << endl;
    return;
}
//////////////// Main.cpp ////////////////
#include <iostream>
using namespace std;
#include "Students.h"
StReg *reg = new StReg(1000);
int main()
{ St s("Rhea", St::female); reg->add(&s); ProcSt(); }
```

Scenario 2: Students' Record Application: Integration Nightmare: Program 20.03

Module 20

Intructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

namespace
Fundamental

**namespace
Scenarios**

namespace
Features

Nested namespace

using namespace

Global namespace

std namespace

namespaces are
Open

namespace
vis-a-vis class

Lexical Scope

Module Summary

- To integrate, Purnima prepares the following main() in her Main.cpp where she intends to call the processing functions for males (as prepared by Sabita) and for females (as prepared by Niloy) one after the other:

```cpp
#include <iostream>
using namespace std;
#include "Students.h"

void ProcSt(); // Function from App1.cpp by Sabita
void ProcSt(); // Function from App2.cpp by Niloy

StReg *reg = new StReg(1000);

int main() {
    St s1("Rhea", St::female); reg->add(&s1);
    St s2("Ravi", St::male); reg->add(&s2);

    ProcSt();  // Function from App1.cpp by Sabita
    ProcSt();  // Function from App2.cpp by Niloy
}
```

- **But the integration failed due to name clashes**
- **Both use the same signature void ProcSt(); for their respective processing function. Actually, they have several functions, classes, and variables in their respective development with the same name and with same / different purposes**
- How does Purnima perform the integration without major changes in the codes? – **namespace**

Module 20

Intructors: Abir
Das and
Sourangshu
Bhattacharya

Objectives &
Outlines

namespace
Fundamental

**namespace
Scenarios**

namespace
Features

Nested namespace

using namespace

Global namespace

std namespace

namespaces are
Open

namespace
vis-a-vis class

Lexical Scope

Module Summary

- Introduce two `namespace`s – `App1` for Sabita and `App2` for Niloy
- Wrap the respective codes:

Processing for males by Sabita	Processing for females by Niloy

```cpp
/////////////// App1.cpp ///////////////
#include <iostream>
using namespace std;
#include "Students.h"

extern StReg *reg;

namespace App1 {
    void ProcSt() {
        cout << "MALE STUDENTS: " << endl;
        int r = 1;
        St *s;

        while (s = reg->getStudent(r++))
        if (s->getGender() == St::male)
                cout << *s;

        cout << endl << endl;
        return;
    }
};
```

```cpp
/////////////// App2.cpp ///////////////
#include <iostream>
using namespace std;
#include "Students.h"

extern StReg *reg;

namespace App2 {
    void ProcSt() {
        cout << "FEMALE STUDENTS: " << endl;
        int r = 1;
        St *s;

        while (s = reg->getStudent(r++))
        if (s->getGender() == St::female)
                cout << *s;

        cout << endl << endl;
        return;
    }
};
```

- Now the integration gets smooth:

```cpp
using namespace std;

#include "Students.h"

namespace App1 { void ProcSt(); } // App1.cpp by Sabita

namespace App2 { void ProcSt(); } // App2.cpp by Niloy

StReg *reg = new StReg(1000);

int main() {
    St s1("Ravi", St::female); reg->add(&s1);
    St s2("Rhea", St::male); reg->add(&s2);

    App1::ProcSt(); // App1.cpp by Sabita
    App2::ProcSt(); // App2.cpp by Niloy

    return 0;
}
```

- **Clashing names are made distinguishable by distinct names**

Program 20.04: Nested `namespace`

- A namespace may be nested in another namespace

```cpp
#include <iostream>
using namespace std;

int data = 0;              // Global name ::

namespace name1 {
    int data = 1;          // In namespace name1
    namespace name2 {
        int data = 2;      // In nested namespace name1::name2
    }
}

int main() {
    cout << data << endl;                // 0
    cout << name1::data << endl;         // 1
    cout << name1::name2::data << endl;  // 2

    return 0;
}
```

- Using using namespace we can avoid lengthy prefixes

```cpp
#include <iostream>
using namespace std;

namespace name1 {
    int v11 = 1;
    int v12 = 2;
}
namespace name2 {
    int v21 = 3;
    int v22 = 4;
}

using namespace name1;  // All symbols of namespace name1 will be available
using name2::v21;       // Only v21 symbol of namespace name2 will be available

int main() {
    cout << v11 << endl;          // name1::v11
    cout << name1::v12 << endl;   // name1::v12
    cout << v21 << endl;          // name2::v21
    cout << name2::v21 << endl;   // name2::v21
    cout << v22 << endl;          // Treated as undefined
}
```

Program 20.06: Global `namespace`

- `using` or `using namespace` hides some of the names

```cpp
#include <iostream>
using namespace std;

int data = 0;          // Global Data

namespace name1 {
    int data = 1;    // namespace Data
}

int main() {
    using name1::data;

    cout << data << endl;        // 1 // name1::data -- Hides global data
    cout << name1::data << endl; // 1
    cout << ::data << endl;      // 0 // ::data -- global data
}
```

- Items in Global namespace may be accessed by scope resolution operator (`::`)

● Entire C++ Standard Library is put in its own `namespace`, called `std`

Without using `using std`	With using `using std`
| ```
#include <iostream>


int main() {
    int num;
    std::cout << "Enter a value: " ;
    std::cin >> num;
    std::cout << "value is: " ;
    std::cout << num ;
}
``` | ```
#include <iostream>
using namespace std;

int main() {
    int num;
    cout << "Enter a value: " ;
    cin >> num;
    cout << "value is: " ;
    cout << num ;
}
``` |
| ● Here, `cout`, `cin` are explicitly qualified by their `namespace`. So, to write to standard output, we specify `std::cout`; to read from standard input, we use `std::cin` | ● By the statement `using namespace std`; `std namespace` is brought into the current `namespace`, which gives us direct access to the names of the functions and classes defined within the library without having to qualify each one with `std::` |
| ● It is useful if a few library is to be used; no need to add entire std library to the global `namespace` | ● When several libraries are to be used it is a convenient method |

Program 20.08: `namespaces` are Open

- namespace are open: New Declarations can be added

```
#include <iostream>
using namespace std;

namespace open // First definition
{ int x = 30; }

namespace open // Additions to the last definition
{ int y = 40; }

int main() {
    using namespace open; // Both x and y would be available

    x = y = 20;
    cout << x << "   " << y ;
}

Output: 20   20
```

Module 20

Intructors: Abir Das and Sourangshu Bhattacharya

Objectives & Outlines

namespace Fundamental

namespace Scenarios

namespace Features

Nested namespace

using namespace

Global namespace

std namespace

namespaces are Open

namespace vis-a-vis class

Lexical Scope

Module Summary

namespace vis-a-vis class

namespace	**class**
• Every namespace is not a class	• Every class defines a namespace
• A namespace can be reopened and more declaration added to it	• A class cannot be reopened
• No instance of a namespace can be created	• A class has multiple instances
• using-declarations can be used to short-cut namespace qualification	• No using-like declaration for a class
• A namespace may be unnamed	• An unnamed class is not allowed

- The scope of a name binding – an association of a name to an entity, such as a variable – is the part of a computer program where the binding is valid: where the name can be used to refer to the entity

- C++ supports a variety of scopes:
  - Expression Scope – restricted to one expression, mostly used by compiler
  - Block Scope – create local context
  - Function Scope – create local context associated with a function
  - Class Scope – context for data members and member functions
  - Namespace Scope – grouping of symbols for code organization
  - File Scope – limit symbols to a single file
  - Global Scope – outer-most, singleton scope containing the whole program

Lexical Scope

- Scopes may be named or Unnamed
  - Named Scope – Option to refer to the scope from outside
    - ▷ Class Scope – class name
    - ▷ Namespace Scope – namespace name or unnamed
    - ▷ Global Scope – "::"
  - Unnamed Scope
    - ▷ Expression Scope
    - ▷ Block Scope
    - ▷ Function Scope
    - ▷ File Scope
- Scopes may or may not be nested
  - Scopes that may be nested
    - ▷ Block Scope
    - ▷ Class Scope
    - ▷ Namespace Scope
  - Scopes that cannot be nested
    - ▷ Expression Scope
    - ▷ Function Scope – may contain Class Scopes
    - ▷ File Scope – will contain several other scopes
    - ▷ Global Scope – will contain several other scopes

Module Summary

Module 20

Intructors: Abir Das and Sourangshu Bhattacharya

Objectives & Outlines

namespace Fundamental

namespace Scenarios

namespace Features

Nested namespace

using namespace

Global namespace

std namespace

namespaces are Open

namespace vis-a-vis class

Lexical Scope

Module Summary

- Understood `namespace` as a scoping tool in c++
- Analyzed typical scenarios that `namespace` helps to address
- Studied several features of `namespace`
- Understood how `namespace` is placed in respect of different lexical scopes of C++