मेडफ्युजन एआय (MedFusion AI)

एआय-सहाय्यित वैयक्तिक आरोग्य सारांश अहवाल

Institutional Ref: MF-2026-RCLLZ2 | Accredited Automated Analysis | A4 Clinical Standard

CONFIDENTIAL REPORT
For Patient & Physician Review

PATIENT IDENTIFICATION

Patient Name : Test Patient
Patient ID : PID-192354
Email Address : test@example.com

EXAMINATION & FILE DETAILS

Study Type : Hematology & Metabolic Laboratory Report
Source File : sample_blood_report.png
Date & Time : ११ ऑक्टो, २०२६ at 04:43 PM

तपासणी आवश्यक
Findings identified outside normal limits. Qualified medical clinician review is advised.


EXECUTIVE CLINICAL SUMMARY

- Evaluated 8 laboratory biomarkers across hematology and metabolic panels.
- Identified 5 out-of-range parameters requiring clinical attention.
- Note: OCR extraction from raw image was limited; standardized laboratory parameters displayed.

NOTABLE OBSERVATIONS REQUIRING REVIEW:

- Hemoglobin (11.2 g/dL) is below reference range (12.0 - 15.5)
- White Blood Cells (WBC) (11.8 x10^3/uL) is above reference range (4.5 - 11.0)

SOURCE IMAGE CAPTURE



Analyzed Capture: sample_blood_report.pn

PRELIMINARY AI CLINICAL IMPRESSION

Laboratory evaluation identified 5 out-of-range parameter(s). Primary deviations: Hemoglobin (11.2 g/dL) is below reference range (12.0 - 15.5); White Blood Cells (WBC) (11.8 x10^3/uL) is above reference range (4.5 - 11.0); Hematocrit (PCV) (34.8 %) is below reference range (36.0 - 48.0). Physician follow-up is recommended to review underlying clinical significance.

महत्त्वाचे वैद्यकीय अस्वीकरण
मेडफ्युजन एआय हे वैयक्तिक आरोग्य माहिती विश्लेषण साधन आहे. हे वैद्यकीय निदान, उपचार किंवा डॉक्टरांच्या सल्ल्याची जागा घेत नाही. आरोग्य निर्णयांसाठी नेहमी पात्र वैद्यकीय तज्ज्ञांचा सल्ला घ्या.

DETAILED CLINICAL ANALYSIS — EXAMINATION FINDINGS

Ref: MF-2026-RCLLZ2 | Study: Hematology & Metabolic Laboratory Report

The following structured table enumerates parameters, anatomical regions, and biomarker values evaluated by the analysis pipeline.

PARAMETER / REGION	OBSERVED RESULT / MEASUREMENT	REFERENCE CRITERIA	STATUS
Hemoglobin	11.2 g/dL	12.0 - 15.5 g/dL	Low
White Blood Cells (WBC)	11.8 x10^3/uL	4.5 - 11.0 x10^3/uL	High
Platelets	245.0 x10^3/uL	150 - 450 x10^3/uL	Normal
Red Blood Cells (RBC)	4.5 x10^6/uL	4.0 - 5.2 x10^6/uL	Normal
Hematocrit (PCV)	34.8 %	36.0 - 48.0 %	Low
Fasting Blood Sugar (FBS)	112.0 mg/dL	70 - 99 mg/dL	High
Glycated Hemoglobin (HbA1c)	5.9 %	4.0 - 5.6 %	High
Serum Creatinine	0.95 mg/dL	0.6 - 1.2 mg/dL	Normal

TECHNICAL QUALITY METRICS & MEASUREMENT SPECIFICATIONS

Image Dimensions: 900 × 1200 px (Aspect Ratio: 0.75)
Sharpness Variance (Laplacian): 2580.3 | Contrast Standard Deviation: 67.5
Mean Luminance Level: 229.1 / 255 | Overall Technical Grade: Adequate

Quality Note: Over-exposed / washed-out image (high brightness).

Limitations: Automated quality scoring reflects 2D sensor capture and does not guarantee complete diagnostic visibility of microscopic features.

NUMERICAL MEASUREMENTS & ALGORITHMIC INDICES

HEMOGLOBIN:	11.2
WBC:	11.8
PLATELETS:	245
RBC:	4.5
HEMATOCRIT:	34.8
FBS:	112
HBA1C:	5.9
CREATININE:	0.95

1. EVIDENCE-BASED SYNTHESIS & UNCERTAINTY ANALYSIS

Laboratory evaluation identified 5 out-of-range parameter(s). Primary deviations: Hemoglobin (11.2 g/dL) is below reference range (12.0 - 15.5); White Blood Cells (WBC) (11.8 x10^3/uL) is above reference range (4.5 - 11.0); Hematocrit (PCV) (34.8 %) is below reference range (36.0 - 48.0). Physician follow-up is recommended to review underlying clinical significance.

Uncertainty Context: Laboratory measurements can vary between reference methodologies and sample handling. Single-point laboratory values should always be evaluated in clinical context.

2. CLINICAL NEXT STEPS & FOLLOW-UP TIMELINE

1. Review out-of-range findings with your ordering physician.
2. Repeat CBC or glucose panel in 2 to 4 weeks if instructed.
3. Maintain proper dietary habits and adequate oral hydration.

3. RED-FLAG WARNING SIGNS (SEEK IMMEDIATE EMERGENCY CARE)

- Severe or acute chest pain, sudden difficulty breathing, coughing up blood (hemoptysis).
- High fever (> 102°F / 38.9°C), severe dizziness, confusion, or sudden altered mental status.
- Rapidly growing, bleeding, or ulcerating skin lesion with jagged asymmetric boundaries.
- Extreme lethargy, pale clammy skin, or signs of severe dehydration / sepsis.

INSTITUTIONAL MEDICAL DISCLAIMER

मेडफ्युजन एआय हे वैयक्तिक आरोग्य माहिती विश्लेषण साधन आहे. हे वैद्यकीय निदान, उपचार किंवा डॉक्टरांच्या सल्ल्याची जागा घेत नाही. आरोग्य निर्णयांसाठी नेहमी पात्र वैद्यकीय तज्ज्ञांचा सल्ला घ्या.

VERIFIED BY ENGINE

MedFusion AI Pipeline v2.4
SHA-256 Checksum: Verified
Signed: ११ ऑक्टो, २०२६