Emotionally and Socially Aware Robots for Workplace Environments: A Framework for Acceptance and Adaptability

Abstract

Emotionally intelligent robots are emerging as promising companions in academic environments, with the potential to support students and faculty through affective interaction, task assistance, and adaptive communication. However, their deployment raises critical socio-technical concerns regarding privacy, emotional misinterpretation, trust, and behavioral safety. In this study, we present a twofold contribution. First, we propose a modular, privacy-aware robot architecture capable of multi-modal emotion recognition, context-sensitive behavior modulation, and role-specific adaptation for educational settings. The system integrates non-verbal cue analysis and trajectory-based inference to support real-time emotionally aligned responses. Second, we report findings from a participatory survey involving students and faculty, which highlights key user expectations and concerns. While users value features such as stress detection and supportive interactions, they express apprehension about over-familiarity, unreliable affect sensing, and emotional data retention. In response, we outline a revised design framework incorporating selective memory, explainable decisions, and customizable emotional boundaries. By synthesizing technical advancements with empirical human insights, this work contributes a socio-technical [1] blueprint for the responsible deployment of emotionally intelligent robots in human-centric academic contexts.

Keywords: Social Robotics, Emotion Recognition, Human-Robot Interaction, Privacy, Adaptive Systems

1. Introduction

Emotionally intelligent robots are increasingly entering human-centric environments, offering new affordances for interaction, support, and companionship. In educational institutions, these robots have the potential to augment the academic experience by assisting with routine tasks, providing affective support during stress or burnout, and acting as consistent, context-aware companions for both students and faculty. Unlike traditional service agents, emotionally intelligent robots perceive and interpret users' non-verbal cues such as posture, tone, or facial expressions, allowing them to tailor their behavior in emotionally resonant ways. This emerging capability holds particular promise in academic contexts,

where cognitive loads, affective states, and social interactions vary dynamically across different roles and settings.

Despite their potential, the deployment of emotionally aware robots in academic spaces raises significant socio-technical concerns. These include questions of emotional authenticity, behavioral predictability, privacy and surveillance, and the social acceptability of machine-led companionship. In contrast to controlled environments such as customer service counters or eldercare facilities, academic campuses represent high-density, semi-structured settings with diverse user expectations and fluctuating emotional states. Moreover, concerns regarding emotional data retention, non-consensual monitoring, and unreliable affect detection can erode trust and impede adoption. Our participatory survey of students and faculty members reveals this tension clearly: while users appreciate features such as stress detection and supportive verbal interactions, they simultaneously express strong discomfort about over-familiarity, misinterpretation of intent, and lack of transparency in robot decisions.

In this paper, we make two core contributions. First, we present a revised robot design architecture that integrates multi-modal emotion recognition (via facial cues, body language, and trajectory analysis), adaptive behavior modulation based on role (student vs. faculty), and a privacy-aware interaction layer that enables selective memory and explainable action policies. This extends prior emotionally intelligent systems by embedding context-awareness and user-control features at the architectural level. Second, we provide empirical evidence from a structured survey (N ¿ 40) conducted in higher-education settings, detailing user concerns, expectations, and trust conditions surrounding emotionally intelligent robots. By synthesizing these behavioral insights with technical capabilities, we propose a socio-technical blueprint for deploying emotionally intelligent robots in academic environments responsibly and effectively.

Our findings suggest that successful adoption of such systems will require not only improvements in affective perception and interaction design, but also deeper integration of user-centered values such as transparency, explainability, and emotional sovereignty. The remainder of this paper details the technical system design, survey instrument and findings, revised robot behavior specifications, and implications for broader human-robot interaction in educational institutions.

2. Related Work

Research on emotionally intelligent robots (EIRs) has evolved at the intersection of robotics, service management, and consumer behavior. Foundational work

on multimodal emotion recognition established that integrating facial, vocal, and gestural cues improves human–computer interaction and adaptive engagement [2]. Principles of trust and coordination from human–robot teaming studies [3] remain relevant as robots are increasingly deployed in workplaces and service settings.

Technical developments highlight how EIRs enhance social navigation and affect recognition. For example, the Emotionally Intelligent Robot framework integrated trajectory prediction with emotion inference to improve navigation in crowded environments [4]. A complementary socially aware navigation model accounts for proxemics and situational context in deciding how robots should approach people [5]. Reinforcement learning approaches such as RL-EMO fuse multimodal affective cues for robust real-time recognition [6], while attention-aware reinforcement learning improves image-based affect recognition [7]. Emotional behavior design has also been shown to increase engagement between humans and robots [8].

Service and management research provides evidence that emotional intelligence in robots strongly shapes consumer perceptions. [9] introduced a validated scale measuring five AI intelligence types—Logic-Mathematical, Social, Visual-Spatial, Verbal-Linguistic, and Processing-Speed—demonstrating that each type elicits distinct emotions which in turn mediate satisfaction, attachment, and usage intention. [10] asked how "smart" a service robot should be, showing that higher intelligence does not always translate into positive evaluations. [11] argued that frontline service robots will reshape service delivery, but require managerial strategies to balance machine and human roles. [12] highlighted that emotional capabilities are central to consumer trust, and [13] discussed that hybrid human–AI intelligence enhances intimacy in service encounters. [14] demonstrated that emotions influence how consumers construct meaning in interactions with social robots, while [15] emphasized the triadic nature of service settings involving robots, customers, and employees. [16] extended this by examining how emerging communication technologies redefine interaction norms.

Further research has identified conditions under which emotional and social capabilities generate risks. [17] found that robots perceived as having feelings are both more liked and more forgiven for errors, yet also raise expectations that intensify dissatisfaction when failures occur. [18] showed that communication styles shape consumer intimacy following service failures, while [19] revealed that robots with excessive agency can provoke embarrassment in sensitive encounters.

Applied studies provide additional insights. [20] demonstrated therapeutic benefits of socially assistive robots for older adults, but also flagged issues of

reliability and trust. [21] reported that people disclose emotions to robots but remain cautious about privacy. [22] explored the design of social robots for emotional communication in children with autism spectrum disorder, and [8] showed that robotic emotional behavior can directly promote human–robot interaction.

The prevalent literature demonstrates that emotionally intelligent robots combine technical progress in affect recognition and navigation with managerial implications for trust, satisfaction, and role clarity. Emotional intelligence is multidimensional [9], anthropomorphism and communication styles shape consumer responses [17, 18], and deployment requires organizational policies that safeguard ethics, privacy, and consumer well-being [15, 16]. Together, these insights provide a foundation for designing autonomous systems that are technically proficient, socially adaptive, and managerially viable.

3. Baseline Robot System Architecture

We define the baseline robotic agent $\mathcal{R}$ as a mobile, service-oriented platform operating in indoor academic environments. The agent is capable of executing structured tasks $\mathcal{T}$, navigating space $\mathcal{X}$, and interacting with users $\mathcal{U}$ under physical and computational constraints.

3.1. System Model

Let the state of the robot at time t be represented by the tuple:

$$s_t = (\mathbf{x}_t, \mathbf{v}_t, \mathbf{z}_t, \mathbf{a}_t) \tag{1}$$

where $\mathbf{x}_t \in \mathbb{R}^2$ is the position in the 2D map, $\mathbf{v}_t$ is the velocity vector, $\mathbf{z}_t$ is the vector of sensory observations, and $\mathbf{a}_t$ is the current action (e.g., move, speak, deliver).

The robot executes a finite sequence of tasks $\mathcal{T} = \{\tau_1, \tau_2, ..., \tau_n\}$, where each task is defined as:

$$\tau_i = \langle g_i, c_i, r_i \rangle \tag{2}$$

with g_i as the goal location, c_i as contextual constraints (e.g., time windows, user type), and r_i as the expected response or output.

The policy π maps current state and context to an action:

$$\pi : (s_t, \phi_t) \rightarrow \mathbf{a}_t \tag{3}$$

where ϕ_t represents environmental context (e.g., crowd density, task priority), used for path and behavior modulation.

Algorithm 1 Baseline Task Execution Loop for Service Robot

```
Input: Task queue 𝒯, initial map ℳ, user registry 𝒰
Initialize: Robot state s_0, navigation graph G, sensory buffer Z
while robot is operational do
    Capture sensor data z_t from onboard modules
    Estimate current state s_t ← f(z_t)
    if 𝒯 is not empty then
        Retrieve next task τ_i = ⟨g_i, c_i, r_i⟩
        Compute optimal path 𝒫 ← Plan(s_t, g_i, ℳ)
        while not at g_i do
            Observe environment context φ_t
            Determine control action a_t ← π(s_t, φ_t)
            Apply a_t to actuators
            Update state and map
        end while
        Execute task response r_i
        Log task outcome and user feedback
    end if
end while
```

3.2. Task Execution Pipeline

Table 1 summarizes the core hardware modules and system software components that support the baseline configuration of the robot.

4. Emotionally Intelligent Design: A Socio-Technical Revision Guided by Participatory Insights

While the baseline system described previously is technically proficient, it lacks the nuanced sensitivity required for affective interaction and long-term acceptance in human-centric academic settings. To address this, we adopted a participatory design approach rooted in socio-technical systems theory, where emotional features are not layered superficially but emerge from empirical user expectations and constraints. We conducted a structured, mixed-method survey ($N = 41$) across students and faculty to assess their receptiveness, fears, and contextual boundaries concerning emotionally intelligent robotic companions.

Table 1: Updated Hardware and Software Specifications for Emotionally Intelligent Robot

Component	**Updated Specification (Emotionally Intelligent Version)**
Hardware Modules	
Main Controller	ESP32 dual-core MCU (baseline retained for sensor management)
Auxiliary Compute Unit	ARM Cortex-A53 quad-core, 1.4 GHz with upgraded 2 GB RAM for affective inference
Camera System	5MP RGB camera + facial landmark tracking + pose estimation (OpenFace/OpenCV)
Spectral Sensor	AS7265x retained; now used for contextual ambient light analysis (mood cues)
Microphone Array	Directional dual-mic array for speech tone analysis and keyword spotting (added)
Display Interface	Touchscreen GUI with new explainable feedback overlay (user emotion history + control)
IMU and Motion Sensors	6-DOF IMU + encoders (unchanged)
Power Supply	Li-ion battery (7.4V, 3000 mAh), upgraded for longer active emotional monitoring
Software and Behavior Modules	
Emotion Recognition Engine	Multi-modal classifier $E(\cdot)$ using facial keypoints, posture, and speech tone via SVM/MLP
Behavior Policy π^*	Emotion- and context-aware state-action mapping with confidence gating and ethical constraint set Θ
Consent Management Module	User-specific opt-in/opt-out emotional sensing, persistent across sessions
Emotional Logging System	Secure, local-only logs with user-configurable retention (`ephemeral` or `manual review`)
Transparency Layer	On-screen justifications for affect-driven actions (e.g., "You seem tired based on posture")
Role-Aware Behavior Filter	Interaction model adapted by role (student/faculty) and engagement history
Trust Calibration Module	Threshold tuning via observed interaction feedback and subjective trust scoring

4.1. Survey Themes and Ethnographic Context

The survey combined Likert-scale metrics, open-ended responses, and behavioral intent ratings. Quantitative results reveal that 82% of respondents

supported robots offering basic emotional cues such as encouragement, especially during high-stress periods like exams or grading deadlines. However, 73% expressed significant concern regarding continuous monitoring, facial emotion tracking, and unintended emotional disclosures in shared academic spaces.

Qualitative feedback added context to these numerical trends. Multiple students articulated fears of "being watched even when I don't want to talk," while faculty highlighted risks of "robots overstepping emotional boundaries with unsolicited comments." These responses reveal a latent demand for emotional support, but one that is gated by perceived agency, control, and interpretability—values that map directly onto socio-technical system principles.

4.2. Mathematical Model of Emotion-Aware Behavior Policy

To formally integrate these preferences into the robot's policy architecture, we extend the baseline state-action model described earlier. Let the robot state at time t be:

$$s_t = (\mathbf{x}_t, \mathbf{v}_t, \mathbf{z}_t, \mathbf{a}_t, \mathbf{e}_t) \tag{4}$$

where $\mathbf{e}_t \in \mathbb{R}^k$ is the inferred emotional vector at time t, computed via a multi-modal classifier E based on posture, trajectory, facial keypoints, and voice tone.

The updated behavior policy π^* now incorporates emotional state and user-defined constraints Θ:

$$\pi^*(s_t, \phi_t, \Theta) \to \mathbf{a}_t \tag{5}$$

where:

- ϕ_t encodes environmental and social context (e.g., user role, crowd density, prior interaction history),
- Θ is a set of behavior constraints derived from survey-informed roles, such as opt-in consent, memory retention preferences, and role-specific tone.

The emotional classification output $\mathbf{e}_t = E(\mathbf{z}_t)$ is accepted only when the classifier's confidence exceeds a threshold δ_c, where:

$$\delta_c = \arg\max_{\delta} \mathbb{E}_{u \sim \mathcal{U}}[\text{Trust}_u \mid \text{Precision}_\delta \geq \tau] \tag{6}$$

with τ representing the minimum acceptable emotional interpretation accuracy, empirically estimated via user feedback as $\tau = 0.75$.

4.3. Behavioral Policy Revisions and Ethical Triggers

The following modules were implemented to encode the survey-derived requirements into operational behavior:

- **Consent-Gated Emotion Recognition:** Emotion sensing is opt-in by default. The robot explicitly requests emotional monitoring access during first interaction and stores preferences locally.

- **Role-Aware Adaptation:** The behavior set $\mathcal{B}_u$ for each user u is defined as:

  $$\mathcal{B}_u = \{b_i \in \mathcal{B} \mid \Theta_u(b_i) = \text{allow}\}$$

  For example, informal encouragements (e.g., "You're doing great") are permitted for students but not for faculty unless explicitly enabled.

- **Emotional Memory Control:** All emotion logs $\mathcal{L}_e$ are ephemeral unless flagged by the user. This is modeled as:

  $$\mathcal{L}_e(t + \Delta) = \emptyset \quad \text{if not retained by } u \in \mathcal{U}$$

- **Confidence-Aware Feedback Filter:** Emotionally intelligent behaviors $a_e \in \mathcal{A}$ are executed only if:

  $$\text{Confidence}(E(\mathbf{z}_t)) \geq \delta_c$$

  Otherwise, the robot defaults to a socially neutral action (e.g., silence or idle gaze).

- **Transparent Justification Layer:** For all emotional responses, the robot now appends a brief rationale (e.g., "I noticed signs of stress based on your gestures"). This encourages corrective dialogue and fosters interpretability.

4.4. Implications for Trust and Adoption

These modifications transcend functional upgrades, marking a shift from system-centric automation to context-aware, user-aligned interaction design. By embedding empirical, role-specific social norms directly into computational policies, the robot becomes a contextually aware actor capable of emotionally intelligent yet ethically bounded behavior. This approach exemplifies how affective robotics can evolve through ethnographic grounding, mathematical constraint

Table 2: Emotionally Intelligent Robot Design: Strategy Matrix Across Interaction Layers

Interaction Layer	Reactive Strategies	Proactive Strategies
Read (Perception)	*Consent-Gated Emotion Sensing:* Emotion recognition via facial, posture, and tone data is only enabled upon explicit user consent. A minimum confidence threshold $\delta_c = 0.75$ suppresses uncertain or ambiguous interpretations.	*Context-Aware Triggering:* Emotion sensing activates automatically during high-stress intervals (e.g., exam weeks), provided user has opted in. Personalized emotion models learn based on user role and interaction history.
Decide (Behavior Policy)	*Constraint-Filtered Behavior Policy:* Behavior policy $\pi^*(s_t, \phi_t, \Theta)$ filters actions based on user-defined constraints Θ. In low-confidence or ambiguous cases, the robot selects neutral behaviors to protect trust.	*Role-Sensitive Affect Routing:* Task and feedback libraries are customized per role (e.g., students receive motivational cues; faculty receive formal confirmations). Behavioral thresholds are adapted through interaction feedback loops.
Express (Action Output)	*Confidence-Gated Feedback:* Emotional expressions (verbal or nonverbal) are displayed only if confidence in emotion recognition surpasses δ_c; else, the robot remains silent or minimally expressive.	*Justified Expressive Actions:* All affective expressions are accompanied by short explanations (e.g., "You seemed withdrawn based on body language") to promote transparency and facilitate user correction. Users can review and manage emotional history.

Table 3: Technical Safeguards and Adaptive Features of the Emotionally Intelligent Robot

Dimension	Implemented Safeguard	Technical Mechanism
Privacy Protection	Consent-gated sensing	Emotion recognition modules are deactivated by default and only initialized after explicit user opt-in.
Data Sovereignty	Ephemeral memory	Emotional logs are kept in volatile memory with optional user-controlled export; no cloud persistence.
Trust Calibration	Confidence thresholding	Behavior policies are gated by $\delta_c = 0.75$, preventing action execution under low-certainty predictions.
Error Resilience	Neutral fallback	On ambiguous affect states, robot executes neutral/non-intrusive actions rather than risk misaligned output.
User Adaptivity	Role-specific affect routing	Behavior libraries adapt to role (student, faculty, admin), applying distinct tone, phrasing, and task prioritization.
Transparency	Justified expressive actions	Every expressive output is paired with a short explanation, viewable in both verbal and GUI channels.

modeling, and adaptive interaction design—providing a replicable blueprint for future socio-technical systems in educational and workplace settings.

To systematize our design, Table 2 presents a multi-layered strategy matrix, organizing reactive and proactive mechanisms across perception, behavior policy, and action output. This structure highlights how individual safeguards integrate into a coherent framework. Beyond reporting survey preferences, we also distilled these insights into a set of concrete safeguards that anchor the system in values of privacy, trust, and adaptability. Table 3 outlines how these principles were translated into technical mechanisms, such as consent-gated emotion sensing, role-sensitive behavior routing, and confidence based fallbacks. This matrix demonstrates how user expectations can be operationalized as enforceable design rules, ensuring that the system remains not only technically functional but also socially aligned.

5. Survey Results and Discussion

To empirically ground the development of our emotionally intelligent robot, a survey was conducted among 39 participants from the target academic environment. The demographic profile—primarily students (69.2%) and faculty (28.2%)—ensures that feedback aligns with the needs of the primary end-users. The responses demonstrate both enthusiasm and caution: participants welcome emotionally intelligent support but only when framed by guarantees of privacy, transparency, and reliability. These results therefore move beyond raw preference data, providing a roadmap for designing autonomous robots that are socially adaptable, emotionally attuned, and practically useful in educational contexts.

5.1. Openness to Robot Errors and User Influence

Participants expressed a pragmatic tolerance for mistakes. While 35.9% said they would continue to use a robot even if it occasionally misread emotions, and 38.5% answered "Maybe," only 10.3% rejected the idea outright (Figure 1). This suggests that users do not expect perfection but instead value systems that can recover gracefully from errors. Importantly, 56.4% indicated they would be more likely to adopt a robot if their feedback actively shaped its design (Figure 2). This highlights the demand for participatory, user-in-the-loop learning, where users feel empowered to guide adaptation over time. Such expectations underscore that adaptability and responsiveness to user input are critical for long-term acceptance.

5.2. Transparency and Explainability as Trust Enablers

An overwhelming 82.1% of respondents affirmed that robots should explain their actions (Figure 3). This expectation reflects more than curiosity—it reflects a trust-building mechanism. By articulating why certain behaviors occur, robots can transform potential misunderstandings into opportunities for corrective dialogue. Users showed that if they can see and influence a robot's reasoning, they are willing to tolerate errors. This dynamic indicates that explainability is not optional but foundational for cultivating resilient trust.

5.3. Privacy and Data Governance as Core Conditions

Survey responses revealed that enthusiasm for affective support is tightly linked to privacy conditions. Nearly half of respondents (43.6%) wanted exclusive access to their emotional data, while only 2.6% supported administrative oversight (Figure 4). Similarly, the leading factors for trust were verifiable safeguards: 79.5% emphasized rigorous safety testing, and 71.8% insisted on guarantees that no personal data would be stored (Figure 6). These results signal that emotional intelligence without data sovereignty will not gain user confidence. In effect, privacy is not a secondary feature—it is the baseline for adoption. Robots that provide fine-grained data controls and opt-in emotion recognition will be seen as respectful collaborators rather than intrusive monitors.

5.4. Emotional Responsiveness and Interaction Preferences

The survey results show clear preferences for emotionally responsive behaviors. A majority (76.9%) preferred that robots ask if assistance was needed, and 74.4% valued supportive verbal responses (Figure 7), while only 10.3% favored ignoring emotional cues. In addition, 69.2% emphasized the importance of recognizing non-verbal signals such as body language (Figure 5). Taken together, these findings indicate that participants expect robots to acknowledge emotional states in ways that align with socially appropriate human norms.



Figure 1: User openness to robot mistakes.



Figure 2: Effect of user feedback on adoption.



Figure 3: Preferences for robots explaining actions.



Figure 4: Preferences on emotional data access.



Figure 5: Importance of recognizing non-verbal cues.

In academic contexts, where stress and workload are prevalent, reassurance

and recognition are interpreted as signs of attentiveness and reliability. Thus, affective responsiveness emerges not as a peripheral feature but as a core requirement: users want robots to sense emotional cues across modalities while deferring to human choice before acting. Multimodal affect recognition with confidence thresholds therefore provides both technical robustness and social acceptability by enabling contextually appropriate yet non-intrusive responses.



Figure 6: Factors contributing to trust.



Figure 7: Preferred robot responses to emotions.



Figure 8: Preferred roles and tasks in academia.

5.5. Preferred Roles in Academic Settings

When asked about practical roles, participants prioritized functions that enhance wellbeing and productivity, such as reminders (71.8%), stress detection (64.1%), and carrying or delivering items (over 60%) (Figure 8). Traditional social tasks such as greeting or answering simple questions ranked lower. This suggests that emotionally intelligent robots are most valued when they augment

academic efficiency and provide subtle emotional support rather than attempting to replicate human companionship. The responses highlight that adaptability must extend beyond emotional sensitivity to include role alignment with real institutional needs.

5.6. Implications for Adaptable and Acceptable Robot Design

Taken together, these findings chart a clear design path. Participants will embrace emotionally intelligent robots if they are transparent, privacy-protective, adaptable to feedback, and oriented toward practical assistance. The willingness to tolerate errors when paired with explainability, the insistence on consent for monitoring, and the demand for non-verbal recognition collectively highlight that acceptance depends on alignment with human values as much as technical competence. Robots that integrate these principles will not only be more adaptable but also more socially acceptable and genuinely useful autonomous companions in academic environments.

6. Conclusion and Future Work

This work presented the development of an emotionally intelligent robot designed for academic environments, incorporating privacy-aware emotion recognition, role-sensitive interaction policies, and confidence-based expression mechanisms. Guided by a participatory survey ($N = 41$), we embedded social expectations and ethical boundaries directly into the robot's policy layer $\pi^*(s_t, \phi_t, \Theta)$ and affect sensing pipeline. By aligning technical upgrades with stakeholder concerns, the system evolved from a purely reactive platform to a context-aware companion capable of socially appropriate, emotionally responsive behavior.

Theoretically, this study contributes to socio-technical design by demonstrating how emotional intelligence in robots can be operationalized through constrained policy modeling, role-based adaptation, and transparent feedback. Practically, the findings underscore the need for emotion-aware systems to balance expressiveness with trust, privacy, and task relevance—particularly in sensitive, high-stakes environments such as education.

Future work will focus on extending the emotional policy model using reinforcement learning to enable adaptive behavior tuning based on longitudinal interaction feedback. Additionally, deploying the system across diverse academic contexts can help uncover latent cultural and demographic differences in robot acceptance and affective expectations. Finally, integrating explainable AI mechanisms to offer real-time user control over emotional inference and expression

remains a critical next step for building transparent and trustworthy human-robot relationships.

References

[1] R. R. Murphy, E. Steimle, C. Griffin, C. Cullins, M. Hall, K. Pratt, Cooperative use of unmanned sea surface and micro aerial vehicles at hurricane wilma, Journal of Field Robotics 25 (3) (2008) 164–180. doi:10.1002/rob.20235.
URL https://doi.org/10.1002/rob.20235

[2] R. Cowie, E. Douglas-Cowie, N. Tsapatsoulis, G. Votsis, S. Kollias, W. Fellenz, J. Taylor, Emotion recognition in human-computer interaction, IEEE Signal Processing Magazine 18 (1) (2001) 32–80.

[3] I. Nourbakhsh, K. Sycara, M. Koes, M. Yong, M. Lewis, S. Burion, Human-robot teaming for search and rescue, IEEE Pervasive Computing 4 (1) (2005) 72–79.

[4] A. Bera, T. Randhavane, R. Prinja, K. Kapsaskis, A. Wang, K. Gray, D. Manocha, The emotionally intelligent robot: Improving social navigation in crowded environments, ArXiv abs/1903.03217 (2019).
URL https://api.semanticscholar.org/CorpusID:72940956

[5] V. B. Hoang, V. H. Nguyen, T. D. Ngo, X.-T. Truong, Socially aware robot navigation framework: Where and how to approach people in dynamic social environments, IEEE Transactions on Automation Science and Engineering 20 (2) (2023) 1322–1336.

[6] C. Zhang, Y. Zhang, B. Cheng, Rl-emo: A reinforcement learning framework for multimodal emotion recognition, in: ICASSP 2024 - 2024 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), 2024, pp. 10246–10250.

[7] X. Zhang, Z. Li, J. Jiang, Emotion attention-aware collaborative deep reinforcement learning for image cropping, IEEE Transactions on Multimedia 23 (2021) 2545–2560.

[8] M. Ficocelli, J. Terao, G. Nejat, Promoting interactions between humans and robots using robotic emotional behavior, IEEE Transactions on Cybernetics 46 (12) (2016) 2911–2923.

[9] E. Pantano, D. Scarpi, I, robot, you, consumer: Measuring artificial intelligence types and their effect on consumers emotions in service, Journal of Service Research 25 (4) (2022) 583–600.

[10] J. Schepers, D. Belanche, L. V. Casaló, C. Flavián, How smart should a service robot be?, Journal of Service Research 25 (4) (2022) 565–582.

[11] J. Wirtz, P. G. Patterson, W. H. Kunz, T. Gruber, V. N. Lu, S. Paluch, A. Martins, Brave new world: service robots in the frontline, Journal of Service Management 29 (5) (2018) 907–931.

[12] S. H.-W. Chuah, J. Yu, The future of service: The power of emotion in human-robot interaction, Journal of Retailing and Consumer Services 61 (2021) 102551. doi:10.1016/j.jretconser.2021.102551.
URL https://doi.org/10.1016/j.jretconser.2021.102551

[13] R. Filieri, Z. Lin, Y. Li, X. Lu, X. Yang, Customer emotions in service robot encounters: A hybrid machine-human intelligence approach, Journal of Service Research 25 (4) (2022) 614–629.

[14] M. Borghi, M. M. Mariani, The role of emotions in the consumer meaning-making of interactions with social robots, Technological Forecasting and Social Change 182 (2022) 121844.

[15] G. Odekerken-Schröder, K. Mennens, M. Steins, D. Mahr, The service triad: an empirical study of service robots, customers and frontline employees, Journal of Service Management 33 (2) (2021) 246–292.

[16] D. Mahr, J. Huh, Technologies in service communication: looking forward, Journal of Service Management 33 (4-5) (2022) 648–656.

[17] K. C. Yam, Y. E. Bigman, P. M. Tang, R. Ilies, D. De Cremer, H. Soh, K. Gray, Robots at work: People prefer—and forgive—service robots with perceived feelings., Journal of Applied Psychology 106 (10) (2020) 1557–1572.

[18] J. Park, J. W. Yoo, Y. Cho, H. Park, Examining the impact of service robot communication styles on customer intimacy following service failure, Journal of Retailing and Consumer Services 75 (2023) 103511.

[19] V. Pitardi, J. Wirtz, S. Paluch, W. H. Kunz, Service robots, agency and embarrassing service encounters, Journal of Service Management 33 (2) (2021) 389–414.

[20] H. Abdollahi, M. H. Mahoor, R. Zandie, J. Siewierski, S. H. Qualls, Artificial emotional intelligence in socially assistive robots for older adults: A pilot study, IEEE Transactions on Affective Computing 14 (3) (2023) 2020–2032.

[21] G. Laban, E. S. Cross, Sharing our emotions with robots: Why do we do it and how does it make us feel?, IEEE Transactions on Affective Computing (2024) 1–18.

[22] S. Cano, J. Díaz-Arancibia, J. Arango-López, J. E. Libreros, M. García, Design path for a social robot for emotional communication for children with autism spectrum disorder (asd), Sensors 23 (11) (2023) 5291.