## Task 1: Walmart Login home page



## Sign in to your account

Email	address (required)
Passw	vord (required)
	Forgot password
	SIGN IN
	Don't have an account?
CI	REATE A NEW ACCOUNT

## Login using email/pass



## Sign in to your account

Email address	(required)
english@gn	nail.com
Password (red	quired)
•••••	
	Forgot password?
	SIGN IN
Don't l	have an account?

1:

### Task 2: User.kt, MainActivity implemented on code

```
Git: 🗸 🗸 🞵 🕓 🗖 👊
Lesson5 - Walmart | app | src | main | java | com | sw06d120 | lesson4 | @ User
                                                                                                                                                                                                                                                                             ▲ Android ▼
                                                     ← hopping_category.xml ×
                                                                                                                                                        CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt × CreateUser.kt 
    🗸 📭 app
                                                                                                                          package com.sw06d120.lesso 🗛 2 🛝 1 🔥 🗸
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              A 21 A 4 A 4 ^ ~
          > manifests

✓ Image java

                                                                                                                         import java.io.Serializable
                                                                                                                                                                                                                                                                                         return User()

✓ □ com.sw06d120.lesson4

                               # CreateUser.kt
                                                                                                                         class User(var firstName: String = "",v
                              MainActivity
                                                                                                                                    Serializeble {
                                                                                                                                                                                                                                                                             fun forgotPassword(view: View) {
                              ShoppingCategory
                                                                                                                                                                                                                                                                                          var <u>email</u> = txtFirstname.<u>text</u>
                              Q User
                                                                                                                                                                                                                                                                                          var user = getUser(email.toString())
                              @ WalmartLogin
                  > com.sw06d120.lesson4 (and
                 > com.sw06d120.lesson4 (test)
                                                                                                                                                                                                                                                                                        if(!user.userName.equals("")) {
           > k java (generated)
                                                                                                                                                                                                                                                                                                     var <u>sendPasswordIntent</u> = Intent(Intent.ACTION_SENDTO, Uri.parse( uriString: "mailto:")

✓ Image res

                                                                                                                                                                                                                                                                                                    sendPasswordIntent.putExtra(Intent.EXTRA_EMAIL, arrayOf(email))

✓ □ drawable

                                                                                                                                                                                                                                                                                                    sendPasswordIntent.putExtra(Intent.EXTRA_SUBJECT, value: "Sending your password. Pl
                              description descri
                                                                                                                                                                                                                                                                                                    sendPasswordIntent.putExtra(Intent.EXTRA_TEXT, value: "Your password: ${user.passwo
                              d clothes.webp
                                                                                                                                                                                                                                                                                                    startActivity(Intent.createChooser(<u>sendPasswordIntent</u>, title: "Send Email Using: ">
                               food.png
                              dic_launcher_background.x
                                                                                                                                                                                                                                                                                                     Toast.makeText( context: this, text: "User not found. \nPlease enter valid credentials
                               🚜 ic_launcher_foreground.xr
                               input_border.xml
                               ayout_border.xml
                              🖶 tv.png
                               walmart_logo.png
                                                                                                                                                                                                                                                                             fun addDummyUsers() {
                  layout
                                                                                                                                                                                                                                                                                           var <u>user1</u>: User = User( firstName: "Johny", lastName: "English", userName: "jenglish@gmail
                              activity_create_user.xml
                                                                                                                                                                                                                                                                                          var <u>user2</u>: User = User( firstName: "David", lastName: "Albert", userName: "dalbert@gmail.<u>cc</u>
                               activity_main.xml
                                                                                                                                                                                                                                                                                          var <u>user3</u>: User = User( firstName: "Marks", lastName: "Twin", userName: "mtwin@gmail.com",

✓ ■ activity_shopping_categor

                                                                                                                                                                                                                                                                                          var <u>user4</u>: User = User( firstName: "Jack", lastName: "London", userName: "jlondon@gmail.co
                                     activity_shopping_cate
                                                                                                                                                                                                                                                                                          var <u>user5</u>: User = User( firstName: "Thomas", lastName: "Edison", userName: "tedison@gmail
                                     activity_shopping_cate

✓ activity_walmart_login (2)

                                                                                                                                                                                                                                                                                        users.add(user1)
                                     activity walmart login.
                                     activity_walmart_login.
                                                                                                                                                                                                                                                                                        users.add(user2)
                  > mipmap
                                                                                                                                                                                                                                                                                        users.add(user3)
                 > a values
                                                                                                                                                                                                                                                                                        users.add(user4)
                  res (generated)
                                                                                                                                                                                                                                                                                        users.add(user5)
            Gradle Scripts
                  print("users: " + users)
                  w build.gradle (Module: Lesson4.a
                  gradle-wrapper.properties (Grac
                  proguard-rules.pro (ProGuard Ri
```

## Task 3: Select category

# Lesson4 Lesson4 Welcome, new\_email@mail.com Welcome, new\_email@mail.com Shop by Categories Shop by Categories Clothes Electronics Clothes Electronics Food Beauty Beauty Food You have chosen the Electronics You have chosen the Clothes category of shopping category of shopping

## **Task 4: Shopping activity**

Welcome, jenglish@gmail.com

## Shop by Categories

Electronics

Clothes





Beauty

Food






### Task 5: Create new account



## Create your account





## Create your account

First na	ne *	
New fn		
Last na	ne *	
New Is		
Email ac	dress *	
new_er	nail@mail.co	m
new_er		om
		om

#### Lesson4

Welcome, new\_email@mail.com

## Shop by Categories

Electronics

Clothes





Beauty

Food





### Task 6: Forgot password

