

MAD and PWA Lab

Name: Sarvadnya Awaghad

Class: D15A

Roll no:04

Experiment - 10

Aim: To study and implement deployment of Ecommerce PWA to GitHub Pages..

Theory:

GitHub Pages

Public web pages are freely hosted and easily published. Public webpages hosted directly from your GitHub repository. Just edit, push, and your changes are live.

GitHub Pages provides the following key features:

1. Blogging with Jekyll
2. Custom URL
3. Automatic Page Generator

Reasons for favoring this over Firebase:

1. Free to use
2. Right out of github
3. Quick to set up

GitHub Pages is used by Lyft, CircleCI, and HubSpot.

GitHub Pages is listed in 775 company stacks and 4401 developer stacks.

Pros

1. Very familiar interface if you are already using GitHub for your projects.
2. Easy to set up. Just push your static website to the gh-pages branch and your website is ready.
3. Supports Jekyll out of the box.
4. Supports custom domains. Just add a file called CNAME to the root of your site, add an A record in the site's DNS configuration, and you are done.

Cons

1. The code of your website will be public, unless you pay for a private repository.
2. Currently, there is no support for HTTPS for custom domains. It's probably coming soon though.
3. Although Jekyll is supported, plug-in support is rather spotty.

Firebase

The Realtime App Platform. Firebase is a cloud service designed to power real-time, collaborative applications. Simply add the Firebase library to your application to gain access to a shared data structure; any changes you make to that data are automatically synchronized with the Firebase cloud and with other clients within milliseconds.

Some of the features offered by Firebase are:

1. Add the Firebase library to your app and get access to a shared data structure. Any changes made to that data are automatically synchronized with the Firebase cloud and with other clients within milliseconds.
2. Firebase apps can be written entirely with client-side code, update in real-time out-of-the-box, interoperate well with existing services, scale automatically, and provide strong data security.
3. Data Accessibility- Data is stored as JSON in Firebase. Every piece of data has its own URL which can be used in Firebase's client libraries and as a REST endpoint. These URLs can also be entered into a browser to view the data and watch it update in real-time.

Reasons for favoring over GitHub Pages:

1. Realtime backend made easy
2. Fast and responsive

Instacart, 9GAG, and Twitch are some of the popular companies that use Firebase
Firebase has a broader approval, being mentioned in 1215 company stacks & 4651 developers stacks

Pros

1. Hosted by Google. Enough said.
2. Authentication, Cloud Messaging, and a whole lot of other handy services will be available to you.
3. A real-time database will be available to you, which can store 1 GB of data.
4. You'll also have access to a blob store, which can store another 1 GB of data.
5. Support for HTTPS. A free certificate will be provisioned for your custom domain within 24 hours.



Cons

1. Only 10 GB of data transfer is allowed per month. But this is not really a big problem, if you use a CDN or AMP.
2. Command-line interface only.

Implementation:

The screenshot shows the GitHub repository page for 'dorm-mad-lab' by user 'Sarvadnyaawaghad150503'. The repository is public and has 1 commit. The file list includes 'public', 'src', '.gitignore', 'README.md', 'package-lock.json', and 'package.json', all with their first commit 2 minutes ago. The README is titled 'Getting Started with Create React App' and mentions it was bootstrapped with 'Create React App'. The right sidebar shows repository statistics: 0 stars, 1 watching, 0 forks, and 0 releases. The language usage bar shows HTML at 43.4%, JavaScript at 31.3%, and CSS at 25.3%.

The screenshot shows the 'GitHub Pages' settings page. The left sidebar has a menu with 'General', 'Access', 'Collaborators', 'Moderation options', 'Code and automation', 'Branches', 'Tags', 'Rules', 'Actions', 'Webhooks', 'Environments', 'Codespaces', 'Pages' (selected), and 'Security'. The main content area is titled 'GitHub Pages' and explains that it is designed to host personal, organization, or project pages. Under 'Build and deployment', the 'Source' is set to 'Deploy from a branch'. The 'Branch' section states that GitHub Pages is currently disabled and provides a link to learn more about configuring the publishing source. The 'Visibility' section has a 'GITHUB ENTERPRISE' badge and explains that with a GitHub Enterprise account, access can be restricted by publishing privately. A button at the bottom says 'Try GitHub Enterprise risk-free for 30 days' with a link to learn more about the visibility of the GitHub Pages site.



Link to our GitHub repository:

<https://github.com/Sarvadnyaawaghad150503/dorm>

Hosted Link: <https://sarvadnyaawaghad150503.github.io/dorm/>

Github Screenshot:

Conclusion:

In this experiment, we have registered a service worker, and completed the install and activation process for a new service worker for the E-commerce PWA.