1-1.2-18

AI24BTECH11008- Sarvajith

Question:

If the origin is the centroid of the triangle PQR with vertices

$$\mathbf{P} \begin{pmatrix} 2a \\ 2 \\ 6 \end{pmatrix}$$
, $\mathbf{Q} \begin{pmatrix} -4 \\ 3b \\ -10 \end{pmatrix}$, $\mathbf{R} \begin{pmatrix} 8 \\ 14 \\ 2c \end{pmatrix}$ then find the values of a, b and c.

Solution

proof:

points	values
P	$\begin{pmatrix} 2a \\ 2 \\ 6 \end{pmatrix}$
Q	$\begin{pmatrix} -4\\3b\\-10 \end{pmatrix}$
R	$\begin{pmatrix} 8\\14\\2c \end{pmatrix}$
G	$\begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$

TABLE 1 0: values of the geometrical points in given question

The centroid (G) of a triangle with the vertices (P),(Q),(R) is given by

$$\mathbf{G} = \frac{1}{3} \left(\mathbf{P} + \mathbf{Q} + \mathbf{R} \right) \tag{0.1}$$

$$\mathbf{G} = \frac{1}{3} \begin{pmatrix} x_1 \\ y_1 \\ z_1 \end{pmatrix} + \begin{pmatrix} x_2 \\ y_2 \\ z_2 \end{pmatrix} + \begin{pmatrix} x_3 \\ y_3 \\ z_3 \end{pmatrix}$$
 (0.2)

$$= \frac{1}{3} \begin{pmatrix} x_1 + x_2 + x_3 \\ y_1 + y_2 + y_3 \\ z_1 + z_2 + z_3 \end{pmatrix}$$
 (0.3)

Given that, the centroid of the triangle **PQR** is origin $\begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$.

substituting the values in the above proven formula:

$$G = \begin{pmatrix} 2a - 4 + 8 \\ 4 + 3 + 14 \\ 6 + 10 + 2c \end{pmatrix} \frac{1}{3}$$
$$G = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

on comparing we get that

$$2a - 4 + 8 = 0$$
$$4 + 3b + 14 = 0$$
$$6 + 10 + 2c = 0$$

$$a = -2 \tag{0.4}$$

$$b = -6 \tag{0.5}$$

$$c = -8 \tag{0.6}$$

: the values of a,b,c are -2,-6,-8 respectively.




Fig. 0.1: plot for triangle