



VIT[®]

Vellore Institute of Technology
(Deemed to be University under section 3 of UGC Act, 1956)



Assignment 01 (HTML TASK 01)

NAME: *Sarvesh Ashish*

REG NO: *21BIT0724*

COURSE: *Ethnus Mern Full Stack certification course*

Q1:

Task-1

Firstname	Lastname	Age
Jill	Smith	50
Eve	Jackson	94
John	Doe	80


Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Styled Table</title>
  <style>
    table {
      width: 50%;
      border-collapse: collapse;
      margin: 20px auto;
    }
    th, td {
      border: 1px solid #ddd;
      padding: 8px;
      background-color: #b2d8d8;
    }
    th {
      text-align: center;
      font-weight: bold;
    }
    td {
      text-align: left;
    }
  </style>
</head>
<body>
```

```
<table>
  <tr>
    <th>Firstname</th>
    <th>Lastname</th>
    <th>Age</th>
  </tr>
  <tr>
    <td>Jill</td>
    <td>Smith</td>
    <td>50</td>
  </tr>
  <tr>
    <td>Eve</td>
    <td>Jackson</td>
    <td>94</td>
  </tr>
  <tr>
    <td>John</td>
    <td>Doe</td>
    <td>80</td>
  </tr>
</table>

</body>
</html>
```

Output:



The screenshot shows a web browser window with the address bar displaying 'C:/Users/Sarvesh/Desktop/task1.html'. The browser's address bar, tabs, and bookmarks bar are visible. The main content area displays a table with three columns: 'Firstname', 'Lastname', and 'Age'. The table contains three rows of data: Jill Smith (50), Eve Jackson (94), and John Doe (80).

Firstname	Lastname	Age
Jill	Smith	50
Eve	Jackson	94
John	Doe	80

Q2:

Lists can be nested (list inside list):


- Coffee
- Tea
 - Black tea
 - Green tea
- Milk

Code:

```
<!--Sarvesh Ashish-->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Nested List Example</title>
  <style>
    /* Optional: Styling for the container */
    .list-container {
      border: 1px solid #000;
      padding: 10px;
    }
  </style>
</head>
<body>
  <div class="list-container">
    <ul>
      <li>Coffee</li>
      <li>Tea
        <ul>
          <li>Black tea</li>
          <li>Green tea</li>
        </ul>
      </li>
      <li>Milk</li>
    </ul>
  </div>
</body>
</html>
```

```
        width: fit-content;
    }
</style>
</head>
<body>
    <div class="list-container">
        <p>Lists can be nested (list inside list):</p>
        <ul>
            <li>Coffee</li>
            <li>Tea
                <ul>
                    <li>Black tea</li>
                    <li>Green tea</li>
                </ul>
            </li>
            <li>Milk</li>
        </ul>
    </div>
</body>
</html>
```

Output:



Lists can be nested (list inside list):

- Coffee
- Tea
 - Black tea
 - Green tea
- Milk

Q3:

Click any of the following links

[Opens in New](#) | [Opens in Self](#) | [Opens in Parent](#) | [Opens in Body](#) | [Send email](#)

Code:

```
<!--Sarvesh-->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Links Example</title>
  <style>
    .link-container {
      border: 1px solid #333; /* Darker border color */
      padding: 10px;
      margin: 20px auto;
      width: 60%;
      background-color: #f9f9f9;
    }
  </style>
</head>
<body>
  <div class="link-container">
    <p>Click any of the following links</p>
    <p><a href="#">Opens in New</a> | <a href="#">Opens in Self</a> | <a href="#">Opens in Parent</a> | <a href="#">Opens in Body</a> | <a href="#">Send email</a></p>
  </div>
</body>
</html>
```

```

        text-align: center;
    }
    .link-container a {
        margin: 0 10px;
        text-decoration: none;
        color: blue;
    }
    .link-container a:hover {
        text-decoration: underline;
    }
</style>
</head>
<body>

    <div class="link-container">
        <p>Click any of the following links</p>
        <a href="https://example.com" target="_blank">Opens in New</a> |
        <a href="https://example.com" target="_self">Opens in Self</a> |
        <a href="https://example.com" target="_parent">Opens in Parent</a> |
        <a href="https://example.com" target="_top">Opens in Body</a> |
        <a href="mailto:example@example.com">Send email</a>
    </div>

</body>
</html>

```

Output:



Q4:

Full Name:	<input type="text" value="Vincent Maverick Durano"/>
Username:	<input type="text" value="Vinz"/>
Password:	<input type="password" value="••••••••"/>
Re Password:	<input type="password" value="••••••••"/>
Address:	<input type="text" value="Cebu, Philippines"/>
Age:	<input type="text" value="22"/>
Gender:	<input type="text" value="Male"/> <input type="button" value="v"/>
<input type="button" value="Save"/>	

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Form Layout</title>
  <style>
    body {
      font-family: Arial, sans-serif;
    }
    .form-container {
      width: 400px;
      margin: 50px auto;
      padding: 20px;
      border: 1px solid #ccc;
      border-radius: 5px;
      background-color: #fff;
    }
    table {
```



```
        width: 100%;
        border-collapse: separate;
        border-spacing: 10px; /* Increase the gap between label
and input */
    }
    td.label {
        text-align: right;
        font-weight: bold;
        white-space: nowrap;
        padding-right: 15px; /* Increase gap between columns */
    }
    input[type="text"],
    input[type="password"],
    select {
        width: 100%;
        padding: 6px;
        border: 1px solid #ccc;
        border-radius: 3px;
        box-sizing: border-box;
    }
    button {
        padding: 6px 12px;
        border: 1px solid #ccc;
        border-radius: 3px;
        background-color: #f9f9f9;
        cursor: pointer;
        font-size: 14px;
    }
    button:hover {
        background-color: #ffd700; /* Highlight in orange color
on hover */
    }
    button:active {
        background-color: #ffa500; /* Darker orange on click */
    }
</style>
</head>
<body>
```

```
<div class="form-container">
  <form>
    <table>
      <tr>
        <td class="label"><label for="fullname">Full
Name:</label></td>
        <td><input type="text" id="fullname"
name="fullname" value="Vincent Maverick Durano"></td>
      </tr>
      <tr>
        <td class="label"><label
for="username">Username:</label></td>
        <td><input type="text" id="username"
name="username" value="Vinz"></td>
      </tr>
      <tr>
        <td class="label"><label
for="password">Password:</label></td>
        <td><input type="password" id="password"
name="password" value="password123"></td>
      </tr>
      <tr>
        <td class="label"><label for="repassword">Re
Password:</label></td>
        <td><input type="password" id="repassword"
name="repassword" value="password123"></td>
      </tr>
      <tr>
        <td class="label"><label
for="address">Address:</label></td>
        <td><input type="text" id="address"
name="address" value="Cebu, Philippines"></td>
      </tr>
      <tr>
        <td class="label"><label
for="age">Age:</label></td>
        <td><input type="text" id="age" name="age"
value="22"></td>
      </tr>
    </table>
  </form>
</div>
```

```
        <tr>
            <td class="label"><label
for="gender">Gender:</label></td>
            <td>
                <select id="gender" name="gender">
                    <option value="male"
selected>Male</option>
                    <option value="female">Female</option>
                </select>
            </td>
        </tr>
        <tr>
            <td></td>
            <td><button type="submit">Save</button></td>
        </tr>
    </table>
</form>
</div>

</body>
</html>
```

Output:

C:/Users/Sarvesh/Desktop/task4.html

Introduction to C+...  Gmail  YouTube  Maps  Lenovo

Full Name:	<input type="text" value="Vincent Maverick Durano"/>
Username:	<input type="text" value="Vinz"/>
Password:	<input type="password" value="....."/>
Re Password:	<input type="password" value="....."/>
Address:	<input type="text" value="Cebu, Philippines"/>
Age:	<input type="text" value="22"/>
Gender:	<input type="text" value="Male"/> ▼
<input type="button" value="Save"/>	

Q5:

Registration form

First Name	<input type="text"/>
Last Name	<input type="text"/>
Email	<input type="text"/>
Password	<input type="password"/>
Re-enter Password	<input type="password"/>
Gender:	<input type="radio"/> Male <input type="radio"/> Female
Age:	<input type="text"/>
Phone Number	<input type="text"/>
Address	<input type="text"/>
State	<input type="text"/>
Country	<input type="text" value="Choose your country"/>
Languages known	<input type="checkbox"/> English <input type="checkbox"/> Kannada <input type="checkbox"/> Hindi <input type="checkbox"/> Telugu
<input checked="" type="checkbox"/> Hereby I declare all the given details are true	
Log in to Ethnus website	

Code:

```
<!DOCTYPE html>
<html>
<head>
  <title>Registration Form</title>
  <style>
    table {
      border-collapse: collapse;
      width: 50%;
      margin: auto;
    }
    td {
      border: 1px solid black;
      padding: 8px;
    }
    input[type="text"], input[type="email"],
input[type="password"], input[type="number"], textarea, select
{
      width: 100%;
      box-sizing: border-box;
    }
    .center {
      text-align: center;
    }
    .right {
      text-align: right;
    }
    .title {
      color: blue;
    }
  </style>
</head>
<body>

<h2 class="center title">Registration form</h2>
```

```

<form action="/submit_registration" method="post">
  <table>
    <tr>
      <td>First Name:</td>
      <td><input type="text" name="first_name"></td>
    </tr>
    <tr>
      <td>Last Name:</td>
      <td><input type="text" name="last_name"></td>
    </tr>
    <tr>
      <td>Email:</td>
      <td><input type="email" name="email"></td>
    </tr>
    <tr>
      <td>Password:</td>
      <td><input type="password" name="password"></td>
    </tr>
    <tr>
      <td>Re-enter Password:</td>
      <td><input type="password" name="re_password"></td>
    </tr>
    <tr>
      <td>Gender:</td>
      <td>
        <input type="radio" name="gender" value="male">
Male
        <input type="radio" name="gender"
value="female"> Female
      </td>
    </tr>
    <tr>
      <td>Age:</td>
      <td><input type="number" name="age"></td>
    </tr>

```

```

<tr>
    <td>Phone Number:</td>
    <td><input type="text" name="phone"></td>
</tr>
<tr>
    <td>Address:</td>
    <td><textarea name="address"></textarea></td>
</tr>
<tr>
    <td>State:</td>
    <td><input type="text" name="state"></td>
</tr>
<tr>
    <td>Country:</td>
    <td>
        <select name="country">
            <option value="">Choose your
country</option>
            <option value="india">India</option>
            <option value="usa">USA</option>
            <option value="uk">UK</option>
            <!-- Add more countries as needed -->
        </select>
    </td>
</tr>
<tr>
    <td>Languages known:</td>
    <td>
        <input type="checkbox" name="language"
value="english"> English
        <input type="checkbox" name="language"
value="kannada"> Kannada
        <input type="checkbox" name="language"
value="hindi"> Hindi
        <input type="checkbox" name="language"
value="telugu"> Telugu

```

```

        </td>
    </tr>
    <tr>
        <td colspan="2">
            <input type="checkbox" name="declaration"
required> Hereby I declare all the given details are true
        </td>
    </tr>
    <tr>
        <td colspan="2" class="center">
            <input type="submit" value="Register">
        </td>
    </tr>
    <tr>
        <td colspan="2" class="right">
            <a href="https://www.ethnus.com">Log in to
Ethnus website</a>
        </td>
    </tr>
</table>
</form>

</body>
</html>

```

Outputs:

Filled out form and empty

Registration form

First Name:	<input type="text" value="Sarvesh"/>
Last Name:	<input type="text" value="Ashish"/>
Email:	<input type="text" value="xyz@gmail.com"/>
Password:	<input type="password" value="....."/>
Re-enter Password:	<input type="password" value="....."/>
Gender:	<input checked="" type="radio"/> Male <input type="radio"/> Female
Age:	<input type="text" value="20"/>
Phone Number:	<input type="text" value="1993973979"/>
Address:	<input type="text" value="abc street"/>
State:	<input type="text" value="tamil nadu"/>
Country:	<input type="text" value="India"/>
Languages known:	<input checked="" type="checkbox"/> English <input type="checkbox"/> Kannada <input checked="" type="checkbox"/> Hindi <input type="checkbox"/> Telugu
<input checked="" type="checkbox"/> Hereby I declare all the given details are true	
<input type="button" value="Register"/>	
Log in to Ethnus website	

Registration form

First Name:	<input type="text"/>
Last Name:	<input type="text"/>
Email:	<input type="text"/>
Password:	<input type="password"/>
Re-enter Password:	<input type="password"/>
Gender:	<input type="radio"/> Male <input type="radio"/> Female
Age:	<input type="text"/>
Phone Number:	<input type="text"/>
Address:	<input type="text"/>
State:	<input type="text"/>
Country:	<input type="text" value="Choose your country"/>
Languages known:	<input type="checkbox"/> English <input type="checkbox"/> Kannada <input type="checkbox"/> Hindi <input type="checkbox"/> Telugu
<input checked="" type="checkbox"/> Hereby I declare all the given details are true	
<input type="button" value="Register"/>	
Log in to Ethnus website	

Thank you sir!!!!!!

