

DATA STRUCTURES LAB MANUAL SOLUTIONS

Experiment 1

Algorithm:

1. Start
2. Create a structure and functions for each operations
3. Display the main menu
4. Read user choice
5. Execute choice operation
6. Display operation completion
7. Back to main menu
8. Check for exit, if no Execute the operation for the given choice
9. Otherwise end

Program:

```
#include <stdio.h>
#include <stdlib.h>

// Define the structure for a node in the linked list
struct Node {
    int data;
    struct Node* next;
};

// Function to create a new node
struct Node* createNode(int value) {
    struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
    if (newNode == NULL) {
        printf("Memory allocation failed\n");
        exit(1);
    }
    newNode->data = value;
    newNode->next = NULL;
    return newNode;
}

// Function to insert a node at the beginning of the list
void insertAtBeginning(struct Node** head, int value) {
    struct Node* newNode = createNode(value);
    newNode->next = *head;
    *head = newNode;
}

// Function to insert a node after a given node
void insertAfter(struct Node* prevNode, int value) {
    if (prevNode == NULL) {
        printf("Previous node cannot be NULL\n");
        return;
    }
}
```

```

    struct Node* newNode = createNode(value);
    newNode->next = prevNode->next;
    prevNode->next = newNode;
}

```

```

// Function to insert a node at the end of the list
void insertAtEnd(struct Node** head, int value) {
    struct Node* newNode = createNode(value);
    if (*head == NULL) {
        *head = newNode;
        return;
    }
    struct Node* temp = *head;
    while (temp->next != NULL) {
        temp = temp->next;
    }
    temp->next = newNode;
}

```

```

// Function to find an element in the list
struct Node* findElement(struct Node* head, int value) {
    struct Node* current = head;
    while (current != NULL) {
        if (current->data == value) {
            return current;
        }
        current = current->next;
    }
    return NULL;
}

```

```

// Function to find the next node after a given node
struct Node* findNext(struct Node* node) {
    if (node != NULL && node->next != NULL) {
        return node->next;
    }
    return NULL;
}

```

```

// Function to find the previous node before a given node
struct Node* findPrevious(struct Node* head, struct Node* node) {
    if (head == node) {
        return NULL;
    }
    struct Node* current = head;
    while (current != NULL && current->next != node) {
        current = current->next;
    }
    return current;
}

```

```
// Function to check if a node is the last node in the list
int isLast(struct Node* node) {
    return (node != NULL && node->next == NULL);
}
```

```
// Function to check if the list is empty
int isEmpty(struct Node* head) {
    return (head == NULL);
}
```

```
// Function to delete the first node in the list
void deleteFirst(struct Node** head) {
    if (*head == NULL) {
        printf("List is empty\n");
        return;
    }
    struct Node* temp = *head;
    *head = (*head)->next;
    free(temp);
}
```

```
// Function to delete the node after a given node
void deleteAfter(struct Node* prevNode) {
    if (prevNode == NULL || prevNode->next == NULL) {
        printf("Invalid previous node\n");
        return;
    }
    struct Node* temp = prevNode->next;
    prevNode->next = temp->next;
    free(temp);
}
```

```
// Function to delete the last node in the list
void deleteLast(struct Node** head) {
    if (*head == NULL) {
        printf("List is empty\n");
        return;
    }
    if ((*head)->next == NULL) {
        free(*head);
        *head = NULL;
        return;
    }
    struct Node* secondLast = *head;
    while (secondLast->next->next != NULL) {
        secondLast = secondLast->next;
    }
    free(secondLast->next);
    secondLast->next = NULL;
}
```

```

}

// Function to delete the entire list
void deleteList(struct Node** head) {
    struct Node* current = *head;
    struct Node* next;
    while (current != NULL) {
        next = current->next;
        free(current);
        current = next;
    }
    *head = NULL;
}

// Function to display the list
void displayList(struct Node* head) {
    struct Node* current = head;
    while (current != NULL) {
        printf("%d -> ", current->data);
        current = current->next;
    }
    printf("NULL\n");
}

int main() {
    struct Node* head = NULL;

    // Insert nodes
    insertAtBeginning(&head, 10);
    insertAtEnd(&head, 20);
    insertAfter(head, 10, 15);

    // Display the list
    printf("Initial list:\n");
    displayList(head);

    // Find and display an element
    int searchValue = 15;
    struct Node* searchResult = findElement(head, searchValue);
    if (searchResult != NULL) {
        printf("Element %d found in the list\n", searchValue);
    } else {
        printf("Element %d not found in the list\n", searchValue);
    }

    // Delete nodes
    deleteFirst(&head);
    deleteAfter(head);
    deleteLast(&head);
}

```

```

// Display the modified list
printf("List after deletions:\n");
displayList(head);

// Delete the entire list
deleteList(&head);

return 0;
}

```

Experiment 2

Algorithm:

1. Start
2. Create a structure and functions for each operations
3. Declare the variables
4. Create a do-while loop to display the menu and execute operations based on your input until the user chooses to exit
5. Inside the loop display the menu options
6. Prompt the user to enter their choice
7. Use switch statement to perform different operations based on the user's choice and display it.
8. Repeat the loop until the user chooses to exit
9. Exit

Program:

```

#include <stdio.h>
#include <stdlib.h>

```

```

// Define a node structure for doubly linked list

```

```

struct Node {
    int data;
    struct Node* prev;
    struct Node* next;
};

```

```

// Function to create a new node

```

```

struct Node* createNode(int data) {
    struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
    newNode->data = data;
    newNode->prev = NULL;

```

```
newNode->next = NULL;
return newNode;
}
```

```
// Function to insert a node at the beginning of the list
void insertAtBeginning(struct Node** head_ref, int data) {
    struct Node* newNode = createNode(data);
    if (*head_ref == NULL) {
        *head_ref = newNode;
        return;
    }
    newNode->next = *head_ref;
    (*head_ref)->prev = newNode;
    *head_ref = newNode;
}
```

```
// Function to insert a node at the end of the list
void insertAtEnd(struct Node** head_ref, int data) {
    struct Node* newNode = createNode(data);
    struct Node* temp = *head_ref;
    if (*head_ref == NULL) {
        *head_ref = newNode;
        return;
    }
    while (temp->next != NULL) {
        temp = temp->next;
    }
    temp->next = newNode;
    newNode->prev = temp;
}
```

```
// Function to insert a node at a specific position
```

```

void insertAtPosition(struct Node** head_ref, int data, int position) {
    if (position < 1) {
        printf("Invalid position\n");
        return;
    }
    if (position == 1) {
        insertAtBeginning(head_ref, data);
        return;
    }
    struct Node* newNode = createNode(data);
    struct Node* temp = *head_ref;
    for (int i = 1; i < position - 1 && temp != NULL; i++) {
        temp = temp->next;
    }
    if (temp == NULL) {
        printf("Position out of range\n");
        return;
    }
    newNode->next = temp->next;
    if (temp->next != NULL) {
        temp->next->prev = newNode;
    }
    temp->next = newNode;
    newNode->prev = temp;
}

```

// Function to delete the first node

```

void deleteFirstNode(struct Node** head_ref) {
    if (*head_ref == NULL) {
        printf("List is empty\n");
        return;
    }
}

```

```

    struct Node* temp = *head_ref;
    *head_ref = temp->next;
    if (*head_ref != NULL) {
        (*head_ref)->prev = NULL;
    }
    free(temp);
}

```

// Function to delete the last node

```

void deleteLastNode(struct Node** head_ref) {
    if (*head_ref == NULL) {
        printf("List is empty\n");
        return;
    }
    struct Node* temp = *head_ref;
    while (temp->next != NULL) {
        temp = temp->next;
    }
    if (temp->prev != NULL) {
        temp->prev->next = NULL;
    } else {
        *head_ref = NULL;
    }
    free(temp);
}

```

// Function to delete a node at a specific position

```

void deleteAtPosition(struct Node** head_ref, int position) {
    if (*head_ref == NULL) {
        printf("List is empty\n");
        return;
    }
}

```



```

if (position < 1) {
    printf("Invalid position\n");
    return;
}
if (position == 1) {
    deleteFirstNode(head_ref);
    return;
}
struct Node* temp = *head_ref;
for (int i = 1; i < position && temp != NULL; i++) {
    temp = temp->next;
}
if (temp == NULL) {
    printf("Position out of range\n");
    return;
}
if (temp->next != NULL) {
    temp->next->prev = temp->prev;
}
temp->prev->next = temp->next;
free(temp);
}

```

// Function to search for a node with a given value

```

struct Node* searchNode(struct Node* head, int key) {
    struct Node* temp = head;
    while (temp != NULL) {
        if (temp->data == key) {
            return temp;
        }
        temp = temp->next;
    }
}

```

```

        return NULL;
    }

// Function to display the doubly linked list
void displayList(struct Node* head) {
    struct Node* temp = head;
    while (temp != NULL) {
        printf("%d ", temp->data);
        temp = temp->next;
    }
    printf("\n");
}

int main() {
    struct Node* head = NULL;
    int choice, data, position, key;

    do {
        printf("\n1. Insert at Beginning\n");
        printf("2. Insert at End\n");
        printf("3. Insert at Position\n");
        printf("4. Delete First Node\n");
        printf("5. Delete Last Node\n");
        printf("6. Delete at Position\n");
        printf("7. Search for a Node\n");
        printf("8. Display List\n");
        printf("9. Exit\n");
        printf("Enter your choice: ");
        scanf("%d", &choice);

        switch(choice) {
            case 1:

```

```

    printf("Enter data to insert at beginning: ");
    scanf("%d", &data);
    insertAtBeginning(&head, data);
    break;
case 2:
    printf("Enter data to insert at end: ");
        scanf("%d", &data);
    insertAtEnd(&head, data);
    break;
case 3:
    printf("Enter data to insert: ");
    scanf("%d", &data);
    printf("Enter position to insert at: ");
    scanf("%d", &position);
    insertAtPosition(&head, data, position);
    break;
case 4:
    deleteFirstNode(&head);
    break;
case 5:
    deleteLastNode(&head);
    break;
case 6:
    printf("Enter position to delete: ");
    scanf("%d", &position);
    deleteAtPosition(&head, position);
    break;
case 7:
    printf("Enter value to search: ");
    scanf("%d", &key);
    struct Node* result = searchNode(head, key);
    if (result != NULL) {

```

```

        printf("%d found in the list.\n", key);
    } else {
        printf("%d not found in the list.\n", key);
    }
    break;
case 8:
    printf("Doubly linked list: ");
    displayList(head);
    break;
case 9:
    printf("Exiting...\n");
    break;
default:
    printf("Invalid choice\n");
}
} while (choice != 9);

return 0;
}

```

Experiment 3

Algorithm:

1. Start
2. Define structure
3. Create term functions
4. Insert term into the polynomial and add, subtract and multiplication these polynomial and display it
5. End

Program:

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
// Define structure for a term in polynomial
```

```
struct Term {
```

```
    int coefficient;
```

```

    int exponent;
    struct Term *next;
};

typedef struct Term Term;

// Function to create a new term
Term *createTerm(int coeff, int exp) {
    Term *newTerm = (Term *)malloc(sizeof(Term));
    if (newTerm == NULL) {
        printf("Memory allocation failed\n");
        exit(1);
    }
    newTerm->coefficient = coeff;
    newTerm->exponent = exp;
    newTerm->next = NULL;
    return newTerm;
}

// Function to insert a term into the polynomial
void insertTerm(Term **poly, int coeff, int exp) {
    Term *newTerm = createTerm(coeff, exp);
    if (*poly == NULL) {
        *poly = newTerm;
    } else {
        Term *temp = *poly;
        while (temp->next != NULL) {
            temp = temp->next;
        }
        temp->next = newTerm;
    }
}

```

// Function to display the polynomial

```
void displayPolynomial(Term *poly) {  
    if (poly == NULL) {  
        printf("Polynomial is empty\n");  
    } else {  
        while (poly != NULL) {  
            printf("(%dx^%d) ", poly->coefficient, poly->exponent);  
            poly = poly->next;  
            if (poly != NULL) {  
                printf("+ ");  
            }  
        }  
        printf("\n");  
    }  
}
```

// Function to add two polynomials

```
Term *addPolynomials(Term *poly1, Term *poly2) {  
    Term *result = NULL;  
    while (poly1 != NULL && poly2 != NULL) {  
        if (poly1->exponent > poly2->exponent) {  
            insertTerm(&result, poly1->coefficient, poly1->exponent);  
            poly1 = poly1->next;  
        } else if (poly1->exponent < poly2->exponent) {  
            insertTerm(&result, poly2->coefficient, poly2->exponent);  
            poly2 = poly2->next;  
        } else {  
            insertTerm(&result, poly1->coefficient + poly2->coefficient, poly1->exponent);  
            poly1 = poly1->next;  
            poly2 = poly2->next;  
        }  
    }
```

```

    }
    while (poly1 != NULL) {
        insertTerm(&result, poly1->coefficient, poly1->exponent);
        poly1 = poly1->next;
    }
    while (poly2 != NULL) {
        insertTerm(&result, poly2->coefficient, poly2->exponent);
        poly2 = poly2->next;
    }
    return result;
}

```

// Function to subtract two polynomials

```

Term *subtractPolynomials(Term *poly1, Term *poly2) {
    Term *result = NULL;
    while (poly1 != NULL && poly2 != NULL) {
        if (poly1->exponent > poly2->exponent) {
            insertTerm(&result, poly1->coefficient, poly1->exponent);
            poly1 = poly1->next;
        } else if (poly1->exponent < poly2->exponent) {
            insertTerm(&result, -poly2->coefficient, poly2->exponent);
            poly2 = poly2->next;
        } else {
            insertTerm(&result, poly1->coefficient - poly2->coefficient, poly1->exponent);
            poly1 = poly1->next;
            poly2 = poly2->next;
        }
    }
    while (poly1 != NULL) {
        insertTerm(&result, poly1->coefficient, poly1->exponent);
        poly1 = poly1->next;
    }
}

```

```

while (poly2 != NULL) {
    insertTerm(&result, -poly2->coefficient, poly2->exponent);
    poly2 = poly2->next;
}
return result;
}

// Function to multiply two polynomials
Term *multiplyPolynomials(Term *poly1, Term *poly2) {
    Term *result = NULL;
    Term *temp1 = poly1;
    while (temp1 != NULL) {
        Term *temp2 = poly2;
        while (temp2 != NULL) {
            insertTerm(&result, temp1->coefficient * temp2->coefficient, temp1->exponent + temp2->exponent);
            temp2 = temp2->next;
        }
        temp1 = temp1->next;
    }
    return result;
}

// Main function
int main() {
    Term *poly1 = NULL;
    Term *poly2 = NULL;

    // Insert terms for polynomial 1
    insertTerm(&poly1, 5, 2);
    insertTerm(&poly1, -3, 1);
    insertTerm(&poly1, 2, 0);

```



```

// Insert terms for polynomial 2
insertTerm(&poly2, 4, 3);
insertTerm(&poly2, 2, 1);

printf("Polynomial 1: ");
displayPolynomial(poly1);

printf("Polynomial 2: ");
displayPolynomial(poly2);

Term *sum = addPolynomials(poly1, poly2);
printf("Sum: ");
displayPolynomial(sum);

Term *difference = subtractPolynomials(poly1, poly2);
printf("Difference: ");
displayPolynomial(difference);

Term *product = multiplyPolynomials(poly1, poly2);
printf("Product: ");
displayPolynomial(product);

return 0;
}

```

Experiment 4

Algorithm:

1. Start
2. Create a structure and functions for the given operations
3. Initialize stack array with capacity and top=-1

4.To push an element into a stack read the data to be pushed. If the top is equal to capacity-1 display stack overflow. Otherwise increment the top and push the data onto stack at index top

5.To pop an element from a stack if the top is equal to -1 display as stack underflow. Otherwise pop data from stack at index top the decrement the top and display the popped data

6. To return the top most element from a stack if the top is equal to -1 display stack is empty. Otherwise display data at index top

7.After these operations display all elements in stack from top to 0

8.End

Program:

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
// Structure for node in linked list implementation
```

```
struct Node {  
    int data;  
    struct Node* next;  
};
```

```
// Structure for stack using linked list implementation
```

```
struct StackLL {  
    struct Node* top;  
};
```

```
// Structure for stack using array implementation
```

```
struct StackArray {  
    int* array;  
    int top;  
    int capacity;  
};
```

```
// Function to initialize stack using linked list implementation
```

```
struct StackLL* createStackLL() {
```

```
    struct StackLL* stack = (struct StackLL*)malloc(sizeof(struct StackLL));  
    stack->top = NULL;  
    return stack;  
}
```

// Function to initialize stack using array implementation

```
struct StackArray* createStackArray(int capacity) {  
    struct StackArray* stack = (struct StackArray*)malloc(sizeof(struct StackArray));  
    stack->capacity = capacity;  
    stack->top = -1;  
    stack->array = (int*)malloc(stack->capacity * sizeof(int));  
    return stack;  
}
```

// Function to check if the stack is empty

```
int isEmptyLL(struct StackLL* stack) {  
    return stack->top == NULL;  
}
```

// Function to check if the stack is empty

```
int isEmptyArray(struct StackArray* stack) {  
    return stack->top == -1;  
}
```

// Function to push element into stack using linked list implementation

```
void pushLL(struct StackLL* stack, int data) {  
    struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));  
    newNode->data = data;  
    newNode->next = stack->top;  
    stack->top = newNode;  
}
```

// Function to push element into stack using array implementation

```
void pushArray(struct StackArray* stack, int data) {  
    if (stack->top == stack->capacity - 1) {  
        printf("Stack Overflow\n");  
        return;  
    }  
    stack->array[++stack->top] = data;  
}
```

// Function to pop element from stack using linked list implementation

```
int popLL(struct StackLL* stack) {  
    if (isEmptyLL(stack)) {  
        printf("Stack Underflow\n");  
        return -1;  
    }  
    struct Node* temp = stack->top;  
    int data = temp->data;  
    stack->top = stack->top->next;  
    free(temp);  
    return data;  
}
```

// Function to pop element from stack using array implementation

```
int popArray(struct StackArray* stack) {  
    if (isEmptyArray(stack)) {  
        printf("Stack Underflow\n");  
        return -1;  
    }  
    return stack->array[stack->top--];  
}
```

// Function to return top element from stack using linked list implementation

```

int peekLL(struct StackLL* stack) {
    if (isEmptyLL(stack)) {
        printf("Stack is empty\n");
        return -1;
    }
    return stack->top->data;
}

```

// Function to return top element from stack using array implementation

```

int peekArray(struct StackArray* stack) {
    if (isEmptyArray(stack)) {
        printf("Stack is empty\n");
        return -1;
    }
    return stack->array[stack->top];
}

```

// Function to display elements in stack using linked list implementation

```

void displayLL(struct StackLL* stack) {
    if (isEmptyLL(stack)) {
        printf("Stack is empty\n");
        return;
    }
    struct Node* temp = stack->top;
    printf("Elements in stack: ");
    while (temp != NULL) {
        printf("%d ", temp->data);
        temp = temp->next;
    }
    printf("\n");
}

```

```
// Function to display elements in stack using array implementation
```

```
void displayArray(struct StackArray* stack) {  
    if (isEmptyArray(stack)) {  
        printf("Stack is empty\n");  
        return;  
    }  
    printf("Elements in stack: ");  
    for (int i = stack->top; i >= 0; i--) {  
        printf("%d ", stack->array[i]);  
    }  
    printf("\n");  
}
```

```
int main() {
```

```
    // Test linked list implementation
```

```
    struct StackLL* stackLL = createStackLL();  
    pushLL(stackLL, 1);  
    pushLL(stackLL, 2);  
    pushLL(stackLL, 3);  
    displayLL(stackLL);  
    printf("Top element: %d\n", peekLL(stackLL));  
    printf("Popped element: %d\n", popLL(stackLL));  
    displayLL(stackLL);
```

```
    // Test array implementation
```

```
    struct StackArray* stackArray = createStackArray(5);  
    pushArray(stackArray, 4);  
    pushArray(stackArray, 5);  
    pushArray(stackArray, 6);  
    displayArray(stackArray);  
    printf("Top element: %d\n", peekArray(stackArray));  
    printf("Popped element: %d\n", popArray(stackArray));
```

```
displayArray(stackArray);

return 0;
}
```

Experiment 5

Algorithm:

1. Start
2. Initialize variables and stack
3. Read infix expression from the user
4. Scan infix expression by character
5. If the character is an operand append it to the postfix expression
6. If the character is an open parenthesis push it onto a stack
7. If the character is a closed parenthesis pop and append operators from the stack until an open parenthesis is encountered.
8. If the character is an operator while the stack is not empty and precedence of the top operator is greater or equal to precedence of the scanned operator, pop and append top operator to postfix expression
9. Push scanned operator onto the stack
10. After scanning the entire infix expression pop and append all the operators from the stack
11. Output the postfix expression
12. End

Program:

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <ctype.h>

#define MAX_SIZE 100

// Structure for stack
struct Stack {
    int top;
    unsigned capacity;
    char *array;
};
```

// Function to create a stack of given capacity

```
struct Stack* createStack(unsigned capacity) {  
    struct Stack* stack = (struct Stack*) malloc(sizeof(struct Stack));  
    stack->capacity = capacity;  
    stack->top = -1;  
    stack->array = (char*) malloc(stack->capacity * sizeof(char));  
    return stack;  
}
```

// Function to check if the stack is full

```
int isFull(struct Stack* stack) {  
    return stack->top == stack->capacity - 1;  
}
```

// Function to check if the stack is empty

```
int isEmpty(struct Stack* stack) {  
    return stack->top == -1;  
}
```

// Function to push an item to the stack

```
void push(struct Stack* stack, char item) {  
    if (isFull(stack))  
        return;  
    stack->array[++stack->top] = item;  
}
```

// Function to pop an item from the stack

```
char pop(struct Stack* stack) {  
    if (isEmpty(stack))  
        return '\0';  
    return stack->array[stack->top--];  
}
```


// Function to get the precedence of operators

```
int precedence(char op) {  
    if (op == '+' || op == '-')  
        return 1;  
    else if (op == '*' || op == '/')  
        return 2;  
    else  
        return -1;  
}
```

// Function to convert infix expression to postfix

```
void infixToPostfix(char* infix, char* postfix) {  
    struct Stack* stack = createStack(strlen(infix));  
    int i, j;  
    for (i = 0, j = -1; infix[i]; ++i) {  
        if (isdigit(infix[i]))  
            postfix[++j] = infix[i];  
        else if (infix[i] == '(')  
            push(stack, '(');  
        else if (infix[i] == ')') {  
            while (!isEmpty(stack) && stack->array[stack->top] != '(')  
                postfix[++j] = pop(stack);  
            if (!isEmpty(stack) && stack->array[stack->top] != '(')  
                return; // Invalid expression  
            else  
                pop(stack);  
        } else {  
            while (!isEmpty(stack) && precedence(infix[i]) <= precedence(stack->array[stack->top]))  
                postfix[++j] = pop(stack);  
            push(stack, infix[i]);  
        }  
    }  
}
```

```

    }
}
while (!isEmpty(stack))
    postfix[++j] = pop(stack);
postfix[++j] = '\0';
}

// Driver program
int main() {
    char infix[MAX_SIZE];
    char postfix[MAX_SIZE];

    printf("Enter an infix expression: ");
    fgets(infix, MAX_SIZE, stdin);
    infix[strcspn(infix, "\n")] = 0;

    infixToPostfix(infix, postfix);

    printf("Postfix expression: %s\n", postfix);

    return 0;
}

```

Experiment 6

Algorithm:

1. Start
2. Create an empty stack to hold operands.
3. Initialize a variable top to -1 which represents the top of the stack
4. Read the input from user
5. Iterate through each character in the expression
6. If the character is a digit, convert the character to its integer value and push the integer into stack.
7. if the character is an operator, pop the top two operands from the stack and perform the corresponding operation.
8. Get the result and display it
9. End


```

    }
}
result = pop();
return result;
}

int main() {
    char exp[MAX_SIZE];
    printf("Enter the arithmetic expression: ");
    scanf("%s", exp);
    int result = evaluateExpression(exp);
    printf("Result: %d\n", result);
    return 0;
}

```

Experiment 7

Algorithm:

1. Start
2. To enqueue an element read the value
3. If rear is equal to MAX_SIZE-1, print Queue is full
4. Otherwise if front is -1, set front to 0 , increment rear by 1 and assign the value to queue[rear].
5. To dequeue an element if front is -1 print Queue is empty and return -1
6. Otherwise assign element as queue[front], increment front by 1
7. End

Program using array:

```

#include <stdio.h>
#include <stdlib.h>

#define MAX_SIZE 100

int queue[MAX_SIZE];
int front = -1, rear = -1;

void enqueue(int value);
int dequeue();
void display();

int main() {
    enqueue(10);
    enqueue(20);
    enqueue(30);

    display();

    dequeue();

    display();
}

```

```

    return 0;
}

void enqueue(int value) {
    if (rear == MAX_SIZE - 1) {
        printf("Queue is full.\n");
    } else {
        if (front == -1) {
            front = 0;
        }
        rear++;
        queue[rear] = value;
    }
}

int dequeue() {
    int element;
    if (front == -1) {
        printf("Queue is empty.\n");
        return -1;
    } else {
        element = queue[front];
        front++;
        if (front > rear) {
            front = rear = -1;
        }
        return element;
    }
}

void display() {
    if (front == -1) {
        printf("Queue is empty.\n");
    } else {
        printf("Queue elements: ");
        for (int i = front; i <= rear; i++) {
            printf("%d ", queue[i]);
        }
        printf("\n");
    }
}

```

Program using linked list:

```

#include <stdio.h>
#include <stdlib.h>

```

```

struct Node {
    int data;
    struct Node* next;
};

struct Node* front = NULL;
struct Node* rear = NULL;

void enqueue(int value);
int dequeue();
void display();

int main() {
    enqueue(10);
    enqueue(20);
    enqueue(30);

    display();

    dequeue();

    display();

    return 0;
}

void enqueue(int value) {
    struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
    newNode->data = value;
    newNode->next = NULL;

    if (rear == NULL) {
        front = rear = newNode;
    } else {
        rear->next = newNode;
        rear = newNode;
    }
}

int dequeue() {
    if (front == NULL) {
        printf("Queue is empty.\n");
        return -1;
    } else {
        struct Node* temp = front;
        int element = temp->data;
        front = front->next;
        free(temp);
        if (front == NULL) {
            rear = NULL;
        }
    }
}

```

```

    }
    return element;
}
}

void display() {
    if (front == NULL) {
        printf("Queue is empty.\n");
    } else {
        struct Node* temp = front;
        printf("Queue elements: ");
        while (temp != NULL) {
            printf("%d ", temp->data);
            temp = temp->next;
        }
        printf("\n");
    }
}
}

```

Experiment 8

Algorithm:

1. Start
2. Create a node which contains data, left, right their member
3. Create 3 different types of functions to traversal in 3 different ways: inorder, preorder, postorder.
4. Call each functions and display the output
5. End

Program:

```

#include <stdio.h>
#include <stdlib.h>

#define MAX_SIZE 100

int queue[MAX_SIZE];
int front = -1, rear = -1;

void enqueue(int value);
int dequeue();
void display();

int main() {
    enqueue(10);
    enqueue(20);
    enqueue(30);

    display();

    dequeue();
}

```

```

        display();

        return 0;
    }

void enqueue(int value) {
    if (rear == MAX_SIZE - 1) {
        printf("Queue is full.\n");
    } else {
        if (front == -1) {
            front = 0;
        }
        rear++;
        queue[rear] = value;
    }
}

int dequeue() {
    int element;
    if (front == -1) {
        printf("Queue is empty.\n");
        return -1;
    } else {
        element = queue[front];
        front++;
        if (front > rear) {
            front = rear = -1;
        }
        return element;
    }
}

void display() {
    if (front == -1) {
        printf("Queue is empty.\n");
    } else {
        printf("Queue elements: ");
        for (int i = front; i <= rear; i++) {
            printf("%d ", queue[i]);
        }
        printf("\n");
    }
}

```

Experiment 9

Algorithm:

1. Start

2. Defines a structure Node representing a node in the binary search tree. Each node contains data, left child pointer, and right child pointer.
3. Provides a function to create a new node with the given value and initialize its pointers.
4. To insert a new node into the binary search tree while maintaining the BST property. Create a function to check if the value is less than the current node's data, it traverses to the left subtree; otherwise, it traverses to the right subtree.
5. To delete a node from the binary search tree while preserving the BST property. Create a function to handle cases where the node has zero, one, or two children by finding the successor node and replacing the node to be deleted with it.
6. Create a function to find the node with the minimum value in a subtree, which is used in deletion operation.
7. To search for a value in the binary search tree, Create a recursive function to traverses the tree, comparing the value with each node's data until the value is found or the tree is exhausted.
8. Provide a function to perform an inorder traversal of the binary search tree, printing the nodes in sorted order.
9. End

Program:

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
struct Node {
    int data;
    struct Node* left;
    struct Node* right;
};
```

```
struct Node*
createNode(int value) {
    struct Node* newNode
= (struct
Node*)malloc(sizeof(struct
Node));
    newNode->data =
value;
    newNode->left = NULL;
    newNode->right =
NULL;
    return newNode;
}
```

```
struct Node* insert(struct
Node* root, int value) {
    if (root == NULL) {
        return
createNode(value);
    }
```

```
    if (value < root->data) {
```

```

        root->left =
insert(root->left, value);
    } else if (value > root-
>data) {
        root->right =
insert(root->right, value);
    }

    return root;
}

```

```

struct Node*
minValueNode(struct
Node* node) {
    struct Node* current =
node;

    while (current &&
current->left != NULL) {
        current = current-
>left;
    }

    return current;
}

```

```

struct Node*
deleteNode(struct Node*
root, int value) {
    if (root == NULL) {
        return root;
    }

    if (value < root->data) {
        root->left =
deleteNode(root->left,
value);
    } else if (value > root-
>data) {
        root->right =
deleteNode(root->right,
value);
    } else {
        if (root->left ==
NULL) {
            struct Node* temp
= root->right;
            free(root);
            return temp;
        } else if (root->right

```

```

== NULL) {
    struct Node* temp
= root->left;
    free(root);
    return temp;
}

```

```

    struct Node* temp =
minValueNode(root-
>right);
    root->data = temp-
>data;
    root->right =
deleteNode(root->right,
temp->data);
}

```

```

    return root;
}

```

```

struct Node* search(struct
Node* root, int value) {
    if (root == NULL || root-
>data == value) {
        return root;
    }

```

```

    if (root->data < value) {
        return search(root-
>right, value);
    }

```

```

    return search(root->left,
value);
}

```

```

void display(struct Node*
root) {
    if (root != NULL) {
        display(root->left);
        printf("%d ", root-
>data);
        display(root->right);
    }
}

```

```

int main() {
    struct Node* root =
NULL;
    root = insert(root, 50);
}

```

```

insert(root, 30);
insert(root, 20);
insert(root, 40);
insert(root, 70);
insert(root, 60);
insert(root, 80);

printf("Binary Search
Tree Inorder Traversal: ");
display(root);
printf("\n");

root = deleteNode(root,
20);
printf("Binary Search
Tree Inorder Traversal
after deleting 20: ");
display(root);
printf("\n");

struct Node*
searchResult =
search(root, 30);
if (searchResult !=
NULL) {
    printf("Element 30
found in the Binary
Search Tree.\n");
} else {
    printf("Element 30
not found in the Binary
Search Tree.\n");
}

return 0;
}

```

Experiment 10

Algorithm:

1. Start
2. Defines a structure Node representing a node in the AVL tree, containing data, left and right child pointers, and height.
3. Create a function to calculate the height of a node and its balance factor.
4. Implement a function to create a new node with the given data and initial height.
5. Create a function to performs a right rotation to balance the tree.
6. Create a function to performs left rotation to balance the tree.
7. Implement a function to insert a node into the AVL tree while maintaining AVL property and performing rotations as needed.

8. For deletion, implements a function to find the node with the minimum value in a subtree and implements a function to delete a node from the AVL tree while maintaining AVL property and performing rotations as needed.
9. Provides a function to perform inorder traversal of the AVL tree, printing the nodes in sorted order
10. End

Program:

```
#include <stdio.h>
#include <stdlib.h>

typedef struct Node {
    int data;
    struct Node *left;
    struct Node *right;
    int height;
} Node;

// Function to get the height of a node
int height(Node *node) {
    if (node == NULL)
        return 0;
    return node->height;
}

// Function to get the balance factor of a node
int balance_factor(Node *node) {
    if (node == NULL)
        return 0;
    return height(node->left) - height(node->right);
}

// Function to create a new node
Node* newNode(int data) {
    Node* node = (Node*)malloc(sizeof(Node));
    node->data = data;
    node->left = NULL;
    node->right = NULL;
    node->height = 1;
    return node;
}

// Function to perform a right rotation
Node* rotate_right(Node *y) {
    Node *x = y->left;
    Node *T2 = x->right;

    // Perform rotation
    x->right = y;
```

```

y->left = T2;

// Update heights
y->height = 1 + (height(y->left) > height(y->right) ? height(y->left) : height(y->right));
x->height = 1 + (height(x->left) > height(x->right) ? height(x->left) : height(x->right));

return x;
}

// Function to perform a left rotation
Node* rotate_left(Node *x) {
    Node *y = x->right;
    Node *T2 = y->left;

    // Perform rotation
    y->left = x;
    x->right = T2;

    // Update heights
    x->height = 1 + (height(x->left) > height(x->right) ? height(x->left) : height(x->right));
    y->height = 1 + (height(y->left) > height(y->right) ? height(y->left) : height(y->right));

    return y;
}

// Function to insert a node into AVL tree
Node* insert(Node *node, int data) {
    if (node == NULL)
        return newNode(data);

    if (data < node->data)
        node->left = insert(node->left, data);
    else if (data > node->data)
        node->right = insert(node->right, data);
    else // Duplicate keys not allowed
        return node;

    // Update height of current node
    node->height = 1 + (height(node->left) > height(node->right) ? height(node->left) : height(node->right));

    // Get the balance factor
    int balance = balance_factor(node);

    // Perform rotations if needed
    if (balance > 1 && data < node->left->data)

```

```

        return rotate_right(node);
    if (balance < -1 && data > node->right->data)
        return rotate_left(node);
    if (balance > 1 && data > node->left->data) {
        node->left = rotate_left(node->left);
        return rotate_right(node);
    }
    if (balance < -1 && data < node->right->data) {
        node->right = rotate_right(node->right);
        return rotate_left(node);
    }

    return node;
}

// Function to find the node with minimum value
Node* minValueNode(Node *node) {
    Node* current = node;
    while (current->left != NULL)
        current = current->left;
    return current;
}

// Function to delete a node from AVL tree
Node* deleteNode(Node *root, int data) {
    if (root == NULL)
        return root;

    if (data < root->data)
        root->left = deleteNode(root->left, data);
    else if (data > root->data)
        root->right = deleteNode(root->right, data);
    else {
        if (root->left == NULL || root->right == NULL) {
            Node *temp = root->left ? root->left : root->right;

            if (temp == NULL) {
                temp = root;
                root = NULL;
            } else
                *root = *temp; // Copy the contents of the non-empty child

            free(temp);
        } else {
            Node *temp = minValueNode(root->right);
            root->data = temp->data;
            root->right = deleteNode(root->right, temp->data);
        }
    }
}

```

```

    if (root == NULL)
        return root;

    // Update height of current node
    root->height = 1 + (height(root->left) > height(root->right) ? height(root->left) :
height(root->right));

    // Get the balance factor
    int balance = balance_factor(root);

    // Perform rotations if needed
    if (balance > 1 && balance_factor(root->left) >= 0)
        return rotate_right(root);
    if (balance > 1 && balance_factor(root->left) < 0) {
        root->left = rotate_left(root->left);
        return rotate_right(root);
    }
    if (balance < -1 && balance_factor(root->right) <= 0)
        return rotate_left(root);
    if (balance < -1 && balance_factor(root->right) > 0) {
        root->right = rotate_right(root->right);
        return rotate_left(root);
    }

    return root;
}

// Function to print AVL tree inorder
void inorder(Node *root) {
    if (root != NULL) {
        inorder(root->left);
        printf("%d ", root->data);
        inorder(root->right);
    }
}

int main() {
    Node *root = NULL;

    // Inserting nodes
    root = insert(root, 10);
    root = insert(root, 20);
    root = insert(root, 30);
    root = insert(root, 40);
    root = insert(root, 50);
    root = insert(root, 25);

    printf("Inorder traversal of the constructed AVL tree: ");
    inorder(root);
    printf("\n");
}

```



```

// Deleting node
printf("Delete node 30\n");
root = deleteNode(root, 30);
printf("Inorder traversal after deletion: ");
inorder(root);
printf("\n");

return 0;
}

```

Experiment 11

Algorithm:

1. Start
2. Create a node which contains vertex and next as their members.
3. Allocates memory dynamically for nodes and the graph structure using malloc().
4. Create a graph with a specified number of vertices and initialize adjacency lists.
5. Create a function to add the edges between the vertices
6. Performs BFS traversal starting from a given vertex using a queue data structure to maintain order.
7. Conducts DFS traversal starting from a specified vertex, employing recursion to explore graph branches.
8. Displays the adjacency list representation of the graph and the traversal sequences for both BFS and DFS.
9. End

Program:

```

#include <stdio.h>
#include <stdlib.h>

#define MAX 100

struct Node {
    int vertex;
    struct Node* next;
};

struct Node* createNode(int v);

struct Graph {
    int numVertices;
    struct Node** adjLists;
    int* visited;
};

struct Graph* createGraph(int vertices);

void addEdge(struct Graph* graph, int src, int dest);

```

```

void printGraph(struct Graph* graph);

void BFS(struct Graph* graph, int startVertex);

void DFS(struct Graph* graph, int startVertex);

int main() {
    struct Graph* graph = createGraph(4);
    addEdge(graph, 0, 1);
    addEdge(graph, 0, 2);
    addEdge(graph, 1, 2);
    addEdge(graph, 2, 0);
    addEdge(graph, 2, 3);
    addEdge(graph, 3, 3);

    printf("Graph:\n");
    printGraph(graph);

    printf("\nBFS Traversal:\n");
    BFS(graph, 2);

    printf("\nDFS Traversal:\n");
    DFS(graph, 2);

    return 0;
}

struct Node* createNode(int v) {
    struct Node* newNode = (struct Node*)malloc(sizeof(struct Node));
    newNode->vertex = v;
    newNode->next = NULL;
    return newNode;
}

struct Graph* createGraph(int vertices) {
    struct Graph* graph = (struct Graph*)malloc(sizeof(struct Graph));
    graph->numVertices = vertices;

    graph->adjLists = (struct Node**)malloc(vertices * sizeof(struct Node*));
    graph->visited = (int*)malloc(vertices * sizeof(int));

    for (int i = 0; i < vertices; i++) {
        graph->adjLists[i] = NULL;
        graph->visited[i] = 0;
    }

    return graph;
}

```

```

void addEdge(struct Graph* graph, int src, int dest) {
    struct Node* newNode = createNode(dest);
    newNode->next = graph->adjLists[src];
    graph->adjLists[src] = newNode;

    newNode = createNode(src);
    newNode->next = graph->adjLists[dest];
    graph->adjLists[dest] = newNode;
}

```

```

void printGraph(struct Graph* graph) {
    for (int v = 0; v < graph->numVertices; v++) {
        struct Node* temp = graph->adjLists[v];
        printf("Vertex %d: ", v);
        while (temp) {
            printf("%d -> ", temp->vertex);
            temp = temp->next;
        }
        printf("NULL\n");
    }
}

```

```

void BFS(struct Graph* graph, int startVertex) {
    struct Node* queue[MAX];
    int front = 0, rear = 0;
    queue[rear] = createNode(startVertex);
    graph->visited[startVertex] = 1;

    printf("Visited %d\n", startVertex);

    while (front <= rear) {
        struct Node* currentNode = queue[front];
        front++;
        while (currentNode) {
            int adjVertex = currentNode->vertex;
            if (!graph->visited[adjVertex]) {
                printf("Visited %d\n", adjVertex);
                queue[++rear] = createNode(adjVertex);
                graph->visited[adjVertex] = 1;
            }
            currentNode = currentNode->next;
        }
    }
}

```

```

void DFSUtil(struct Graph* graph, int vertex) {
    struct Node* temp = graph->adjLists[vertex];
    graph->visited[vertex] = 1;
    printf("Visited %d\n", vertex);
}

```

```

while (temp) {
    int adjVertex = temp->vertex;
    if (!graph->visited[adjVertex]) {
        DFSUtil(graph, adjVertex);
    }
    temp = temp->next;
}
}

void DFS(struct Graph* graph, int startVertex) {
    graph->visited[startVertex] = 1;
    printf("Visited %d\n", startVertex);

    struct Node* temp = graph->adjLists[startVertex];

    while (temp) {
        int adjVertex = temp->vertex;
        if (!graph->visited[adjVertex]) {
            DFSUtil(graph, adjVertex);
        }
        temp = temp->next;
    }
}

```

Experiment 12

Algorithm:

1. Start
2. Read the input from the user to create an adjacency matrix representing the graph.
3. Implements the DFS algorithm to traverse the graph recursively.
4. Create a recursive function to explores the graph starting from a given vertex and stops when all adjacent vertices have been visited.
5. After traversal, the program prints the ordering of vertices.
6. End

Program:

```

#include <stdio.h>

#define MAX_VERTICES 10

int graph[MAX_VERTICES][MAX_VERTICES] = {0};
int visited[MAX_VERTICES] = {0};
int vertices;

void createGraph() {
    int i, j;
    printf("Enter the number of vertices: ");
    scanf("%d", &vertices);
    printf("Enter the adjacency matrix:\n");
}

```

```

    for (i = 0; i < vertices; i++) {
        for (j = 0; j < vertices; j++) {
            scanf("%d", &graph[i][j]);
        }
    }
}

void dfs(int vertex) {
    int i;
    printf("%d ", vertex);
    visited[vertex] = 1;
    for (i = 0; i < vertices; i++) {
        if (graph[vertex][i] && !visited[i]) {
            dfs(i);
        }
    }
}

int main() {
    int i;
    createGraph();
    printf("Ordering of vertices after DFS traversal:\n");
    for (i = 0; i < vertices; i++) {
        if (!visited[i]) {
            dfs(i);
        }
    }
    return 0;
}

```

Experiment 13

Algorithm:

1. Start
2. Input the number of vertices and the adjacency matrix representing the graph.
3. Find the vertex with the minimum key value among the vertices not yet included in the MST.
4. Initialize key values and mstset for all vertices, then iteratively select the vertex with the minimum key value and update the key values of its adjacent vertices if a shorter edge is found.
5. Print the edges of the MST along with their weights.
6. End

Program:

```

#include <stdio.h>
#include <stdbool.h>

#define MAX_VERTICES 10

```

```

#define INF 999999

int graph[MAX_VERTICES][MAX_VERTICES];
int vertices;

void createGraph() {
    int i, j;
    printf("Enter the number of vertices: ");
    scanf("%d", &vertices);
    printf("Enter the adjacency matrix:\n");
    for (i = 0; i < vertices; i++) {
        for (j = 0; j < vertices; j++) {
            scanf("%d", &graph[i][j]);
        }
    }
}

int findMinKey(int key[], bool mstSet[]) {
    int min = INF, min_index;
    for (int v = 0; v < vertices; v++) {
        if (mstSet[v] == false && key[v] < min) {
            min = key[v];
            min_index = v;
        }
    }
    return min_index;
}

void printMST(int parent[]) {
    printf("Edge \tWeight\n");
    for (int i = 1; i < vertices; i++) {
        printf("%d - %d \t%d \n", parent[i], i, graph[i][parent[i]]);
    }
}

void primMST() {
    int parent[vertices];
    int key[vertices];
    bool mstSet[vertices];

    for (int i = 0; i < vertices; i++) {
        key[i] = INF;
        mstSet[i] = false;
    }

    key[0] = 0; // Make key 0 so that this vertex is picked as the first vertex
    parent[0] = -1; // First node is always root of MST

    for (int count = 0; count < vertices - 1; count++) {
        int u = findMinKey(key, mstSet);
    }
}

```

```

        mstSet[u] = true;
        for (int v = 0; v < vertices; v++) {
            if (graph[u][v] && mstSet[v] == false && graph[u][v] < key[v]) {
                parent[v] = u;
                key[v] = graph[u][v];
            }
        }
    }
    printMST(parent);
}

int main() {
    createGraph();
    primMST();
    return 0;
}

```

Experiment 14

Algorithm:

1. Start
2. The main function calls create graph function.
3. Input the number of vertices and the adjacency matrix representing the graph.
4. find the vertex with the minimum distance from the source vertex among the vertices.
5. Then it implements Dijkstra's algorithm, it initializes distance values and sptset for all vertices, then iteratively updates the distance values until all vertices are included in the shortest path tree.
6. Display the Output
7. End

Program:

```

#include <stdio.h>
#include <stdbool.h>

#define MAX_VERTICES 10
#define INF 999999

int graph[MAX_VERTICES][MAX_VERTICES];
int vertices;

void createGraph() {
    int i, j;
    printf("Enter the number of vertices: ");
    scanf("%d", &vertices);
    printf("Enter the adjacency matrix:\n");
    for (i = 0; i < vertices; i++) {
        for (j = 0; j < vertices; j++) {

```

```

        scanf("%d", &graph[i][j]);
    }
}

```

```

int minDistance(int dist[], bool sptSet[]) {
    int min = INF, min_index;
    for (int v = 0; v < vertices; v++) {
        if (sptSet[v] == false && dist[v] <= min) {
            min = dist[v];
            min_index = v;
        }
    }
    return min_index;
}

```

```

void printSolution(int dist[]) {
    printf("Vertex \t Distance from Source\n");
    for (int i = 0; i < vertices; i++) {
        printf("%d \t %d\n", i, dist[i]);
    }
}

```

```

void dijkstra(int src) {
    int dist[vertices];
    bool sptSet[vertices];

    for (int i = 0; i < vertices; i++) {
        dist[i] = INF;
        sptSet[i] = false;
    }

    dist[src] = 0;

    for (int count = 0; count < vertices - 1; count++) {
        int u = minDistance(dist, sptSet);
        sptSet[u] = true;

        for (int v = 0; v < vertices; v++) {
            if (!sptSet[v] && graph[u][v] && dist[u] != INF && dist[u] + graph[u][v] < dist[v])
            {
                dist[v] = dist[u] + graph[u][v];
            }
        }
    }

    printSolution(dist);
}

```

```

int main() {

```



```

    createGraph();
    int source;
    printf("Enter the source vertex: ");
    scanf("%d", &source);
    dijkstra(source);
    return 0;
}

```

Experiment 15

Algorithm:

1. Start
2. Read the number of elements n from the user
3. Read n elements into array
4. Sort the array using Quick sort function and print the sorted array
5. sort the array using merge sort function and print the sorted array
6. End

Program:

```

#include <stdio.h>
#include <stdlib.h>

void swap(int *a, int *b) {
    int temp = *a;
    *a = *b;
    *b = temp;
}

int partition(int arr[], int low, int high) {
    int pivot = arr[high];
    int i = (low - 1);

    for (int j = low; j <= high - 1; j++) {
        if (arr[j] < pivot) {
            i++;
            swap(&arr[i], &arr[j]);
        }
    }
    swap(&arr[i + 1], &arr[high]);
    return (i + 1);
}

void quickSort(int arr[], int low, int high) {
    if (low < high) {
        int pi = partition(arr, low, high);

        quickSort(arr, low, pi - 1);
    }
}

```

```

        quickSort(arr, pi + 1, high);
    }
}

```

```

void merge(int arr[], int l, int m, int r) {
    int i, j, k;
    int n1 = m - l + 1;
    int n2 = r - m;

```

```

    int L[n1], R[n2];

```

```

    for (i = 0; i < n1; i++)
        L[i] = arr[l + i];
    for (j = 0; j < n2; j++)
        R[j] = arr[m + 1 + j];

```

```

    i = 0;
    j = 0;
    k = l;
    while (i < n1 && j < n2) {
        if (L[i] <= R[j]) {
            arr[k] = L[i];
            i++;
        } else {
            arr[k] = R[j];
            j++;
        }
        k++;
    }

```

```

    while (i < n1) {
        arr[k] = L[i];
        i++;
        k++;
    }

```

```

    while (j < n2) {
        arr[k] = R[j];
        j++;
        k++;
    }
}

```

```

void mergeSort(int arr[], int l, int r) {
    if (l < r) {
        int m = l + (r - l) / 2;

        mergeSort(arr, l, m);
        mergeSort(arr, m + 1, r);
    }
}

```

```

        merge(arr, l, m, r);
    }
}

int main() {
    int n;
    printf("Enter the number of elements: ");
    scanf("%d", &n);

    int arr[n];
    printf("Enter %d elements:\n", n);
    for (int i = 0; i < n; i++) {
        scanf("%d", &arr[i]);
    }

    printf("\nSorting using Quick Sort:\n");
    quickSort(arr, 0, n - 1);
    for (int i = 0; i < n; i++) {
        printf("%d ", arr[i]);
    }

    printf("\n\nSorting using Merge Sort:\n");
    mergeSort(arr, 0, n - 1);
    for (int i = 0; i < n; i++) {
        printf("%d ", arr[i]);
    }

    return 0;
}

```

Experiment 16

Algorithm:

1. Start
2. Read data from the user
3. Allocate memory for a new node
4. Set the data field of the new node to the input data
5. Set the next pointer of the new node to the NULL and return the pointer to the new node
6. Read key from the user
7. Calculate the index by taking the modulo of the key with table size and return the calculated index
8. Input the table and calculate the index using the hash function
9. Iterate until an empty slot is found in the table
10. Create a new node to the table at the calculated index and return the pointer to the inserted node
11. Assign the new key to the table at the calculated index and return the pointer to the inserted node.
12. Repeat this to insert elements using closed addressing and rehashing

13. Then display the hash table using display function

14. End

Program:

```
#include <stdio.h>
#include <stdlib.h>
#include <stdbool.h>

#define TABLE_SIZE 10

typedef struct Node {
    int data;
    struct Node* next;
} Node;

Node* createNode(int data) {
    Node* newNode = (Node*)malloc(sizeof(Node));
    if (newNode == NULL) {
        printf("Memory allocation failed!\n");
        exit(1);
    }
    newNode->data = data;
    newNode->next = NULL;
    return newNode;
}

int hashFunction(int key) {
    return key % TABLE_SIZE;
}

Node* insertOpenAddressing(Node* table[], int key) {
    int index = hashFunction(key);
    while (table[index] != NULL) {
        index = (index + 1) % TABLE_SIZE;
    }
    table[index] = createNode(key);
    return table[index];
}

void displayHashTable(Node* table[]) {
    printf("Hash Table:\n");
    for (int i = 0; i < TABLE_SIZE; i++) {
        printf("%d: ", i);
        Node* current = table[i];
        while (current != NULL) {
            printf("%d ", current->data);
            current = current->next;
        }
        printf("\n");
    }
}
```

```
}
```

```
Node* insertClosedAddressing(Node* table[], int key) {  
    int index = hashFunction(key);  
    if (table[index] == NULL) {  
        table[index] = createNode(key);  
    } else {  
        Node* newNode = createNode(key);  
        newNode->next = table[index];  
        table[index] = newNode;  
    }  
    return table[index];  
}  
  
int rehashFunction(int key, int attempt) {  
    // Double Hashing Technique  
    return (hashFunction(key) + attempt * (7 - (key % 7))) % TABLE_SIZE;  
}
```

```
Node* insertRehashing(Node* table[], int key) {  
    int index = hashFunction(key);  
    int attempt = 0;  
    while (table[index] != NULL) {  
        attempt++;  
        index = rehashFunction(key, attempt);  
    }  
    table[index] = createNode(key);  
    return table[index];  
}
```

```
int main() {  
    Node* openAddressingTable[TABLE_SIZE] = {NULL};  
    Node* closedAddressingTable[TABLE_SIZE] = {NULL};  
    Node* rehashingTable[TABLE_SIZE] = {NULL};  
  
    // Insert elements into hash tables  
    insertOpenAddressing(openAddressingTable, 10);  
    insertOpenAddressing(openAddressingTable, 20);  
    insertOpenAddressing(openAddressingTable, 5);  
  
    insertClosedAddressing(closedAddressingTable, 10);  
    insertClosedAddressing(closedAddressingTable, 20);  
    insertClosedAddressing(closedAddressingTable, 5);  
  
    insertRehashing(rehashingTable, 10);  
    insertRehashing(rehashingTable, 20);  
    insertRehashing(rehashingTable, 5);  
  
    // Display hash tables  
    displayHashTable(openAddressingTable);
```

```
displayHashTable(closedAddressingTable);  
displayHashTable(rehashingTable);  
  
return 0;  
}
```