

DBSE&DBS


NAME: S.SARVESWARA REDDY

ROLL NO: 2520030049

SECTION: 9


SECTION 1 : DDL (DATA DEFINITION LANGUAGE)

QUESTION 1 - CREATE TABLE



Caption

QUESTION 2 - ALTER TABLE ADD COLUMN



Caption

QUESTION 3 - ALTER TABLE MODIFY COLUMN

The screenshot shows the SQL Developer interface with a local instance 3306. The Schemas pane on the left lists 'bookflow_db', 'bookflow_dbbbb', 'example5', and 'sys'. The main editor displays a SQL script with the following steps:

1. create database if not exists bank_management;
2. use bank_management;
3. CREATE TABLE bank_transactions (
 - 4. txn_id INT PRIMARY KEY,
 - 5. customer_name VARCHAR(50),
 - 6. branch_name VARCHAR(50),
 - 7. transaction_type VARCHAR(20),
 - 8. amount DECIMAL(10,2),
 - 9. transaction_date DATE
10.);
- 11.
12. ALTER TABLE bank_transactions
13. ADD account_no VARCHAR(20);
- 14.
15. ALTER TABLE bank_transactions
16. MODIFY customer_name VARCHAR(100);
- 17.

The Action Output pane at the bottom shows the execution results:

	Time	Action	Response	Duration / Fetch Time
✓	4 18:27:06	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name V...	0 row(s) affected	0.0076 sec
✓	5 18:27:27	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings...	0.013 sec
✓	6 18:27:43	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings...	0.016 sec

Query Completed

QUESTION 4 - RENAME TABLE

The screenshot shows the SQL Developer interface with a local instance 3306. The Schemas pane on the left lists 'bank_management', 'bookflow_db', 'bookflow_dbbbb', 'example5', and 'sys'. The main editor displays a SQL script with the following steps:

1. create database if not exists bank_management;
2. use bank_management;
3. CREATE TABLE bank_transactions (
 - 4. txn_id INT PRIMARY KEY,
 - 5. customer_name VARCHAR(50),
 - 6. branch_name VARCHAR(50),
 - 7. transaction_type VARCHAR(20),
 - 8. amount DECIMAL(10,2),
 - 9. transaction_date DATE
10.);
- 11.
12. ALTER TABLE bank_transactions
13. ADD account_no VARCHAR(20);
- 14.
15. ALTER TABLE bank_transactions
16. MODIFY customer_name VARCHAR(100);
- 17.
18. RENAME TABLE bank_transactions
19. TO customer_transactions;

The Action Output pane at the bottom shows the execution results:

	Time	Action	Response	Duration / Fetch Time
✓	4 18:27:06	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name V...	0 row(s) affected	0.0076 sec
✓	5 18:27:27	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings...	0.013 sec
✓	6 18:27:43	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings...	0.016 sec

Added new script editor

QUESTION 5 - TRUNCATE TABLE

The screenshot shows the SQL Developer interface with a local instance 3306. The left sidebar displays the 'SCHEMAS' tree with 'bank_management' selected. The main editor shows the following SQL script:

```
1 create database if not exists bank_management;
2 use bank_management;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11
12 ALTER TABLE bank_transactions
13 ADD account_no VARCHAR(20);
14
15 ALTER TABLE bank_transactions
16 MODIFY customer_name VARCHAR(100);
17
18 RENAME TABLE bank_transactions
19 TO customer_transactions;
20
21 TRUNCATE TABLE bank_transactions;
22
```

The 'Action Output' table at the bottom shows the execution results:

	Time	Action	Response	Duration / Fetch Time
6	18:27:27	ALTER TABLE bank_transactions ADD account_no VARCHAR(20)	0 row(s) affected Records: 0 Duplicates: 0 Warnings...	0.013 sec
6	18:27:43	ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)	0 row(s) affected Records: 0 Duplicates: 0 Warnings...	0.016 sec
7	18:29:45	TRUNCATE TABLE bank_transactions	0 row(s) affected	0.0079 sec

Query Completed

QUESTION 6 - DROP TABLE

The screenshot shows the SQL Developer interface with a local instance 3306. The left sidebar displays the 'SCHEMAS' tree with 'bank_management' selected. The main editor shows the following SQL script:

```
1 create database if not exists bank_management;
2 use bank_management;
3 CREATE TABLE bank_transactions (
4     txn_id INT PRIMARY KEY,
5     customer_name VARCHAR(50),
6     branch_name VARCHAR(50),
7     transaction_type VARCHAR(20),
8     amount DECIMAL(10,2),
9     transaction_date DATE
10 );
11
12 ALTER TABLE bank_transactions
13 ADD account_no VARCHAR(20);
14
15 ALTER TABLE bank_transactions
16 MODIFY customer_name VARCHAR(100);
17
18 RENAME TABLE bank_transactions
19 TO customer_transactions;
20
21 TRUNCATE TABLE bank_transactions;
22 DROP TABLE bank_transactions;
23
```

The 'Action Output' table at the bottom shows the execution results:

	Time	Action	Response	Duration / Fetch Time
7	18:29:45	TRUNCATE TABLE bank_transactions	0 row(s) affected	0.0079 sec
8	18:29:57	DROP TABLE bank_backup	Error Code: 1051. Unknown table 'bank_management....	0.00096 sec
9	18:30:13	DROP TABLE bank_transactions	0 row(s) affected	0.0052 sec

Query Completed

SECTION 2 : DML (DATA MANIPULATION LANGUAGE)

STEP 1 : INSERT SAMPLE DATA

The screenshot shows the SQL Developer interface with the following SQL script executed:

```
8      amount DECIMAL(10,2),
9      transaction_date DATE
10  );
11
12  ALTER TABLE bank_transactions
13  ADD account_no VARCHAR(20);
14
15  ALTER TABLE bank_transactions
16  MODIFY customer_name VARCHAR(100);
17
18  RENAME TABLE bank_transactions
19  TO customer_transactions;
20
21  TRUNCATE TABLE bank_transactions;
22  DROP TABLE bank_transactions;
23
24  -- SECTION 2 : DML (DATA MANIPULATION LANGUAGE)
25
26  INSERT INTO bank_transactions VALUES
27  (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
28  (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
29  (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
30  (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
31  (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
32  (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
33  (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
34  (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
35  (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
36  (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
```

The Action Output table shows the following results:

	Time	Action	Response	Duration / Fetch Time
1	18:31:57	CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name V...	0 row(s) affected	0.0064 sec
2	18:32:02	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024...	10 row(s) affected Records: 10 Duplicates: 0 Warnin...	0.0031 sec
3	18:32:08	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024...	Error Code: 1062. Duplicate entry '101' for key 'bank_...	0.00040 sec
4	18:32:10	EXPLAIN INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5...	OK	0.000 sec

Query interrupted

The screenshot shows the SQL Developer interface with the following SQL script executed:

```
13  ADD account_no VARCHAR(20);
14
15  ALTER TABLE bank_transactions
16  MODIFY customer_name VARCHAR(100);
17
18  RENAME TABLE bank_transactions
19  TO customer_transactions;
20
21  TRUNCATE TABLE bank_transactions;
22  DROP TABLE bank_transactions;
23
24  -- SECTION 2 : DML (DATA MANIPULATION LANGUAGE)
25
26  INSERT INTO bank_transactions VALUES
27  (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
28  (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
29  (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
30  (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
31  (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
32  (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
33  (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
34  (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
35  (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
36  (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
37
38  INSERT INTO bank_transactions
39  VALUES
40  (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
41
42
43
44
45
46
47
```

The Action Output table shows the following results:

	Time	Action	Response	Duration / Fetch Time
4	18:32:10	EXPLAIN INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5...	OK	0.000 sec
5	18:32:17	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024...	Error Code: 1062. Duplicate entry '101' for key 'bank_...	0.00049 sec
6	18:32:51	INSERT INTO bank_transactions VALUES (111,'Venu','Vizag','Deposit',7000,'2024-01-...	1 row(s) affected	0.0011 sec

Query Completed

QUESTION 7 - INSERT

QUESTION 8 - UPDATE

The screenshot shows the SQL Developer interface with a query window containing SQL statements for Questions 7 and 8. The query is executed, and the Action Output pane shows the results.

```
17
18 RENAME TABLE bank_transactions
19 TO customer_transactions;
20
21 TRUNCATE TABLE bank_transactions;
22 DROP TABLE bank_transactions;
23
24 -- SECTION 2 : DML (DATA MANIPULATION LANGUAGE)
25
26 INSERT INTO bank_transactions VALUES
27 (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
28 (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
29 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
30 (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
31 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
32 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
33 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
34 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
35 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
36 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
37
38 INSERT INTO bank_transactions
39 VALUES
40 (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
41
42 UPDATE bank_transactions
43 SET amount = 5000
44 WHERE txn_id = 105;
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

	Time	Action	Response	Duration / Fetch Time
6	18:32:17	INSERT INTO bank_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05')	Error Code: 1062. Duplicate entry '101' for key 'bank_...	0.00049 sec
7	18:32:51	INSERT INTO bank_transactions VALUES (111,'Venu','Vizag','Deposit',7000,'2024-01-18')	1 row(s) affected	0.0011 sec
7	18:33:08	UPDATE bank_transactions SET amount = 5000 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warn...	0.0012 sec

Query Completed

QUESTION 9 - DELETE

The screenshot shows the SQL Developer interface with a query window containing SQL statements for Question 9. The query is executed, and the Action Output pane shows the results.

```
20
21 TRUNCATE TABLE bank_transactions;
22 DROP TABLE bank_transactions;
23
24 -- SECTION 2 : DML (DATA MANIPULATION LANGUAGE)
25
26 INSERT INTO bank_transactions VALUES
27 (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05'),
28 (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06'),
29 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
30 (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
31 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
32 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
33 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
34 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
35 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
36 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
37
38 INSERT INTO bank_transactions
39 VALUES
40 (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
41
42 UPDATE bank_transactions
43 SET amount = 5000
44 WHERE txn_id = 105;
45
46 DELETE FROM bank_transactions
47 WHERE txn_id = 111;
```

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

	Time	Action	Response	Duration / Fetch Time
7	18:32:51	INSERT INTO bank_transactions VALUES (111,'Venu','Vizag','Deposit',7000,'2024-01-18')	1 row(s) affected	0.0011 sec
7	18:33:08	UPDATE bank_transactions SET amount = 5000 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warn...	0.0012 sec
7	18:33:45	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.0012 sec

Query Completed

QUESTION 10 - SELECT

Local instance 3306 - Warning - not supported

Administration Schemas books SQL File 9* SQL File 10* SQL File 5* DDL exam Context Help Snippets

SCHEMAS

Filter objects

- bank_management
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
- bookflow_dbbb
- example5
- sys

Object Info Session

Schema: bank_management

```
29 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08'),
30 (104,'Anil','Vizag','Deposit',8000,'2024-01-10'),
31 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11'),
32 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
33 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
34 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
35 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
36 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
37
38 INSERT INTO bank_transactions
39 VALUES
40 (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
41
42 UPDATE bank_transactions
43 SET amount = 5000
44 WHERE txn_id = 105;
45
46 DELETE FROM bank_transactions
47 WHERE txn_id = 111;
48 SELECT *
```

100% 24:49

Result Grid Filter Rows: Search Edit: Export/Import:

txn_id	customer_name	branch_name	transaction_ty...	amount	transaction_d...
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05
102	Sita	Hyderabad	Withdrawal	2000.00	2024-01-06
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08
104	Anil	Vizag	Deposit	8000.00	2024-01-10
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12
107	Keerthi	Vijayawada	Withdrawal	1000.00	2024-01-13

bank_transactions 1 Apply Revert

Action Output

Time	Action	Response	Duration / Fetch Time
18:33:08	UPDATE bank_transactions SET amount = 5000 WHERE txn_id = 105	1 row(s) affected Rows matched: 1 Changed: 1 Warni...	0.0012 sec
18:33:45	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.0012 sec
18:34:03	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.00048 sec / 0.000...

Query Completed

QUESTION 11 - SELECT WITH WHERE

Local instance 3306 - Warning - not supported

Administration Schemas books SQL File 9* SQL File 10* SQL File 5* DDL exam Context Help Snippets

SCHEMAS

Filter objects

- bank_management
 - Tables
 - Views
 - Stored Procedures
 - Functions
- bookflow_db
- bookflow_dbbb
- example5
- sys

Object Info Session

Schema: bank_management

```
32 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12'),
33 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13'),
34 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14'),
35 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15'),
36 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
37
38 INSERT INTO bank_transactions
39 VALUES
40 (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
41
42 UPDATE bank_transactions
43 SET amount = 5000
44 WHERE txn_id = 105;
45
46 DELETE FROM bank_transactions
47 WHERE txn_id = 111;
48 SELECT *
49 FROM bank_transactions;
50
51 SELECT *
```

100% 34:53

Result Grid Filter Rows: Search Edit: Export/Import:

txn_id	customer_name	branch_name	transaction_ty...	amount	transaction_d...
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08
104	Anil	Vizag	Deposit	8000.00	2024-01-10
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16

bank_transactions 2 Apply Revert

Action Output

Time	Action	Response	Duration / Fetch Time
18:33:45	DELETE FROM bank_transactions WHERE txn_id = 111	1 row(s) affected	0.0012 sec
18:34:03	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.00048 sec / 0.000...
18:34:18	SELECT * FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 0, 1000	6 row(s) returned	0.00033 sec / 0.0000...

Query Completed

QUESTION 12 - SELECT WITH ORDER BY

The screenshot displays the SQL Developer interface for a local instance 3306. The main window shows a SQL script with the following content:

```
36 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16');
37
38 INSERT INTO bank_transactions
39 VALUES
40 (111,'Venu','Vizag','Deposit',7000,'2024-01-18');
41
42 UPDATE bank_transactions
43 SET amount = 5000
44 WHERE txn_id = 105;
45
46 DELETE FROM bank_transactions
47 WHERE txn_id = 111;
48 SELECT *
49 FROM bank_transactions;
50
51 SELECT *
52 FROM bank_transactions
53 WHERE transaction_type='Deposit';
54
55 SELECT *
```

The script is executed, and the results are displayed in the Result Grid. The grid shows the following data:

txn_id	customer_name	branch_name	transaction_ty...	amount	transaction_d...
106	Ramesh	Vizag	Deposit	15000.00	2024-01-12
103	Kiran	Vijayawada	Deposit	12000.00	2024-01-08
110	Madhu	Vijayawada	Deposit	11000.00	2024-01-16
108	Rahul	Hyderabad	Deposit	9000.00	2024-01-14
104	Anil	Vizag	Deposit	8000.00	2024-01-10
101	Ravi	Hyderabad	Deposit	5000.00	2024-01-05
105	Priya	Hyderabad	Withdrawal	5000.00	2024-01-11

The Action Output pane shows the following results:

Time	Action	Response	Duration / Fetch Time
18:34:03	SELECT * FROM bank_transactions LIMIT 0, 1000	10 row(s) returned	0.00046 sec / 0.000...
18:34:18	SELECT * FROM bank_transactions WHERE transaction_type='Deposit' LIMIT 0, 1000	6 row(s) returned	0.00033 sec / 0.0000...
18:34:31	SELECT * FROM bank_transactions ORDER BY amount DESC LIMIT 0, 1000	10 row(s) returned	0.00035 sec / 0.0000...

The interface also includes a left sidebar with a tree view of the database schema, a top toolbar with various icons, and a right sidebar with context help and snippets.