

Welcome x postgres/sarveswarareddy@sarveswarareddy x

postgres/sarveswarareddy@sarveswarareddy

Query Query History Scratch Pad x

```
1 CREATE DATABASE bookflow_db;
2
```

Data Output Messages Notifications

CREATE DATABASE

Query returned successfully in 154 msec.

Total rows: Query complete 00:00:00.154 LF Ln 2, Col 1

Welcome x postgres/sarveswarareddy@sarveswarareddy x

postgres/sarveswarareddy@sarveswarareddy

Query Query History Scratch Pad x

```
1 CREATE DATABASE bookflow_db;
2
3 CREATE EXTENSION IF NOT EXISTS vector;
```

Data Output Messages Notifications

CREATE EXTENSION

Query returned successfully in 493 msec.

Total rows: Query complete 00:00:00.493 LF Ln 3, Col 39

Welcome x postgres/sarveswarareddy@sarveswarareddy* x

postgres/sarveswarareddy@sarveswarareddy

Query Query History Scratch Pad x

```
1 CREATE DATABASE bookflow_db;
2
3 CREATE EXTENSION IF NOT EXISTS vector;
4
5 SELECT extname, extversion
6 FROM pg_extension
7 WHERE extname = 'vector';
```

Data Output Messages Notifications

extname	extversion
name	text
vector	0.8.6

Showing rows: 1 to 1 Page No: 1 of 1

Total rows: 1 Query complete 00:00:00.096 LF Ln 7, Col 26

Welcome x postgres/sarveswarareddy@sarveswarareddy* x

postgres/sarveswarareddy@sarveswarareddy

Query Query History Scratch Pad x

```
1 CREATE DATABASE bookflow_db;
2
3 CREATE EXTENSION IF NOT EXISTS vector;
4
5 SELECT extname, extversion
6 FROM pg_extension
7 WHERE extname = 'vector';
8
9 CREATE TABLE books (
10     id SERIAL PRIMARY KEY,
11     title VARCHAR(200) NOT NULL,
12     author VARCHAR(200),
13     description TEXT
14 );
```

Data Output Messages Graph Visualiser x Notifications

CREATE TABLE

Query returned successfully in 45 msec.

Total rows: Query complete 00:00:00.045 LF Ln 14, Col 3

Welcome x postgres/sarveswarareddy@sarveswarareddy x

postgres/sarveswarareddy@sarveswarareddy

Query Query History Scratch Pad x

```
4 SELECT extname, extversion
5 FROM pg_extension
6 WHERE extname = 'vector';
7
8
9 CREATE TABLE books (
10     id SERIAL PRIMARY KEY,
11     title VARCHAR(200) NOT NULL,
12     author VARCHAR(200),
13     description TEXT
14 );
15
16 INSERT INTO books (title, author, description) VALUES
17 ('The Martian', 'Andy Weir', 'A stranded astronaut struggles to survive on Mars.'),
18 ('Dune', 'Frank Herbert', 'A science-fiction story involving planets, politics and survival.'),
19 ('Pride and Prejudice', 'Jane Austen', 'A classic story of relationships, family and society.'),
20 ('The Hobbit', 'J.R.R. Tolkien', 'A fantasy adventure involving a journey, creatures and a dangerous quest.'),
21 ('Foundation', 'Isaac Asimov', 'A science-fiction story about humanity and the future of civilization.');
22
23
```

Data Output Messages Graph Visualiser x Notifications

INSERT 0 5

Query returned successfully in 35 msec.

Total rows: Query complete 00:00:00.035

Query returned successfully in 35 msec. x

LF Ln 21, Col 106

Welcome x postgres/sarveswarareddy@sarveswarareddy x

postgres/sarveswarareddy@sarveswarareddy

Query Query History Scratch Pad x

```
4 SELECT extname, extversion
5 FROM pg_extension
6 WHERE extname = 'vector';
7
8
9 CREATE TABLE books (
10     id SERIAL PRIMARY KEY,
11     title VARCHAR(200) NOT NULL,
12     author VARCHAR(200),
13     description TEXT
14 );
15
16 INSERT INTO books (title, author, description) VALUES
17 ('The Martian', 'Andy Weir', 'A stranded astronaut struggles to survive on Mars.'),
18 ('Dune', 'Frank Herbert', 'A science-fiction story involving planets, politics and survival.'),
19 ('Pride and Prejudice', 'Jane Austen', 'A classic story of relationships, family and society.'),
20 ('The Hobbit', 'J.R.R. Tolkien', 'A fantasy adventure involving a journey, creatures and a dangerous quest.'),
21 ('Foundation', 'Isaac Asimov', 'A science-fiction story about humanity and the future of civilization.');
22
23 SELECT * FROM books;
24
```

Data Output Messages Graph Visualiser x Notifications

Showing rows: 1 to 5 Page No: 1 of 1

	id	title	author	description
	[PK] integer	character varying (200)	character varying (200)	text
1	1	The Martian	Andy Weir	A stranded astronaut struggles to survive on Mars.
2	2	Dune	Frank Herbert	A science-fiction story involving planets, politics and survival.
3	3	Pride and Prejudice	Jane Austen	A classic story of relationships, family and society.
4	4	The Hobbit	J.R.R. Tolkien	A fantasy adventure involving a journey, creatures and a dangerous quest.
5	5	Foundation	Isaac Asimov	A science-fiction story about humanity and the future of civilization.

Successfully run. Total query runtime: 99 msec. 5 rows affected. x

Total rows: 5 Query complete 00:00:00.099

LF Ln 23, Col 21

Swagger Editor

File • Edit • Generate Server • Generate Client • About •

Sign in to Swagger • Try Swagger

1 openapi: 3.0.3

2 info:

3 title: BookFlow Search API

4 version: 1.0.0

5 description: API contract for semantic book search

6

7 paths:

8 /v1/books/search:

9 get:

10 summary: Search books semantically

11 operationId: searchBooks

12 parameters:

13 - name: q

14 in: query

15 required: true

16 description: Natural-language search query

17 schema:

18 type: string

19 minLength: 1

20 - name: limit

21 in: query

22 required: false

23 description: Maximum number of results

24 schema:

25 type: integer

26 minimum: 1

27 maximum: 20

28 default: 3

29 responses:

30 '200':

31 description: Search results

32 content:

33 application/json:

34 schema:

35 type: object

36 required: [query, results]

37 properties:

38 query:

39 type: string

40 results:

41 type: array

BookFlow Search API 1.0.0 OAS 3.0

API contract for semantic book search

default

GET /v1/books/search Search books semantically

Parameters

Name	Description
q * required string (query)	Natural-language search query
limit integer (query)	Maximum number of results

Execute

Clear

Responses

Curl

Swagger Editor

File • Edit • Generate Server • Generate Client • About •

Sign in to Swagger • Try Swagger

1 openapi: 3.0.3

2 info:

3 title: BookFlow Search API

4 version: 1.0.0

5 description: API contract for semantic book search

6

7 paths:

8 /v1/books/search:

9 get:

10 summary: Search books semantically

11 operationId: searchBooks

12 parameters:

13 - name: q

14 in: query

15 required: true

16 description: Natural-language search query

17 schema:

18 type: string

19 minLength: 1

20 - name: limit

21 in: query

22 required: false

23 description: Maximum number of results

24 schema:

25 type: integer

26 minimum: 1

27 maximum: 20

28 default: 3

29 responses:

30 '200':

31 description: Search results

32 content:

33 application/json:

34 schema:

35 type: object

36 required: [query, results]

37 properties:

38 query:

39 type: string

40 results:

41 type: array

42 items:

43 type: object

44 required: [id, title, score]

45 properties:

46 id:

Curl

curl -X 'GET' \

'https://editor.swagger.io/v1/books/search?q=200&limit=1' \

-H 'accept: application/json'

Request URL

https://editor.swagger.io/v1/books/search?q=200&limit=1

Server response

Code

Details

404

Error: response status is 404

Undocumented

Response body

<html>

<head><title>404 Not Found</title></head>

<body>

<center><h1>404 Not Found</h1></center>

<hr><center>nginx/1.31.5</center>

</body>

</html>

<!-- a padding to disable MSIE and Chrome friendly error page -->

<!-- a padding to disable MSIE and Chrome friendly error page -->

<!-- a padding to disable MSIE and Chrome friendly error page -->

<!-- a padding to disable MSIE and Chrome friendly error page -->

<!-- a padding to disable MSIE and Chrome friendly error page -->

<!-- a padding to disable MSIE and Chrome friendly error page -->

Download

Response headers

content-length: 555

content-type: text/html

date: Sat, 12 Sep 2020 03:13:57 GMT

server: nginx/1.31.5

Responses

Code

Description

Links

200

Search results

No links

Media type

application/json

Controls Accept header.

Example Value | Schema

Swagger Editor

File Edit Generate Server Generate Client About

Sign in to Swagger Try Swagger

```
1 openapi: 3.0.3
2 info:
3   title: BookFlow Search API
4   version: 1.0.0
5   description: API contract for semantic book search
6
7 paths:
8   /v1/books/search:
9     get:
10      summary: Search books semantically
11      operationId: searchBooks
12      parameters:
13        - name: q
14          in: query
15          required: true
16          description: Natural-language search query
17          schema:
18            type: string
19            minLength: 1
20        - name: limit
21          in: query
22          required: false
23          description: Maximum number of results
24          schema:
25            type: integer
26            minimum: 1
27            maximum: 20
28            default: 3
29      responses:
30        '200':
31          description: Search results
32          content:
33            application/json:
34              schema:
35                type: object
36                required: [query, results]
37                properties:
38                  query:
39                    type: string
40                  results:
41                    type: array
42                    items:
43                      type: object
44                      required: [id, title, score]
45                      properties:
46                        id:
```

<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
Download

Response headers
content-length: 555
content-type: text/html
date: Sat, 12 Sep 2026 03:13:57 GMT
server: nginx/1.31.5

Responses
Code Description Links
200 Search results No links
Media type
application/json
Controls Accept header.
Example Value Schema
{
 "query": "string",
 "results": [
 {
 "id": 0,
 "title": "string",
 "score": 0
 }
]
}

400 Bad Request No links
Media type
application/json
Example Value Schema
{
 "error": {
 "code": "string",
 "message": "string"
 }
}