```
sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon
$ git init
Initialized empty Git repository in C:/Users/sarve/Moon/.git/

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ echo hello>file1.txt

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ echo hello>file2.txt

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        file1.txt
        file2.txt

nothing added to commit but untracked files present (use "git add" to track)

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git add .

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1.txt
        new file:   file2.txt


sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$  echo world >> file1.txt
```

```
sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1.txt
        new file:   file2.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   file1.txt


sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git add file1.txt

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git staus
git: 'staus' is not a git command. See 'git --help'.

The most similar command is
        status

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   file1.txt
        new file:   file2.txt


sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git commit
[master (root-commit) 0b09920] Initial commit
 2 files changed, 3 insertions(+)
 create mode 100644 file1.txt
 create mode 100644 file2.txt
```

```
sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git difftool

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git config --global diff.tool.vscode

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git config --global difftool.vscode.cmd "code --wait --diff $LOCA

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git config --global -e

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git difftool

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git difftool --staged

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ git log
commit 0b09920f7e25bf7fe99402ea966429cfa93e5ba5 (HEAD -> master)
Author: Sarveshwari <sarveshwarikeralikar@gmail.com>
Date:   Sun Apr 9 10:38:54 2023 +0530

    Initial commit

    This is our first commit.

sarve@DESKTOP-TKSKPUG MINGW64 ~/Moon (master)
$ |
```