











RWY	INITIAL CLIMB
08	MAINTAIN runway heading until at or above 820'. Turn LEFT climbing to intercept GRA R-276.
26	MAINTAIN runway heading until at or above 820'. Turn RIGHT climbing to intercept GRA R-276.
ROUTING	
Continue outbound on GRA R-276 to GEDAB, then turn RIGHT, 338° track to MUBES. Continue outbound on GRA R-316.	



*RIO GRANDE Approach 118.3				*RIO GRANDE Tower 118.300 250.850 (Military)	
LOC GR 109.5	Final Apch Crs 248°	Minimum Alt D6.3 GR 2100' (2057')	ILS DA(H) 243' (200')	Apt Elev 60' Rwy 61'	3000 MSA GRA VOR
MISSED APCH: Climb to 3000' heading 248°, or as directed by ATC.					
Alt Set: hPa		Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 3000'	
1. DME required.					



Gnd speed-Kts	70	90	100	120	140	160	PAPI-L	248° hdg	3000' ↑
GS	3.00°	372	478	531	637	743			
MAP at LMM or FAF to MAP	5.8	4:58	3:52	3:29	2:54	2:29			



STRAIGHT-IN LANDING RWY26			CIRCLE-TO-LAND
ILS		LOC (GS out)	
DA(H) 243' (200')		MDA(H) 350' (307')	
A	1200m	1700m	NA
B			
C			
D		1900m	

RIO GRANDE



RIO GRANDE, ARGENTINA
ILS Y Rwy 26

*RIO GRANDE Approach				*RIO GRANDE Tower	
118.3				118.300 250.850 (Military)	
LOC GR 109.5	Final Apch Crs 248°	Minimum Alt D6.3 GR 2100' (2057')	ILS DA(H) 243' (200')	Apt Elev 65' Rwy 61'	3000 MSA P Lctr
MISSED APCH: Climb to 3000' heading 248°, or as directed by ATC.					
Alt Set: hPa		Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 3000'	
1. DME required.					



Gnd speed-Kts	70	90	100	120	140	160		PAPI-L	248° hdg	3000' ↑
GS 3.00°	377	484	538	646	753	861				
MAP at LMM or FAF to MAP 5.8	4:58	3:52	3:29	2:54	2:29	2:10				


STRAIGHT-IN LANDING RWY26		CIRCLE-TO-LAND	
ILS		LOC (GS out)	
DA(H) 243' (200')		MDA(H) 350' (307')	
A	1200m	NA	
B			1700m
C			1900m
D			

SAWE/RGA
RIO GRANDE




RIO GRANDE, ARGENTINA
RNP Rwy 08 (LNAV/VNAV)

*RIO GRANDE Approach			*RIO GRANDE Tower		
118.3			118.300 250.850 (Military)		
RNAV GPS Rwy 08 Position threshold S53°46.679' W067°45.883'	Final Apch Crs 068°	Minimum Alt VUNUK 1760' (1697')	LNAV/VNAV DA(H) 397' (334')	Apt Elev 60' Rwy 61'	3000 MSA ARP
MISSED APCH: Climb to 3000' on track 068° to WE005, turn LEFT direct REDET and hold or as directed by ATC.					
Alt Set: hPa Rwy Elev: 2 hPa Trans level: By ATC Trans alt: 3000'					
Certification required: RNP APCH (LNAV), APV/Baro VNAV (LNAV/VNAV).					
1. For uncompensated Baro-VNAV systems, approach not authorized below -15°C (5°F) or above 48°C (118°F).					




DIST to RW08	5.0	4.0	3.0	2.0	1.2
ALTITUDE	1760'	1427'	1100'	771'	510'



10.0							5.0			2.0		0	
Gnd speed-Kts	70	90	100	120	140	160		PAPI-L	3000'	on	068° track	WE005	
Descent Angle 3.10°	384	494	548	658	768	878							
LNAV/VNAV: MAP at DA. LNAV: MAP at RW08													
VUNUK to RW08	5.0	4:17	3:20	3:00	2:30	2:09							1:53

STRAIGHT-IN LANDING RWY08			CIRCLE-TO-LAND
LNAV/VNAV DA(H) 397' (334')		LNAV MDA(H) 510' (445')	NA
A	1500m	2300m	
B		2500m	
C			
D			

*RIO GRANDE Approach				*RIO GRANDE Tower			
118.3				118.300 250.850 (Military)			
RNAV GPS RWY 26 Position threshold S53°46.631' W067°44.069'	Final Apch Crs 248°	Minimum Alt ARVAG 1690' (1647')	LNAV/VNAV DA(H) 300' (257')	Apt Elev 60' Rwy 61'	3000 MSA ARP		
MISSED APCH: Climb to 3000' on track 248° to WEØ19, turn RIGHT direct ILMEN and hold or as directed by ATC.							
Alt Set: hPa		Rwy Elev: 2 hPa	Trans level: By ATC				Trans alt: 3000'
Certification required: RNP APCH (LNAV), APV/Baro VNAV (LNAV/VNAV).							
1. For uncompensated Baro-VNAV systems, approach not authorized below -15°C (5°F) or above 48°C (118°F).							






DIST to RW26		0.9		2.0		3.0		4.0		5.0	
ALTITUDE		370'		730'		1048'		1367'		1690'	
RW26 TCH 50' Rwy 61' 0.7 0.2 MDA 4.1 3.00° ARVAG 1690' 248° ESBON 1700' 1690' 5.0 0 5.0 10.0											
Gnd speed-Kts		70	90	100	120	140	160	PAPI-L		3000' ↑ on 248° track WEØ19	
Descent Angle 3.00°		372	478	531	637	743	849				
LNAV/VNAV: MAP at DA. LNAV: MAP at RW26											
ARVAG to RW26		5.0	4:17	3:20	3:00	2:30	2:09	1:53			
STRAIGHT-IN LANDING RWY26									CIRCLE-TO-LAND		
LNAV/VNAV					LNAV						
DA(H) 300' (257')					MDA(H) 370' (327')						
A	1300m				1700m				NA		
B											
C											
D					1900m						

SAWE/RGA
RIO GRANDE



RIO GRANDE, ARGENTINA
VOR Z Rwy 08



*RIO GRANDE Approach			*RIO GRANDE Tower		
118.3			118.300 250.850 (Military)		
VOR GRA 117.3	Final Apch Crs 063°	Minimum Alt D7.0 2100' (2037')	MDA(H) 550' (487')	Apt Elev 60' Rwy 61'	
MISSED APCH: Climb to 3000' heading 063° or as directed by ATC.					
Alt Set: hPa		Rwy Elev: 2 hPa	Trans level: By ATC		
1. DME required.		Trans alt: 3000'			
					MSA GRA VOR



Gnd speed-Kts	70	90	100	120	140	160		PAPI-L	3000' 	063° hdg
Descent angle 3.00°	372	478	531	637	743	849				
MAP at D1.4 or D7.0 to MAP 5.6										

STRAIGHT-IN LANDING RWY08		CIRCLE-TO-LAND
MDA(H) 550' (487')		
A	2700m	NA
B		
C	2900m	
D		



*RIO GRANDE Approach			*RIO GRANDE Tower		
118.3			118.300 250.850 (Military)		
VOR GRA 117.3	Final Apch Crs 063°	No FAF	MDA(H) 650' (587')	Apt Elev 60' Rwy 61'	3000
MISSED APCH: Climb to 3000' heading 063° or as directed by ATC.					
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 3000'		
					MSA GRA VOR



Gnd speed-Kts	70	90	100	120	140	160		PAPI-L	3000' ↑	063° hdg
Descent Angle 3.00°	372	478	531	637	743	849				
MAP at VOR										
STRAIGHT-IN LANDING RWY08							CIRCLE-TO-LAND			
MDA(H) 650' (587')										
A	3300m						NA			
B										
C	3500m									
D										




*RIO GRANDE Approach 118.3			*RIO GRANDE Tower 118.300 250.850 (Military)	
VOR GRA 117.3	Final Apch Crs 251°	Minimum Alt D6.7 2100' (2057')	MDA(H) 490' (447')	Apt Elev 60' Rwy 61'
MISSED APCH: Climb to 3000' heading 251° or as directed by ATC.				3000 MSA GRA VOR
Alt Set: hPa Rwy Elev: 2 hPa Trans level: By ATC Trans alt: 3000'				
1. DME required.				





Gnd speed-Kts	70	90	100	120	140	160	PAPI-L	251° hdg	3000' ↑
Descent Angle 3.00°	372	478	531	637	743	849			
MAP at D1.9 or FAF to MAP 4.8									

STRAIGHT-IN LANDING RWY 26		CIRCLE-TO-LAND
MDA(H) 490' (447')		NA
A	2500m	
B		
C	2700m	
D		




*RIO GRANDE Approach			*RIO GRANDE Tower		
118.3			118.300 250.850 (Military)		
VOR 117.3 S 53°46.508' W 067°44.745'	GRA Final Apch Crs 251°	No FAF	MDA(H) 540' (497')	Apt Elev 60' Rwy 61'	
MISSED APCH: Climb to 3000' heading 251° or as directed by ATC.					
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 3000'		
					MSA GRA VOR





Gnd speed-Kts	70	90	100	120	140	160		PAPI-L	251° hdg	3000' ↑
Descent Angle 3.00°	372	478	531	637	743	849				
MAP at VOR										

STRAIGHT-IN LANDING RWY26		CIRCLE-TO-LAND
MDA(H) 540' (497')		
A	2800m	NA
B		
C	3000m	
D		

RIO GRANDE, ARGENTINA
LCTR Rwy 26

*RIO GRANDE Approach			*RIO GRANDE Tower		
118.3			118.300 250.850 (Military)		
Lctr 265 S 53°47.196' W 067°43.644'	P Final Apch Crs 248°	No FAF	MDA(H) 900' (857')	Apt Elev 60' Rwy 61'	
MISSED APCH: Climb to 3000' heading 248°, or as directed by ATC.					
Alt Set: hPa	Rwy Elev: 2 hPa	Trans level: By ATC	Trans alt: 3000'		
					MSA P Lctr



0 0.5							PAPI-L	3000' ↑	248° hdg
Gnd speed-Kts	70	90	100	120	140	160			
Descent Gradient 4.4%	312	401	446	535	624	713			
MAP at LMM									

STRAIGHT-IN LANDING RWY 26		CIRCLE-TO-LAND
MDA(H) 900' (857')		
A	4600m	NA
B		
C	4800m	
D		