

Apt Elev 81'
N26°31.849' E054°48.786'




BANDAR LENGHEH

118.155

121.700

251.050 (Military)



USABLE LENGTHS

RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		Threshold	Landing Beyond Glide Slope		
08	RL (60m) HIALS PAPI-L (3.00°)			①	148'
26	RL (60m) HIALS PAPI-L (3.00°)		5477' 1669m		45m

RWY 08:

From rwy head 7482' (2280m)

RWY 26:

From rwy head 7482' (2280m)

(For information only, not to be construed as ATC instructions.)

HS1 Exercise CAUTION. Vehicles crossing taxilane A.

GENERAL

CAUTION: Animals on manoeuvring area. Birds in vicinity of airport.

Heavy and medium acft are permitted to make a 180° turn at the end of rwy in use only.

TAKE-OFF 1




	LVP must be in Force		
	RCLM (DAY only) or RL	RCLM (DAY only) or RL	NIL (DAY only)
A			
B	250m	400m	500m
C			
D	300m		

1 Operators applying CL required below 300m.






TRANS LEVEL: BY ATC
TRANS ALT: 3000'

LAVAN 3A, LAVAN 3B
KISH 2A, KISH 2B
ORSAR 1A, ORSAR 1B
DEPARTURES
(RWYS 26,08)




SID	RWY	ROUTING
LAVAN 3A	26	Turn RIGHT, intercept LEN R-281, climb to cleared FL.
LAVAN 3B	08	Turn LEFT, intercept LEN R-281, climb to cleared FL.
KISH 2A	26	Turn RIGHT, intercept LEN R-268, climb to cleared FL.
KISH 2B	08	Intercept LEN R-268, climb to cleared FL.
ORSAR 1A	26	Turn LEFT, intercept LEN R-239, climb to cleared FL.
ORSAR 1B	08	Turn RIGHT, intercept LEN R-239, climb to cleared FL.



*ATIS 118.155			*BANDAR LENGEH INTL Tower 121.700 251.050 (Military)		
NDB LEN 408.0 N26°31.834' E054°49.905'	Final Apch Crs 082°	Minimum Alt D2.5 690' (600')	MDA(H) Refer to Minimums	Apt Elev 81'	
MISSED APCH: Intercept R-108 climbing to 2000', then turn RIGHT to cross NDB at 3000' and hold.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900') Initial apch restricted to MAX IAS 220 KT.					



Gnd speed-Kts	70	90	100	120	140	160	LEN 408.0 ↑	2000' ↑	LEN on 408.0 R-108
Descent angle [3.00°]	372	478	531	637	743	849			


Std/State		CIRCLE-TO-LAND	
	Max Kts	MDA(H)	
A	100	3300' (995')	V1500m
B	135	3300' (995')	V1600m
C	180	3500' (1195')	V2400m
D	205	3500' (1195')	V3600m



*ATIS			*BANDAR LENGEH INTL Tower		
118.155			121.700 251.050 (Military)		
NDB LEN 408.0 N26°31.834' E054°49.905'	Final Apch Crs 253°	Minimum Alt D2.0 590' (600')	MDA(H) 460' (360')	Apt Elev 81'	 MSA LEN NDB
MISSED APCH: Intercept R-253 climbing to 2000', then turn RIGHT to cross NDB at 3000' and hold.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900')					
Initial apch restricted to MAX IAS 220 KT.					



Gnd speed-Kts	70	90	100	120	140	160	LEN 408.0		2000'	LEN 408.0
Descent angle [3.00°]	372	478	531	637	743	849	↑		↑	on R-253


Std/State		CIRCLE-TO-LAND	
A	100	MDA(H)	V1500m
B	135	3300' (995')	V1600m
C	180	3500' (1195')	V2400m
D	205	3500' (1195')	V3600m


*ATIS			*BANDAR LENGEH INTL Tower		
118.155			121.700 251.050 (Military)		
VOR LEN 114.8 N26°32.181' E054°51.067'	Final Apch Crs 079°	Minimum Alt D4.8 990' (900')	MDA(H) 460' (360')	Apt Elev 81'	 MSA LEN VOR
MISSED APCH: Climb STRAIGHT AHEAD to VOR. Proceed on R-259 to 2000', then turn RIGHT to rejoin holding at 3000'.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900') Initial apch restricted to MAX IAS 220 KT.					



Gnd speed-Kts	70	90	100	120	140	160	LEN 114.8		2000'	LEN 114.8
Descent angle [3.00°]	372	478	531	637	743	849	↑		↑	on R-079
MAP at D0.9										

STRAIGHT-IN LANDING RWY 08				CIRCLE-TO-LAND			
MDA(H) 460' (360')				Max Kts	MDA(H)		
A				100	790' (690')		1700m
B	1700m			135	890' (790')		3600m
C				180	890' (790')		4000m
D	2000m			205	890' (790')		4000m

*ATIS 118.155			*BANDAR LENGHEH INTL Tower 121.700 251.050 (Military)		
VOR LEN 114.8 N26°32.181' E054°51.067'	Final Apch Crs 259°	Minimum Alt D5.0 1500' (1400')	MDA(H) 500' (400')	Apt Elev 81'	
MISSED APCH: Climb STRAIGHT AHEAD to VOR. Proceed on R-259 to 2000', then turn LEFT to rejoin holding at 3000'.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900') Initial apch restricted to MAX IAS 220 KT.					



VOR							D10.0		
OCA(H) 500' (400')							3000' (2900')		
APT 81'							1500' (1400')		
0 0.8 2.3 4.5 6.8 11.8							259°		
Gnd speed-Kts	70	90	100	120	140	160	LEN 114.8		
Descent angle [3.00°]	372	478	531	637	743	849	2000' on R-259		

Std/State		CIRCLE-TO-LAND	
A	Max Kts 100	MDA(H) 3300' (995')	V1500m
B	135	3300' (995')	V1600m
C	180	3500' (1195')	V2400m
D	205	3500' (1195')	V3600m