

VISUAL APPROACH AND DEPARTURE PROCEDURES - JET AND AERODROME CHARTS

DCS World
Consistent with Version 1.2.16

virtuelles Jagdbombergeschwader 32
<http://www.virtual-jabog32.de>

rev 4.0.5
01.07.2015 © vjabog32



TABLE OF CONTENT

	Page	Titel	Revision
	1	Cover	4.0.5 - 01.07.2015
	2	Table of Content	4.0.5 - 01.07.2015
	3	General Information	4.0.3 - 18.05.2013
	4	Aerodrome Index	4.0.3 - 18.05.2013
	5	Aerodrome Charts Overview Georgia	4.0.3 - 18.05.2013
	6	Aerodrome Charts Overview Russia	4.0.3 - 18.05.2013
	7	General Map	4.0.3 - 18.05.2013
	8	GND Chart Legend	4.0.3 - 18.05.2013
	9	VAD Chart Legend 1	4.0.3 - 18.05.2013
	10	VAD Chart Legend 2	4.0.5 - 01.07.2015
Georgian Aerodromes	11	GND 01 - UG5X Kobuleti GND Chart	4.0.3 - 18.05.2013
	12	VAD 01 - UG5X Kobuleti VAD Chart	4.0.3 - 18.05.2013
	13	GND 02 - UG23 Gudauta GND Chart	4.0.3 - 18.05.2013
	14	VAD 02 - UG23 Gudauta VAD Chart	4.0.3 - 18.05.2013
	15	GND 03 - UG24 Tbilisi - Soganlug GND Chart	4.0.3 - 18.05.2013
	16	VAD 03 - UG24 Tbilisi - Soganlug VAD Chart	4.0.3 - 18.05.2013
	17	GND 04 - UG27 Vaziani GND Chart	4.0.3 - 18.05.2013
	18	GND 04 - UG27 Vaziani ACFT Parking Positions	4.0.3 - 18.05.2013
	19	VAD 04 - UG27 Vaziani VAD Chart	4.0.3 - 18.05.2013
	20	GND 05 - UGKO Kutaisi - Kopitnari GND Chart	4.0.5 - 01.07.2015
	21	VAD 05 - UGKO Kutaisi - Kopitnari VAD Chart 1	4.0.3 - 18.05.2013
	22	VAD 05 - UGKO Kutaisi - Kopitnari VAD Chart 2	4.0.3 - 18.05.2013
	23	GND 06 - UG26 Kutaisi - West GND Chart	4.0.5 - 01.07.2015
	24	VAD 06 - UG26 Kutaisi - West VAD Chart	4.0.3 - 18.05.2013
	25	GND 07 - UGKS Senaki - Kolkhi GND Chart	4.0.5 - 01.07.2015
	26	GND 07 - UGKS Senaki - Kolkhi ACFT Parking Positions	4.0.5 - 01.07.2015
	27	VAD 07 - UGKS Senaki - Kolkhi VAD Chart	4.0.3 - 18.05.2013
	28	GND 08 - UGSB Batumi GND Chart	4.0.5 - 01.07.2015
	29	VAD 08 - UGSB Batumi VAD Chart	4.0.3 - 18.05.2013
	30	GND 09 - UGSS Sukhumi - Babushara GND Chart	4.0.3 - 18.05.2013
	31	VAD 09 - UGSS Sukhumi - Babushara VAD Chart	4.0.3 - 18.05.2013
	32	GND 10 - UGTB Tbilisi - Lochini GND Chart	4.0.5 - 01.07.2015
	33	GND 10 - UGTB Tbilisi - Lochini ACFT Parking Positions 1/2	4.0.3 - 18.05.2013
	34	GND 10 - UGTB Tbilisi - Lochini ACFT Parking Positions 2/2	4.0.5 - 01.07.2015
	35	VAD 10 - UGTB Tbilisi - Lochini VAD Chart	4.0.3 - 18.05.2013
Russian Aerodromes	36	GND 11 - URKA Anapa - Vityazevo GND Chart	4.0.3 - 18.05.2013
	37	VAD 11 - URKA Anapa - Vityazevo VAD Chart	4.0.3 - 18.05.2013
	38	GND 12 - URKG Gelendzhik GND Chart	4.0.3 - 18.05.2013
	39	VAD 12 - URKG Gelendzhik VAD Chart	4.0.3 - 18.05.2013
	40	GND 13 - URKH Maykop - Khanskaya GND Chart	4.0.3 - 18.05.2013
	41	VAD 13 - URKH Maykop - Khanskaya VAD Chart	4.0.3 - 18.05.2013
	42	GND 14 - URKK Krasnodar - Pashkovsky GND Chart	4.0.3 - 18.05.2013
	43	VAD 14 - URKK Krasnodar - Pashkovsky VAD Chart North	4.0.3 - 18.05.2013
	44	VAD 14 - URKK Krasnodar - Pashkovsky VAD Chart South	4.0.3 - 18.05.2013
	45	GND 15 - URKL Krasnodar - Center GND Chart	4.0.3 - 18.05.2013
	46	VAD 15 - URKL Krasnodar - Center VAD Chart	4.0.3 - 18.05.2013
	47	GND 16 - URKN Novorossiysk GND Chart	4.0.3 - 18.05.2013
	48	VAD 16 - URKN Novorossiysk VAD Chart	4.0.3 - 18.05.2013
	49	GND 17 - URKW Krymsk GND Chart	4.0.3 - 18.05.2013
	50	VAD 17 - URKW Krymsk VAD Chart	4.0.3 - 18.05.2013
	51	GND 18 - URMN Mineralnye Vody GND Chart	4.0.3 - 18.05.2013
	52	VAD 18 - URMN Mineralnye Vody VAD Chart	4.0.3 - 18.05.2013
	53	GND 19 - URMN Nalchik GND Chart	4.0.3 - 18.05.2013
	54	VAD 19 - URMN Nalchik VAD Chart	4.0.3 - 18.05.2013
	55	GND 20 - URMO Beslan GND Chart	4.0.3 - 18.05.2013
	56	VAD 20 - URMO Beslan VAD Chart	4.0.3 - 18.05.2013
	57	GND 21 - URSS Sochi - Adler GND Chart	4.0.3 - 18.05.2013
	58	VAD 21 - URSS Sochi - Adler VAD Chart 06-24	4.0.3 - 18.05.2013
	59	VAD 21 - URSS Sochi - Adler VAD Chart 02-20	4.0.3 - 18.05.2013
	60	GND 22 - XRMF Mozdok GND Chart	4.0.3 - 18.05.2013
	61	VAD 22 - XRMF Mozdok VAD Chart	4.0.3 - 18.05.2013

GENERAL INFORMATION

General information	All included charts are based on Eagle Dynamics' combat flight simulator DCS World. In order to provide more realistic flight operations within the simulation the Virtual Fighter Bomber Wing 32 created the necessary documents and procedures themselves. Real life aviation procedures were adapted to fit the needs of a flight simulation. Certain rules differ from the real world. Therefore the following charts are intended for use within the simulation only.
Technical information	- The magnetic variation contained in the DCS World was taken on the maps with a tolerance of $\pm 1^\circ$. - All tracks are given in reference to magnetic north. - All directions and positions correspond to the Mission Editor of DCS World. - The taxiway designators have been revised and now match the in game TWY designations.
Software source citation & version number	LockOn by Eagle Dynamics (Charts Version 0.5/1.x, 2005) LockOn Flaming Cliffs by Eagle Dynamics (Charts Version 2.x, 2007) LockOn Flaming Cliffs 2 & DCS BS by Eagle Dynamics (Charts Version 2.x, 2008/09) DCS A-10C Warthog by Eagle Dynamics (Charts Version 3.x, 2011/12) DCS World by Eagle Dynamics (Charts Version 4.x, 2013/05)
Procedures and symbology source citation	Amt für Flugsicherung der Bundeswehr, CENOR, various civilian and military sources, vJaBoG32
Lead author	vJaBoG32 Sparrowhawk, (vJaBoG32 Schleudersitz)
Contributors	vJaBoG32 Woodstock, vJaBoG32 Chrissi vJaBoG32 Balu, vJaBoG32 Prinzartus, vJaBoG32 Ghost, vJaBoG32 Tank, vJaBoG32 Herby, vJaBoG32 Kirin, vJaBoG32 Theoretic
Copyright	Virtuelles Jagdbombergeschwader 32 (Virtual Fighter Bomber Wing 32) This project is non-commercial and therefore may not be used commercially by third parties. This document may be used and distributed free of charge. It may be offered for download without further consent of the owner. Any alterations of the document are subject to permission of the Virtual Fighter Bomber Wing 32.

AERODROME INDEX

Georgian Aerodromes









No.	Aerodrome	Location indicator	ARP	TWR	TACAN	RWY	ILS
01	Kobuleti	UG5X	41°55.797'N 041°51.809'E	133.000 MHz	KBL (CH 67X)	07	111.50 MHz
02	Gudauta	UG23	43°06.856'N 040°34.187'E	130.000 MHz			
03	Tbilisi - Soganlug	UG24	41°38.970'N 044°56.304'E	139.000 MHz			
04	Vaziani	UG27	41°37.743'N 045°01.632'E	140.000 MHz	VAS (CH 22X)	14 32	108.75 MHz 108.75 MHz
05	Kutaisi - Kopitnari	UGKO	42°10.657'N 042°28.874'E	134.000 MHz	KTS (CH 44X)	08	109.75 MHz
06	Kutaisi - West	UG26	42°14.975'N 042°37.436'E	127.500 MHz			
07	Senaki - Kolkhi	UGKS	42°14.454'N 042°02.861'E	132.000 MHz	TSK (CH 31X)	09	108.90 MHz
08	Batumi	UGSB	41°36.562'N 041°36.034'E	131.000 MHz	BTM (CH 16X)	13	110.30 MHz
09	Sukhumi - Babushara	UGSS	42°51.677'N 041°07.474'E	129.000 MHz			
10	Tbilisi - Lochini	UGTB	41°40.095'N 044°57.283'E	138.000 MHz		13R 31L	110.30 MHz 108.90 MHz

Russian Aerodromes

No.	Aerodrome	Location indicator	ARP	TWR	TACAN	RWY	ILS
11	Anapa - Vityazevo	URKA	45°00.298'N 037°20.870'E	121.000 MHz			
12	Gelendzhik	URKG	44°34.364'N 038°00.684'E	126.000 MHz			
13	Maykop - Khanskaya	URKH	44°40.874'N 040°02.112'E	125.000 MHz			
14	Krasnodar - Pashkovsky	URKK	45°02.276'N 039°11.282'E	128.000 MHz			
15	Krasnodar - Center	URKL	45°05.216'N 038°56.415'E	122.000 MHz			
16	Novorossiysk	URKN	44°40.084'N 037°46.694'E	123.000 MHz			
17	Krymsk	URKW	44°58.073'N 037°59.697'E	124.000 MHz			
18	Mineralnye Vody	URMM	44°13.672'N 043°04.870'E	135.000 MHz		12 30	111.70 MHz 109.30 MHz
19	Nalchik	URMN	43°30.842'N 043°38.193'E	136.000 MHz		24	110.50 MHz
20	Beslan	URMO	43°12.342'N 044°36.346'E	141.000 MHz		10	110.50 MHz
21	Sochi - Adler	URSS	43°26.669'N 039°56.489'E	127.000 MHz		06	111.10 MHz
22	Mozdok	XRMF	43°47.504'N 044°35.981'E	137.000 MHz			











AERODROME GROUND CHARTS OVERVIEW


GEORGIA

KOBULETI (UG5X) RWY 07-25: 2400x60[m] 7870x197[ft]  1	GUDAUTA (UG23) RWY 15-33 : 2500x60[m] 8200x197[ft]  2	TBILISI - SOGANLUG (UG24) RWY 13-31 : 2475x80[m] 8120x262[ft]  3	VAZIANI (UG27) RWY 14-32 : 2485x62[m] 8150x203[ft]  4
KUTAIISI - KOPITNARI (UGKO) RWY 08-26 : 2500x60[m] 8200x197[ft]  5	KUTAIISI - WEST (UG26) RWY 09-27 : 1400x60[m] 4590x196[ft]  6	SENAKI - KOLKHI (UGKS) RWY 09-27 : 2375x50[m] 7790x164[ft]  7	BATUMI (UGSB) RWY 13-31 : 2455x60[m] 8050x197[ft]  8
SUKHUMI - BABUSHARA (UGSS) RWY 12-30 : 3540x60[m] 11610x197[ft]  9	TBILISI - LOCHINI (UGTB) RWY 13R-31L : 2920x45[m] 9580x150[ft]  10		

AERODROME GROUND CHARTS OVERVIEW

RUSSIA

ANAPA - VITYAZEVO (URKA) RWY 04-22 : 2900x60[m] 9510x197[ft]  11	GELENDZHIK (URKG) RWY 04-22 : 1800x60[m] 5905x197[ft]  12	MAYKOP - KHANSKAYA (URKH) RWY 04-22 : 3200x60[m] 10495x197[ft]  13	KRASNODAR - PASHKOVSKY (URKK) RWY 05L-23R : 2265x60[m] 7430x197[ft] RWY 05R-23L : 3100x60[m] 10170x197[ft]  14
KRASNODAR - CENTER (URKL) RWY 09-27 : 2500x60[m] 8200x197[ft]  15	NOVOROSIYSK (URKN) RWY 04-22 : 1800x60[m] 5905x197[ft]  16	KRYMSK (URKW) RWY 04-22 : 2600x60[m] 8530x197[ft]  17	MINERALNYE VODY (URMM) RWY 12-30 : 4070x60[m] 13350x197[ft]  18
NALCHIK (URMN) RWY 06-24 : 2300x60[m] 7545x197[ft]  19	BESLAN (URMO) RWY 10-28 : 3015x50[m] 9890x164[ft]  20	SOCHI - ADLER (URSS) RWY 06-24 : 3100x60[m] 10170x197[ft] RWY 02-20 : 2200x60[m] 7220x197[ft]  21	MOZDOK (XRMF) RWY 08-26 : 3120x70[m] 10235x230[ft]  22



AERODROME NAME


PAR	RWY 05L - 23R	CAT A B C D E	MINIMA 312 - 0.8 200 (200-0.8/1.6) GS 3°	ARP 45° 02.153` N</b> <b>039° 11.481` E	ELEV 112 [ft] 34 [m]	Scale 1:33'000 0 200 400 600 800 1000 [m] 0 1000 2000 3000 [ft]	
SRA	05L - 23R	A B C D E	462 - 1.2 350 (350-1.2/1.6)				
	RWY	TORA	TODA	ASDA	LDA	PSN THR	
	Precision Approach Radar (Precision Approach)		DA - VIS HAT (CLG-VIS/ALS VIS) Glide Slope				
	Surveillance Radar Approach (Non-Precision Approach)						
			Airport Frequency for TARS communications				
AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS		
DCS AI-Tower Frequency							

ev 4.0.3 18.05.2013 © vjabog32 - <http://www.virtual-jabog32.de> - virtuelles Jagdbombengeschwader 32

AERODROME CHART LEGEND

	Military Aerodrome		Power transmission line
	Civil Aerodrome (Military Joint User)		Spot elevation
	Civil Aerodrome		Obstruction (unlighted, lighted)
	Airfield		Group of Obstructions (unlighted, lighted)
	Airport/Aerodrome with runway pattern		Chimney - stack (unlighted, lighted)
	Airfield closed		Group of chimneys - stacks (unlighted, lighted)
	Heliport		Church (unlighted, lighted)
	Special Heliport for Ambulance only		TV-tower (unlighted, lighted)
	Free flying balloon launch site		Wind power plant (unlighted, lighted)
	Glider site		Group of wind power plants (unlighted, lighted)
	Hang glider area		HIRTA with group of obstructions (lighted)
	Ultra light site		Obstruction light
	Sea plane base		Highest point in feet MSL on the chart section
	Parachute drop zone		VOR
	Model flying area		DME
	Industrial hazard		VOR/DME
	Compulsory reporting point (CRP)		TACAN
	On-request reporting point (O/R REP)		VORTAC
	Holding pattern		NDB
	Arrival route		ILS LOC
	Departure route		General symbol for radio facilities
	Mandatory level		Radar reflector
	Minimum level		VASIS / PAPI
	Maximum level		Frequency available on request
			Control tower or ATIS operates non-continuously

	Aerodrome reference point (ARP)		Deconfliction line
	Aerodrome beacon (ABN)		FIR
	Taxiway designation		C Airspace
	Helicopter Landing Pad		Sector boundary within C Airspace
	Aircraft arresting system, cable		D Airspace Control zone (CTR) permanently active
	Aircraft stand		D Airspace Control zone (CTR) not permanently active
	Supervision office		Sector boundary within D Airspace
	Fuel station		D Airspace, not Control zone (CTR)
	Landing T		E Airspace
	Car parking area		F Airspace, active as long as IFR APCH/DEP are conducted
	Wind sock (unlighted, lighted)		HIRTA area
	RVR measuring equipment		IFR Approach/Departure sector
	Clearance bar (unlighted)		Area shall not be overflown unless cleared by TWR or authorized by military authority
	Stop bar or unserviceability light (unidirectionally lighted)		Danger area
	Holding position, also CAT I		Restricted area
	CAT II / III holding position		
	RWY with hard surface		
	RWY with OVRN (hard surface)		
	RWY with SWY (hard surface)		
	RWY with SWY (other than hard surface)		
	RWY with SWY and CWY		
	RWY (other than hard surface)		
	Glider strip		
	TWY / Apron / OVRN		
	Closed RWY or TWY		
	Building		
	Displaced threshold		



	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
PAR	07 - 25	A B C D E	259 - 0.8 200 (200-0.8/1.6) GS 3°	41° 55.797` N 041° 51.809` E	59 [ft] 18 [m]	0 200 400 600 [m] 0 500 1000 1500 2000 [ft]
SRA	07 - 25	A B C D E	409 - 1.2 350 (350-1.2/1.6)			


RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
07	7870 [ft] 2400 [m]	7870 [ft] 2400 [m]	7870 [ft] 2400 [m]	7870 [ft] 2400 [m]	41°55.640`N 041°50.975`E	
25	7870 [ft] 2400 [m]	7870 [ft] 2400 [m]	7870 [ft] 2400 [m]	7870 [ft] 2400 [m]	41°55.952`N 041°52.642`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 07	
133.000 MHz	133.100 MHz			KBL (CH 67X)	111.50 MHz	

ARR/DEP JET RWY 07/25
VISUAL OPERATION CHART

VAD 01


KOBULETI (UG5X)



AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 07	
133.000 MHz	133.100 MHz			KBL (CH 67X)	111.50 MHz	

ARR/DEP JET RWY 07/25


KOBULETI (UG5X)



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
	15 - 33	A B C D E	269 - 0.8 200 (200-0.8/1.6) GS 3°	43° 06.856` N	69 [ft]	0 200 400 600 [m]
SRA	15 - 33	A B C D E	419 - 1.2 350 (350-1.2/1.6)	040° 34.187` E	21 [m]	0 500 1000 1500 2000 [ft]

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
15	8200 [ft] 2500 [m]	9350 [ft] 2580 [m]	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	43°07.468`N 040°33.817`E	
33	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	43°06.242`N 040°34.555`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
130.000 MHz	130.100 MHz					



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 15 43° 07.468` N 040° 33.817` E	6° E	43° 06.856` N	69 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 33 43° 06.242` N 040° 34.555` E	(2010)	040° 34.187` E	21 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS
130.000 MHz	130.100 MHz				

TERPS
AERODROME CHART

GND 03

TBILISI - SOGANLUG (UG24)




PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:25'000
	13	A B C D E	1704 - 0.8 200 (200-0.8/1.6) GS 3°	41° 38.970' N	1473 [ft]	0 200 400 600 800 [m]
	31	A B C D E	1664 - 0.8 200 (200-0.8/1.6) GS 3°	044° 56.304' E	449 [m]	0 1000 2000 [ft]
SRA	13	A B C D E	1854 - 1.2 350 (350-1.2/1.6)			
	31	A B C D E	1814 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
13	8120 [ft] 2475 [m]	8940 [ft] 2725 [m]	8120 [ft] 2475 [m]	8120 [ft] 2475 [m]	41°39.475'N 044°55.742'E	(E)
31	8120 [ft] 2475 [m]	8120 [ft] 2475 [m]	8120 [ft] 2475 [m]	8120 [ft] 2475 [m]	41°38.464'N 044°56.866'E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
139.000 MHz	139.100 MHz					


AERODROME CHART

TBILISI - SOGANLUG (UG24)



1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Warning: ENTRY NORTH RWY 13 and EXIT NORTH RWY 31: Procedures not usable for HIRTA sensitive ACFT
4. Attention departing and arriving aircraft: Simultaneous departures and arrivals in progress of Tbilisi - Lochini. Do not overshoot departure and arrival routes!

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
139.000 MHz	139.100 MHz			VAS (CH 22X)		




PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
	14	A B C D E	1709 - 0.8 200 (200-0.8/1.6) GS 3°			
SRA	32	A B C D E	1678 - 0.8 200 (200-0.8/1.6) GS 3°	41° 37.743' N 045° 01.632' E	1492 [ft] 455 [m]	0 200 400 600 [m] 0 500 1000 1500 2000 [ft]
	14	A B C D E	1859 - 1.2 350 (350-1.2/1.6)			
	32	A B C D E	1828 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
14	8150 [ft] 2485 [m]	8150 [ft] 2485 [m]	8265 [ft] 2520 [m]	8150 [ft] 2485 [m]	41°38.275'N 045°01.108'E	
32	8150 [ft] 2485 [m]	8150 [ft] 2485 [m]	8150 [ft] 2485 [m]	8150 [ft] 2485 [m]	41°37.215'N 045°02.153'E	(E)

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 14	ILS RWY 32
140.000 MHz	140.100 MHz			VAS (CH 22X)	108.75 MHz	108.75 MHz


AIRCRAFT PARKING POSITIONS

VAZIANI (UG27)



AIRCRAFT PARKING POSITIONS

VAZIANI (UG27)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 14 41° 38.275' N 045° 01.108' E	6° E	41° 37.743' N	1492 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 32 41° 37.215' N 045° 02.153' E	(2010)	045° 01.632' E	455 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Attention departing and arriving aircraft: Simultaneous departures and arrivals in progress of Tbilisi - Lochini. Do not overshoot departure and arrival routes!

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 14	ILS RWY 32
140.000 MHz	140.100 MHz			VAS (CH 22X)	108.75 MHz	108.75 MHz

TERPS
AERODROME CHART

GND 05

KUTAIISI - KOPITNARI (UGKO)




Coordinates:					
P1	42°10.747` N	042°29.353` E	Holding Position C		
P2	42°10.623` N	042°28.381` E	Holding Position B		
P3	42°10.754` N	042°27.950` E	Intersection TWY A / N		
P4	42°10.339` N	042°28.043` E	Intersection TWY S / W		

PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000 0 200 400 600 [m] 0 500 1000 1500 2000 [ft]
	08 - 26	A B C D E	348 - 0.8 200 (200-0.8/1.6) GS 3°	42° 10.657` N 042° 28.874` E	148 [ft] 45 [m]	
SRA	08 - 26	A B C D E	498 - 1.2 350 (350-1.2/1.6)			


RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
08	8200 [ft] 2500 [m]	8200 [ft] 2500 [ft]	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	42°10.544`N 042°27.988`E	
26	8200 [ft] 2500 [m]	8200 [ft] 2500 [ft]	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	42°10.768`N 042°29.759`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 08	
134.000 MHz	134.100 MHz			KTS (CH 44X)	109.75 MHz	



1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Attention: Crossing traffic from Kutaisi - West Heliport at CRP East (min. Altitude 1700 ft)


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 08
134.000 MHz	134.100 MHz			KTS (CH 44X)	109.75 MHz



PSN THR		VAR	ARP	ELEV	Scale 1:75'000	
RWY 08	42° 10.544' N 042° 27.988' E	6° E	42° 10.657' N	148 [ft]	0 1 2 3 [km]	
RWY 26	42° 10.768' N 042° 29.759' E	(2010)	042° 28.874' E	45 [m]	0 1 [NM]	

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Attention: Crossing traffic from Kutaisi - West Heliport at CRP East (min. Altitude 1700 ft)


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 08	
134.000 MHz	134.100 MHz			KTS (CH 44X)	109.75 MHz	




	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
PAR	09	A B C D E	236 - 0.8 200 (200-0.8/1.6) GS 3°	42° 14.975' N	361 [ft]	0 200 400 600 [m]
	27	A B C D E	239 - 0.8 200 (200-0.8/1.6) GS 3°	042° 37.436' E	110 [m]	0 500 1000 1500 2000 [ft]
SRA	09	A B C D E	386 - 1.2 350 (350-1.2/1.6)			
	27	A B C D E	389 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
09	4590 [ft] 1400 [m]	4590 [ft] 1400 [m]	4590 [ft] 1400 [m]	4590 [ft] 1400 [m]	42°15.003'N 042°36.938'E	
27	4590 [ft] 1400 [m]	4590 [ft] 1400 [m]	4590 [ft] 1400 [m]	4590 [ft] 1400 [m]	42°14.944'N 042°37.932'E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
127.500 MHz	127.600 MHz					





Coordinates:				
P1	42°14.453` N	042°03.088` E	Holding Position D	
P2	42°14.404` N	042°03.419` E	Holding Position E	
P3	42°14.674` N	042°02.464` E	Intersection TWY B / W	


	RWY	CAT	MINIMA	ARP 42° 14.454` N  042° 02.861` E	ELEV 43 [ft] 13 [m]	Scale 1:18`000 0 200 400 600 [m] 0 500 1000 1500 2000 [ft]
PAR	09	A B C D E	236 - 0.8 200 (200-0.8/1.6) GS 3°			
	27	A B C D E	239 - 0.8 200 (200-0.8/1.6) GS 3°			
SRA	09	A B C D E	386 - 1.2 350 (350-1.2/1.6)			
	27	A B C D E	389 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
09	7790 [ft] 2375 [m]	7790 [ft] 2375 [m]	7790 [ft] 2375 [m]	7790 [ft] 2375 [m]	42°14.573`N 042°02.024`E	(E)
27	7790 [ft] 2375 [m]	7790 [ft] 2375 [m]	7790 [ft] 2375 [m]	7790 [ft] 2375 [m]	42°14.336`N 042°03.695`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 09	
132.000 MHz	132.100 MHz			TSK (CH 31X)	108.90 MHz	


AIRCRAFT PARKING POSITIONS

SENAKI - KOLKHI (UGKS)



AIRCRAFT PARKING POSITIONS

SENAKI - KOLKHI (UGKS)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 09 42° 14.573' N 042° 02.024' E	6° E	42° 14.454' N	43 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 27 42° 14.336' N 042° 03.695' E	(2010)	042° 02.861' E	13 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated area

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 09
132.000 MHz	132.100 MHz			TSK (CH 31X)	108.90 MHz



Coordinates:
P1 41°36.226` N 041°36.613` E Holding Position B
P2 41°36.307` N 041°36.488` E Holding Position A

	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
PAR	13	A B C D E	233 - 0.8 200 (200-0.8/1.6) GS 3°	41° 36.562` N	33 [ft]	0 200 400 600 [m]
SRA	13 - 31	A B C D E	383 - 1.2 350 (350-1.2/1.6)	041° 36.034` E	10 [m]	0 500 1000 1500 2000 [ft]


RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
13	8050 [ft] 2455 [m]	8050 [ft] 2455 [m]	8050 [ft] 2455 [m]	8050 [ft] 2455 [m]	41°36.995`N 041°35.378`E	(X)
31	8050 [ft] 2455 [m]	8050 [ft] 2455 [m]	8050 [ft] 2455 [m]	8050 [ft] 2455 [m]	41°36.127`N 041°36.694`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 13	
131.000 MHz	131.100 MHz			BTM (CH 16X)	110.30 MHz	

ARR/DEP JET RWY 13/31
VISUAL OPERATION CHART

VAD 08

BATUMI (UGSB)




AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 13	
131.000 MHz	131.100 MHz			BTM (CH 16X)	110.30 MHz	

ARR/DEP JET RWY 13/31

BATUMI (UGSB)

Visual Operation Chart for DCS World Flight Simulator
rev 4.0.3 18.05.2013 © vjabog32 - http://www.virtual-jabog32.de - virtuelles Jagdbombergeschwader 32



	RWY	CAT	MINIMA	ARP 42° 51.677` N  041° 07.474` E	ELEV 30 [ft] 9 [m]	Scale 1:25'000 0200400600800 [m] 010002000 [ft]
PAR	12	A B C D E	220 - 0.8 200 (200-0.8/1.6) GS 3°			
	30	A B C D E	240 - 0.8 200 (200-0.8/1.6) GS 3°			
	12	A B C D E	370 - 1.2 350 (350-1.2/1.6)			
	30	A B C D E	390 - 1.2 350 (350-1.2/1.6)			
SRA	12	A B C D E	370 - 1.2 350 (350-1.2/1.6)			
	30	A B C D E	390 - 1.2 350 (350-1.2/1.6)			
	12	A B C D E	370 - 1.2 350 (350-1.2/1.6)			
	30	A B C D E	390 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
12	11610 [ft] 3540 [m]	12270 [ft] 3740 [m]	11890 [ft] 3625 [m]	11610 [ft] 3540 [m]	42°52.179'N 041°06.383'E	
30	11610 [ft] 3540 [m]	12920 [ft] 3940 [m]	11840 [ft] 3610 [m]	11610 [ft] 3540 [m]	42°51.172'N 041°08.570'E	(X)

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
129.000 MHz	129.100 MHz					



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 12 42° 52.179' N 041° 06.383' E	6° E	42° 51.677' N	30 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 30 42° 51.172' N 041° 08.570' E	(2010)	041° 07.474' E	9 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
129.000 MHz	129.100 MHz					

TERPS AERODROME CHART

GND 10

TBILISI - LOCHINI (UGTB)




	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:25'000
PAR	13R	A B C D E	1765 - 0.8 200 (200-0.8/1.6) GS 3°	41° 40.095' N	1539 [ft]	0 200 400 600 800 [m]
	31L	A B C D E	1725 - 0.8 200 (200-0.8/1.6) GS 3°	044° 57.283' E	469 [m]	0 1000 2000 [ft]
SRA	13R	A B C D E	1915 - 1.2 350 (350-1.2/1.6)			
	31L	A B C D E	1875 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
13R	9580 [ft] 2920 [m]	9580 [ft] 2920 [m]	9775 [ft] 2980 [m]	9580 [ft] 2920 [m]	41°40.654'N 044°56.565'E	
31L	9580 [ft] 2920 [m]	10230 [ft] 3120 [m]	9775 [ft] 2980 [m]	9580 [ft] 2920 [m]	41°39.537'N 044°58.003'E	(X)

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 13R	ILS RWY 31L
138.000 MHz	138.100 MHz				110.30 MHz	108.90 MHz


AERODROME CHART

TBILISI - LOCHINI (UGTB)



Ground Chart for DCS World Flight Simulator
rev 4.0.3 18.05.2013 © vjabog32 - http://www.virtual-jabog32.de - virtuelles Jagdbombergeschwader 32

AI Tower	Human Tower			Scale 1:5'000	050100150 0250500 [m] [ft]
138.000 MHz	138.100 MHz				




Ground Chart for DCS World Flight Simulator
rev 4.0.5 01.07.2015 © vjabog32 - http://www.virtual-jabog32.de - virtuelles Jagdbombergeschwader 32

AI Tower	Human Tower			Scale 1:5'000	050100150 0250500 [m] [ft]
138.000 MHz	138.100 MHz				

ARR/DEP JET RWY 13R/31L

TBILISI - LOCHINI (UGTB)




AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 13R	ILS RWY 31L
138.000 MHz	138.100 MHz			VAS (CH 22X)	110.30 MHz	108.90 MHz

ARR/DEP JET RWY 13R/31L

TBILISI - LOCHINI (UGTB)

TERPS
AERODROME CHART

ANAPA - VITYAZEVO (URKA)



	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:25'000
PAR	04 - 22	A B C D E	348 - 0.8 200 (200-0.8/1.6) GS 3°	45° 00.298' N	148 [ft]	0 200 400 600 800 [m] 0 1000 2000 [ft]
SRA	04 - 22	A B C D E	498 - 1.2 350 (350-1.2/1.6)	037° 20.870' E	45 [m]	

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
04	9510 [ft] 2900 [m]	9510 [ft] 2900 [m]	9510 [ft] 2900 [m]	9510 [ft] 2900 [m]	44°59.741'N 037°20.099'E	⊙
22	9510 [ft] 2900 [m]	9510 [ft] 2900 [m]	9510 [ft] 2900 [m]	9510 [ft] 2900 [m]	45°00.853'N 037°21.642'E	⊙

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
121.000 MHz	121.100 MHz					


AERODROME CHART

ANAPA - VITYAZEVO (URKA)

Ground Chart for DCS World Flight Simulator

virtuelles Jagdbombergeschwader 32


rev 4.0.3 18.05.2013 © vjabog32 - http://www.virtual-jabog32.de



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 04 44° 59.741' N 037° 20.099' E	6° E	45° 00.298' N	148 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 22 45° 00.853' N 037° 21.642' E	(2010)	037° 20.870' E	45 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated area


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
121.000 MHz	121.100 MHz					



	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
PAR	04	A B C D E	282 - 0.8 200 (200-0.8/1.6) GS 3°	44° 34.364` N	82 [ft]	0 200 400 600 [m]
SRA	04 - 22	A B C D E	432 - 1.2 350 (350-1.2/1.6)	038° 00.684` E	25 [m]	0 500 1000 1500 2000 [ft]

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
04	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	44°34.014`N 038°00.219`E	
22	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	44°34.715`N 038°01.149`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
126.000 MHz	126.100 MHz					



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 04 44° 34.014' N 038° 00.219' E	6° E	44° 34.364' N	82 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 22 44° 34.715' N 038° 01.149' E	(2010)	038° 00.684' E	25 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Stay clear of CTR Novorossiysk URKN

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
126.000 MHz	126.100 MHz					

TERPS
AERODROME CHART

GND 13

MAYKOP - KHANSKAYA (URKH)



Ground Chart for DCS World Flight Simulator

rev 4.0.3 18.05.2013 © vjabog32 - http://www.virtual-jabog32.de - virtuelles Jagdbombengeschwader 32


PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale
	04 - 22	A B C D E	791 - 0.8 200 (200-0.8/1.6) GS 3°	44° 40.874' N	591 [ft]	1:18'000
SRA	04 - 22	A B C D E	941 - 1.2 350 (350-1.2/1.6)	040° 02.112' E	180 [m]	0 200 400 600 [m] 0 500 1000 1500 2000 [ft]

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
04	10495 [ft] 3200 [m]	10495 [ft] 3200 [m]	10495 [ft] 3200 [m]	10495 [ft] 3200 [m]	44°40.257' N 040°01.276' E	⊙
22	10495 [ft] 3200 [m]	10495 [ft] 3200 [m]	10495 [ft] 3200 [m]	10495 [ft] 3200 [m]	44°41.494' N 040°02.946' E	⊙

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
125.000 MHz	125.100 MHz					

AERODROME CHART


MAYKOP - KHANSKAYA (URKH)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 04 44° 40.257' N 040° 01.276' E	6° E	44° 40.874' N	591 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 22 44° 41.494' N 040° 02.946' E	(2010)	040° 02.112' E	180 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Warning: ENTRY NORTH RWY 22 and EXIT NORTH RWY 04: Procedures not usable for HIRTA sensitive ACFT

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS
125.000 MHz	125.100 MHz				



	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:33'000
PAR	05L - 23R	A B C D E	312 - 0.8 200 (200-0.8/1.6) GS 3°	45° 02.276` N	112 [ft]	0 200 400 600 800 1000 [m]
	05R - 23L	A B C D E	312 - 0.8 200 (200-0.8/1.6) GS 3°			
SRA	05L - 23R	A B C D E	462 - 1.2 350 (350-1.2/1.6)	039° 11.282` E	34 [m]	0 1000 2000 3000 [ft]
	05R - 23L	A B C D E	462 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
05L	7430 [ft] 2265 [m]	8580 [ft] 2615 [m]	7430 [ft] 2265 [m]	7430 [ft] 2265 [m]	45°01.991`N 039°08.464`E	
23R	7430 [ft] 2265 [m]	7430 [ft] 2265 [m]	7430 [ft] 2265 [m]	7430 [ft] 2265 [m]	45°02.749`N 039°09.800`E	
05R	10170 [ft] 3100 [m]	11480 [ft] 3500 [m]	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	45°01.757`N 039°10.367`E	
23L	10170 [ft] 3100 [m]	11480 [ft] 3500 [m]	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	45°02.794`N 039°12.198`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
128.000 MHz	128.100 MHz					

ARR/DEP JET RWY 05L/23R
VISUAL OPERATION CHART

VAD 14

KRASNODAR - PASHKOVSKY (URKK)




PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 05L 45° 01.991' N 039° 08.464' E	6° E	45° 02.276' N	112 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 23R 45° 02.749' N 039° 09.800' E	(2010)	039° 11.282' E	34 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Stay clear of CTR Krasnodar Center URKL

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
128.000 MHz	128.100 MHz					

ARR/DEP JET RWY 05L/23R - 1/2 KRASNODAR - PASHKOVSKY (URKK)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 05R 45° 01.757' N 039° 10.367' E	6° E	45° 02.276' N	112 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 23L 45° 02.794' N 039° 12.198' E	(2010)	039° 11.282' E	34 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Stay clear of CTR Krasnodar Center URKL

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
128.000 MHz	128.100 MHz					

TERPS
AERODROME CHART

GND 15

KRASNODAR - CENTER (URKL)




	RWY	CAT	MINIMA	ARP 45° 05.216` N 038° 56.415` E	ELEV 98 [ft] 30 [m]	Scale 1:25'000 0200400600800 [m] 010002000 [ft]
PAR	09 - 27	A B C D E	298 - 0.8 200 (200-0.8/1.6) GS 3°			
SRA	09 - 27	A B C D E	448 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
09	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	9580 [ft] 2920 [m]	8200 [ft] 2500 [m]	45°05.231' N 038°55.467' E	⊙
27	8200 [ft] 2500 [m]	9020 [ft] 2750 [m]	8200 [ft] 2500 [m]	8200 [ft] 2500 [m]	45°05.202' N 038°57.362' E	⊙
27 (via TWY F)	9580 [ft] 2920 [m]	10400 [ft] 3170 [m]	9580 [ft] 2920 [m]	8200 [ft] 2500 [m]		

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
122.000 MHz	122.100 MHz					

AERODROME CHART


KRASNODAR - CENTER (URKL)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 09 45° 05.231' N 038° 55.467' E	6° E	45° 05.216' N	98 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 27 45° 05.202' N 038° 57.362' E	(2010)	038° 56.415' E	30 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Stay clear of CTR Krasnodar - Pashkovsky URKK
4. Warning: ENTRY NORTH RWY 27 and ENTRY/EXIT SOUTH: Procedures not usable for HIRTA sensitive ACFT


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
122.000 MHz	122.100 MHz					



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
04	04	A B C D E	331 - 0.8 200 (200-0.8/1.6) GS 3°	44° 40.084' N	131 [ft]	0 200 400 600 [m]
SRA	04 - 22	A B C D E	481 - 1.2 350 (350-1.2/1.6)	037° 46.694' E	40 [m]	0 500 1000 1500 2000 [ft]

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
04	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	44°39.744' N 037°46.213' E	
22	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	5905 [ft] 1800 [m]	44°40.424' N 037°47.176' E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
123.000 MHz	123.100 MHz					



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 04 44° 39.744' N 037° 46.213' E	6° E	44° 40.084' N 037° 46.694' E	131 [ft] 40 [m]	0 1 2 3 4 5 6 7 [km] 0 1 2 3 [NM]
RWY 22 44° 40.424' N 037° 47.176' E	(2010)			

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Stay clear of CTR Gelendzhik URKG


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS
123.000 MHz	123.100 MHz				



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
04 - 22	04 - 22	A B C D E	266 - 0.8 200 (200-0.8/1.6) GS 3°	44° 58.073' N	66 [ft]	0 200 400 600 [m]
SRA	04 - 22	A B C D E	416 - 1.2 350 (350-1.2/1.6)	037° 59.697' E	20 [m]	0 500 1000 1500 2000 [ft]

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
04	8530 [ft] 2600 [m]	8530 [ft] 2600 [m]	8530 [ft] 2600 [m]	8530 [ft] 2600 [m]	44°57.562'N 037°59.026'E	
22	8530 [ft] 2600 [m]	8530 [ft] 2600 [m]	8530 [ft] 2600 [m]	8530 [ft] 2600 [m]	44°58.584'N 038°00.369'E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
124.000 MHz	124.100 MHz					



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 04 44° 57.562` N 037° 59.026` E	6° E	44° 58.073` N	66 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 22 44° 58.584` N 038° 00.369` E	(2010)	037° 59.697` E	20 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Warning: EXIT NORTH RWY 03: Procedure not usable for HIRTA sensitive ACFT
4. ACFT leaving CTR via EXIT ABINSK RWY 21 have to proceed exactly on track to avoid restricted area UR-R152.

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
124.000 MHz	124.100 MHz					

TERPS
AERODROME CHART

GND 18

MINERALNYE VODY (URMM)



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale
12 - 30	12 - 30	A B C D E	1250 - 0.8 200 (200-0.8/1.6) GS 3°	44° 13.672' N 043° 04.870' E	1050 [ft] 320 [m]	1:25'000
SRA	12 - 30	A B C D E	1400 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
12	13350 [ft] 4070 [m]	14660 [ft] 4470 [m]	13350 [ft] 4070 [m]	13350 [ft] 4070 [m]	44°14.254' N 043°03.591' E	⊙
30	13350 [ft] 4070 [m]	14660 [ft] 4470 [m]	13350 [ft] 4070 [m]	13350 [ft] 4070 [m]	44°13.089' N 043°06.148' E	⊙

AI Tower	Human Tower	Final - Precision	TACAN	ILS RWY 12	ILS RWY 30
135.000 MHz	135.100 MHz			111.70 MHz	109.30 MHz

AERODROME CHART

MINERALNYE VODY (URMM)


Ground Chart for DCS World Flight Simulator

rev 4.0.3 18.05.2013 © vjabog32 - http://www.virtual-jabog32.de - virtuelles Jagdbombergeschwader 32

ARR/DEP JET RWY 12/30 VISUAL OPERATION CHART

VAD 18

MINERALNYE VODY (URMM)




PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 12 44° 14.254' N 043° 03.591' E	6° E	44° 13.672' N	1050 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 30 44° 13.089' N 043° 06.148' E	(2010)	043° 04.870' E	320 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 12	ILS RWY 30
135.000 MHz	135.100 MHz				111.70 MHz	109.30 MHz

ARR/DEP JET RWY 12/30


MINERALNYE VODY (URMM)



	RWY	CAT	MINIMA	ARP 43° 30.842` N 043° 38.193` E	ELEV 1410 [ft] 430 [m]	Scale 1:18'000 0200400600 [m] 0500100015002000 [ft]
PAR	06 - 24	A B C D E	1610 - 0.8 200 (200-0.8/1.6) GS 3°			
SRA	06 - 24	A B C D E	1760 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
06	7545 [ft] 2300 [m]	8530 [ft] 2600 [m]	7545 [ft] 2300 [m]	7545 [ft] 2300 [m]	43°30.562`N 043°37.443`E	⊙
24	7545 [ft] 2300 [m]	7545 [ft] 2300 [m]	7545 [ft] 2300 [m]	7545 [ft] 2300 [m]	43°31.122`N 043°38.943`E	⊙

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 24	
136.000 MHz	136.100 MHz				110.50 MHz	



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 06 43° 30.562' N 043° 37.443' E	6° E	43° 30.842' N	1410 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 24 43° 31.122' N 043° 38.943' E	(2010)	043° 38.193' E	430 [m]	0 1 2 3 [NM]


1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 24
136.000 MHz	136.100 MHz				110.50 MHz

TERPS
AERODROME CHART

GND 20

BESLAN (URMO)




	RWY	CAT	MINIMA	ARP 43° 12.342` N 044° 36.346` E	ELEV 1771 [ft] 540 [m]	Scale 1:25'000 0200400600800 [m] 010002000 [ft]
PAR	10 - 28	A B C D E	1971 - 0.8 200 (200-0.8/1.6) GS 3°			
SRA	10 - 28	A B C D E	2121 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
10	9890 [ft] 3015 [m]	11040 [ft] 3365 [m]	10070 [ft] 3070 [m]	9890 [ft] 3015 [m]	43°12.501`N 044°35.275`E	(E)
28	9890 [ft] 3015 [m]	11040 [ft] 3365 [m]	10070 [ft] 3070 [m]	9890 [ft] 3015 [m]	43°12.182`N 044°37.416`E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 10	
141.000 MHz	141.100 MHz				110.50 MHz	

AERODROME CHART

BESLAN (URMO)




1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 10	
141.000 MHz	141.100 MHz				110.50 MHz	

TERPS
AERODROME CHART

GND 21

SOCHI - ADLER (URSS)



PAR	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:18'000
	06	A B C D E	298 - 0.8 200 (200-0.8/1.6) GS 3°	43° 26.669' N	98 [ft]	0 200 400 600 [m]
	02	A B C D E	298 - 0.8 200 (200-0.8/1.6) GS 3°	039° 56.489' E	30 [m]	0 500 1000 1500 2000 [ft]
SRA	06 - 24	A B C D E	448 - 1.2 350 (350-1.2/1.6)			
	02 - 20	A B C D E	448 - 1.2 350 (350-1.2/1.6)			

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
06	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	43°26.337'N 039°55.432'E	⊕
24	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	10170 [ft] 3100 [m]	43°26.997'N 039°57.540'E	⊕
02	7220 [ft] 2200 [m]	7220 [ft] 2200 [m]	7220 [ft] 2200 [m]	7220 [ft] 2200 [m]	43°26.149'N 039°56.642'E	
20	7220 [ft] 2200 [m]	7220 [ft] 2200 [m]	7220 [ft] 2200 [m]	7220 [ft] 2200 [m]	43°27.167'N 039°57.459'E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 06	
127.000 MHz	127.100 MHz				111.10 MHz	

AERODROME CHART


SOCHI - ADLER (URSS)



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 06 43° 26.337' N 039° 55.432' E	6° E	43° 26.669' N	98 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 24 43° 26.997' N 039° 57.540' E	(2010)	039° 56.489' E	30 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Warning: ENTRY EAST RWY 24 and EXIT EAST RWY 06: Procedures not usable for HIRTA sensitive ACFT


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS RWY 06
127.000 MHz	127.100 MHz				111.10 MHz



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 02 43° 26.149' N 039° 56.642' E	6° E	43° 26.669' N	98 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 20 43° 27.167' N 039° 57.459' E	(2010)	039° 56.489' E	30 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas
3. Warning: ENTRY EAST RWY 20 and EXIT EAST RWY 02: Procedures not usable for HIRTA sensitive ACFT


AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS
127.000 MHz	127.100 MHz				



	RWY	CAT	MINIMA	ARP	ELEV	Scale 1:25'000
PAR	08 - 26	A B C D E	708 - 0.8 200 (200-0.8/1.6) GS 3°	43° 47.504' N	508 [ft]	0 200 400 600 800 [m]
SRA	08 - 26	A B C D E	858 - 1.2 350 (350-1.2/1.6)	044° 35.981' E	155 [m]	0 1000 2000 [ft]

RWY	TORA	TODA	ASDA	LDA	PSN THR	ALS
08	10235 [ft] 3120 [m]	11545 [ft] 3520 [m]	10235 [ft] 3120 [m]	10235 [ft] 3120 [m]	43°47.514'N 044°34.984'E	(E)
26	10235 [ft] 3120 [m]	12365 [ft] 3770 [m]	11595 [ft] 3535 [m]	10235 [ft] 3120 [m]	43°47.495'N 044°37.279'E	

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS	
137.000 MHz	137.100 MHz					



PSN THR	VAR	ARP	ELEV	Scale 1:200'000
RWY 08 43° 47.514` N 044° 34.984` E	6° E	43° 47.504` N	508 [ft]	0 1 2 3 4 5 6 7 [km]
RWY 26 43° 47.495` N 044° 37.279` E	(2010)	044° 35.981` E	155 [m]	0 1 2 3 [NM]

1. Landing instructions shall be requested latest 2 minutes prior to reaching ENTRY CRP
2. Avoid overflying of densely populated areas

AI Tower	Human Tower	Radar	Final - Precision	TACAN	ILS
137.000 MHz	137.100 MHz				