





|                 |                   |                                     |                   |
|-----------------|-------------------|-------------------------------------|-------------------|
| ATIS<br>119.275 | Apt Elev<br>2315' | Alt Set: hPa<br>Trans level: By ATC | Trans alt: 10000' |
|-----------------|-------------------|-------------------------------------|-------------------|



ADRES 1D [ADRE1D]  
BOYAT 1D [BOYA1D]  
FIRAT 1D [FIRA1D]  
RWY 28 ARRIVALS




HOLDING  
OVER GAZ






|                 |                   |                                     |                   |
|-----------------|-------------------|-------------------------------------|-------------------|
| ATIS<br>119.275 | Apt Elev<br>2315' | Alt Set: hPa<br>Trans level: By ATC | Trans alt: 10000' |
|-----------------|-------------------|-------------------------------------|-------------------|




ADRES 1E [ADRE1E]  
BOYAT 1E [BOYA1E]  
FIRAT 1E [FIRA1E]  
ARRIVALS




ATIS  
119.275

Apt Elev  
2315'


Alt Set: hPa  
Trans level: By ATC Trans alt: 10000'



KILIS 1D [KILI1D]  
KOZAN 1D [KOZA1D]  
NIZIP 1D [NIZI1D]  
SUGAT 1D [SUGA1D]  
RWY 28 ARRIVALS




HOLDINGS OVER  
GAZ KOZAN




ATIS  
119.275

Apt Elev  
2315'


Alt Set: hPa  
Trans level: By ATC Trans alt: 10000'




KILIS 1E [KILI1E]  
KOZAN 1E [KOZA1E]  
NIZIP 1E [NIZI1E]  
SUGAT 1E [SUGA1E]  
ARRIVALS




HOLDINGS OVER  
GAZ KOZAN



|                   |                                          |                                                                                                       |
|-------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Apt Elev<br>2315' | Trans level: By ATC    Trans alt: 10000' | <br>MSA<br>GAZ VOR |
|-------------------|------------------------------------------|-------------------------------------------------------------------------------------------------------|

ADRES ONE ALFA (ADRES 1A) [ADRE1A]  
BOYAT ONE ALFA (BOYAT 1A) [BOYA1A]  
FIRAT ONE ALFA (FIRAT 1A) [FIRA1A]  
RWY 10 DEPARTURES



These SIDs require a minimum climb gradient of 4% until D7 GAZ.


|              |     |     |     |     |      |      |
|--------------|-----|-----|-----|-----|------|------|
| Gnd speed-KT | 75  | 100 | 150 | 200 | 250  | 300  |
| 4% V/V(fpm)  | 304 | 405 | 608 | 810 | 1013 | 1215 |

| SID      | ROUTING                                                                                                        |
|----------|----------------------------------------------------------------------------------------------------------------|
| ADRES 1A | Climb on GAZ R-108 to D7 GAZ, turn RIGHT to GAZ, GAZ R-329 to ADRES, join airway B-36.                         |
| BOYAT 1A | Climb on GAZ R-108 to D7 GAZ, turn RIGHT to GAZ, GAZ R-307 to BOYAT, join airway L-605.                        |
| FIRAT 1A | Climb on GAZ R-108 to D7 GAZ, turn LEFT, along GAZ 7 DME arc, intercept GAZ R-033 to FIRAT, join airway W-701. |




Apt Elev  
2315'

Trans level: By ATC    Trans alt: 10000'



ADRES ONE BRAVO (ADRES 1B) [ADRE1B]  
BOYAT ONE BRAVO (BOYAT 1B) [BOYA1B]  
FIRAT ONE BRAVO (FIRAT 1B) [FIRA1B]  
RWY 28 DEPARTURES




These SIDs require a minimum climb gradient of 340' per NM (5.6%) until D7 GAZ.


|              |     |     |     |      |      |      |
|--------------|-----|-----|-----|------|------|------|
| Gnd speed-KT | 75  | 100 | 150 | 200  | 250  | 300  |
| 340' per NM  | 425 | 567 | 851 | 1134 | 1418 | 1701 |

| SID      | ROUTING                                                                                                         |
|----------|-----------------------------------------------------------------------------------------------------------------|
| ADRES 1B | Climb on GAZ R-277 to D7 GAZ, turn RIGHT, along GAZ 7 DME arc, intercept GAZ R-329 to ADRES, join airway B-36.  |
| BOYAT 1B | Climb on GAZ R-277 to D7 GAZ, turn RIGHT, along GAZ 7 DME arc, intercept GAZ R-307 to BOYAT, join airway L-605. |
| FIRAT 1B | Climb on GAZ R-277 to D7 GAZ, turn RIGHT to GAZ, GAZ R-033 to FIRAT, join airway W-701.                         |



|                   |                                          |                                                                                     |
|-------------------|------------------------------------------|-------------------------------------------------------------------------------------|
| Apt Elev<br>2315' | Trans level: By ATC    Trans alt: 10000' |  |
|-------------------|------------------------------------------|-------------------------------------------------------------------------------------|

KILIS ONE ALFA (KILIS 1A) [KILI1A]  
KOZAN ONE ALFA (KOZAN 1A) [KOZA1A]  
NIZIP ONE ALFA (NIZIP 1A) [NIZI1A]  
SUGAT ONE ALFA (SUGAT 1A) [SUGA1A]  
RWY 10 DEPARTURES





These SIDs require a minimum climb gradient of 4% until D7 GAZ.

|              |     |     |     |     |      |      |
|--------------|-----|-----|-----|-----|------|------|
| Gnd speed-KT | 75  | 100 | 150 | 200 | 250  | 300  |
| 4% V/V(fpm)  | 304 | 405 | 608 | 810 | 1013 | 1215 |

| SID      | ROUTING                                                                                                        |
|----------|----------------------------------------------------------------------------------------------------------------|
| KILIS 1A | Climb on GAZ R-108 to D7 GAZ, turn RIGHT, along GAZ 7 DME arc, intercept GAZ R-189 to KILIS, join airway B-36. |
| KOZAN 1A | Climb on GAZ R-108 to D7 GAZ, turn RIGHT to GAZ, GAZ R-266 to KOZAN, join airway W-74.                         |
| NIZIP 1A | Climb on GAZ R-108 to D7 GAZ, turn LEFT, along GAZ 7 DME arc, intercept GAZ R-078 to NIZIP, join airway W-74.  |
| SUGAT 1A | Climb on GAZ R-108 to D7 GAZ, turn LEFT, along GAZ 7 DME arc, intercept GAZ R-061 to SUGAT, join airway W-716. |

|                   |                                          |
|-------------------|------------------------------------------|
| Apt Elev<br>2315' | Trans level: By ATC    Trans alt: 10000' |
|-------------------|------------------------------------------|

KILIS ONE BRAVO (KILIS 1B) [KILI1B]  
KOZAN ONE BRAVO (KOZAN 1B) [KOZA1B]  
NIZIP ONE BRAVO (NIZIP 1B) [NIZI1B]  
SUGAT ONE BRAVO (SUGAT 1B) [SUGA1B]  
RWY 28 DEPARTURES



These SIDs require a minimum climb gradient of 340' per NM (5.6%) until D7 GAZ.


|              |     |     |     |      |      |      |
|--------------|-----|-----|-----|------|------|------|
| Gnd speed-KT | 75  | 100 | 150 | 200  | 250  | 300  |
| 340' per NM  | 425 | 567 | 851 | 1134 | 1418 | 1701 |

| SID      | ROUTING                                                                                                       |
|----------|---------------------------------------------------------------------------------------------------------------|
| KILIS 1B | Climb on GAZ R-277 to D7 GAZ, turn LEFT, along GAZ 7 DME arc, intercept GAZ R-189 to KILIS, join airway B-36. |
| KOZAN 1B | Climb on GAZ R-277 to D7 GAZ, turn LEFT, along GAZ 7 DME arc, intercept GAZ R-266 to KOZAN, join airway W-74. |
| NIZIP 1B | Climb on GAZ R-277 to D7 GAZ, turn RIGHT to GAZ, GAZ R-078 to NIZIP, join airway W-74.                        |
| SUGAT 1B | Climb on GAZ R-277 to D7 GAZ, turn RIGHT to GAZ, GAZ R-061 to SUGAT, join airway W-716.                       |

LTAJ/GZT  
Apt Elev 2305'  
N36 56.9 E037 28.7




GAZIANTEP, TURKEY  
GAZIANTEP INTL




| ADDITIONAL RUNWAY INFORMATION |                                                     |  |  |  |                |             |        |
|-------------------------------|-----------------------------------------------------|--|--|--|----------------|-------------|--------|
| RWY                           |                                                     |  |  |  | USABLE LENGTHS |             | WIDTH  |
|                               |                                                     |  |  |  | LANDING BEYOND | TAKE-OFF    |        |
|                               |                                                     |  |  |  | Threshold      | Glide Slope |        |
| 10                            | HIRL(60m) CL ① HIALS-II TDZ REIL PAPI-L(3.0°) ② RVR |  |  |  | 9416' 2870m    |             | ④ 157' |
| 28                            | HIRL(60m) CL ① ALSF-II TDZ REIL PAPI-L(3.0°) ③ RVR  |  |  |  |                | 8932' 2722m | 48m    |


- ① (15m spacing)
  - ② HST-E
  - ③ HST-C
  - ④ TAKE-OFF RUN AVAILABLE
- RWY 10: From rwy head 9843' (3000m)  
                  twy A int 6726' (2050m)


| Std/State TAKE-OFF                                   |                                         |         |           |       |            |          |       |
|------------------------------------------------------|-----------------------------------------|---------|-----------|-------|------------|----------|-------|
| Low Visibility Take-off                              |                                         |         |           |       |            |          |       |
| HIRL & CL<br>(spacing 15m or less)<br>& relevant RVR | RL & CL &<br>relevant RVR               | RL & CL | RL & RCLM |       | RL or RCLM | RL or CL |       |
|                                                      |                                         |         | DAY       | NIGHT |            | DAY      | NIGHT |
| TDZ R125m<br>Mid R125m<br>Rollout R125m              | TDZ R150m<br>Mid R150m<br>Rollout R150m | R200m   | R300m     |       | R/V400m    | R/V500m  | NA    |

|                                                                                                                                         |                           |                       |                                      |                             |  |                                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------|--------------------------------------|-----------------------------|--|----------------------------------------------------------------------------------------------------|
| ATIS                                                                                                                                    |                           | GAZIANTEP Approach    |                                      | GAZIANTEP Tower             |  | Ground                                                                                             |
| 119.275                                                                                                                                 |                           | 119.825               |                                      | 120.1 250.050               |  | 121.9                                                                                              |
| LOC<br>IGNP<br>109.1                                                                                                                    | Final<br>Apch Crs<br>280° | ASRUP<br>4000'(1784') | ILS<br>DA(H)<br>Refer to<br>Minimums | Apt Elev 2305'<br>Rwy 2216' |  | <br>MSA GAZ VOR |
| <b>MISSED APCH:</b> Proceed to VOR, climbing turn LEFT on R-275 to 4300', then turn LEFT climbing to 6000' and proceed to VOR and hold. |                           |                       |                                      |                             |  |                                                                                                    |
| Refer to minimums for missed apch climb gradients.                                                                                      |                           |                       |                                      |                             |  |                                                                                                    |
| Alt Set: hPa                                                                                                                            |                           | Rwy Elev: 79 hPa      |                                      | Trans level: By ATC         |  | Trans alt: 10000'                                                                                  |
| 1. DME required. 2. Baseturn restricted to MAX 185 KT. 3. CAUTION: Birds in vicinity of airport.                                        |                           |                       |                                      |                             |  |                                                                                                    |



|                 |          |       |       |       |
|-----------------|----------|-------|-------|-------|
| LOC<br>(GS out) | IGNP DME | 3.0   | 4.0   | 5.0   |
|                 | ALTITUDE | 3160' | 3480' | 3800' |





|                                      |     |     |     |     |     |     |                                                                                       |                   |
|--------------------------------------|-----|-----|-----|-----|-----|-----|---------------------------------------------------------------------------------------|-------------------|
| Gnd speed-Kts                        | 70  | 90  | 100 | 120 | 140 | 160 |  | GAZ<br>116.7<br>↑ |
| ILS GS or<br>LOC Descent Angle 3.00° | 372 | 478 | 531 | 637 | 743 | 849 |                                                                                       |                   |
| MAP at D2.3 IGPN/D3.2 GAZ            |     |     |     |     |     |     |                                                                                       |                   |

| Std/State         |                  |         | STRAIGHT-IN LANDING   |         |                       |         | CIRCLE-TO-LAND |              |        |  |
|-------------------|------------------|---------|-----------------------|---------|-----------------------|---------|----------------|--------------|--------|--|
| MACG MIN 5.0%     |                  |         | ILS                   |         | LOC (GS out)          |         |                |              |        |  |
| DA(H) 2416'(200') |                  |         | MACG MIN 2.5%         |         | CDFA                  |         |                |              |        |  |
|                   |                  |         | DA(H) 2550'(334')     |         | DA/MDA(H) 2950'(734') |         |                |              |        |  |
| FULL              | TDZ or<br>CL out | ALS out | FULL/TDZ<br>or CL out | ALS out |                       | ALS out | Max<br>Kts     | MDA(H)       |        |  |
| A                 |                  |         |                       |         |                       |         | 100            | 3300'(995')  | V1500m |  |
| B                 |                  |         |                       |         |                       |         | 135            | 3300'(995')  | V1600m |  |
| C                 | R550m            | R550m   | R1200m                | R800m   | R1500m                |         | 180            | 3500'(1195') | V2400m |  |
| D                 |                  |         |                       |         |                       |         | 205            | 3500'(1195') | V3600m |  |

1 R750m when a Flight Director or Autopilot or HUD to DA is not used. 2 VNAV DA(H) in lieu of MDA(H) depends on operator policy.




|                                                                                                                                                                           |                           |                       |                                               |                             |                 |                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------|-----------------------------------------------|-----------------------------|-----------------|-------------------|
| ATIS                                                                                                                                                                      |                           | GAZIANTEP Approach    |                                               | GAZIANTEP Tower             |                 | Ground            |
| 119.275                                                                                                                                                                   |                           | 119.825               |                                               | 120.1 250.050               |                 | 121.9             |
| LOC<br>IGNP<br>109.1                                                                                                                                                      | Final<br>Apch Crs<br>280° | ASRUP<br>4000'(1784') | CAT II ILS<br>RA 133'<br>DA(H)<br>2316'(100') | Apt Elev 2305'<br>Rwy 2216' | <br>MSA GAZ VOR |                   |
| MISSED APCH: Proceed to VOR, climbing turn LEFT on R-275 to 4300', then turn LEFT climbing to 6000' and proceed to VOR and hold.                                          |                           |                       |                                               |                             |                 |                   |
| Minimum missed approach climb gradient 5.0% (304 FT/NM) until inbound to VOR.                                                                                             |                           |                       |                                               |                             |                 |                   |
| Alt Set: hPa                                                                                                                                                              |                           | Rwy Elev: 79 hPa      |                                               | Trans level: By ATC         |                 | Trans alt: 10000' |
| 1. Special Aircrew and Aircraft Certification required. 2. VOR required. 3. DME required. 4. Baseturn restricted to MAX 185 KT. 5. CAUTION: Birds in vicinity of airport. |                           |                       |                                               |                             |                 |                   |




|               |       |     |     |     |     |     |                           |  |                   |
|---------------|-------|-----|-----|-----|-----|-----|---------------------------|--|-------------------|
| Gnd speed-Kts | 70    | 90  | 100 | 120 | 140 | 160 | <br>ALSIF-II<br>REIL PAPI |  | GAZ<br>116.7<br>↑ |
| GS            | 3.00° | 372 | 478 | 531 | 637 | 743 |                           |  |                   |
|               |       |     |     |     |     |     |                           |  |                   |


|           |  |                     |  |
|-----------|--|---------------------|--|
| Std/State |  | STRAIGHT-IN LANDING |  |
|           |  | CAT II ILS          |  |
|           |  | RA 133'             |  |
|           |  | DA(H) 2316' (100')  |  |
|           |  | R300m               |  |

1 CAT D without autoland: R350m.

|                                                                                                                                        |                   |                           |                     |                                       |  |                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------|---------------------|---------------------------------------|--|-------------------------------------------------------------------------------------|
| ATIS                                                                                                                                   |                   | GAZIANTEP Approach        |                     | GAZIANTEP Tower                       |  | Ground                                                                              |
| 119.275                                                                                                                                |                   | 119.825                   |                     | 120.1 250.050                         |  | 121.9                                                                               |
| <b>GPS RWY 10</b><br>Position threshold<br><b>N 36°57.079'</b><br><b>E 037°27.813'</b>                                                 | Final<br>Apch Crs | <b>EKSIX</b><br>MANDATORY | LNAV<br>DA/MDA(H)   | Apt Elev 2305'                        |  |  |
|                                                                                                                                        | <b>100°</b>       | <b>4600'</b> (2299')      | <b>3140'</b> (839') | Rwy 2301'                             |  |                                                                                     |
| MISSED APCH: Climb to FL 140. From RW10 to AJ802 (MAX 185 KT), turn LEFT to PEMUN, then turn LEFT to UMOLU at or above 6500' and hold. |                   |                           |                     |                                       |  | MSA GAZ NDB                                                                         |
| Alt Set: hPa                                                                                                                           |                   | Rwy Elev: 81 hPa          |                     | Trans level: By ATC Trans alt: 10000' |  |                                                                                     |



|              |       |       |       |       |       |
|--------------|-------|-------|-------|-------|-------|
| DIST to RW10 | 6.0   | 5.0   | 4.0   | 3.0   | 2.0   |
| ALTITUDE     | 4574' | 4203' | 3833' | 3462' | 3092' |



|                     |     |     |     |     |     |     |                          |               |            |
|---------------------|-----|-----|-----|-----|-----|-----|--------------------------|---------------|------------|
| Gnd speed-Kts       | 70  | 90  | 100 | 120 | 140 | 160 | HIALS-II<br>REIL<br>PAPI | 185 KT<br>MAX | AJ802<br>↑ |
| Descent Angle 3.50° | 434 | 557 | 619 | 743 | 867 | 991 |                          |               |            |
| MAP at RW10         |     |     |     |     |     |     |                          |               |            |


| Std/State |  | STRAIGHT-IN LANDING    |  |  | CIRCLE-TO-LAND |               |        |
|-----------|--|------------------------|--|--|----------------|---------------|--------|
|           |  | LNAV CDFA              |  |  |                |               |        |
|           |  | DA/MDA(H) 3140' (839') |  |  |                |               |        |
|           |  | ALS out                |  |  |                |               |        |
| A         |  | R1500m                 |  |  | Max Kts        | MDA(H)        |        |
| B         |  |                        |  |  | 100            | 3300' (995')  | V1500m |
| C         |  |                        |  |  | 135            | 3300' (995')  | V1600m |
| D         |  | R2400m                 |  |  | 180            | 3500' (1195') | V2400m |
|           |  |                        |  |  | 205            | 3500' (1195') | V3600m |


1 VNAV DA(H) in lieu of MDA(H) depends on operator policy.

LTAJ/GZT  
 GAZIANTEP INTL




GAZIANTEP, TURKEY  
 RNAV (GPS), RNP Rwy 28

| ATIS                                                                                   |                                                                                                                                                                                                                                                     | GAZIANTEP Approach                                |                                           | GAZIANTEP Tower     |           | Ground                                                                              |  |
|----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|-------------------------------------------|---------------------|-----------|-------------------------------------------------------------------------------------|--|
| 119.275                                                                                |                                                                                                                                                                                                                                                     | 119.825                                           |                                           | 120.1 250.050       |           | 121.9                                                                               |  |
| <b>GPS RWY 28</b><br>Position threshold<br><b>N 36°56.677'</b><br><b>E 037°29.671'</b> | Final<br>Apch Crs<br><b>280°</b>                                                                                                                                                                                                                    | <b>ASRUP</b><br>MANDATORY<br><b>4000'</b> (1784') | LNAV/VNAV<br>DA(H)<br><b>2816'</b> (600') | Apt Elev 2305'      | Rwy 2216' |  |  |
|                                                                                        | <b>MISSED APCH:</b> Climb to 8000'. Turn LEFT to AJ935 (MAX 240KT) at or above 3600', then turn LEFT to AJ936 at or above 5000', then turn LEFT to AJ937 (MAX 255KT) at or above 6000', then turn LEFT to AJ326, then turn RIGHT to PEMUN and hold. |                                                   |                                           |                     |           |                                                                                     |  |
| Alt Set: hPa                                                                           |                                                                                                                                                                                                                                                     | Rwy Elev: 79 hPa                                  |                                           | Trans level: By ATC |           | Trans alt: 10000'                                                                   |  |
| MSA GAZ NDB                                                                            |                                                                                                                                                                                                                                                     |                                                   |                                           |                     |           |                                                                                     |  |



|              |       |       |       |       |
|--------------|-------|-------|-------|-------|
| DIST to RW28 | 2.0   | 3.0   | 4.0   | 5.0   |
| ALTITUDE     | 2900' | 3220' | 3540' | 3860' |






|                      |     |     |     |     |     |     |                               |       |
|----------------------|-----|-----|-----|-----|-----|-----|-------------------------------|-------|
| Gnd speed-Kts        | 70  | 90  | 100 | 120 | 140 | 160 | ALSF-II<br>REIL<br>PAPI<br>LT | AJ935 |
| Descent Angle 3.00°  | 372 | 478 | 531 | 637 | 743 | 849 |                               |       |
| LNAV/VNAV: MAP at DA |     |     |     |     |     |     |                               |       |
| LNAV: MAP at RW28    |     |     |     |     |     |     |                               |       |

| Std/State          |        |        |  | STRAIGHT-IN LANDING    |        | CIRCLE-TO-LAND |                      |
|--------------------|--------|--------|--|------------------------|--------|----------------|----------------------|
| LNAV/VNAV          |        |        |  | LNAV CDFA              |        |                |                      |
| DA(H) 2816' (600') |        |        |  | DA/MDA(H) 2820' (604') |        |                |                      |
| ALS out            |        |        |  | ALS out                |        | Max Kts        | MDA(H)               |
| A                  | R1500m |        |  | R1500m                 |        | 100            | 3300' (995') V1500m  |
| B                  |        |        |  |                        |        | 135            | 3300' (995') V1600m  |
| C                  | R2000m | R2400m |  | R2100m                 | R2400m | 180            | 3500' (1195') V2400m |
| D                  |        |        |  |                        |        | 205            | 3500' (1195') V3600m |

1 VNAV DA(H) in lieu of MDA(H) depends on operator policy.



|                                                                                                                                                                    |     |                                         |                               |                                         |                                 |                                                                                     |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------|-------------------------------|-----------------------------------------|---------------------------------|-------------------------------------------------------------------------------------|--|
| ATIS                                                                                                                                                               |     | GAZIANTEP Approach                      |                               | GAZIANTEP Tower                         |                                 | Ground                                                                              |  |
| 119.275                                                                                                                                                            |     | 119.825                                 |                               | 120.1 250.050                           |                                 | 121.9                                                                               |  |
| VOR                                                                                                                                                                | GAZ | Final<br>Apch Crs<br><b>282°</b>        | UVEDU<br><b>4000'</b> (1784') | VOR<br>DA/MDA(H)<br><b>2950'</b> (734') | Apt Elev 2305'<br><br>Rwy 2216' |  |  |
| NDB                                                                                                                                                                | GAZ |                                         |                               | NDB<br>DA/MDA(H)<br><b>3100'</b> (884') |                                 |                                                                                     |  |
| NDB<br><b>432</b>                                                                                                                                                  |     | NDB<br>DA/MDA(H)<br><b>3100'</b> (884') |                               |                                         |                                 |                                                                                     |  |
| N36°57'11" E037°28'06"                                                                                                                                             |     | N36°57'05" E037°28'22"                  |                               |                                         |                                 |                                                                                     |  |
| <b>MISSED APCH:</b> Proceed to VOR/NDB, then intercept R-275 (275° from NDB). Cross 4000' or above within D6.0, then turn LEFT to reach VOR/NDB at 6000' and hold. |     |                                         |                               |                                         |                                 |                                                                                     |  |
| Alt Set: hPa                                                                                                                                                       |     | Rwy Elev: 79 hPa                        |                               | Trans level: By ATC                     |                                 | Trans alt: 10000'                                                                   |  |
| 1. CAT A & B: Baseturn restricted to MAX 150 KT. 2. CAT C & D: Baseturn restricted to MAX 185 KT. 3. CAUTION: Birds in vicinity of airport.                        |     |                                         |                               |                                         |                                 |                                                                                     |  |




|                     |     |     |     |     |     |     |
|---------------------|-----|-----|-----|-----|-----|-----|
| Gnd speed-Kts       | 70  | 90  | 100 | 120 | 140 | 160 |
| Descent Angle 3.00° | 372 | 478 | 531 | 637 | 743 | 849 |
| VOR: MAP at D3.0    |     |     |     |     |     |     |
| NDB: MAP at D3.5    |     |     |     |     |     |     |

| Std/State |  | STRAIGHT-IN LANDING |              |              |              | CIRCLE-TO-LAND |                        |
|-----------|--|---------------------|--------------|--------------|--------------|----------------|------------------------|
|           |  | VOR                 |              | NDB          |              |                |                        |
|           |  | CDFA                | non-CDFA     | CDFA         | non-CDFA     |                |                        |
|           |  | 1 DA/MDA(H)         | MDA(H)       | 1 DA/MDA(H)  | MDA(H)       |                |                        |
|           |  | 2950' (734')        | 2950' (734') | 3100' (884') | 3100' (884') |                |                        |
|           |  | ALS out             | ALS out      | ALS out      | ALS out      |                |                        |
|           |  |                     |              |              |              | Max Kts        | MDA(H)                 |
|           |  |                     |              |              |              | 100            | 3300' (995') 2 V1500m  |
|           |  |                     |              |              |              | 135            | 3300' (995') 2 V1600m  |
|           |  |                     |              |              |              | 180            | 3500' (1195') 2 V2400m |
|           |  |                     |              |              |              | 205            | 3500' (1195') 2 V3600m |


1 VNAV DA(H) in lieu of MDA(H) depends on operator policy. 2 or higher straight-in minimums.



|                                                                                                                                             |                          |                                  |        |                                   |                             |                        |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|----------------------------------|--------|-----------------------------------|-----------------------------|------------------------|
| ATIS                                                                                                                                        |                          | GAZIANTEP Approach               |        | GAZIANTEP Tower                   |                             | Ground                 |
| 119.275                                                                                                                                     |                          | 119.825                          |        | 120.1 250.050                     |                             | 121.9                  |
| VOR<br>GAZ<br><b>116.7</b>                                                                                                                  | NDB<br>GAZ<br><b>432</b> | Final<br>Apch Crs<br><b>282°</b> | No FAF | DA/MDA(H)<br><b>3300'</b> (1084') | Apt Elev 2305'<br>Rwy 2216' | <br>MSA<br>GAZ VOR/NDB |
| MISSED APCH: Turn LEFT climb on heading 130° to 4400', then turn LEFT to cross VOR/NDB at 6000' and hold.                                   |                          |                                  |        |                                   |                             |                        |
| Alt Set: hPa      Rwy Elev: 79 hPa      Trans level: By ATC      Trans alt: 10000'                                                          |                          |                                  |        |                                   |                             |                        |
| 1. CAT A & B: Baseturn restricted to MAX 150 KT. 2. CAT C & D: Baseturn restricted to MAX 185 KT. 3. CAUTION: Birds in vicinity of airport. |                          |                                  |        |                                   |                             |                        |



|              |       |       |
|--------------|-------|-------|
| DIST to RW28 | 4.0   | 5.0   |
| ALTITUDE     | 3640' | 3980' |



|                     |     |     |     |     |     |     |                          |    |             |       |
|---------------------|-----|-----|-----|-----|-----|-----|--------------------------|----|-------------|-------|
| Gnd speed-Kts       | 70  | 90  | 100 | 120 | 140 | 160 | ALSIF-II<br>REIL<br>PAPI | LT | 130°<br>hdg | 4400' |
| Descent Angle 3.21° | 398 | 511 | 568 | 682 | 795 | 909 |                          |    |             |       |
| MAP at VOR/NDB      |     |     |     |     |     |     |                          |    |             |       |



| Std/State |        | STRAIGHT-IN LANDING      |  |                     |  | CIRCLE-TO-LAND |                       |
|-----------|--------|--------------------------|--|---------------------|--|----------------|-----------------------|
|           |        | CDFA                     |  | non-CDFA            |  |                |                       |
|           |        | 1 DA/MDA(H) 3300'(1084') |  | MDA(H) 3300'(1084') |  |                |                       |
|           |        | ALS out                  |  | ALS out             |  | Max Kts        | MDA(H)                |
| A         | R1500m | R4300m                   |  | R5000m              |  | 100            | 3300'(995') 2 V1500m  |
| B         |        |                          |  |                     |  | 135            | 3300'(995') 2 V1600m  |
| C         | R2400m | R4500m                   |  |                     |  | 180            | 3500'(1195') 2 V2400m |
| D         |        |                          |  |                     |  | 205            | 3500'(1195') 2 V3600m |

1 VNAV DA(H) in lieu of MDA(H) depends on operator policy. 2 or higher straight-in minimums.



GAZIANTEP, TURKEY  
VOR DME

|                                                                                                        |     |                    |                      |                     |  |                   |  |
|--------------------------------------------------------------------------------------------------------|-----|--------------------|----------------------|---------------------|--|-------------------|--|
| ATIS                                                                                                   |     | GAZIANTEP Approach |                      | GAZIANTEP Tower     |  | Ground            |  |
| 119.275                                                                                                |     | 119.825            |                      | 120.1 250.050       |  | 121.9             |  |
| VOR                                                                                                    | GAZ | Final              |                      | MDA(H)              |  | Apt Elev          |  |
| <b>116.7</b>                                                                                           |     | Apch Crs           | <b>D7.0</b>          | Refer to            |  | 2305'             |  |
| N36°57'05" E037°28'22"                                                                                 |     | <b>098°</b>        | <b>5000'</b> (2695') | Minimums            |  |                   |  |
| <b>MISSED APCH:</b> Intercept R-108 climbing to 4500', then turn RIGHT to cross VOR at 6000' and hold. |     |                    |                      |                     |  |                   |  |
| Alt Set: hPa                                                                                           |     | Apt Elev: 82 hPa   |                      | Trans level: By ATC |  | Trans alt: 10000' |  |
| <b>CAUTION:</b> Birds in vicinity of airport.                                                          |     |                    |                      |                     |  |                   |  |



|             |  |  |  |  |  |  |                                            |                     |                                                                                                             |                                        |
|-------------|--|--|--|--|--|--|--------------------------------------------|---------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------|
|             |  |  |  |  |  |  | Lighting -<br>Refer to<br>Airport<br>Chart | GAZ<br><b>116.7</b> | <b>4500'</b><br><br>RT | GAZ<br>on <b>116.7</b><br><b>R-108</b> |
|             |  |  |  |  |  |  |                                            |                     |                                                                                                             |                                        |
|             |  |  |  |  |  |  |                                            |                     |                                                                                                             |                                        |
| MAP at D2.5 |  |  |  |  |  |  |                                            |                     |                                                                                                             |                                        |

Std/State

CIRCLE-TO-LAND

|   | Max<br>Kts | MDA(H)        |        |
|---|------------|---------------|--------|
| A | 100        | 3300' (995')  | V1500m |
| B | 135        | 3300' (995')  | V1600m |
| C | 180        | 3500' (1195') | V2400m |
| D | 205        | 3500' (1195') | V3600m |