


ATIS
121.25

Apt Elev
253'


Alt Set: hPa
Trans level: By ATC Trans alt: 10000'




ADA 1E
MILBA 1E [MILB1E]
ARRIVALS

CAUTION

Turkish/Syrian border shall not be violated. Closest distance to the border ref to HTY is depicted on chart.




SID	RWY	ROUTING
ADA 1A	04	Climb on HTY R-030 to 2600', turn RIGHT, intercept HTY R-050 inbound to HTY, turn RIGHT, HTY R-300, join airway.
ADA 1B	22	Climb on HTY R-217 to 2500', turn LEFT, intercept HTY R-185 inbound to HTY, turn LEFT, HTY R-300, join airway.
MILBA 1A	04	Climb on HTY R-030 to 2600', turn RIGHT, intercept HTY R-050 inbound to HTY, turn RIGHT, HTY R-010, join airway.
MILBA 1B	22	Climb on HTY R-217 to 2500', turn LEFT, intercept HTY R-185 inbound to HTY, turn RIGHT, HTY R-010, join airway.

Apt Elev 253'	Trans level: By ATC Trans alt: 10000'	
------------------	--	---

ADA ONE CHARLIE (ADA 1C)
ADA ONE DELTA (ADA 1D)
MILBA ONE CHARLIE (MILBA 1C) [MILB1C]
MILBA ONE DELTA (MILBA 1D) [MILB1D]
RWYS 04, 22 DEPARTURES
SPEED: MAX 204 KT UNTIL
INBOUND TO HTY NDB

CAUTION
Turkish/Syrian border shall not
be violated. Closest distance to
the border for RWY 04 SIDs
ref to HTY is depicted
on chart.




SID	RWY	ROUTING
ADA 1C	04	Climb on 030° bearing from HTY NDB to 2600', turn RIGHT, intercept 230° bearing to HTY NDB, turn RIGHT, 300° bearing, join airway.
ADA 1D	22	Climb on 217° bearing from HTY NDB to 2500', turn LEFT, intercept 005° bearing to HTY NDB, turn LEFT, 300° bearing, join airway.
MILBA 1C	04	Climb on 030° bearing from HTY NDB to 2600', turn RIGHT, intercept 230° bearing to HTY NDB, turn RIGHT, 010° bearing, join airway.
MILBA 1D	22	Climb on 217° bearing from HTY NDB to 2500', turn LEFT, intercept 005° bearing to HTY NDB, turn RIGHT, 010° bearing, join airway.

LTD A/HTY
Apt Elev 253'
N36 22.3 E036 17.9



HATAY, TURKEY
HATAY



ADDITIONAL RUNWAY INFORMATION					
RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		Threshold	Landing Beyond		
04	HIRL (60m) HIALS SFL REIL PAPI-L (angle 3.3°)		8810' 2685m	1	148' 45m
22	HIRL (60m) HIALS SFL REIL PAPI-L (angle 3.0°)		8749' 2667m		

1 TAKE-OFF RUN AVAILABLE

RWY 04: From rwy head 9843' (3000m)
twy B int 6447' (1965m)
twy A int 5823' (1775m)

RWY 22: From rwy head 9843' (3000m)
twy A int 4019' (1225m)
twy B int 3396' (1035m)

Standard			
TAKE-OFF			
Low Visibility Take-off			
Day: RL & RCLM Night: RL		Day: RL or RCLM Night: RL	Adequate vis ref (Day only)
A	RVR 300m	400m	500m
B			
C			
D			

LTDA/HTY



HATAY



HATAY, TURKEY
VOR ILS DME Rwy 04
or NDB ILS DME Rwy 04

*ATIS 121.25		*HATAY Approach 118.725		*HATAY Tower 128.50 250.250		*Ground 121.7
LOC IHAT 108.9	Final Apch Crs 039°	GS D7.9 HTY 2770' (2505')	ILS DA(H) Refer to Minimums	Apt Elev 267' Rwy 265'		
MISSED APCH: Climb on 030° to 2350', then turn RIGHT and intercept R-050 inbound (230° bearing) to HTY VOR/NDB at 8500' and hold. MAX 185 KT until inbound to VOR/NDB. If unable to reach 8500' at VOR/NDB, intercept 217° from VOR/NDB climbing to 5500', then turn LEFT and intercept R-185 inbound (005° bearing) to VOR/NDB at 8500' and hold.						
Alt Set: hPa		Rwy Elev: 10 hPa	Trans level: By ATC		Trans alt: 10000'	

RECOMMENDED ALTITUDES	
LOC (GS out)	
HTY DME	ALTITUDE
7.0	2470'
6.0	2120'
5.0	1760'
4.0	1410'
3.0	1060'
2.0	710'



Gnd speed-Kts	70	90	100	120	140	160	HTALS	185 KT until inbound	HTY 112.05/336	2350' on 030°
ILS GS or LOC Desc Angle	3.30°	409	526	584	701	817	934	REIL PAPI		
MAP at D1.9 HTY/D1.1 IHAT										

Standard		STRAIGHT-IN LANDING RWY 04				CIRCLE-TO-LAND			
Missed apch climb grad min 4.0%		Missed apch climb grad min 2.5%		LOC (GS out) CDFA					
DA(H) 465' (200')		DA(H) 650' (385')		DA/MDA(H) 650' (385')					
FULL		ALS out		FULL		ALS out			
A	RVR 550m I	RVR 1200m	RVR 1100m	RVR 1500m	RVR 1100m	RVR 1500m	Max Kts.	MDA(H)	VIS
B							100	770' (503')	1500m
C							135	770' (503')	1600m
D							180	2200' (1933')	2400m
							205	2860' (2593')	3600m


W/o HUD/AP/FD: RVR 750m.

LTDA/HTY
HATAY




HATAY, TURKEY
VOR DME Rwy 04

*ATIS 121.25		*HATAY Approach 118.725		*HATAY Tower 128.50 250.250		*Ground 121.7
VOR 112.05 N36°21'46" E036°17'24"	HTY	Final Apch Crs 039°	Minimum Alt D5.0 1810' (1545')	DA/MDA(H) 650' (385')	Apt Elev 267' Rwy 253'	8000 090° 270° 7500 7000 360° MSA HTY VOR
MISSED APCH: Climb on R-030 to cross 2350', then turn RIGHT proceed to VOR on R-050 inbound at 8500' and hold. MAX 185 KT until inbound VOR. If unable to reach 8500' at VOR, intercept R-217 to cross 5500', then turn LEFT proceed to VOR on R-185 inbound at 8500' and hold.						
Alt Set: hPa		Rwy Elev: 10 hPa	Trans level: By ATC		Trans alt: 10000'	



HTY DME	4.0	3.0
ALTITUDE	1460'	1100'



Gnd speed-Kts	70	90	100	120	140	160	HIALS	185 KT until inbound	HTY	2350'	HTY
Descent Angle	3.44°	426	548	609	730	852	974	REIL PAPI	112.05	↑	on 112.05 R-030
MAP at D2.1											


Standard				STRAIGHT-IN LANDING RWY 04				CIRCLE-TO-LAND			
				CDFA							
				DA/MDA(H) 650' (385')							
				ALS out							
A	RVR 1100m						Max Kts	MDA(H)		VIS	
B							100	770' (503')		1500m	
C							135	770' (503')		1600m	
D	RVR 1200m			RVR 1800m			180	2200' (1933')		2400m	
							205	2860' (2593')		3600m	


or higher straight-in minimums.

LTDA/HTY
HATAY




HATAY, TURKEY
NDB DME Rwy 04

*ATIS 121.25		*HATAY Approach 118.725		*HATAY Tower 128.50 250.250		*Ground 121.7
NDB 336 N36°21'47" E036°17'25"	HTY	Final Apch Crs 039°	Minimum Alt D5.0 1810' (1545')	DA/MDA(H) 650' (385')	Apt Elev 267' Rwy 253'	
MISSED APCH: Climb on 030° from NDB to cross 2350', then turn RIGHT proceed to NDB on 230° inbound at 8500' and hold. MAX 185 KT until inbound NDB. If unable to reach 8500' at NDB intercept 217° from NDB to cross 5500', then turn LEFT proceed to NDB on 005° inbound at 8500' and hold.						
Alt Set: hPa		Rwy Elev: 10 hPa	Trans level: By ATC		Trans alt: 10000'	



HTY DME	4.0	3.0
ALTITUDE	1460'	1100'



Gnd speed-Kts	70	90	100	120	140	160	HTALS REIL PAPI	185 KT	HTY	2350'	030°
Descent Angle	3.44°	426	548	609	730	852		MAX	336	↑	from HTY
MAP at D2.1											

Standard				CIRCLE-TO-LAND			
STRAIGHT-IN LANDING RWY 04 CDFA							
DA/MDA(H) 650' (385')				Max Kts	MDA(H)	VIS	
ALS out				100	770' (503')	1500m	
RVR 1100m				135	770' (503')	1600m	
RVR 1800m				180	2200' (1933')	2400m	
RVR 1200m				205	2860' (2593')	3600m	



1 or higher straight-in minimums.

LTD A/HTY
HATAY



HATAY, TURKEY
VOR DME Rwy 22

*ATIS 121.25		*HATAY Approach 118.725		*HATAY Tower 128.50 250.250		*Ground 121.7
VOR 112.05 N36°21'46" E036°17'24"	HTY	Final Apch Crs 219°	Minimum Alt D7.0 2650' (2383')	DA/MDA(H) 650' (383')	Apt Elev 267' Rwy 253'	
MISSED APCH: Climb on R-216 to cross 2300', then turn LEFT proceed to VOR on R-185 inbound at 8500' and hold. MAX 185 KT until inbound VOR. If unable to reach 8500' at VOR, intercept R-015 to cross 5500', then turn RIGHT climbing to cross VOR at 8500' and hold.						
Alt Set: hPa Rwy Elev: 10 hPa Trans level: By ATC Trans alt: 10000'						





Gnd speed-Kts	70	90	100	120	140	160	HTALS REIL PAPI	185 KT until HTY MAX Inbound 112.05	2300' HTY ↑ on 112.05 R-216
Descent Angle 3.48°	431	554	616	739	862	985			
MAP at D1.8									

Standard STRAIGHT-IN LANDING RWY 22				CIRCLE-TO-LAND			
CDFA							
DA/MDA(H) 650' (383')							
				Max Kts	MDA(H)	VTS	
				100	770' (503')	1500m	
				135	770' (503')	1600m	
				180	2200' (1933')	2400m	
				205	2860' (2593')	3600m	



*ATIS 121.25		*HATAY Approach 118.725		*HATAY Tower 128.50 250.250		*Ground 121.7	
NDB 336 N36°21'47" E036°17'25"	HTY Final Apch Crs 219°	Minimum Alt D7.0 2650' (2383')	DA/MDA(H) 650' (383')	Apt Elev 267' Rwy 253'			
MISSED APCH: Climb on 216° from NDB to cross 2300', then turn LEFT proceed to NDB on 005° inbound at 8500' and hold. MAX 185 KT until inbound NDB. If unable to reach 8500' at NDB, intercept 015° from NDB to cross 5500', then turn RIGHT climbing to cross NDB at 8500' and hold.							
Alt Set: hPa		Rwy Elev: 10 hPa		Trans level: By ATC		Trans alt: 10000'	



Grnd speed-Kts	70	90	100	120	140	160	HTALS REIL PAPI 185 KT until HTY MAX inbound 2300' ↑ on 216° from HTY 336
Descent Angle 3.48°	431	554	616	739	862	985	
MAP at D1.8							

Standard		STRAIGHT-IN LANDING RWY 22		CIRCLE-TO-LAND	
		CDFA			
		DA/MDA(H) 650' (383')			
		ALS out	Max Kts.	MDA(H)	VIS
A	RVR 1100m	RVR 1500m	100	770' (503')	1500m
B			135	770' (503')	1600m
C		RVR 1800m	180	2200' (1933')	2400m
D			205	2860' (2593')	3600m