



TRANS LEVEL: BY ATC

TRANS ALT: 3000'



LAVAN 3A, LAVAN 3B

LENGEH 2A, LENGEH 2B

ORSAR 1A, ORSAR 1B

DEPARTURES



(RWYS 27L, 09R)



SID	RWY	ROUTING
LAVAN 3A	27L	Turn RIGHT, intercept KIS R-296, climb to cleared FL.
LAVAN 3B	09R	Turn LEFT, intercept KIS R-296, climb to cleared FL.
LENGEH 2A	27L	Turn RIGHT, intercept KIS R-087, climb to cleared FL.
LENGEH 2B	09R	Intercept KIS R-087, climb to cleared FL.
ORSAR 1A	27L	Turn LEFT, intercept KIS R-179, climb to cleared FL.
ORSAR 1B	09R	Turn RIGHT, intercept KIS R-179, climb to cleared FL.

*ATIS 128.0	*KISH Tower 121.65 250.65 (Military)
----------------	--


CAUTION: Stray animals on movement area.
Birds in vicinity of airport.
ABN.





ADDITIONAL RUNWAY INFORMATION					
RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		LANDING	BEYOND		
		Threshold	Glide Slope		
09L ① 27R					98' 30m
09R 27L	HIRL (60m)				148' 45m

① Rwy is primarily used as Twy F.


TAKE-OFF	
A B C D	AIR CARRIER (JAA) All Rwys
	RCLM (DAY only) or RL
	400m



*ATIS				*KISH Tower	
128.0				121.65	250.65 (Military)
VOR KIS	Final Apch Crs	Minimum Alt	MDA(H)	Apt Elev	
117.4 N26°31'30" E053°57'45"	097°	D6.5 1300'(1200')	460'(360')	115'	
MISSED APCH: Climb STRAIGHT AHEAD to VOR. Proceed on R-097 to 1700', then turn LEFT to rejoin holding at 3000'.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000'(2900')					
Initial apch restricted to MAX IAS 220 KT.					



Gnd speed-Kts	70	90	100	120	140	160	KIS 117.4		1700'	KIS 117.4
Descent angle [3.00°]	372	478	531	637	743	849	↑		↑	on R-097
MAP at D0.9										


STRAIGHT-IN LANDING RWY 09R				CIRCLE-TO-LAND			
MDA(H) 460' (360')				Max Kts	MDA(H)		
A	1700m			100	790' (690')		1700m
B				135			
C				180	890' (790')		3600m
D	2000m			205	890' (790')		4000m



*ATIS 128.0			*KISH Tower 121.65 250.65 (Military)		
VOR 117.4 N26°31'30" E053°57'45"	KIS Final Apch Crs 097°	Minimum Alt D3.0 1000' (900')	MDA(H) 460' (360')	Apt Elev 115'	
MISSED APCH: Climb STRAIGHT AHEAD to VOR. Proceed on R-097 to 1700', then turn LEFT to join VOR holding at 3000'.					
Alt Set: hPa Apt Elev: 4 hPa		Trans level: By ATC Trans alt: 3000' (2900')		MSA KIS VOR	



						KIS 117.4	1700'	KIS 117.4
						↑	↑	on
MAP at D0.9								R-097

STRAIGHT-IN LANDING RWY 09R				CIRCLE-TO-LAND			
MDA(H) 460' (360')				Max Kts	MDA(H)		
A				100			
B	1700m			135	790' (690') 1700m		
C				180	890' (790') 3600m		
D	2000m			205	890' (790') 4000m		


*ATIS				*KISH Tower				
128.0				121.65		250.65 (Military)		
VOR	KIS	Final Apch Crs	Minimum Alt	MDA(H)	Apt Elev			
117.4		097°	No FAF	510' (410')	115'			
N26°31'30"								
E053°57'45"								
MISSED APCH: Climb on R-097 to 1700', then turn LEFT to rejoin holding at 3000'.								
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900')						MSA KIS VOR		
Initial apch restricted to MAX IAS 220 KT.								





Gnd speed-Kts	70	90	100	120	140	160	1700' on 117.4 KIS ↑ R-097	
Descent angle [3.00°]	372	478	531	637	743	849		
MAP at VOR								

STRAIGHT-IN LANDING RWY 09R			CIRCLE-TO-LAND	
MDA(H) 510' (410')			Max Kts	MDA(H)
A	1700m		100	790' (690') 1700m
B			135	
C	2000m		180	890' (790') 3600m
D	2400m		205	890' (790') 4000m




*ATIS			*KISH Tower		
128.0			121.65 250.65 (Military)		
VOR 117.4 N26°31'30" E053°57'45"	KIS <i>Final Apch Crs</i> 271°	<i>Minimum Alt</i> Refer to Profile	<i>MDA(H)</i> 510' (410')	<i>Apt Elev</i> 115'	
MISSED APCH: Climb on 271° to VOR. Proceed on R-271 to 1700', then turn RIGHT to rejoin holding at 3000'.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900') Initial apch restricted to MAX IAS 220 KT.					





Gnd speed-Kts	70	90	100	120	140	160	KIS 117.4 on 271°	
Descent angle [3.00°]	372	478	531	637	743	849		
MAP at D2.9								

STRAIGHT-IN LANDING RWY 27L			CIRCLE-TO-LAND		
MDA(H) 510' (410')			Max Kts	MDA(H)	
A	1700m		100	790' (690')	
B			135	1700m	
C	2000m		180	890' (790')	
D	2400m		205	3600m	

*ATIS				*KISH Tower		
128.0				121.65 250.65 (Military)		
VOR 117.4 N26°31'30" E053°57'45"	KIS	Final Apch Crs 271°	Minimum Alt D9.0 1500' (1400')	MDA(H) 510' (410')	Apt Elev 115'	
MISSED APCH: Climb STRAIGHT AHEAD to VOR. Continue climb on R-271 to 1700', then turn RIGHT and join VOR holding at 3000'.						
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000'(2900')						


MSA KIS VOR





MAP at D2.9						KIS 117.4	1700'	KIS 117.4
						↑	↑	on
								R-271

STRAIGHT-IN LANDING RWY 27L				CIRCLE-TO-LAND			
MDA(H) 510' (410')				Max Kts	MDA(H)		
A				100			
B	1700m			135	790' (690') 1700m		
C	2000m			180	890' (790') 3600m		
D	2400m			205	890' (790') 4000m		



*ATIS				*KISH Tower		
128.0				121.65	250.65 (Military)	
VOR	KIS	Final Apch Crs	Minimum Alt	MDA(H)	Apt Elev	
117.4		271°	No FAF	510' (410')	115'	
N26°31'30" E053°57'45"						
MISSED APCH: Climb on R-271 to 1700', then turn RIGHT to rejoin holding at 3000'.						
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900')						
Initial apch restricted to MAX IAS 220 KT.						


MSA KIS VOR





Gnd speed-Kts	70	90	100	120	140	160	1700' on 117.4 KIS ↑ R-271	
Descent angle [3.00°]	372	478	531	637	743	849		
MAP at VOR								

STRAIGHT-IN LANDING RWY 27L				CIRCLE-TO-LAND	
MDA(H) 510' (410')				Max Kts	MDA(H)
A	1700m			100	790' (690') 1700m
B				135	
C	2000m			180	890' (790') 3600m
D	2400m			205	890' (790') 4000m




*ATIS				*KISH Tower	
128.0				121.65	250.65 (Military)
NDB 201 N26°31'39" E053°57'08"	KIH <i>Final Apch Crs</i> 093°	<i>Minimum Alt</i> No FAF	<i>MDA(H)</i> 510' (410')	<i>Apt Elev</i> 115'	
MISSED APCH: Climb on 093° to 2000', then turn LEFT to rejoin holding at 3000'.					
Alt Set: hPa	Apt Elev: 4 hPa	Trans level: By ATC	Trans alt: 3000' (2900')		



MSA KIH NDB



Gnd speed-Kts	70	90	100	120	140	160	2000' ↑ on 093°
Descent angle [3.00°]	372	478	531	637	743	849	
MAP at NDB							


STRAIGHT-IN LANDING RWY 09R				CIRCLE-TO-LAND	
MDA(H) 510' (410')				Max Kts	MDA(H)
A	1600m			100	790' (690')
B				135	1600m
C	2000m			180	890' (790')
D	2400m			205	890' (790')



*ATIS				*KISH Tower	
128.0				121.65	250.65 (Military)
NDB 201 N26°31'39" E053°57'08"	KIH <i>Final Apch Crs</i> 273°	<i>Minimum Alt</i> No FAF	<i>MDA(H)</i> 510' (410')	<i>Apt Elev</i> 115'	
MISSED APCH: Climb on 273° to 2000', then turn RIGHT to rejoin holding at 3000'.					
Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900')					
MSA KIH NDB					



Gnd Speed-Kts	70	90	100	120	140	160	
Descent angle [3.00°]	372	478	531	637	743	849	
MAP at NDB							

STRAIGHT-IN LANDING RWY 27L				CIRCLE-TO-LAND	
MDA(H) 510' (410')				Max Kts.	MDA(H)
A	1600m			100	790' (690') 1600m
B				135	
C	2000m			180	890' (790') 3600m
D	2400m			205	890' (790') 4000m

*ATIS 128.0			*KISH Tower 121.65 250.65 (Military)			
GPS RWY 09 Position threshold N 26°31.611' E 053°57.754'	Final Apch Crs 093°	Minimum Alt D3.0 1000' (900')	MDA(H) 460' (360')	Apt Elev 115'		
	MISSED APCH: Climb STRAIGHT AHEAD to VOR. Proceed on R-097 to 1700', then turn LEFT to join VOR holding at 3000'.					
	Alt Set: hPa Apt Elev: 4 hPa Trans level: By ATC Trans alt: 3000' (2900')		MSA KIS VOR			



MAP at D0.9						KIS 117.4	1700'	KIS 117.4 on R-097

STRAIGHT-IN LANDING RWY 09R				CIRCLE-TO-LAND			
MDA(H) 460' (360')				Max Kts	MDA(H)		
A				100	790' (690')		1700m
B	1700m			135			
C				180	890' (790')		3600m
D	2000m			205	890' (790')		4000m