





*ATIS 127.25	Apt Elev 5746'	Alt Set: hPa Trans level: By ATC Trans alt: 12000' Actual descent clearance will be as directed by ATC.
-----------------	-------------------	--



ALGUV 1J [ALGU1J], ALGUV 1K [ALGU1K]
ALGUV 1L [ALGU1L], ALKES 1J [ALKE1J]
ALKES 1K [ALKE1K], ALKES 1L [ALKE1L]
RWYS 16, 34 ARRIVALS




STAR	RWY	ROUTING
ALGUV 1J	16, 34	At ALGUV intercept KER R-359 inbound to KER.
ALGUV 1K	34	At ALGUV intercept KER R-359 inbound to KER, KER R-228 to KER R-228/D14.
ALGUV 1L	16	From ALGUV on 205° track to KER R-338/D18.
ALKES 1J	16, 34	At ALKES intercept KER R-100 inbound to KER.
ALKES 1K	34	From ALKES on 264° track to KER R-228/D14.
ALKES 1L	16	From ALKES on 301° track to KER R-338/D18.


*ATIS
127.25

Apt Elev
5746'

Alt Set: hPa Trans level: By ATC Trans alt: 12000'
Actual descent clearance will be as directed by ATC.





ALKUL 1J [ALKU1J], ALKUL 1K [ALKU1K]
ALKUL 1L [ALKU1L], ALMEK 1J [ALME1J]
ALMEK 1K [ALME1K], ALMEK 1L [ALME1L]
RWYS 16, 34 ARRIVALS



STAR	RWY	ROUTING
ALKUL 1J	16, 34	At ALKUL intercept KER R-146 inbound to KER.
ALKUL 1K	34	From ALKUL on 299° track to KER R-228/D14.
ALKUL 1L	16	At ALKUL intercept KER R-146 inbound to KER, KER R-338 to KER R-338/D18.
ALMEK 1J	16, 34	At ALMEK intercept KER R-187 inbound to KER.
ALMEK 1K	34	From ALMEK on 342° track to KER R-228/D14.
ALMEK 1L	16	At ALMEK intercept KER R-187 inbound to KER, KER R-338 to KER R-338/D18.


*ATIS 127.25	Apt Elev 5746'	Alt Set: hPa Trans level: By ATC Trans alt: 12000' Actual descent clearance will be as directed by ATC.
-----------------	-------------------	--

ALMIG 1J [ALMI1J], ALMIG 1K [ALMI1K]
ALMIG 1L [ALMI1L], ALMOB 1J [ALMO1J]
ALMOB 1K [ALMO1K], ALMOB 1L [ALMO1L]
RWYS 16, 34 ARRIVALS




STAR	RWY	ROUTING
ALMIG 1J	16, 34	At ALMIG intercept KER R-258 inbound to KER.
ALMIG 1K	34	From ALMIG on 099° track to KER R-228/D14.
ALMIG 1L	16	From ALMIG on 044° track to KER R-338/D18.
ALMOB 1J	16, 34	At ALMOB intercept KER R-304 inbound to KER.
ALMOB 1K	34	From ALMOB on 150° track to KER R-228/D14.
ALMOB 1L	16	From ALMOB on 089° track to KER R-338/D18.

*ATIS 127.25	Apt Elev 5746'	Alt Set: hPa Trans level: By ATC Trans alt: 12000' Actual descent clearance will be as directed by ATC.
-----------------	-------------------	--



ALGUV 2D [ALGU2D], ALKES 2D [ALKE2D]
ALKUL 2D [ALKU2D], ALMEK 2D [ALME2D]
ALMIG 2D [ALMI2D], ALMOB 2D [ALMO2D]
RWYS 16, 34 ARRIVALS




STAR	ROUTING
ALGUV 2D	At ALGUV intercept 179° bearing to KER.
ALKES 2D	At ALKES intercept 281° bearing to KER.
ALKUL 2D	At ALKUL intercept 325° bearing to KER.
ALMEK 2D	At ALMEK intercept 007° bearing to KER.
ALMIG 2D	At ALMIG intercept 076° bearing to KER.
ALMOB 2D	At ALMOB intercept 123° bearing to KER.




Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'



ALGUV 1G [ALGU1G], ALGUV 1H [ALGU1H]
ALGUV 1J [ALGU1J]
RWYS 34, 16 DEPARTURES



ALGUV 1H, 1J


These SIDs require a minimum climb gradient of 250' per NM.

Gnd speed-KT	75	100	150	200	250	300
250' per NM	312	417	625	833	1042	1250


SID	RWY	ROUTING
ALGUV 1G	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-359 inbound to KER, turn LEFT, intercept KER R-001 to ALGUV, climb to cleared FL.
ALGUV 1H	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-001 to ALGUV, climb to cleared FL.
ALGUV 1J	16	Turn RIGHT, intercept KER R-180 to 7500', turn LEFT to KER, KER R-001 to ALGUV, climb to cleared FL.

Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'



ALGUV 3D [ALGU3D], ALGUV 3E [ALGU3E]
ALGUV 3F [ALGU3F]
RWYS 34, 16 DEPARTURES



ALGUV 3E

This SID requires a minimum climb gradient of 250' per NM.

Gnd speed-KT	75	100	150	200	250	300
250' per NM	312	417	625	833	1042	1250

SID	RWY	ROUTING
ALGUV 3D	34	Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 179° bearing to KER, turn LEFT, intercept 359° bearing from KER to ALGUV, climb to cleared FL.
ALGUV 3E		Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 359° bearing from KER to ALGUV, climb to cleared FL.
ALGUV 3F	16	Turn RIGHT, intercept 180° bearing from KER to 7500', turn LEFT to KER, 359° bearing to ALGUV, climb to cleared FL.



Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'

ALKES 1G [ALKE1G], ALKES 1J [ALKE1J]
RWYS 34, 16 DEPARTURES

180°

12,600' 15,000'

090° 270°

11,500' 16,000'


360°

MSA
KER VOR

↑

N

NOT TO SCALE



ALKES 1J

This SID requires a minimum climb gradient of 250' per NM up to KER.


Gnd speed-KT	75	100	150	200	250	300
250' per NM	312	417	625	833	1042	1250

SID	RWY	ROUTING
ALKES 1G	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-359 inbound to KER, KER R-100 to ALKES, climb to cleared FL.
ALKES 1J	16	Turn RIGHT, intercept KER R-180 to 8500', turn LEFT to KER, KER R-100 to ALKES, climb to cleared FL.




Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'



ALKES 4C [ALKE4C], ALKES 4D [ALKE4D]
RWYS 34, 16 DEPARTURES



ALKES 4D


This SID requires a minimum climb gradient of 250' per NM up to KER.

Gnd speed-KT	75	100	150	200	250	300
250' per NM	312	417	625	833	1042	1250


SID	RWY	ROUTING
ALKES 4C	34	Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 180° bearing to KER, 101° bearing to ALKES, climb to cleared FL.
ALKES 4D	16	Turn RIGHT, intercept 180° bearing from KER to 8500', turn LEFT to KER, 101° bearing to ALKES, climb to cleared FL.

Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'



ALKUL 1G [ALKU1G], ALKUL 1J [ALKU1J]
ALKUL 1K [ALKU1K]
RWYS 34, 16 DEPARTURES



These SIDs require minimum climb gradients
of
ALKUL 1J: 250' per NM up to KER.
ALKUL 1K: 350' per NM.


Gnd speed-KT	75	100	150	200	250	300
350' per NM	437	583	875	1167	1458	1750
250' per NM	312	417	625	833	1042	1250

N29 52.0 E057 15.6


SID	RWY	ROUTING
ALKUL 1G	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-359 inbound to KER, KER R-144 to ALKUL, climb to cleared FL.
ALKUL 1J	16	Turn RIGHT, intercept KER R-180 to 8500', turn LEFT to KER, turn RIGHT, intercept KER R-144 to ALKUL, climb to cleared FL.
ALKUL 1K		Intercept KER R-160 to FL150, turn LEFT, intercept KER R-144 to ALKUL, climb to cleared FL.

Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'



ALKUL 4D [ALKU4D], ALKUL 4E [ALKU4E]
ALKUL 4F [ALKU4F]
RWYS 34, 16 DEPARTURES



These SIDs require minimum climb gradients
of

ALKUL 4E: 380' per NM.


ALKUL 4F: 350' per NM.

Gnd speed-KT	75	100	150	200	250	300
380' per NM	475	633	950	1267	1583	1900
350' per NM	437	583	875	1167	1458	1750


SID	RWY	ROUTING
ALKUL 4D	34	Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 180° bearing to KER, 145° bearing to ALKUL, climb to cleared FL.
ALKUL 4E	16	Intercept 160° bearing from KER to FL150, turn LEFT, intercept 145° bearing from KER to ALKUL, climb to cleared FL.
ALKUL 4F		Turn RIGHT, intercept 180° bearing from KER to 8500', turn LEFT to KER, 145° bearing from KER to ALKUL, climb to cleared FL.

Apt Elev
5746'

Trans level: By ATC Trans alt: 12000'



ALMEK 1G [ALME1G], ALMEK 1J [ALME1J]
ALMEK 1K [ALME1K]
RWYS 34, 16 DEPARTURES




ALMEK 1K
This SID requires a minimum climb gradient of 370' per NM.

Gnd speed-KT	75	100	150	200	250	300
370' per NM	463	617	925	1233	1542	1850


SID	RWY	ROUTING
ALMEK 1G	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-359 inbound to KER, KER R-187 to ALMEK, climb to cleared FL.
ALMEK 1J	16	Turn RIGHT, intercept KER R-180 to 8000', turn LEFT to KER, KER R-187 to ALMEK, climb to cleared FL.
ALMEK 1K		Turn RIGHT, intercept KER R-187 to ALMEK, climb to cleared FL.



Apt Elev 5746'	Trans level: By ATC Trans alt: 12000'
-------------------	--





ALMEK 3D [ALME3D], ALMEK 3E [ALME3E]
ALMEK 3F [ALME3F]
RWYS 34, 16 DEPARTURES



SID	RWY	ROUTING
ALMEK 3D	34	Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 180° bearing to KER, 187° bearing to ALMEK, climb to cleared FL.
ALMEK 3E	16	Turn RIGHT, intercept 187° bearing from KER to ALMEK, climb to cleared FL.
ALMEK 3F		Turn RIGHT, intercept 180° bearing from KER to 8000', turn LEFT to KER, 187° bearing to ALMEK, climb to cleared FL.

Trans level: By ATC Trans alt: 12000'





ALMIG 1K: 370' per NM.

Gnd speed-KT	75	100	150	200	250	300
370' per NM	463	617	925	1233	1542	1850
250' per NM	312	417	625	833	1042	1250

SID	RWY	ROUTING
ALMIG 1G	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-359 inbound to KER, KER R-258 to ALMIG, climb to cleared FL.
ALMIG 1J	16	Turn RIGHT, intercept KER R-180 to 8000', turn LEFT to KER, KER R-258 to ALMIG, climb to cleared FL.
ALMIG 1K		Turn RIGHT, intercept KER R-180 to 8500', turn RIGHT, intercept KER R-258 to ALMIG, climb to cleared FL.

Apt Elev 5746'	Trans level: By ATC Trans alt: 12000'
-------------------	--

ALMIG 3D [ALMI3D], ALMIG 3E [ALMI3E]
ALMIG 3F [ALMI3F]
RWYS 34, 16 DEPARTURES




SID	RWY	ROUTING
ALMIG 3D	34	Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 180° bearing to KER, 257° bearing to ALMIG, climb to cleared FL.
ALMIG 3E	16	Turn RIGHT, intercept 180° bearing from KER to 8500', turn RIGHT, intercept 257° bearing from KER to ALMIG, climb to cleared FL.
ALMIG 3F		Turn RIGHT, intercept 180° bearing from KER to 8000', turn LEFT to KER, 257° bearing to ALMIG, climb to cleared FL.




Apt Elev 5746'	Trans level: By ATC Trans alt: 12000'
-------------------	--

ALMOB 1G [ALMO1G], ALMOB 1H [ALMO1H]
ALMOB 1J [ALMO1J]
RWYS 34, 16 DEPARTURES



ALMOB
N30 34.7 E056 28.5




ALMOB 1H

This SID requires a minimum climb gradient of 300' per NM up to 11000'.

Gnd speed-KT	75	100	150	200	250	300
300' per NM	375	500	750	1000	1250	1500

SID	RWY	ROUTING
ALMOB 1G	34	Intercept KER R-335 to 8500', turn RIGHT, intercept KER R-359 inbound to KER, KER R-304 to ALMOB, climb to cleared FL.
ALMOB 1H		Intercept KER R-335 to 10000', turn LEFT, intercept KER R-304 to ALMOB, climb to cleared FL.
ALMOB 1J	16	Turn RIGHT, intercept KER R-180 to 8000', turn LEFT to KER, KER R-304 to ALMOB, climb to cleared FL.

Trans level: By ATC Trans alt: 12000'



ALMOB
N30 34.7 E056 28.5

At or above
FL160

At 10000'

ALMOB 4D

ALMOB 4E
Turn at
8500'

30
ALMOB 4E, 4F

ALMOB 4E $\leftarrow 179^{\circ}$

KERMAN
290 KER
N30°15'55"E056°57'39"

ALMOB 4E
At or above
12000'

ALMOB 4F
At or above
11000'

At 8000'

NOT TO SCALE

This SID requires a minimum climb gradient of 300' per NM up to 11000'.


Gnd speed-KT	75	100	150	200	250	300
300' per NM	375	500	750	1000	1250	1500

SID	RWY	ROUTING
ALMOB 4D	34	Intercept 335° bearing from KER to 10000', turn LEFT, intercept 303° bearing from KER to ALMOB, climb to cleared FL.
ALMOB 4E		Intercept 335° bearing from KER to 8500', turn RIGHT, intercept 180° bearing to KER, 303° bearing to ALMOB, climb to cleared FL.
ALMOB 4F	16	Turn RIGHT, intercept 180° bearing from KER to 8000', turn LEFT to KER, 303° bearing to ALMOB, climb to cleared FL.

OIKK/KER
Apt Elev 5746'
N30° 16.5" E056° 57.1"



KERMAN, IRAN
KERMAN



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS		TAKE-OFF	WIDTH
		LANDING	BEYOND		
		Threshold	Glide Slope		
05 ① 23					148' 45m
16 34	HIRL (60m) ALS PAPI-L (angle 3.0°)		11,626' 3544m		148' 45m

① Usable for light acft only, due to obstacle limitation.

TAKE-OFF	
AIR CARRIER (JAA)	
All Rwys	
RL & RCLM	NIL (DAY only)
400m	500m

STRAIGHT-IN RWY		A	B	C	D
16	VOR ❶ ❷	6200' (469')	6200' (469')	6200' (469')	6200' (469')
	ALS out	R1500m R1500m	R1500m R1500m	R2000m C2200m	R2000m C2200m
34	ILS ❷	5996' (255')	5996' (255')	5996' (255')	5996' (255')
	ALS out	R1100m R1300m	R1100m R1300m	R1100m R1300m	R1100m R1300m
	LOC ❶ ❷	6200' (459')	6200' (459')	6200' (459')	6200' (459')
	ALS out	R1500m R1500m	R1500m R1500m	R1900m C2100m	R1900m C2100m
	VOR ❶ ❸	6200' (459')	6200' (459')	6200' (459')	6200' (459')
	ALS out	R1500m R1500m	R1500m R1500m	R1900m C2100m	R1900m C2100m

- ❶ Continuous Descent Final Approach.
- ❷ Missed apch climb gradient mim 3.3%.
- ❸ Missed apch climb gradient mim 3.6%.

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
ILS, LOC & VOR ❹	6300' (559')	6400' (659')	6400' (659')	6500' (759')
	V1500m ❺	V1600m ❺	V2400m ❺	V3600m
Circling VOR ❹ ❻	6300' (559')	6400' (659')	6400' (659')	6500' (759')
	V1500m	V1600m	V2400m	V3600m
Circling NDB ❼ ❽	6900' (1159')	6900' (1159')	6900' (1159')	6900' (1159')
	V1500m	V1600m	V2400m	V3600m

- ❹ Not authorized btn R-235 & R-325.
- ❺ or higher minimums of preceding straight-in approach.
- ❻ Missed apch climb gradient mim 3.6%.
- ❼ Not authorized btn 055° and 145° to NDB.
- ❽ Missed apch climb gradient mim 3.3%.

TAKE-OFF RWY 05, 16, 23, 34	
	NIL (DAY only)
RL & RCLM	
A	
B	
C	
D	

400m	500m
------	------

STRAIGHT-IN RWY		A	B	C	D
16	VOR ①	6200' (469')	6200' (469')	6200' (469')	6200' (469')
		R1500m	R1500m	R1800m	R2000m
	ALS out	R1500m	R1500m	R2000m	R2000m
34	ILS ①	5996' (255')	5996' (255')	5996' (255')	5996' (255')
		R900m	R900m	R900m	R900m
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC ①	6200' (459')	6200' (459')	6200' (459')	6200' (459')
		R1500m	R1500m	R1800m	R2000m
	ALS out	R1500m	R1500m	R2000m	R2000m
	VOR ②	6200' (459')	6200' (459')	6200' (459')	6200' (459')
		R1500m	R1500m	R1800m	R2000m
	ALS out	R1500m	R1500m	R2000m	R2000m

- ❶ Missed apch climb gradient mim 3.3%.
- ❷ Missed apch climb gradient mim 3.6%.

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
ILS, LOC & VOR ③	6300' (559')	6400' (659')	6400' (659')	6500' (759')
	V1500m	V1600m	V2400m	V3600m
Circling VOR ③ ④	6300' (559')	6400' (659')	6400' (659')	6500' (759')
	V1500m	V1600m	V2400m	V3600m
Circling NDB ⑤ ⑥	6900' (1159')	6900' (1159')	6900' (1159')	6900' (1159')
	V1500m	V1600m	V2400m	V3600m

- ❸ Not authorized b/n R-235 & R-325.
- ❹ Missed apch climb gradient min 3.6%.
- ❺ Not authorized b/n 055° and 145° to NDB.
- ❻ Missed apch climb gradient min 3.3%.

TAKE-OFF RWY 05, 16, 23, 34

	RL & RCLM	NIL (DAY only)
A		
B		
C	400m	500m
D		


OIKK/KER
Kerman





MISSED APCH CLIMB
GRADIENT MIM 3.3%



Kerman, Iran
VOR DME ILS Rwy 34

*ATIS				KERMAN Tower	
127.25				250.3	118.25
LOC IKER 108.7	Final Apch Crs 335°	GS D5.2 IKER 7400' (1659')	ILS DA(H) 5996' (255')	Apt Elev 5746'	 MSA KER VOR
MISSED APCH: Climb to VOR, then climb on R-335 to 8500', then turn RIGHT to intercept R-355 inbound to cross VOR at or above 9500', then intercept R-228 to rejoin holding at 12000'.					
Alt Set: hPa Apt Elev: 193 hPa Trans level: By ATC Trans alt: 12000'					



Gnd speed-Kts	70	90	100	120	140	160		KER 112.0	8500'	KER 112.0
ILS GS or LOC Descent Angle	3.00°	372	478	531	637	743		↑	↖ RT	on R-335
MAP at D0.8 IKER										

STRAIGHT-IN LANDING RWY 34					CIRCLE-TO-LAND				
Missed apch climb gradient mim 3.3%					Not authorized btn R-235 and R-325				
ILS		LOC (GS out)			Max Kts		MDA(H)		
DA(H) 5996' (255')		MDA(H) 6200' (459')							
FULL		ALS out							
A	1200m	1600m			100		6300' (559')	1600m	
B					135		6400' (659')	1600m	
C		2000m			180		6400' (659')	2800m	
D		2400m			205		6500' (759')	4000m	

PANS OPS 4

OIKK/KER
KERMAN





MISSED APCH CLIMB
GRADIENT MIM 3.3%



KERMAN, IRAN
VOR DME-2 Rwy16

*ATIS 127.25			KERMAN Tower 250.3 118.25		
VOR 112.0 N30°17'06" E056°56'37"	KER Final Apch Crs 155°	Minimum Alt D6.0 7700' (1969')	MDA(H) 6200' (469')	Apt Elev 5746' RWY 5731'	
MISSED APCH: Climb on 158° to VOR, then climb on R-155 to 8000', then turn LEFT to cross overhead VOR at or above 9000', then intercept R-338 to rejoin holding at 12000'.					
Alt Set: hPa	Rwy Elev: 193 hPa	Trans level: By ATC		Trans alt: 12000'	



Gnd speed-Kts	70	90	100	120	140	160	ALS PAPI	KER 112.0 ↑	on 155°	8000' ↑	KER 112.0 on R-155
Descent Angle 3.14°	389	500	556	667	778	889					
MAP at D1.7											

STRAIGHT-IN LANDING RWY 16 Missed apch climb gradient mim 3.3%					CIRCLE-TO-LAND Not authorized btn R-235 & R-325		
MDA(H) 6200' (469')					Max Kts	MDA(H)	
ALS out					100	6300' (559')	2800m
2800m					135	6400' (659')	2800m
					180		
					205	6500' (759')	4000m

OIKK/KER
KERMAN





MISSED APCH CLIMB
GRADIENT MIM 3.6%



KERMAN, IRAN
VOR DME-1 Rwy 34

*ATIS 127.25				KERMAN Tower 250.3 118.25	
VOR KER 112.0 N30°17'06" E056°56'37"	Final Apch Crs 335°	Minimum Alt D7.0 7500' (1759')	MDA(H) 6200' (459')	Apt Elev 5746'	 MSA KER VOR
MISSED APCH: Climb to VOR, then climb on R-335 to 8500', then turn RIGHT to intercept R-355 inbound to cross VOR at or above 9500', then intercept R-228 to rejoin holding at 12000'.					
Alt Set: hPa		Apt Elev: 193 hPa	Trans level: By ATC	Trans alt: 12000'	



Gnd speed-Kts	70	90	100	120	140	160		KER 112.0	8500'	KER 112.0
Descent Angle	3.12°	386	497	552	662	773		↑	↑	on R-335
MAP at D2.5										

STRAIGHT-IN LANDING RWY 34 Missed apch climb gradient mim 3.6%				CIRCLE-TO-LAND Not authorized btn R-235 & R-325			
MDA(H) 6200' (459')				Max Kts			
ALS out				MDA(H)			
A	1600m			100	6300' (559')		1600m
B				135	6400' (659')		1600m
C	2000m			180	6400' (659')		2800m
D	2400m			205	6500' (759')		4000m

OIKK/KER
KERMAN




MISSED APCH CLIMB
GRADIENT MIM 3.6%



KERMAN, IRAN
CIRCLING VOR

*ATIS			KERMAN Tower		
127.25			250.3		118.25
VOR KER 112.0 N30°17'06" E056°56'37"	Final Apch Crs 335°	Minimum Alt No FAF	MDA(H) Refer to Minimums	Apt Elev 5746'	
MISSED APCH: Climb on R-335 to 8500', then turn RIGHT to intercept R-335 inbound and rejoin holding at 11500'.					 MSA KER VOR
Alt Set: hPa		Apt Elev: 193 hPa		Trans level: By ATC	
Initial approach MAX 185 KT.		Trans alt: 12000'			



							Lighting - Refer to Airport Chart	8500' ↑ on R-335	KER 112.0
MAP at VOR									

			CIRCLE-TO-LAND Not authorized btm R-235 & R-325 Missed apch climb gradient mim 3.6%		
			Max Kts	MDA(H)	
			A 100	6300' (559')	1600m
			B 135	6400' (659')	1600m
			C 180	6400' (659')	2800m
			D 205	6500' (759')	4000m

OIKK/KER
KERMAN





MISSED APCH CLIMB
GRADIENT MIM 3.3%



KERMAN, IRAN
CIRCLING NDB

*ATIS				KERMAN Tower	
127.25				250.3	118.25
NDB 290 N30°15'55" E056°57'39"	KER	Final Apch Crs 349°	Minimum Alt No FAF	MDA(H) 6900' (1159')	Apt Elev 5746'
MISSED APCH: Climb on track 349° to 9000', then climbing turn RIGHT to rejoin holding at 11400'.					 MSA KER NDB
Alt Set: hPa	Apt Elev: 193 hPa	Trans level: By ATC	Trans alt: 12000'	Initial approach MAX 185 KT.	



MAP at NDB				Lighting - Refer to Airport Chart		9000' on 349°
				CIRCLE-TO-LAND Not authorized btm 055° and 145° to NDB Missed apch climb gradient mim 3.3%		
				Max Kts	MDA(H)	
				A 100	6900' (1159')	2000m
				B 135	6900' (1159')	2400m
				C 180	6900' (1159')	4800m
				D 205		