


FIELD
ELEV
277



AIRPORT DIAGRAM

HATZOR, ISRAEL
HATZOR (LLHS)

Updated: 18FEB22

LLHS
HAZOR

NOT TO SCALE


TRANSPORT

Unclassified


בל"ס

HAZOR, ISRAEL
AIR-BASE CHART

ATIS 119.95	Ground 135.25	Tower 133.2 6004	AD Elev 149'	AD REFERENCE POINT (ARP) N 31°45'.7" E 34° 43'.642"
----------------	------------------	---------------------	-----------------	--



DECLARED DISTANCES (m)				
RWY	TORA	TODA	ASDA	LDA
05	2411	2661	2561	2411
23	2411	2656	2564	2411
11R	2475	2733	2642	2475
29L	2475	2686	2620	2475
11L	2505	2780	2665	2433
29R	2505	2693	2633	2505



ADDITIONAL RWY INFORMATION						
RWY	DIRECTION	DISPLACED THR COORDINATES	ELEV	LENGHT	WIDTH	REMARK
05	052°	N 31° 45.250' E34° 42.902'	119'	2400m	45m	Instrument RWY VASIS
23	232°	N 31° 46.008' E34° 44.145'	127'			NIL
11R	102°	N 31° 45.837' E34° 43.240'	113'	2450m	45m	NIL
29L	286°	N 31° 45.341' E34° 44.699'	144'			NIL
11L	106°	N 31° 45.922' E34° 43.311'	114'	2450m	35m	NIL
29R	286°	N 31° 45.437' E34° 44.743'	144'			NIL
TWY J	052°	N 31° 45.304' E34° 42.856'	115'	2400m	23m	Available in emergency landing
	232°	N 31° 46.044' E34° 44.075'	133'			

IAF GCU HQ- MADOR TAAVURA

13 OCT 2025

T - 04- 01


LLHS
HAZOR

NOT TO SCALE

TRANSPORT

Unclassified בלמ"ס

HAZOR, ISRAEL
VISUAL CIRCUIT



IAF GCU HQ- MADOR TAAVURA

13 OCT 2025

T - 04- 02

T - 04- 03

LLHS
HAZOR

NOT TO SCALE


TRANSPORT

Unclassified

גל"מ 0"

HAZOR, ISRAEL
SID PALMH 2

IAF GCU HQ- MADOR TA'AVURA




13 OCT 2025

T - 04- 05

IAF GCU HQ- MADOR TAAVURA

Initial climb clearance 3000'	
SID	RWY
NIL 2A	05
NIL 2B	23
NIL 2C	29
ROUTING	
KARNY (3000') - VISHI (5000' or above) - SHUNI (6000') - NILVI (6000')	

Apt Elev 149'	ATIS 119.95	Ground 135.25	Tower 133.2	Shanun 509 305 122.9
NILVI 2A, NILVI 2B, NILVI 2C DEPARTURES				



LLHS
HAZOR


NOT TO SCALE

TRANSPORT

Unclassified

ס"מ

HAZOR, ISRAEL
SID NILVI




13 OCT 2025

T - 04- 06

IAF GCU HQ- MADOR TAUVURA

Initial climb clearance 3000'	
SID	RWY
INITIAL CLIMB	
PAL 2A	05
Climb straight ahead, at D1.0 HZR turn LEFT to reach KARNY at 3000'.	
PAL 2B	23
Climb straight ahead, at D1.0 HZR turn RIGHT to reach KARNY at 3000'.	
PAL 2C	29
Climb straight ahead, at D1.0 HZR turn LEFT to reach KARNY at 3000'.	
ROUTING	
KARNY (3000') - VISHI (5000' or above) - SHUNI (8000')	



T - 04- 08

LLHS
HAZOR

NOT TO SCALE



TRANSPORT

Unclassified


בל"מ

HAZOR, ISRAEL
ILS/LOC W RWY 05

ATIS 119.95	GCU 509 122.9	Approach 130.10	Tower 133.2	Ground 135.25	LOC HZR 108.5	 MSA HZR TACAN
Final APCH CRS 050°	FAF D7.7 HZR 2500'	ILS DA (H) 420' (306')	AD Elev 149'	TAC 106X HZR		
MISSED APCH: Climb straight ahead to 4000', turn LEFT when crossing 700' but not later than HZR D1.0, to intercept TAC. Then follow ATC instructions.						



LOC	HZR TAC	7.7	7.0	6.6	6.0	5.0	4.0	3.0	2.0
(GS OUT)	ALT(H)	2500' (2386')	2270' (2154')	2100' (1986')	1950' (1836')	1630' (1516')	1310' (1196')	993' (897')	670' (556')
NM to THR RWY 05		7.1	6.4	6.0	5.4	4.4	3.4	2.4	1.4



GND speed - KTS	80	100	120	140	180	4000' ↑		HLD at 4000'
Rate of descent - FPM	420	530	640	740	960			
Straight- in RWY 05					Circle to land			
ILS 05 DA (H) 420' (306') VIS 1600m		LOC 05 (G.S. OUT) MDA (H) 720' (606') VIS 3200m			Max KTS 165	MDA (H) 950' (806') VIS 3200m		

IAF GCU HQ- MADOR TAUVURA

13 OCT 2025

T - 04-10

LLHS

NOT TO SCALE

HAZOR, ISRAEL


HAZOR

TRANSPORT

Unclassified

בל"מ ס

ILS/LOC DME W RWY 05



IAF GCU HQ- MADOR TAAVURA

13 OCT 2025

T - 04-10

LLHS
HAZOR


NOT TO SCALE

CIVIL

Unclassified

בל"מ ס"

HAZOR, ISRAEL
SID BOFIR RWYs 23,29



IAF GCU HQ- MADOR TAUVURA

13 OCT 2025

C - 04-01

LLHS
HAZOR

NOT TO SCALE

CIVIL

Unclassified


בל"מ ס"

HAZOR, ISRAEL
RNAV VISUAL RWY 05


Shanun 509
128.25

Tower
133.20

Apt Elev 149'
TDZE 120'




MISSED APCH: Turn **LEFT** not later than **1.5 DER** to reach **SHUNI** at **6000'**, or as directed by ATC.



REMARKS
From **ALEXA** the approach is a visual approach.

CONDITIONS:
passing **ALEXA** must be in visual reference to terrain
if visual reference not established - maintain **1500'** and
follow the prescribed track, or as instructed by ATC.



D1.5
↑

6000'
↶

HLD at 6000'

VISUAL APPROACH RWY 05

CEILING | VISIBILITY

1500' | 5KM

IAF GCU HQ- MADOR TAUVURA

13 OCT 2025

C - 04-02