



One straight line, two waves

The mark is an X built from three elements: a straight, cut-ended bar and two folded ribbons set at 180° to each other. The bar is the emitted signal — direct, hard-edged, unchanged. The ribbons are what comes back: the same energy after it has passed through something, folded and shifted in colour. Read together they form the x of sonixense, so the letter and the symbol are the same object.

The colour runs one continuous ramp across both ribbons, from ink at the top-left tip through plum and orchid to ember at the bottom-right. Nothing in the mark is decorative: the ramp is the shift, the fold is the return.



Four lockups, one system




Primary — horizontal



Stacked



Mark alone



Wordmark alone



On dark



Single-colour ink



Reversed white



Pure black

Use the horizontal lockup wherever it fits. Drop to the stacked lockup only when the space is squarer than 2:1, and to the mark alone when the name is already present — avatars, app icons, favicons, a document tab. Never rebuild a lockup by hand: use the files.

Give it room



Clear space is x — half the height of the lowercase letters in the wordmark. Nothing else may enter that band: no type, no rules, no image edge. When in doubt use more.

Minimum sizes




sonixense Horizontal lockup
30 mm print · 120 px screen


sonixense Stacked lockup
22 mm print · 90 px screen


Mark alone
6 mm print · 24 px screen

Below 32 px use the compact mark file — its gaps are opened up so the bar and ribbons stay separate on a low-resolution screen.

Ink, paper, and one signal ramp

					
Ink	Ink Deep	Paper	Mist	Slate	Slate Light
#0E2F38	#071D23	#F7F7F5	#E4E7E8	#5C6E75	#8C9CA1
RGB 14 47 56	RGB 7 29 35	RGB 247 247 245	RGB 228 231 232	RGB 92 110 117	RGB 140 156 161
CMYK 75 16 0 78	CMYK 80 17 0 86	CMYK 0 0 1 3	CMYK 2 0 0 9	CMYK 21 6 0 54	CMYK 13 3 0 37

The signal ramp

				
Indigo	Plum	Orchid	Coral	Ember
#12303F	#5A4870	#A75B84	#BC5560	#AE462A
CMYK 71 24 0 75	CMYK 20 36 0 56	CMYK 0 46 21 35	CMYK 0 55 49 26	CMYK 0 60 76 32

The ramp belongs to the mark. Use it as a gradient — a rule, an edge, a hero field — not as a set of fills competing with each other. When one accent colour is needed, use Accent #8A4A6E on light (6.4:1) and #DA9BBB on ink (7.8:1); both clear WCAG AA for body text. CMYK values are unmanaged conversions: ask your printer for a proof before a long run.

Manrope, Inter, IBM Plex Mono

Manrope

Headlines, names, slide titles

Aa Bb Cc 0123

Inter

Body copy, UI, long-form

Aa Bb Cc 0123

IBM Plex Mono

Figures, specs, contact lines

Aa Bb Cc 0123

Display	Sensing what the body says	Manrope Bold 44/1.1
H1	Sensing what the body says	Manrope Bold 28/1.2
H2	Sensing what the body says	Manrope SemiBold 18/1.3
Body	Sensing what the body says	Inter Regular 15/1.5
Small	Sensing what the body says	Inter Regular 13/1.5
Mono	Sensing what the body says	IBM Plex Mono Regular 12/1.4

Set headlines tight (-1% to -2% tracking) and never letterspace lowercase body text. Numbers, units, e-mail addresses and part codes go in IBM Plex Mono so a spec never reads as prose.

Eight things not to do



Never stretch, squash or rotate.




Never recolour outside the palette.



Never place the colour logo on a busy or low-contrast ground.



No shadows, glows, bevels or outlines.




Never rebuild or re-space the lockup.



Never crowd the logo — respect the x of clear space.



Never set the ink logo on a mid-tone brand colour — reverse it instead.




Correct: the on-dark file, full clear space, unmodified.

The system in use




Business card, front




Business card, back



Open Graph card



Letterhead, A4



LinkedIn banner



App icon / avatar

What is in the folder

01-Logo/SVG	Master vectors. Start here for anything scalable.
01-Logo/PNG	Transparent rasters, 600–4800 px wide.
01-Logo/PDF	Vector files for printers and Illustrator.
02-Web/favicon	favicon.ico, SVG, PNG set, Apple touch, PWA manifest.
02-Web/social	OG card, LinkedIn, X, YouTube, Instagram, avatars.
02-Web/email-signature	HTML signature with the logo embedded.
02-Web/code	CSS custom properties, JSON tokens, inline SVG snippet.
03-Print/business-card	85×55 mm and 3.5×2 in, front and back, 3 mm bleed.
03-Print/letterhead	A4 and US Letter, blank and with sample copy.
03-Print/envelope	DL and US #10.
04-Office	Word letterhead (A4 + Letter), PowerPoint template.
05-Fonts	Manrope, Inter, IBM Plex Mono + OFL licences.
06-Guidelines	This document, and the same content as a web page.



Every logo file is vector at source. The PNGs are exports — if you need a size that is not in the folder, export it from the SVG rather than scaling a PNG up. The wordmark in every file is already outlined, so nothing depends on a font being installed at the printer.