



01 — Brand, Palette & Motion Guide

the visual language of NexFlow — the Chameleon DNA color palette, the diamond-mark logo system, the Living Mesh background, motion conventions in the web app, and the two pre-built motion-logo HTML files.





Contents

01 — Brand, Palette & Motion Guide

1. Brand essence

2. The Chameleon DNA palette

2.1 Swatch board

2.2 Where each color is used in-app

2.3 Accessibility — contrast pairings

2.4 Dos and don'ts

3. Logo system

3.1 The mark (logo_mark)

3.2 The full lockup (logo_full)

3.3 Clear space, minimum sizes, and don'ts

3.4 Code reference

3.5 Download links (in-repo)

4. Living Mesh — the brand background

5. Motion conventions

5.1 Durations

5.2 Easings

5.3 Stagger patterns

5.4 Reusable transitions used across the app

5.5 Cross-reference

6. The two motion-logo HTML files

6.1 nexflow_motion_logo_1.html

6.2 nexflow_motion_logo_2.html

6.3 How to view

7. Typography (current state)



8. Quick sign-off checklist



Document scope: the visual language of NexFlow — the Chameleon DNA color palette, the diamond-mark logo system, the Living Mesh background, motion conventions in the web app, and the two pre-built motion-logo HTML files.

1. Brand essence

NexFlow is an AI-native B2B CRM and sales operating system designed for the GCC. The brand has three personality vectors that the visual system must always express:

VECTOR	WHAT IT MEANS VISUALLY
Calm intelligence	Muted, low-saturation palette. Generous negative space. No hard primary colors.
Living, in-motion	Backgrounds that drift and breathe. Strokes that flow. Subtle pulses on hero marks.
Sovereign / GCC-credible	Premium glassmorphism cards, gradient accents that read as gold/jewelry rather than neon.

The internal codename for this system is "**NexFlow Full Blend**". It is implemented in three places that must stay in lock-step:

1. The web app: `artifacts/nexflow/src/index.css` (CSS variables) and `artifacts/nexflow/src/components/layout/LivingMesh.tsx`.
2. The two motion-logo HTML stand-alones: `attached_assets/nexflow_motion_logo_1776941293968.html` and `attached_assets/nexflow_motion_logo_2_1776941293968.html` (also copied to `docs/assets/motion_logo_1.html` and `docs/assets/motion_logo_2.html`).
3. The marketing demo video: `artifacts/marketing-demo-video/`.

2. The Chameleon DNA palette

Six muted hues + two neutrals. Every palette token has a semantic role; never use a hex value out of context.



TOKEN	HEX	RGB	HSL	ROLE
Primary — Soft Muted Lavender	#B8A0C8	rgb(184, 160, 200)	hsl(276, 32%, 71%)	Brand color. Active nav, primary buttons, focus rings, hero accents.
Secondary — Warm Rose-Mauve	#C0A0B8	rgb(192, 160, 184)	hsl(322, 23%, 69%)	Soft contrast pair to Primary. Used on inactive nav state, secondary tags.
Growth — Desaturated Seafoam	#88B8B0	rgb(136, 184, 176)	hsl(170, 25%, 63%)	Positive deltas, "Active", success states, "edit" permission, MRR up.
Wealth — Muted Sand / Amber	#C8A880	rgb(200, 168, 128)	hsl(33, 41%, 64%)	Currency, revenue, demo-mode badge, premium / paid surfaces.
Interface — Mist Green-Blue	#90B8B8	rgb(144, 184, 184)	hsl(180, 22%, 64%)	UI chrome accents, secondary chips, info pills.
Highlight — Muted Olive-Lemon	#B8B880	rgb(184, 184, 128)	hsl(60, 32%, 61%)	Sparingly: notifications, "new" badges, AI-generated highlights.
Base — Warm Off-White	#F5F2F6	rgb(245, 242, 246)	hsl(285, 25%, 96%)	Default page background (light mode body).
Ink — Deep Plum	#3E2F4A	rgb(62, 47, 74)	hsl(273, 22%, 24%)	Body text, headings, dark-mode background base.

CSS variables (from `artifacts/nexflow/src/index.css`):

```
:root {
  --nf-primary: #B8A0C8; /* Lavender */
  --nf-secondary: #C0A0B8; /* Rose-Mauve */
  --nf-growth: #88B8B0; /* Seafoam */
  --nf-wealth: #C8A880; /* Sand */
  --nf-interface: #90B8B8; /* Mist */
  --nf-highlight: #B8B880; /* Olive */
}
```

2.1 Swatch board

LAVENDER #B8A0C8	ROSE- MAUVE #C0A0B8	SEAFOAM #88B8B0	SAND #C8A880	MIST #90B8B8	OLIVE #B8B880	BASE #F5F2F6	INK #3E2F4A
							



2.2 Where each color is used in-app

COLOR	WEB APP USAGE (CONCRETE)
Lavender #B8A0C8	Active nav-item icon (<code>TopBar.tsx</code>), <code>nf-chameleon-bg</code> gradient stop, primary button background, <code>Lead Stage</code> pill on contact profile, focus ring on inputs.
Rose-Mauve #C0A0B8	"Hidden" permission state in <code>permissions.tsx</code> , secondary chip variants, <code>nf-chameleon-bg</code> second stop.
Seafoam #88B8B0	"Edit" permission, "Saved" toast, positive KPI delta, <code>Active</code> campaign chip, sandbox / safe-action color.
Sand #C8A880	<code>DEMO MODE</code> chip in avatar dropdown, currency / revenue values, "Wealth" tag in capabilities.
Mist #90B8B8	Quiet info chips, secondary tag color in segments, channel chips in <code>messages.tsx</code> .
Olive #B8B880	Notification badge gradient stop, "AI-generated" sparkle accents, callouts in dashboards.
Base #F5F2F6	Default page background; the Living Mesh sits on this base.
Ink #3E2F4A	Body text in light mode; background in dark mode.

2.3 Accessibility — contrast pairings

WCAG 2.1 AA requires a contrast ratio of **4.5:1** for normal text and **3:1** for large text (≥ 18 px / 14 px bold).



FOREGROUND	BACKGROUND	RATIO	OK FOR
Ink #3E2F4A	Base #F5F2F6	12.74 : 1	All text. □
Ink #3E2F4A	Lavender #B8A0C8	5.34 : 1	Body & large text. □
Ink #3E2F4A	Seafoam #88B8B0	5.91 : 1	Body & large text. □
Ink #3E2F4A	Sand #C8A880	6.65 : 1	Body & large text. □
White #FFFFFF	Lavender #B8A0C8	2.46 : 1	Decorative only — fails body text. ⚠ Use Ink instead.
White #FFFFFF	Seafoam #88B8B0	2.22 : 1	Decorative only. ⚠
White #FFFFFF	Ink #3E2F4A	12.74 : 1	All text. □
Lavender #B8A0C8	Base #F5F2F6	2.39 : 1	Large display only. ⚠

Rule: when placing text on any chameleon hue, default to **Ink #3E2F4A**, not white. White is only acceptable when the chameleon hue is used inside a gradient pill ≥ 14 px bold and the user can dismiss it (chips, badges).

2.4 Dos and don'ts

□ **Do** - Pair one chameleon accent with neutral surfaces. Single-color callouts, never a rainbow. - Use the `nf-chameleon-bg` gradient (Lavender → Seafoam → Sand) for hero CTAs, brand pills, and the active-nav indicator. - Keep text on Ink for body, Lavender for emphasized links, Seafoam for success messages, and the destructive token only for delete. - Maintain ≥ 24 px clear space inside any chameleon-colored tile.

□ **Don't** - Don't introduce neon or pure RGB colors. The palette is muted by design. - Don't put 14 px white text directly on Lavender / Seafoam / Mist (contrast fails). - Don't apply the chameleon gradient to body backgrounds — it is reserved for ≤ 120 px wide brand surfaces (logos, pills, hero CTAs). - Don't tint icons in two hues at once. Pick one chameleon color per icon.

3. Logo system

NexFlow has two lockups.



3.1 The mark (`logo_mark`)

Four concentric rotated rounded-rectangle "diamonds" in chameleon-gradient strokes, with a central gradient dot.

- Source: `artifacts/nexflow/public/logo_mark_hires.svg` (1024×1024) and `artifacts/nexflow/src/assets/logo_mark.png` (raster).
- Symbolic meaning: nested diamonds = orchestrated layers of work; the center dot = the customer, the focal point of every flow.
- Used in: `TopBar.tsx` at 28 px, mobile app splash, favicons, in-app loading states, Marketing Demo intro/outro.



3.2 The full lockup (`logo_full`)

Mark + "NexFlow" wordmark in a chameleon-gradient text fill + tagline `ORCHESTRATING SUPREME MARKET CLARITY`.

- Source: `artifacts/nexflow/public/logo_full_hires.svg` (1600×900) and `artifacts/nexflow/public/NexFlow_Logo_Full_3200.png` (PNG 3200 px).



- Used in: TopBar wordmark slot (`NexFlowWordmark` component, fixed at 160 px wide), login page, marketing demo final scene, exported PDF reports, email templates.



3.3 Clear space, minimum sizes, and don'ts

LOCKUP	CLEAR SPACE	MIN SIZE (DIGITAL)	MIN SIZE (PRINT)
Mark	$\frac{1}{2} \times$ the diamond width on every side	24 px	12 mm
Full	1× cap height of "N" on every side	120 px wide	30 mm wide

Don't: - Don't tint the mark a single solid color. The chameleon gradient is the brand. - Don't place the lockup on photography without a 90 % opacity Base `#F5F2F6` backdrop. - Don't stretch, skew, rotate, or recompose the diamonds. - Don't substitute the wordmark font with anything that isn't Arial Black / Inter Black / SF Pro Black.

3.4 Code reference

The React component that renders the mark and the wordmark in the app (`artifacts/nexflow/src/components/layout/NexFlowLogo.tsx`):



```
export function NexFlowLogo({ size = 36 }: { size?: number }) {
  return <img src={logoMark} alt="NexFlow"
    style={{ width: size, height: size, objectFit: "contain", display: "block" }} />;
}

export function NexFlowWordmark({ className }: { className?: string }) {
  return <img src={logoFull} alt="NexFlow" className={className}
    style={{ width: "160px", height: "auto", display: "block", objectFit: "contain" }} />;
}
```

3.5 Download links (in-repo)

FORMAT	PATH
Mark — SVG, hi-res	artifacts/nexflow/public/logo_mark_hires.svg
Mark — PNG	artifacts/nexflow/src/assets/logo_mark.png
Full — SVG, hi-res	artifacts/nexflow/public/logo_full_hires.svg
Full — PNG, 3200 px	artifacts/nexflow/public/NexFlow_Logo_Full_3200.png
Mark — PNG, 512 px	attached_assets/logo_mark_512_1776941293968.png
Full — PNG, 1600 px	attached_assets/logo_full_1600_1776941293968.png

4. Living Mesh — the brand background

NexFlow's signature background is a **10-node animated radial-gradient mesh**. Each node is a chameleon-colored blurred blob that drifts on its own non-repeating loop (22–34 s), creating a session-unique pattern.

Source: `artifacts/nexflow/src/components/layout/LivingMesh.tsx` (renders 10 absolute-positioned nodes); CSS in `artifacts/nexflow/src/index.css`. Mounted at `App.tsx` root with `z-[-1]` so it sits behind every page.

Specs: - Node size: `55vmax × 55vmax` - Blur: `60px` - Mix-blend-mode: `normal` (`screen` only in dark mode) - Opacities: `0.14 → 0.36` per node (lower = further away) - Animation timings: `22s, 24s, 25s, 26s, 27s, 28s, 30s, 31s, 32s, 34s` — coprime so the pattern never visually repeats inside a session.

Rule: never put text directly on the mesh; always use a `glass-panel` (translucent white card with backdrop-blur) on top.



5. Motion conventions

The web app uses **Framer Motion** (`framer-motion` from the catalog). The following are the canonical NexFlow motion tokens:

5.1 Durations

TOKEN	MS	USE
<code>instant</code>	100	Hover state, color flips.
<code>quick</code>	180	Button press, dropdown open/close, tab switch.
<code>default</code>	280	Card mount, modal in/out.
<code>slow</code>	480	Page transitions, hero reveals.
<code>breathe</code>	2400	Pulse loops on the mark and on <code>nf-chameleon-bg</code> pills.

5.2 Easings

TOKEN	CUBIC-BEZIER	FEEL
<code>easeOut</code>	<code>[0.16, 1, 0.3, 1]</code>	Snap-in: items arriving on screen.
<code>easeInOut</code>	<code>[0.65, 0, 0.35, 1]</code>	Symmetric: hover-in/out, modal in/out.
<code>circOut</code>	<code>cubicBezier(0.0, 0.55, 0.45, 1)</code>	Pulse / heartbeat curves on the mark.
<code>spring-snappy</code>	stiffness 400, damping 32	Drag-and-drop reorders (Pipeline kanban).
<code>spring-bouncy</code>	stiffness 300, damping 18	"Aha" reveals (AI-generated content).

5.3 Stagger patterns

STAGGER	SECONDS	USE
<code>fast</code>	0.05	Mega-dropdown tile reveal (TopBar).
<code>medium</code>	0.1	Dashboard widget mount, list rows.
<code>slow</code>	0.2	Hero scene reveals in the marketing demo video.



5.4 Reusable transitions used across the app

NAME	WHAT IT DOES	WHERE
<code>fadeBlur</code>	opacity 0→1 + blur 12 px→0	Page mounts, hero AI text reveals.
<code>scaleFade</code>	scale 0.96→1 + opacity 0→1	Cards, modals.
<code>slideUp</code>	y +12 px → 0 + opacity 0→1	List items, kanban cards on first paint.
<code>morphExpand</code>	width auto-grow + opacity 0→1	Inline AI completion appearing in inputs.
<code>pulseGradient</code>	background-position loop, 6 s	The chameleon gradient on hero marks.

5.5 Cross-reference

The marketing-demo-video artifact (`artifacts/marketing-demo-video/src/lib/video/animations.ts`) is the **authoritative source** for the motion tokens — both the web app and the demo video should import from / mirror that file when adding new animations.

6. The two motion-logo HTML files

Two stand-alone HTML demos of the Full-Blend brand system live in `attached_assets/` . They are reference pieces — designers should open them in a browser to see the canonical motion treatment before designing anything new.

6.1 `nexflow_motion_logo_1.html`

Path: `attached_assets/nexflow_motion_logo_1776941293968.html` → mirrored to `docs/assets/motion_logo_1.html` .

What it shows: - The **Living Mesh** with 10 chameleon-colored radial nodes drifting on coprime loops. - The **mark** centered, with two layered animations: 1. `pulse` — heartbeat scale 1.00 → 1.05 every 2.4 s. 2. `chameleon-stroke` — strokes cycle through Lavender → Seafoam → Sand → Rose-Mauve every 6 s. - The **wordmark** below the mark with a slow gradient sweep on the text fill (10 s loop). - Initial "draw-on" using `stroke-dashoffset 400 → 0` over 2.2 s.

This is the canonical reference for: stroke widths, pulse timing, gradient-sweep timing, blur radius for the mesh nodes.

6.2 `nexflow_motion_logo_2.html`

Path: `attached_assets/nexflow_motion_logo_2_1776941293968.html` → mirrored to `docs/assets/motion_logo_2.html` .



Status (April 2026): in the current repo, `motion_logo_2.html` is **byte-identical to** `motion_logo_1.html` (both files have MD5 `7117fbf0c3bfa8d0b5c032043008d80c`, both are 13,230 bytes, originally exported from `attached_assets/nexflow_motion_logo_2_1776941293968.html`). The "_2" filename is reserved as a slot for the elaborated variant described below; that variant has **not yet been authored**. Treat anything beyond §6.1 as planned content, not shipped behavior.

Planned (slot-2) variant — to be implemented: - Same Living Mesh as #1. - Adds an **orbital flow ring** around the mark (1-px stroke, chameleon gradient, 24 s rotation). - Adds the tagline `ORCHESTRATING SUPREME MARKET CLARITY` below the wordmark with a separate 10-second tagline gradient loop. - Intended for hero / loader screens that need more presence.

When the variant is built, replace `attached_assets/nexflow_motion_logo_2_*.html` and copy the new file over `docs/assets/motion_logo_2.html` so the PDF embed uses the updated source. (`docs/render_pdf.py` reads markdown only — brand assets in `docs/assets/` are managed manually.)

6.3 How to view

```
# from the repo root
xdg-open docs/assets/motion_logo_1.html
xdg-open docs/assets/motion_logo_2.html
```

Or open them in any browser. They are pure HTML/CSS — no build step, no dependencies.

7. Typography (current state)

The web app currently uses the system stack via Tailwind defaults: `'Segoe UI', -apple-system, BlinkMacSystemFont, sans-serif`. The wordmark uses **Arial Black** (in the SVG `<text>` element). When migrating to a hosted font, use **Inter** for UI and **Inter Display Black** for the wordmark — both are the closest open-source matches and are already available via the Expo `@expo-google-fonts/inter` package on mobile.

8. Quick sign-off checklist

Before any new screen, marketing asset, or component is shipped:

- [] Background is Base `#F5F2F6` (or Living Mesh + glass-panel cards).
- [] No more than **two** chameleon hues per screen.
- [] Body text is Ink `#3E2F4A`, not pure black.



- [] All text on chameleon backgrounds passes WCAG AA (use the table in §2.3).
- [] Animations use the durations & easings in §5.
- [] Logo lockup respects clear space and minimum size in §3.3.
- [] No icon uses two chameleon colors.
- [] Demo / sample data is flagged with the Sand #C8A880 DEMO MODE chip.