

Financial Analysis Prompt Library

LaTeX Translation and Dependency Map

financial-services-plugins repository

Generated on 2026-03-05 09:31

Contents

1	Repository Structure Overview	2
1.1	Folder Tree	2
2	Prompt Dependency Structure	3
2.1	Command-to-Skill Dependencies	3
2.2	Skill-to-Resource Dependencies	3
3	Translated Prompt Corpus	5
3.1	Directory: commands	5
3.2	Command: 3-statements.md	5
3.3	Command: check-deck.md	5
3.4	Command: competitive-analysis.md	5
3.5	Command: comps.md	6
3.6	Command: dcf.md	8
3.7	Command: debug-model.md	11
3.8	Command: lbo.md	11
3.9	Command: ppt-template.md	12
3.10	Directory: skills	13
3.11	Skill: 3-statements	13
3.12	Skill Resource: skills/3-statements/references/formatting.md	22
3.13	Skill Resource: skills/3-statements/references/formulas.md	25
3.14	Skill Resource: skills/3-statements/references/sec-filings.md	33
3.15	Skill: check-deck	36
3.16	Skill Resource: skills/check-deck/references/ib-terminology.md	38

3.17 Skill Resource: skills/check-deck/references/report-format.md	39
3.18 Skill: check-model	41
3.19 Skill: competitive-analysis	45
3.20 Skill Resource: skills/competitive-analysis/references/frameworks.md	55
3.21 Skill Resource: skills/competitive-analysis/references/schemas.md	55
3.22 Skill: comps-analysis	56
3.23 Skill: dcf-model	70
3.24 Skill Resource: skills/dcf-model/TROUBLESHOOTING.md	101
3.25 Skill: lbo-model	102
3.26 Skill: ppt-template-creator	109
3.27 Skill: skill-creator	114
3.28 Skill Resource: skills/skill-creator/references/output-patterns.md	123
3.29 Skill Resource: skills/skill-creator/references/workflows.md	125

1 Repository Structure Overview

1.1 Folder Tree

Root directory: financial-analysis

- commands
- skills
- commands/3-statements.md
- commands/check-deck.md
- commands/competitive-analysis.md
- commands/comps.md
- commands/dcf.md
- commands/debug-model.md
- commands/lbo.md
- commands/ppt-template.md
- skills/3-statements
- skills/check-deck
- skills/check-model
- skills/competitive-analysis
- skills/comps-analysis
- skills/dcf-model
- skills/lbo-model
- skills/ppt-template-creator
- skills/skill-creator
- skills/3-statements/references
- skills/3-statements/SKILL.md
- skills/check-deck/references
- skills/check-deck/SKILL.md
- skills/check-model/SKILL.md
- skills/competitive-analysis/references
- skills/competitive-analysis/SKILL.md
- skills/comps-analysis/SKILL.md
- skills/dcf-model/SKILL.md
- skills/dcf-model/TROUBLESHOOTING.md
- skills/lbo-model/SKILL.md

- skills/ppt-template-creator/SKILL.md
- skills/skill-creator/references
- skills/skill-creator/SKILL.md
- skills/3-statements/references/formatting.md
- skills/3-statements/references/formulas.md
- skills/3-statements/references/sec-filings.md
- skills/check-deck/references/ib-terminology.md
- skills/check-deck/references/report-format.md
- skills/competitive-analysis/references/frameworks.md
- skills/competitive-analysis/references/schemas.md
- skills/skill-creator/references/output-patterns.md
- skills/skill-creator/references/workflows.md

2 Prompt Dependency Structure

2.1 Command-to-Skill Dependencies

Command Prompt	Loaded Skill Prompt
commands/ 3-statements.md	skills/ 3-statements/ SKILL.md
commands/ check-deck.md	skills/ check-deck/ SKILL.md
commands/ competitive-analysis.md	skills/ competitive-analysis/ SKILL.md
commands/ comps.md	skills/ comps-analysis/ SKILL.md
commands/ dcf.md	skills/ comps-analysis/ SKILL.md
commands/ dcf.md	skills/ dcf-model/ SKILL.md
commands/ debug-model.md	skills/ check-model/ SKILL.md
commands/ lbo.md	skills/ lbo-model/ SKILL.md
commands/ ppt-template.md	skills/ full/ SKILL.md
commands/ ppt-template.md	skills/ ppt-template-creator/ SKILL.md

2.2 Skill-to-Resource Dependencies

Skill Prompt	Referenced Prompt File
skills/ 3-statements/ SKILL.md	skills/ 3-statements/ references/ formulas.md
skills/ 3-statements/ SKILL.md	skills/ 3-statements/ references/ sec-filings.md
skills/ check-deck/ SKILL.md	skills/ check-deck/ references/ ib-terminology.md
skills/ check-deck/ SKILL.md	skills/ check-deck/ references/ report-format.md
skills/ competitive-analysis/ SKILL.md	skills/ competitive-analysis/ references/ frameworks.md
skills/ competitive-analysis/ SKILL.md	skills/ competitive-analysis/ references/ schemas.md

skills/ dcf-model/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md
skills/ skill-creator/ SKILL.md

skills/ dcf-model/ TROUBLESHOOTING.md
skills/ skill-creator/ DOCX-JS.md
skills/ skill-creator/ EXAMPLES.md
skills/ skill-creator/ FORMS.md
skills/ skill-creator/ OOXML.md
skills/ skill-creator/ REDLINING.md
skills/ skill-creator/ REFERENCE.md
skills/ skill-creator/ references/ api_docs.md
skills/ skill-creator/ references/ finance.md
skills/ skill-creator/ references/ mnda.md
skills/ skill-creator/ references/ output-patterns.md
skills/ skill-creator/ references/ policies.md
skills/ skill-creator/ references/ schema.md
skills/ skill-creator/ references/ workflows.md

3 Translated Prompt Corpus

This section translates every markdown prompt under the financial-analysis directory into LaTeX-native structure, preserving hierarchy and dependency flow.

3.1 Directory: commands

3.2 Command: 3-statements.md

File Metadata

Field	Value
description	Fill out a 3-statement financial model template
argument-hint	[path to template file]

Load the *3-statements* skill and populate a 3-statement financial model (Income Statement, Balance Sheet, Cash Flow Statement).

If a file path is provided, use it as the template. Otherwise ask the user for their model template.

3.3 Command: check-deck.md

File Metadata

Field	Value
description	QC a presentation deck for errors and consistency
argument-hint	[path to .pptx file]

Load the *check-deck* skill and review the specified presentation for formatting errors, data inconsistencies, and quality issues.

If a file path is provided, use it. Otherwise ask the user for the deck to review.

3.4 Command: competitive-analysis.md

File Metadata

Field	Value
description	Create a competitive landscape analysis
argument-hint	[company or industry]

Load the *competitive-analysis* skill and build a competitive landscape analysis for the specified company or industry.

If a company/industry is provided as an argument, use it. Otherwise ask the user what they want to analyze.

3.5 Command: comps.md

File Metadata

Field	Value
description	Build a comparable company analysis with trading multiples
argument-hint	[company name or ticker]

Comparable Company Analysis Command

Build an institutional-grade comparable company analysis with operating metrics, valuation multiples, and statistical benchmarking.

Workflow

Step 1: Gather Company Information

If a company name or ticker is provided, use it. Otherwise ask:

- “What company would you like to analyze?”

Step 2: Load Comps Analysis Skill

Use *skill*: “comps-analysis” to build the analysis:

1. Clarify the analysis purpose:

- “What’s the key question?” (valuation, efficiency, growth comparison)
- “Who is the audience?” (IC, board, quick reference)
- “Do you have a preferred format or template?”

2. Identify peer group (4-6 comparable companies):

- Similar business model
- Similar scale/market cap range
- Same industry/sector
- Geographic comparability

3. Gather data (prioritize MCP sources if available):

- Operating metrics: Revenue, Growth, Gross Margin, EBITDA, EBITDA Margin
- Valuation: Market Cap, Enterprise Value, EV/Revenue, EV/EBITDA, P/E
- Additional metrics based on industry (Rule of 40 for SaaS, etc.)

4. **Build the analysis:**

- Operating Statistics section with company data + statistics (Max, 75th, Median, 25th, Min)
- Valuation Multiples section with same statistical summary
- Notes & Methodology documentation

Step 3: Create Excel Output

Generate Excel file with:

- Header block (analysis title, companies, date, units)
- Operating Statistics & Financial Metrics section
- Valuation Multiples section
- Statistical summary for each metric
- Notes section documenting sources and methodology

Step 4: Deliver Output

Provide:

1. **Excel file** (.xlsx) - the comps analysis
2. **Summary** highlighting:
 - Peer group selection rationale
 - Key insights (who trades at premium/discount)
 - Median multiples for reference

Output Format Reference

Structured Template

- [SECTOR] - COMPARABLE COMPANY ANALYSIS
- [Company 1] • [Company 2] • [Company 3] • [Company 4]
- As of [Date] | All figures in USD Millions
- OPERATING STATISTICS & FINANCIAL METRICS
- Company Revenue Growth Gross EBITDA EBITDA
- (LTM) (YoY) Margin (LTM) Margin
- [Data rows for each company]
- Maximum =MAX =MAX =MAX =MAX =MAX
- 75th % =QUART =QUART =QUART =QUART =QUART
- Median =MEDIAN =MEDIAN =MEDIAN =MEDIAN =MEDIAN

- 25th % =QUART =QUART =QUART =QUART =QUART
- Minimum =MIN =MIN =MIN =MIN =MIN
- VALUATION MULTIPLES
- Company Mkt Cap EV EV/Rev EV/EBITDA P/E
- [Data rows + statistics]

Industry-Specific Metrics

Industry	Additional Metrics
Software/ SaaS	ARR, Net Dollar Retention, Rule of 40
Retail	Same-store sales, Inventory Turns
Financials	ROE, ROA, Efficiency Ratio
Manufacturing	Asset Turnover, CapEx/ Revenue
Healthcare	R&D/ Revenue, Pipeline Value

Quality Checklist

Before delivery:

- ☐ 4-6 truly comparable companies
- ☐ Consistent time periods (all LTM or all FY)
- ☐ All formulas reference cells (no hardcoded values)
- ☐ Cell comments on all hardcoded inputs with sources
- ☐ Statistics include Max, 75th, Median, 25th, Min
- ☐ Notes section documents sources and methodology
- ☐ Blue = inputs, Black = formulas
- ☐ Sanity checks pass (margins logical, multiples reasonable)

3.6 Command: dcf.md

File Metadata

Field	Value
description	Build a DCF valuation model with comps-informed terminal multiples
argument-hint	[company name or ticker]

DCF Valuation Command

Build an institutional-quality DCF model that uses comparable company analysis to inform valuation ranges.

Workflow

Step 1: Gather Company Information

If a company name or ticker is provided, use it. Otherwise ask:

- “What company would you like to value?”

Step 2: Run Comparable Company Analysis

First, load the comps-analysis skill to build trading comps:

Use *skill*: “*comps-analysis*” to:

1. Identify 4-6 comparable public companies
2. Pull operating metrics (Revenue, EBITDA, margins, growth)
3. Pull valuation multiples (EV/Revenue, EV/EBITDA, P/E)
4. Calculate statistical summary (median, 25th/75th percentiles)

Key outputs to capture from comps:

- Median EV/EBITDA multiple → informs terminal value exit multiple
- Median EV/Revenue multiple → sanity check on DCF output
- Peer growth rates → benchmark for revenue projections
- Peer margins → benchmark for margin assumptions

Step 3: Build DCF Model

Load the dcf-model skill to construct the valuation:

Use *skill*: “*dcf-model*” to:

1. Gather historical financials and market data
2. Build revenue projections (Bear/Base/Bull cases)
3. Model operating expenses and FCF
4. Calculate WACC using CAPM
5. Discount cash flows and calculate terminal value
6. Bridge to equity value and implied share price

Use comps to inform DCF assumptions:

Comps Output	DCF Input
Peer median EV/ EBITDA	Terminal exit multiple range
Peer 25th-75th EV/ EBITDA	Sensitivity analysis range
Peer median growth rate	Benchmark for revenue assumptions
Peer median EBITDA margin	Target margin in terminal year
Peer median P/ E	Cross-check implied P/ E from DCF

Step 4: Cross-Check Valuation

After DCF is complete, validate:

1. **Implied EV/EBITDA** from DCF vs peer median
 - If DCF implies 25x but peers trade at 12x, investigate why
2. **Implied P/E** from DCF vs peer median
3. **Terminal value as % of EV** (should be 50-70%)
4. **Implied growth** embedded in valuation vs peer growth rates

Step 5: Deliver Output

Provide:

1. **Comps analysis spreadsheet** (.xlsx) with peer trading multiples
2. **DCF model** (.xlsx) with:
 - Bear/Base/Bull scenarios
 - Sensitivity tables (WACC vs Terminal Growth, etc.)
 - Valuation summary with implied upside/downside
3. **Summary** explaining:
 - Key valuation drivers
 - How comps informed the analysis
 - Risks and sensitivities to watch

Example Output Summary

Structured Template

- VALUATION SUMMARY: [Company] ([Ticker])
- Comparable Companies Analysis:
 - - Peer Group: [List of 4-6 comps]
 - - Median EV/EBITDA: 12.5x (range: 10.2x - 15.8x)
 - - Median EV/Revenue: 3.2x (range: 2.1x - 4.5x)

- DCF Valuation (Base Case):
 - - Implied Share Price: \$XX.XX
 - - Current Price: \$YY.YY
 - - Implied Upside: +XX%
 - Valuation Cross-Check:
 - - DCF Implied EV/EBITDA: 13.2x (vs peer median 12.5x)
 - - DCF Implied P/E: 22.4x (vs peer median 20.1x)
 - - Terminal Value: 62% of EV (within normal range)
 - Key Assumptions:
 - - Revenue CAGR: X% (vs peer median X%)
 - - Terminal EBITDA Margin: X% (vs peer median X%)
 - - WACC: X.X%
 - - Terminal Growth: X.X%
-

3.7 Command: debug-model.md

File Metadata

Field	Value
description	Debug and audit a financial model for errors
argument-hint	[path to .xlsx model file]

Load the *check-model* skill and audit the specified financial model for broken formulas, balance sheet imbalances, hardcoded overrides, circular references, and logic errors.

If a file path is provided, use it. Otherwise ask the user for the model to review.

3.8 Command: lbo.md

File Metadata

Field	Value
description	Build an LBO model for a PE acquisition
argument-hint	[company name or deal details]

Load the *lbo-model* skill and build a leveraged buyout model for the specified company or deal.

If a company name is provided as an argument, use it. Otherwise ask the user for the target company and deal parameters.

3.9 Command: ppt-template.md

File Metadata

Field	Value
description	Create a reusable PPT template skill from a PowerPoint template file
argument-hint	[path to .pptx or .potx file]
allowed-tools	["Read", "Write", "Bash", "Glob"]

PPT Template Creator Command

Create a self-contained PPT template skill from a user-provided PowerPoint template.

Instructions

1. **Ask for the template file** if not provided:
 - “Please provide the path to your PowerPoint template file (.pptx or .potx)”
 - The template should contain the slide layouts and branding you want to use
 2. **Load the ppt-template-creator skill:**
 - Use the *skill*: “*ppt-template-creator*” tool to load the full skill instructions
 - Follow the workflow in the skill to analyze the template and generate a new skill
 3. **Gather additional info:**
 - Company/template name (for naming the skill)
 - Primary use cases (pitch decks, board materials, client presentations, etc.)
 4. **Execute the skill workflow:**
 - Analyze template structure (layouts, placeholders, dimensions)
 - Generate skill directory with assets/ and SKILL.md
 - Create example presentation to validate
 - Package the skill
 5. **Deliver the packaged skill** to the user
-

3.10 Directory: skills

3.11 Skill: 3-statements

File Metadata

Field	Value
name	3-statements
description	Complete, populate and fill out 3-statement financial model templates (Income Statement, Balance Sheet, Cash Flow Statement) . Use when asked to fill out model templates, complete existing model frameworks, populate financial models with data, complete a partially filled IS/ BS/ CF framework, or link integrated financial statements within an existing template structure. Triggers include requests to fill in, complete, or populate a 3-statement model template

3-Statement Financial Model Template Completion

Complete and populate integrated financial model templates with proper linkages between Income Statement, Balance Sheet, and Cash Flow Statement.

Model Structure

Identifying Template Tab Organization

Templates vary in their tab naming conventions and organization. Before populating, review all tabs to understand the template's structure. Below are common tab names and their typical contents:

Common Tab Names	Contents to Look For
IS, P&L, Income Statement	Income Statement
BS, Balance Sheet	Balance Sheet
CF, CFS, Cash Flow	Cash Flow Statement
WC, Working Capital	Working Capital Schedule
DA, D&A, Depreciation, PP&E	Depreciation & Amortization Schedule
Debt, Debt Schedule	Debt Schedule
NOL, Tax, DTA	Net Operating Loss Schedule
Assumptions, Inputs, Drivers	Driver assumptions and inputs
Checks, Audit, Validation	Error-checking dashboard

Template Review Checklist

- Identify which tabs exist in the template (not all templates include every schedule)
- Note any template-specific tabs not listed above
- Understand tab dependencies (e.g., which schedules feed into the main statements)

- Locate input cells vs. formula cells on each tab

Understanding Template Structure

Before populating a template, familiarize yourself with its existing layout to ensure data is entered in the correct locations and formulas remain intact.

Identifying Row Structure

- Locate the model title at top of each tab
- Identify section headers and their visual separation
- Find the units row indicating \$ millions, %, x, etc.
- Note column headers distinguishing Actuals vs. Estimates periods
- Confirm period labels (e.g., FY2024A, FY2025E)
- Identify input cells vs. formula cells (typically distinguished by font color)

Identifying Column Structure

- Confirm line item labels in leftmost column
- Verify historical years precede projection years
- Note the visual border separating historical from projected periods
- Check for consistent column order across all tabs

Working with Named Ranges Templates often use named ranges for key inputs and outputs. Before entering data:

- Review existing named ranges in the template (Formulas → Name Manager in Excel)
- Common named ranges include: Revenue growth rates, cost percentages, key outputs (Net Income, EBITDA, Total Debt, Cash), scenario selector cell
- Ensure inputs are entered in cells that feed into these named ranges

Projection Period

- Templates typically project 5 years forward from last historical year
- Verify historical (A) vs. projected (E) columns are clearly separated
- Confirm columns use fiscal year notation (e.g., FY2024A, FY2025E)

Margin Analysis

Note: The following margin analysis should only be performed if prompted by the user or if the template explicitly requires it. If no prompt is given, skip this section.

Calculate and display profitability margins on the Income Statement (IS) tab to track operational efficiency and enable peer comparison.

Core Margins to Include

Margin	Formula	What It Measures
Gross Margin	Gross Profit / Revenue	Pricing power, production efficiency
EBITDA Margin	EBITDA / Revenue	Core operating profitability
EBIT Margin	EBIT / Revenue	Operating profitability after D&A
Net Income Margin	Net Income / Revenue	Bottom-line profitability

Income Statement Layout with Margins

Display margin percentages directly below each profit line item:

- Gross Margin % below Gross Profit
- EBIT Margin % below EBIT
- EBITDA Margin % below EBITDA
- Net Income Margin % below Net Income

Credit Metrics

Note: The following Credit analysis should only be performed if prompted by the user or if the template explicitly requires it. If no prompt is given, skip this section.

Calculate and display credit/leverage metrics on the Balance Sheet (BS) tab to assess financial health, debt capacity, and covenant compliance.

Core Credit Metrics to Include

Metric	Formula	What It Measures
Total Debt / EBITDA	Total Debt / LTM EBITDA	Leverage multiple
Net Debt / EBITDA	(Total Debt - Cash) / LTM EBITDA	Leverage net of cash
Interest Coverage	EBITDA / Interest Expense	Ability to service debt
Debt / Total Cap	Total Debt / (Total Debt + Equity)	Capital structure
Debt / Equity	Total Debt / Total Equity	Financial leverage
Current Ratio	Current Assets / Current Liabilities	Short-term liquidity
Quick Ratio	(Current Assets - Inventory) / Current Liabilities	Immediate liquidity

Credit Metric Hierarchy Checks

Validate that Upside shows strongest credit profile:

- Leverage: Upside < Base < Downside (lower is better)
- Coverage: Upside > Base > Downside (higher is better)
- Liquidity: Upside > Base > Downside (higher is better)

Covenant Compliance Tracking

If debt covenants are known, add explicit compliance checks comparing actual metrics to covenant thresholds.

Scenario Analysis (Base / Upside / Downside)

Use a scenario toggle (dropdown) in the Assumptions tab with CHOOSE or INDEX/MATCH formulas.

Scenario	Description
Base Case	Management guidance or consensus estimates
Upside Case	Above-guidance growth, margin expansion
Downside Case	Below-trend growth, margin compression

Key Drivers to Sensitize: Revenue growth, Gross margin, SG&A %, DSO/DIO/DPO, CapEx %, Interest rate, Tax rate.

Scenario Audit Checks: Toggle switches all statements, BS balances in all scenarios, Cash ties out, Hierarchy holds (Upside > Base > Downside for NI, EBITDA, FCF, margins).

SEC Filings Data Extraction

If the template specifically requires pulling data from SEC filings (10-K, 10-Q), see [references/sec-filings.md](#) for detailed extraction guidance. This reference is only needed when populating templates with public company data from regulatory filings.

Completing Model Templates

This section provides general guidance for completing any 3-statement financial model template while preserving existing formulas and ensuring data integrity.

Step 1: Analyze the Template Structure

Before entering any data, thoroughly review the template to understand its architecture:

Identify Input vs. Formula Cells

- Look for visual cues (font color, cell shading) that distinguish input cells from formula cells
- Common conventions: Blue font = inputs, Black font = formulas, Green font = links to other sheets
- Use Excel's Trace Precedents/Dependents (Formulas → Trace Precedents) to understand cell relationships
- Check for named ranges that may control key inputs (Formulas → Name Manager)

Map the Template's Flow

- Identify which tabs feed into others (e.g., Assumptions → IS → BS → CF)
- Note any supporting schedules and their linkages to main statements
- Document the template's specific line items and structure before populating

Step 2: Filling in Data Without Breaking Formulas

Golden Rules for Data Entry

Rule	Description
Only edit input cells	Never overwrite cells containing formulas unless intentionally replacing the formula
Preserve cell references	When copying data, use Paste Values (Ctrl+Shift+V) to avoid overwriting formulas with source formatting
Match the template's units	Verify if template uses thousands, millions, or actual values before entering data
Respect sign conventions	Follow the template's existing sign convention (e.g., expenses as positive or negative)
Check for circular references	If the template uses iterative calculations, ensure Enable Iterative Calculation is turned on

Safe Data Entry Process

1. Identify the exact cells designated for input (usually highlighted or labeled)
2. Enter historical data first, then verify formulas are calculating correctly for those periods
3. Enter assumption drivers that feed forecast calculations
4. Review calculated outputs to confirm formulas are working as intended
5. If a formula cell must be modified, document the original formula before making changes

Handling Pre-Built Formulas

- If formulas reference cells you haven't populated yet, expect temporary errors (#REF!, #DIV/0!) until all inputs are complete
- When formulas produce unexpected results, trace precedents to identify missing or incorrect inputs
- Never delete rows/columns without checking for formula dependencies across all tabs

Step 3: Validating Formulas

Formula Integrity Checks

Before relying on template outputs, validate that formulas are functioning correctly:

Check Type	Method
Trace precedents	Select a formula cell → Formulas → Trace Precedents to verify it references correct inputs
Trace dependents	Verify key inputs flow to expected output cells
Evaluate formula	Use Formulas → Evaluate Formula to step through complex calculations
Check for hardcodes	Projection formulas should reference assumptions, not contain hardcoded values

Test with known values

Input simple test values to verify formulas produce expected results

Cross-tab consistency

Ensure the same formula logic applies across all projection periods

Common Formula Issues to Watch For

- Mixed absolute/relative references causing incorrect results when copied across periods
- Broken links to external files or deleted ranges (#REF! errors)
- Division by zero in early periods before revenue ramps (#DIV/0! errors)
- Circular reference warnings (may be intentional for interest calculations)
- Inconsistent formulas across projection columns (use Ctrl+\ to find differences)

Validating Cross-Tab Linkages

- Confirm values that appear on multiple tabs are linked (not duplicated)
- Verify schedule totals tie to corresponding line items on main statements
- Check that period labels align across all tabs

Step 4: Quality Checks by Sheet

Perform these validation checks on each sheet after populating the template:

Income Statement (IS) Quality Checks

- Revenue figures match source data for historical periods
- All expense line items sum to reported totals
- Subtotals (Gross Profit, EBIT, EBT, Net Income) calculate correctly
- Tax calculation logic is appropriate (handles losses correctly)
- Forecast drivers reference assumptions tab (no hardcodes)
- Period-over-period changes are directionally reasonable

Balance Sheet (BS) Quality Checks

- Assets = Liabilities + Equity for every period (primary check)
- Cash balance matches Cash Flow Statement ending cash
- Working capital accounts tie to supporting schedules (if applicable)
- Retained Earnings rolls forward correctly: $\text{Prior RE} + \text{Net Income} - \text{Dividends} \pm \text{Adjustments} = \text{Ending RE}$
- Debt balances tie to debt schedule (if applicable)
- All balance sheet items have appropriate signs (assets positive, most liabilities positive)

Cash Flow Statement (CF) Quality Checks

- Net Income at top of CFO matches Income Statement Net Income
- Non-cash add-backs (D&A, SBC, etc.) tie to their source schedules/statements
- Working capital changes have correct signs (increase in asset = use of cash = negative)
- CapEx ties to PP&E schedule or fixed asset roll-forward
- Financing activities tie to changes in debt and equity accounts on BS
- Ending Cash matches Balance Sheet Cash
- Beginning Cash equals prior period Ending Cash

Supporting Schedule Quality Checks

- Opening balances equal prior period closing balances
- Roll-forward logic is complete (Beginning + Additions - Deductions = Ending)
- Schedule totals tie to main statement line items
- Assumptions used in calculations match Assumptions tab

Step 5: Cross-Statement Integrity Checks

After validating individual sheets, confirm the three statements are properly integrated:

Check	Formula	Expected Result
Balance Sheet Balance	Assets - Liabilities - Equity	= 0
Cash Tie-Out	CF Ending Cash - BS Cash	= 0
Net Income Link	IS Net Income - CF Starting Net Income	= 0
Retained Earnings	Prior RE + NI - Dividends - BS Ending RE	= 0 (adjust for SBC/ other items as needed)

Step 6: Final Review

Before considering the model complete:

- Toggle through all scenarios (if applicable) to verify checks pass in each case
- Review all #REF!, #DIV/0!, #VALUE!, and #NAME? errors and resolve or document
- Confirm all input cells have been populated (search for placeholder values)
- Verify units are consistent across all tabs
- Save a clean version before making any additional modifications

Model Validation and Audit

This section consolidates all validation checks and audit procedures for completed templates.

Core Linkages (Must Always Hold)

See [references/formulas.md](#) for all formula details.

Check	Formula	Expected Result
Balance Sheet Balance	Assets - Liabilities - Equity	= 0
Cash Tie-Out	CF Ending Cash - BS Cash	= 0
Cash Monthly vs Annual	Closing Cash (Monthly) - Closing Cash (Annual)	= 0
Net Income Link	IS Net Income - CF Starting Net Income	= 0
Retained Earnings	Prior RE + NI + SBC - Dividends - BS Ending RE	= 0
Equity Financing	Δ Common Stock/ APIC (BS) - Equity Issuance (CFF)	= 0
Year 0 Equity	Equity Raised (Year 0) - Beginning Equity Capital (Year 1)	= 0

Sign Convention Reference

Statement	Item	Sign Convention
CFO	D&A, SBC	Positive (add-back)
CFO	Δ AR (increase)	Negative (use of cash)
CFO	Δ AP (increase)	Positive (source of cash)
CFI	CapEx	Negative
CFF	Debt issuance	Positive
CFF	Debt repayments	Negative
CFF	Dividends	Negative

Circular Reference Handling

Interest expense creates circularity: Interest → Net Income → Cash → Debt Balance → Interest

Enable iterative calculation in Excel: File → Options → Formulas → Enable iterative calculation. Set maximum iterations to 100, maximum change to 0.001. Add a circuit breaker toggle in Assumptions tab.

Check Categories

Section 1: Currency Consistency

- Currency identified and documented in Assumptions
- All tabs use consistent currency symbol and scale
- Units row matches model currency

Section 2: Balance Sheet Integrity

- Assets = Liabilities + Equity (for each period)

- Formula: Assets - Liabilities - Equity (must = 0)

Section 3: Cash Flow Integrity

- Cash ties to BS (CF Ending Cash = BS Cash)
- Cash Monthly vs Annual: Closing Cash (Monthly) = Closing Cash (Annual)
- NI ties to IS (CF Net Income = IS Net Income)
- D&A ties to schedule
- SBC ties to IS
- Δ AR, Δ Inventory, Δ AP tie to WC schedule
- CapEx ties to DA schedule

Section 4: Retained Earnings

- RE roll-forward check: Prior RE + NI + SBC - Dividends = Ending RE
- Show component breakdown for debugging

Section 5: Working Capital

- AR, Inventory, AP tie to BS
- DSO, DIO, DPO reasonability checks (flag if outside normal ranges)

Section 6: Debt Schedule

- Total Debt ties to BS (Current + LT Debt)
- Interest calculation ties to IS

Section 6b: Equity Financing

- Equity issuance proceeds tie to BS Common Stock/APIC increase
- Cash increase from equity = Equity account increase (must balance)
- Equity Raise Tie-Out: Δ Common Stock/APIC (BS) = Equity Issuance (CFF) (must = 0)
- Year 0 Equity Tie-Out: Equity Raised (Year 0) = Beginning Equity Capital (Year 1)

Section 6c: NOL Schedule

- Beginning NOL (Year 1 / Formation) = 0 (new business starts with zero NOL)
- NOL increases only when EBT < 0 (losses must be realized to generate NOL)
- DTA ties to BS (NOL Schedule DTA = BS Deferred Tax Asset)
- NOL utilization $\leq$ 80% of EBT (post-2017 federal limitation)
- NOL balance is non-negative (cannot utilize more than available)
- NOL generated only when EBT < 0

- Tax expense = 0 when taxable income $\leq$ 0

Section 7: Scenario Hierarchy

- Absolute metrics: Upside > Base > Downside (NI, EBITDA, FCF)
- Margins: Upside > Base > Downside (GM%, EBITDA%, NI%)
- Credit metrics: Upside < Base < Downside for leverage (inverted)

Section 8: Formula Integrity

- COGS, S&M, G&A, R&D, SBC driven by % of Revenue (no hardcodes)
- Consistent formulas across projection years
- No #REF!, #DIV/0!, #VALUE! errors

Section 9: Credit Metric Thresholds

- Flag metrics as Green/Yellow/Red based on covenant thresholds
- Summary of any red flags

Master Check Formula

Aggregate all section statuses into a single master check:

- If all sections pass → “✓ ALL CHECKS PASS”
- If any section fails → “✗ ERRORS DETECTED - REVIEW BELOW”

Quick Debug Workflow

When Master Status shows errors:

1. Scroll to find red-highlighted sections
2. Identify which check category has failures
3. Navigate to source tab to investigate
4. Fix the underlying issue
5. Return to Checks tab to verify resolution

3.12 Skill Resource: [skills/3-statements/references/formatting.md](#)

Formatting Standards Reference

Element	Format
Hard-coded inputs	Blue font

Formulas	Black font
Links to other sheets	Green font
Check cells	Red if error, green if balanced
Negative values	Parentheses, not minus signs
Currency	No decimals for large figures, 2 decimals for per-share
Percentages	1 decimal place
Headers	Bold, bottom border
Units row	Include units row below headers (\$ millions, %, etc.)

Visual Separation Guidelines

- Thin vertical border between historical and projected columns
- Thick bottom border after section totals (e.g., Total Assets)
- Single bottom border for subtotals
- Double bottom border for grand totals

Total and Subtotal Row Formatting

All total and subtotal rows must use **bold font formatting** for their numerical values to clearly distinguish aggregated figures from individual line items.

Income Statement (P&L) Tab

Row	Formatting
Gross Revenue	Bold
Total Cost of Revenue	Bold
Gross Profit	Bold
Total SG&A	Bold
EBITDA	Bold
EBIT	Bold
EBT	Bold
Net Profit After Tax	Bold

Balance Sheet Tab

Row	Formatting
Total Current Assets	Bold
Total Non-Current Assets	Bold
Total Other Assets	Bold
Total Assets	Bold
Total Current Liabilities	Bold
Total Non-Current Liabilities	Bold

Total Equity	Bold
Total Liabilities and Equity	Bold

Cash Flow Statement Tab

Row	Formatting
Cash Generated from Operations Before Working Capital Changes	Bold
Total Working Capital Changes	Bold
Net Cash Generated from Operations	Bold
Net Cash Flow from Investing Activities	Bold
Net Cash Flow from Financing Activities	Bold
Closing Cash Balance	Bold

Note: This list is non-exhaustive. Apply bold formatting to any row that represents a total, subtotal, or summary calculation across the model.

Balance Sheet Check Row Formatting

The Balance Sheet check row (below Total Liabilities and Equity) uses conditional number formatting that displays non-zero values in red. When the balance sheet balances correctly (check = 0), the values display in black or standard formatting.

Check Value	Font Color
= 0 (balanced)	Black (standard)
≠ 0 (error)	Red

Implementation: Apply custom number format `[Red][<>0]0.00;[Red]@@TOKEN0@@;0.00` or use Excel conditional formatting with the rule “Cell Value ≠ 0” → Red font.

Margin Row Formatting

Element	Format
Margin % rows	Indent, italics, 1 decimal place
Positive trend	No special formatting (or subtle green)
Negative trend	Flag for review (subtle yellow)
Below peer average	Consider highlighting for discussion

Credit Metric Formatting

Element	Format
---------	--------

Leverage multiples	1 decimal with “x” suffix (e.g., 2.5x)
Percentages	1 decimal with “%” suffix
Net Debt negative	Parentheses, indicates net cash position
Section header	Bold, “CREDIT METRICS”
Separator line	Thin border above credit metrics section

Credit Metric Threshold Colors

Metric	Green	Yellow	Red
Total Debt / EBITDA	< 2.5x	2.5x-4.0x	> 4.0x
Net Debt / EBITDA	< 2.0x	2.0x-3.5x	> 3.5x
Interest Coverage	> 4.0x	2.5x-4.0x	< 2.5x
Debt / Total Cap	< 40%	40%-60%	> 60%
Current Ratio	> 1.5x	1.0x-1.5x	< 1.0x
Quick Ratio	> 1.0x	0.75x-1.0x	< 0.75x

Conditional Formatting for Checks Tab

- Cell contains pass indicator → Green fill
- Cell contains fail indicator → Red fill
- Cell contains warning → Yellow fill
- Difference cells = 0 → Light green fill
- Difference cells ≠ 0 → Light red fill

Margin Reasonability Flags

- Gross Margin < 0% → ERROR: Review COGS
- Gross Margin > 80% → WARNING: Verify revenue/COGS
- EBITDA Margin < 0% → FLAG: Operating losses
- EBITDA Margin > 50% → WARNING: Unusually high
- Net Margin < 0% → FLAG: Net losses (may be acceptable in growth phase)
- Net Margin > Gross Margin → ERROR: Formula issue

3.13 Skill Resource: skills/3-statements/references/formulas.md

Formula Reference

IMPORTANT: Use the formulas outlined in this reference document unless otherwise specified by the user.

Core Linkages

Structured Template

- Balance Sheet: Assets = Liabilities + Equity
- Net Income: IS Net Income → CF Operations (starting point)
- Cash Flow: $\Delta\text{Cash} = \text{CFO} + \text{CFI} + \text{CFF}$
- Cash Tie-Out: Ending Cash (CF) = Cash (BS Asset)
- Cash Monthly/Annual: Closing Cash (Monthly) = Closing Cash (Annual)
- Retained Earnings: Prior RE + Net Income - Dividends = Ending RE
- Equity Raise: $\Delta\text{Common Stock/APIC (BS)} = \text{Equity Issuance (CFF)}$
- Year 0 Equity: Equity Raised (Year 0) = Beginning Equity (Year 1)

Gross Profit Calculation

IMPORTANT: Gross Profit must be calculated from Net Revenue, not Gross Revenue.

Structured Template

- Net Revenue - Cost of Revenue = Gross Profit

Term	Definition
Gross Revenue	Total revenue before any deductions
Net Revenue	Gross Revenue - Returns - Allowances - Discounts
Cost of Revenue	Direct costs attributable to production of goods/ services sold
Gross Profit	Net Revenue - Cost of Revenue

Note: Always use Net Revenue (also called “Net Sales” or simply “Revenue” on most financial statements) as the starting point for profitability calculations. Gross Revenue overstates the true top-line performance.

Margin Formulas

Structured Template

- Gross Margin % = Gross Profit / Net Revenue
- EBITDA = EBIT + D&A (or = Gross Profit - OpEx)
- EBITDA Margin % = EBITDA / Net Revenue
- EBIT Margin % = EBIT / Net Revenue
- Net Income Margin % = Net Income / Net Revenue

Credit Metric Formulas

Structured Template

- $\text{Total Debt} = \text{Current Portion of Debt} + \text{Long-Term Debt}$
- $\text{Net Debt} = \text{Total Debt} - \text{Cash}$
- $\text{Total Debt} / \text{EBITDA} = \text{Total Debt} / \text{EBITDA (from IS)}$
- $\text{Net Debt} / \text{EBITDA} = \text{Net Debt} / \text{EBITDA (from IS)}$
- $\text{Interest Coverage} = \text{EBITDA} / \text{Interest Expense (from IS)}$
- $\text{Net Int Exp \% Debt} = \text{Net Interest Expense} / \text{Long-Term Debt}$
- $\text{Debt} / \text{Total Cap} = \text{Total Debt} / (\text{Total Debt} + \text{Total Equity})$
- $\text{Debt} / \text{Equity} = \text{Total Debt} / \text{Total Equity}$
- $\text{Current Ratio} = \text{Total Current Assets} / \text{Total Current Liabilities}$
- $\text{Quick Ratio} = (\text{Total Current Assets} - \text{Inventory}) / \text{Total Current Liabilities}$

Forecast Formulas (% of Net Revenue Method)

Structured Template

- $\text{Cost of Revenue (Forecast)} = \text{Net Revenue} \times \text{Cost of Revenue \% Assumption}$
- $\text{S\&M (Forecast)} = \text{Net Revenue} \times \text{S\&M \% Assumption}$
- $\text{G\&A (Forecast)} = \text{Net Revenue} \times \text{G\&A \% Assumption}$
- $\text{R\&D (Forecast)} = \text{Net Revenue} \times \text{R\&D \% Assumption}$
- $\text{SBC (Forecast)} = \text{Net Revenue} \times \text{SBC \% Assumption}$

Working Capital Formulas

Structured Template

- Accounts Receivable
- Prior AR
- + Revenue (from IS)
- - Cash Collections (plug)
- = Ending AR
- $\text{DSO} = (\text{AR} / \text{Revenue}) \times 365$
- Inventory
- Prior Inventory
- + Purchases (plug)
- - COGS (from IS)

- = Ending Inventory
- $DIO = (Inventory / COGS) \times 365$
- Accounts Payable
- Prior AP
- + Purchases (from Inventory calc)
- - Cash Payments (plug)
- = Ending AP
- $DPO = (AP / COGS) \times 365$
- Net Working Capital = AR + Inventory - AP
- $\Delta WC = \text{Current NWC} - \text{Prior NWC}$

D&A Schedule Formulas

Structured Template

- Beginning PP&E (Gross)
- + CapEx
- = Ending PP&E (Gross)
- Beginning Accumulated Depreciation
- + Depreciation Expense
- = Ending Accumulated Depreciation
- $PP\&E \text{ (Net)} = \text{Gross PP\&E} - \text{Accumulated Depreciation}$

Debt Schedule Formulas

Structured Template

- Beginning Debt Balance
- + New Borrowings
- - Repayments
- = Ending Debt Balance
- $\text{Interest Expense} = \text{Avg Debt Balance} \times \text{Interest Rate}$
- (Use beginning balance to avoid circularity, or iterate if circular refs enabled)

Retained Earnings Formula

Structured Template

- Beginning Retained Earnings

- + Net Income (from IS)
- + Stock-Based Compensation (SBC) (from IS)
- - Dividends
- = Ending Retained Earnings

NOL (Net Operating Loss) Schedule Formulas

Structured Template

- NOL CARRYFORWARD SCHEDULE
- Beginning NOL Balance (Year 1 / Formation = 0)
- + NOL Generated (if $EBT < 0$, then $ABS(EBT)$, else 0)
- - NOL Utilized (limited by taxable income and utilization cap)
- = Ending NOL Balance
- STARTING BALANCE RULE
- For a new business or first modeled period:
- Beginning NOL Balance = 0
- NOL can only increase through realized losses ($EBT < 0$)
- NOL cannot be created from thin air or assumed
- NOL UTILIZATION CALCULATION
- Pre-Tax Income (EBT)
- If $EBT > 0$:
- NOL Available = Beginning NOL Balance
- Utilization Limit = $EBT \times 80\%$ (post-2017 federal limit)
- NOL Utilized = $\text{MIN}(\text{NOL Available}, \text{Utilization Limit})$
- Taxable Income = $EBT - \text{NOL Utilized}$
- If $EBT \leq 0$:
- NOL Utilized = 0
- Taxable Income = 0
- NOL Generated = $ABS(EBT)$
- TAX CALCULATION WITH NOL
- Taxes Payable = $\text{MAX}(0, \text{Taxable Income} \times \text{Tax Rate})$
- (Taxes cannot be negative; losses create NOL asset instead)
- DEFERRED TAX ASSET (DTA) FOR NOL

- $\text{DTA - NOL Carryforward} = \text{Ending NOL Balance} \times \text{Tax Rate}$
- $\Delta \text{DTA} = \text{Current DTA} - \text{Prior DTA}$
- (Increase in DTA = non-cash benefit on CF)
- (Decrease in DTA = non-cash expense on CF)

Balance Sheet Structure

Structured Template

- ASSETS
- Cash (from CF ending cash)
- Accounts Receivable (from WC)
- Inventory (from WC)
- Total Current Assets
- PP&E, Net (from DA)
- Deferred Tax Asset - NOL (from NOL schedule)
- Total Non-Current Assets
- Total Assets
- LIABILITIES
- Accounts Payable (from WC)
- Current Portion of Debt (from Debt)
- Total Current Liabilities
- Long-Term Debt (from Debt)
- Total Liabilities
- EQUITY
- Common Stock
- Retained Earnings (from RE schedule)
- Total Equity
- CHECK: $\text{Assets} - \text{Liabilities} - \text{Equity} = 0$

Cash Flow Statement Structure

Structured Template

- CASH FROM OPERATIONS (CFO)
- Net Income (LINK: IS)
- + D&A (LINK: DA schedule)

- + Stock-Based Compensation (SBC) (LINK: IS or Assumptions)
- - Δ DTA (Deferred Tax Asset) (LINK: NOL schedule; increase in DTA = use of cash)
- - Δ AR (LINK: WC)
- - Δ Inventory (LINK: WC)
- + Δ AP (LINK: WC)
- = CFO
- CASH FROM INVESTING (CFI)
- - CapEx (LINK: DA schedule)
- = CFI
- CASH FROM FINANCING (CFF)
- + Debt Issuance (LINK: Debt)
- - Debt Repayment (LINK: Debt)
- + Equity Issuance (LINK: BS Common Stock/APIC)
- - Dividends (LINK: RE schedule)
- = CFF
- Net Change in Cash = CFO + CFI + CFF
- Beginning Cash
- + Net Change in Cash
- = Ending Cash (LINK TO: BS Cash)

Income Statement Structure

Structured Template

- Net Revenue
- Growth %
- (-) Cost of Revenue
- % of Net Revenue
- Gross Profit (= Net Revenue - Cost of Revenue)
- Gross Margin %
- (-) S&M
- % of Net Revenue
- (-) G&A
- % of Net Revenue

- (-) R&D
- % of Net Revenue
- (-) D&A
- (-) SBC
- % of Net Revenue
- EBIT
- EBIT Margin %
- EBITDA
- EBITDA Margin %
- (-) Interest Expense
- EBT (Pre-Tax Income)
- (-) NOL Utilization (from NOL schedule, reduces taxable income)
- Taxable Income
- (-) Taxes (Taxable Income $\times$ Tax Rate)
- Net Income
- Net Income Margin %

Check Formulas

Structured Template

- BS Balance Check: = Assets - Liabilities - Equity (must = 0)
 - Cash Tie-Out: = BS Cash - CF Ending Cash (must = 0)
 - RE Roll-Forward: = Prior RE + NI + SBC - Div - BS RE (must = 0)
 - DTA Tie-Out: = NOL Schedule DTA - BS DTA (must = 0)
 - Equity Raise Tie-Out: = Δ Common Stock/APIC (BS) - Equity Issuance (CFF) (must = 0)
 - Year 0 Equity Tie-Out: = Equity Raised (Year 0) - Beginning Equity (Year 1) (must = 0)
 - Cash Monthly vs Annual: = Closing Cash (Monthly) - Closing Cash (Annual) (must = 0)
 - NOL Utilization Cap: = NOL Utilized $\leq$ EBT $\times$ 80% (must be TRUE for post-2017)
 - NOL Non-Negative: = Ending NOL Balance $\geq$ 0 (must be TRUE)
 - NOL Starting Balance: = Beginning NOL (Year 1) = 0 (must be TRUE for new business)
 - NOL Accumulation: = NOL increases only when EBT < 0 (losses generate NOL)
-

3.14 Skill Resource: skills/3-statements/references/sec-filings.md

SEC Filings Data Extraction Reference

When to Use: Only reference this file when a model template specifically requires pulling data from SEC filings (10-K, 10-Q). For templates that provide data directly or use other data sources, this reference is not needed.

Extracting Data from SEC Filings (10-K / 10-Q)

When populating a model template with public company data, extract financials directly from SEC filings.

Step 1: Locate the Filing

1. Use SEC EDGAR: [https://www.sec.gov/cgi-bin/browse-edgar?action=getcompany&CIK=\[TICKER\]&type=10-K](https://www.sec.gov/cgi-bin/browse-edgar?action=getcompany&CIK=[TICKER]&type=10-K)
2. For quarterly data, use *type=10-Q*

Step 2: Identify Filing Currency

Before extracting data, identify the reporting currency:

- Check the cover page or header for reporting currency
- Look at statement headers (e.g., “in thousands of U.S. dollars”)
- Review Note 1 (Summary of Significant Accounting Policies)

Common Currency Indicators

Indicator	Currency
\$, USD	US Dollar
€, EUR	Euro
£, GBP	British Pound
¥, JPY	Japanese Yen
¥, CNY, RMB	Chinese Yuan
CHF	Swiss Franc
CAD, C\$	Canadian Dollar

Set model currency to match filing; document in Assumptions tab.

Step 3: Navigate to Financial Statements

Within the 10-K or 10-Q, locate:

- **Item 8** (10-K) or **Item 1** (10-Q): Financial Statements
- Key sections to extract:
 - Consolidated Statements of Operations (Income Statement)

- Consolidated Balance Sheets
- Consolidated Statements of Cash Flows
- Notes to Financial Statements (for schedule details)

Step 4: Data Extraction Mapping

Income Statement (from Consolidated Statements of Operations)

Filing Line Item	Model Line Item
Net revenues / Net sales	Revenue
Cost of goods sold	COGS
Selling, general and administrative	SG&A
Depreciation and amortization	D&A
Interest expense, net	Interest Expense
Income tax expense	Taxes
Net income	Net Income

Balance Sheet (from Consolidated Balance Sheets)

Filing Line Item	Model Line Item
Cash and cash equivalents	Cash
Accounts receivable, net	AR
Inventories	Inventory
Property, plant and equipment, net	PP&E (Net)
Total assets	Total Assets
Accounts payable	AP
Short-term debt / Current portion of LT debt	Current Debt
Long-term debt	LT Debt
Retained earnings	Retained Earnings
Total stockholders' equity	Total Equity

Cash Flow Statement (from Consolidated Statements of Cash Flows)

Filing Line Item	Model Line Item
Net income	Net Income
Depreciation and amortization	D&A
Changes in accounts receivable	Δ AR
Changes in inventories	Δ Inventory
Changes in accounts payable	Δ AP
Capital expenditures	CapEx
Proceeds from issuance of common stock	Equity Issuance
Proceeds from / Repayments of debt	Debt activity

Step 5: Extract Supporting Detail from Notes

For schedules, pull from Notes to Financial Statements:

- **Note: Debt** → Maturity schedule, interest rates, covenants
- **Note: Property, Plant & Equipment** → Gross PP&E, accumulated depreciation, useful lives
- **Note: Revenue** → Segment breakdowns, geographic splits
- **Note: Leases** → Operating vs. finance lease obligations

Step 6: Historical Data Requirements

Extract 3 years of historical data minimum:

- 10-K provides 3 years of IS/CF, 2 years of BS
- For 3rd year BS, pull from prior year's 10-K
- Use 10-Qs to fill in quarterly granularity if needed

Data Extraction Checklist

- Identify reporting currency and scale (thousands, millions)
- 3 years historical Income Statement
- 3 years historical Cash Flow Statement
- 3 years historical Balance Sheet
- Verify IS Net Income = CF starting Net Income (each year)
- Verify BS Cash = CF Ending Cash (each year)
- Extract debt maturity schedule from notes
- Extract D&A detail or useful life assumptions
- Note any non-recurring / one-time items to normalize

Handling Common Filing Variations

Variation	How to Handle
D&A embedded in COGS/ SG&A	Pull D&A from Cash Flow Statement
“Other” line items are material	Check notes for breakdown
Restatements	Use restated figures, note in assumptions
Fiscal year ≠ calendar year	Label with fiscal year end (e.g., FYE Jan 2025)
Non-USD reporting currency	Adapt model currency to match filing

3.15 Skill: check-deck

File Metadata

Field	Value
name	check-deck
description	
presentations for	(1) Number consistency across slides, (2) Data-narrative alignment,

IB Deck Checker

Perform comprehensive QC on investment banking presentations across four dimensions.

Prerequisites

Extract presentation content before checking:

Structured Template

- `python -m markdown presentation.pptx > content.md`

For visual inspection, convert to images using the *pptx* skill workflow.

Check Workflow

1. Number Consistency

Extract numbers with slide references:

Structured Template

- `python scripts/extract_numbers.py content.md --check`

Verify:

- Key metrics match across all slides (revenue, EBITDA, multiples)
- Calculations are correct (totals, percentages, growth rates)
- Units consistent (same scale used: millions vs billions, % vs bps)
- Unit formatting consistent (e.g., \$M vs \$MM, \$B vs \$Bn - pick one style throughout)
- Time periods aligned (FY vs LTM vs quarterly)

Flag pattern:

Structured Template

- ISSUE: Revenue mismatch
- - \$500M on Slides 3, 8

- - \$485M on Slide 15 (DCF input)
- ACTION: Reconcile figures

2. Data-Narrative Alignment

Map claims to supporting data:

- Trend statements → chart directions
- Market position claims → revenue/share data
- Factual assertions → verify accuracy

Flag contradictions:

Structured Template

- ISSUE: Narrative contradicts data
- - Slide 4: “declining margins”
- - Slide 7 chart: margins 18% → 22%
- ACTION: Update narrative or verify data

Check plausibility (e.g., “#1 player in \$100B market” with \$200M revenue = 0.2% share).

3. Language Polish

Scan for:

- Casual phrasing (“pretty good”, “a lot of”)
- Vague quantifiers without specifics
- Contractions, exclamation points
- Inconsistent terminology

See [references/ib-terminology.md](#) for replacement patterns.

Flag pattern:

Structured Template

- ISSUE: Casual language (Slide 12)
- - “This deal is a no-brainer”
- → “The transaction presents a compelling value proposition”

4. Formatting QC

Audit each slide for:

- **Charts:** Source citations, axis labels, legends
- **Typography:** Consistent fonts, size hierarchy

- **Numbers:** Consistent formatting (1,000 vs 1K)
- **Dates:** Consistent format throughout
- **Footnotes:** Proper sourcing and disclaimers

Output

Present findings using the template in [references/report-format.md](#).

Categorize by severity:

- **Critical:** Number mismatches, factual errors
- **Important:** Language, narrative alignment
- **Minor:** Formatting inconsistencies

3.16 Skill Resource: [skills/check-deck/references/ib-terminology.md](#)

IB Terminology Reference

Casual to Professional Replacements

Casual/ Informal	IB Standard
“a lot of growth”	“significant growth” or “X% growth”
“pretty good margins”	“attractive margins” or “margins of X%”
“they bought the company”	“the company was acquired”
“big deal”	“transformative transaction”
“cheap valuation”	“attractive valuation” or “valuation discount”
“expensive”	“premium valuation”
“make more money”	“enhance profitability” or “drive margin expansion”
“getting bigger”	“pursuing growth” or “expanding operations”
“cut costs”	“implement cost optimization” or “drive operational efficiencies”
“good fit”	“strategic fit” or “compelling strategic rationale”
“help with”	“support” or “facilitate”
“a bunch of”	“multiple” or “numerous”
“kind of” / “sort of”	[remove or be specific]
“really” / “very”	[remove or quantify]
“tons of”	“substantial” or quantify
“huge”	“significant” or quantify
“pretty much”	[remove or be precise]
“basically”	[remove or clarify]

Language Patterns to Avoid

- **Contractions:** Don't → Do not, won't → will not
- **Exclamation points:** Generally inappropriate for IB materials
- **First-person:** "We think..." → "Management believes..." or passive voice
- **Superlatives without evidence:** "best-in-class" requires supporting data
- **Vague quantifiers:** "some", "many", "several" → specific numbers

Preferred Phrasing Patterns

Growth narratives:

- "Demonstrated track record of X% revenue CAGR"
- "Consistent margin expansion over [period]"
- "Proven ability to generate organic growth"

Market position:

- "#X player in [specific segment]"
- "Leading provider of [specific offering]"
- "Differentiated positioning through [specific attribute]"

Strategic rationale:

- "Compelling strategic fit driven by..."
 - "Attractive value creation opportunity through..."
 - "Synergy potential of \$Xm from [specific sources]"
-

3.17 Skill Resource: skills/check-deck/references/report-format.md

Deck Check Report Format

Report Template

Structured Template

- # Deck Check Report: [Presentation Name]
- ## Summary
- - Total issues: X
- - Critical: X (number mismatches, factual errors)
- - Important: X (narrative-data alignment, language)

- - Minor: X (formatting)
- ## Critical Issues
- ### Number Consistency
- 1. **[Issue name]** (Slides X, Y)
 - - Slide X: [value]
 - - Slide Y: [value]
 - - Action: [recommendation]
- ### Data-Narrative Alignment
- 1. **[Issue name]** (Slides X, Y)
 - - Claim: “[quoted text]”
 - - Data shows: [contradiction]
 - - Action: [recommendation]
- ## Important Issues
- ### Language Polish
- 1. **[Issue type]** (Slide X)
 - - Current: “[quoted text]”
 - - Suggested: “[replacement]”
- ## Minor Issues
- ### Formatting
- 1. **[Issue type]** (Slide X)
 - - [Description and fix]
- ## Final Checklist
 - - [] Numbers reconciled
 - - [] Narrative matches data
 - - [] Language meets IB standards
 - - [] Charts sourced
 - - [] Formatting consistent

Issue Severity Classification

Critical (must fix before client delivery):

- Number mismatches across slides
- Calculation errors

- Factual inaccuracies (names, titles, dates)
- Data contradicting narrative

Important (should fix):

- Casual/informal language
- Vague claims without specificity
- Terminology inconsistency
- Missing chart sources

Minor (polish items):

- Font/color inconsistencies
 - Date format variations
 - Spacing/alignment issues
 - Orphaned text
-

3.18 Skill: check-model

File Metadata

Field	Value
name	check-model

Model Checker

description: Debug and audit financial models for errors — circular references, broken formulas, hardcoded overrides, balance sheet imbalances, cash flow mismatches, and logic gaps. Use when a model isn't tying, producing unexpected results, or before sending to a client or IC. Triggers on “debug model”, “model check”, “audit model”, “model won't balance”, “something's off in my model”, “check my model”, “QA model”, or “model review”.

Workflow

Step 1: Ingest the Model

- Accept the user's Excel model (.xlsx or .xlsm)
- Identify model type: DCF, LBO, merger, 3-statement, comps, returns, or custom
- Map the structure: which tabs exist, how they're linked, where inputs vs. outputs live

Step 2: Structural Checks

Tab & Layout Review:

- Are inputs clearly separated from calculations?
- Is there a consistent color-coding convention? (blue = input, black = formula, green = link)
- Are there hidden tabs or rows that could contain overrides?
- Is the model flow logical? (assumptions → IS → BS → CF → valuation)

Formula Consistency:

- Check for hardcoded numbers inside formulas (partial hardcodes)
- Check for inconsistent formulas across row/column ranges (should be the same formula dragged across)
- Identify any #REF!, #VALUE!, #N/A, #DIV/0! errors
- Flag cells that are formatted as formulas but contain hardcoded values

Step 3: Integrity Checks

Balance Sheet:

- Total Assets = Total Liabilities + Equity (every period)
- If imbalanced, quantify the gap and trace where it breaks
- Check that retained earnings rolls forward correctly: Prior RE + Net Income - Dividends = Current RE
- Verify goodwill and intangibles flow from acquisition assumptions (if M&A model)

Cash Flow Statement:

- Ending cash from CF = Cash on BS (every period)
- Operating CF + Investing CF + Financing CF = Change in Cash
- D&A on CF matches D&A on IS
- Capex on CF matches PP&E rollforward on BS
- Working capital changes on CF match BS movements (AR, AP, inventory)

Income Statement:

- Revenue builds tie to segment/product detail
- COGS and gross margin are consistent with assumptions
- Tax expense = Pre-tax income × tax rate (check for deferred tax adjustments)
- Share count ties to dilution schedule (options, converts, buybacks)

Circular References:

- Check for circular references (interest expense → debt balance → cash → interest)

- If intentional (common in LBO/3-statement models), verify the iteration toggle works
- If unintentional, trace the loop and suggest how to break it

Step 4: Logic Checks

Reasonableness:

- Do growth rates make sense? (100%+ revenue growth without explanation = red flag)
- Are margins within industry norms? Flag outliers
- Does terminal value dominate the DCF? (>75% of EV from TV is a yellow flag)
- Are projections hockey-sticking unrealistically?
- Does EBITDA growth compound to an absurd number by Year 10?

Sensitivity & Edge Cases:

- What happens at 0% growth? Negative growth?
- Does the model break with negative EBITDA?
- Do leverage ratios go negative or exceed realistic bounds?
- Are there any divide-by-zero risks?

Cross-Tab Consistency:

- Do linked cells actually match their source? (copy-paste errors are common)
- Are date headers consistent across all tabs?
- Do units match (thousands vs. millions vs. actuals)?

Step 5: Common Bugs by Model Type

DCF:

- Discount rate applied to wrong period (mid-year vs. end-of-year convention)
- Terminal value not discounted back correctly
- WACC uses book values instead of market values
- FCF includes interest expense (should be unlevered)
- Tax shield double-counted

LBO:

- Debt paydown doesn't match cash sweep mechanics
- PIK interest not accruing to debt balance
- Management rollover not reflected in returns
- Exit multiple applied to wrong EBITDA (LTM vs. NTM)

- Fees and expenses not deducted from Day 1 equity

Merger Model:

- Accretion/dilution uses wrong share count (pre- vs. post-deal)
- Synergies not phased in correctly
- Purchase price allocation doesn't balance
- Foregone interest on cash not included
- Transaction fees not in sources & uses

3-Statement:

- Working capital changes have wrong sign convention
- Depreciation doesn't match PP&E schedule
- Debt maturity schedule doesn't match principal payments
- Dividends paid exceed net income without explanation

Step 6: Report

Generate a model audit report:

Summary:

- Model type and overall assessment (Clean / Minor Issues / Major Issues)
- Number of issues found by severity

Issue Log:

#	Tab	Cell/ Range	Severity	Category	Description	Suggested Fix
1			Critical/ Warning/ Info	Formula/ Logic/ Balance/ Hard-code		

Severity Definitions:

- **Critical:** Model produces wrong output (BS doesn't balance, formulas broken)
- **Warning:** Model works but has risks (hardcodes, inconsistent formulas, edge case failures)
- **Info:** Style and best practice suggestions (color coding, layout, naming)

Step 7: Output

- Issue log table (in chat or Excel)
- Annotated model with comments on flagged cells (if user provides the file)
- Summary assessment with fix priority

Important Notes

- Always check the BS balance first — if it doesn't balance, nothing else matters until it does
 - Hardcoded overrides are the #1 source of model errors — search aggressively for them
 - Sign convention errors (positive vs. negative for cash outflows) are extremely common
 - Models that “work” can still be wrong — sanity-check outputs against industry benchmarks
 - If the model uses VBA macros, note any macro-driven calculations that can't be audited from formulas alone
 - Don't change the model without asking — report issues and let the user decide how to fix
-

3.19 Skill: competitive-analysis

File Metadata

Field	Value
name	competitive-analysis
description	Framework for competitive landscape analysis across any industry. Use when creating competitor analysis, market positioning assessments, investment memos, strategic reviews, or any analysis requiring systematic evaluation of competitive dynamics. Triggers include requests for competitive landscape decks, peer comparisons, market structure analysis, strategic positioning assessments, and investment recommendations.

Competitive Landscape Mapping

CRITICAL STANDARDS - APPLY TO EVERY ANALYSIS

Source File Primacy

When source files (Excel/CSV) are provided:

- **Extract values DIRECTLY** — Do not perform your own calculations; use the numbers as they appear
- **Maintain consistency** — When the same metric appears in multiple places, ensure identical values throughout
- **Verify calculations** — If the prompt asks you to calculate something, verify your result matches related data in the source
- **Round only as shown** — Use the same decimal precision as the source file

Prompt Fidelity

When the prompt specifies exact requirements, follow them verbatim:

Slide Titles & Section Names:

- If prompt says “*Overview and Competitive Scope*” slide — use EXACTLY that title, not a paraphrase
- If prompt says *within the “Segment Mix” section* — use EXACTLY “Segment Mix” as the section header
- Never substitute with creative alternatives (e.g., don’t use “FY2024 Segment Contribution Analysis” when “Overview and Competitive Scope” was specified)

Chart vs Table:

- If prompt says *embedded chart* — create an actual PowerPoint chart object, NOT a table
- If prompt says *data labels must display* — these go on chart elements (bars, slices, lines), not table cells
- Tables and charts are NOT interchangeable — use exactly what’s specified

Complete Data Series:

- If prompt lists 7 competitors, include ALL 7 — not 5 or 6
- If prompt shows data for years 2015-2025, include ALL years — not a subset
- If prompt specifies 6 series in a chart (Uber, Lyft, DiDi, Bolt, Grab, Gojek), include ALL 6 — not 4

Exact Values & Phrasing:

- If prompt says *Revenue: \$43.98B (+18% YoY)* — display exactly that format
- If prompt says *surpasses DoorDash 4:1, Lyft 8:1* — use those exact ratios, not “7.6x Lyft”
- If prompt gives specific percentages (e.g., “Uber 30%, DiDi 35%”), use exactly those numbers

When in doubt: Re-read the prompt. If it specifies something explicitly, that’s not a suggestion — it’s a requirement.

Reference Files

This skill includes reference files in the *references/* folder. Use them as follows:

- **@@TOKEN0@@** — Table templates for M&A transactions, scenario analysis, and slide structure. Reference when building financial tables or investment scenarios.
- **@@TOKEN0@@** — 2x2 matrix axis pairs by industry. Reference when choosing positioning visualization dimensions.

Source Quality Hierarchy

When sources conflict, prioritize in this order:

1. **10-Ks / Annual Reports** — Audited, highest reliability
2. **Earnings Calls / Investor Presentations** — Management commentary, forward guidance

3. **Sell-Side Research** — Analyst estimates, useful for private company sizing
4. **Industry Reports** (McKinsey, Gartner, etc.) — Market sizing, trends
5. **News Articles** — Use only for recent developments, verify against primary sources

Data Comparability

- **Time periods must match** — All competitor metrics from same fiscal year. Flag exceptions: “(FY24)” vs “(H1 2024)”
- **Metric definitions must match** — Same calculation methodology across competitors
- **Currency normalization** — Convert all figures to USD for international comparisons; note exchange rate and date used
- **Use “-” for missing data** — Never leave cells blank; for private companies, use “N/A” or estimates with “[E]” flag
- **Cite every number** — Format: “[Company] [Document] ([Date])”
- **Source file fidelity** — When Excel/CSV files are provided, use values exactly as given; do not recalculate or round differently than shown

Design & Formatting

- **Slide titles = insights** — “Scale leaders pulling away from niche players” not “Competitive Analysis”
- **Slide titles must fit** — One or two lines fine, but no overflow; reduce font size if needed (min 24pt)
- **Signposts = quantified** — “margin below 40%” not “margins decline”
- **Ratings include actuals** — “●●● \$160B” not just “●●●”
- **Slide numbers required** — Every slide must have a page number

Presentation-Specific Requirements

- **Actual embedded charts required** — Pie charts, bar charts, and line graphs must be real PowerPoint chart objects (created via pptx skill), NOT text/ASCII representations
- **Match prompt structure** — If prompt specifies slide structure, follow it
- **Competitor tables** — For comprehensive analysis: metrics table + qualitative table per competitor. For rapid assessments: single combined table is acceptable.
- **Segment financials** — Include both Revenue AND EBITDA when available. For private competitors or limited disclosure, revenue-only tables are acceptable; note “[EBITDA not disclosed]”

Visual Reference

Review @@TOKEN0@@ and match its professional quality:

Spacing & Overflow Prevention:

- **Title-to-content gap** — Minimum 0.4“ between slide title bottom and first content element
- **Section header gaps** — Minimum 0.25“ between section headers and content below
- **Element buffers** — Minimum 0.2“ between any two elements (tables, text boxes, charts)
- **Margin safety** — Keep all content at least 0.5“ from slide edges
- **Text overflow** — If text doesn't fit, reduce font size or split across slides; never let text clip or overlap

Slide Titles:

- **Must fit within slide width** — One or two lines is fine, but text must not overflow or clip
- **If title is too long** — Shorten wording or reduce font size (minimum 24pt)
- **Front-load the insight** — Put the key point first, details second

Chart Formatting:

- **Legend inside layout** — Always set *include_in_layout=True* so legends don't overlap chart area
- **Legend position** — Use RIGHT for pie charts (≤ 6 items), BOTTOM for line/bar charts (≤ 4 series)
- **Too many series** — If > 6 series, consider splitting into multiple charts or using a table instead
- **Data labels** — For pie charts, show percentages on slices rather than relying solely on legend

Typography (set explicitly, never use defaults):

- Slide title: 28-32pt bold
- Section headers: 16-20pt bold
- Body text: 11-14pt regular
- Table text: 10-12pt regular
- Sources/footnotes: 8-10pt, gray
- **Consistency rule:** Same element type = same font size throughout deck

Layout:

- Clean grid alignment — tables and text blocks align to consistent margins
- Generous whitespace — don't crowd slides; let content breathe
- Visual hierarchy — most important insight is largest/most prominent
- One key message per slide — supporting detail below

Color:

- Limited palette — 2-3 colors max (one accent color for emphasis)
- Muted tones — avoid bright/saturated colors; use navy, gray, muted blue
- Consistent application — same color meanings throughout (e.g., accent for key metrics)

Tables:

- Light gray header row with bold text
- Alternating row shading (subtle) or clean white with thin borders
- Right-align numbers, left-align text
- Adequate cell padding — text shouldn't touch borders

Rating visuals:

- ●●● / ●●○ / ●○○ system with actual metric alongside
- Consistent placement in comparative tables

Adapt structure and metrics to fit your industry — but maintain this level of polish.

What's STRICT vs FLEXIBLE

STRICT (Every Time)	FLEXIBLE (Case-by-Case)
Exact titles/ sections when prompt specifies	Creative titles when prompt doesn't specify
Chart when prompt says chart; table when prompt says table	Visualization type when prompt doesn't specify
All data points/ competitors listed in prompt	Number of competitors when prompt doesn't specify
Exact values/ ratios when prompt specifies them	Rounding when prompt doesn't specify precision
Titles fit without overflow	Number of competitor categories
Minimum spacing between elements	Which dimensions to compare
Chart legends inside layout	Number of competitors profiled
No overlapping text/ elements	Visualization type (2x2, radar, tier)

WORKFLOW PHASES

Phase 1: Clarify Requirements

Before starting, confirm:

- **Scope:** Single company deep-dive or multi-company comparison?
- **Output:** Presentation or written memo?
- **Focus areas:** Specific competitors, dimensions, or strategic questions?
- **Investment context:** Need scenarios/signposts?
- **Source files:** What data files are provided and what values should be extracted?

Phase 2: Research → Outline → Review → Create

Do NOT create final output until outline is reviewed.

The 10-step Analysis Workflow below (Steps 0-9) is executed during Phase 2. Complete research and outlining before creating final slides or documents.

ANALYSIS WORKFLOW

Step 0: Identify Industry-Defining Metrics

Before diving into analysis, identify 3-5 metrics that matter most for this industry:

Industry	Key Metrics
SaaS	ARR, NRR, CAC payback, LTV/ CAC, Rule of 40
Payments	GPV, take rate, attach rate, transaction margin
Marketplaces	GMV, take rate, buyer/ seller ratio, repeat rate
Retail	Same-store sales, inventory turns, sales per sq ft
Logistics	Volume, cost per unit, on-time delivery %, capacity utilization

For industries not listed, identify the 3-5 metrics that investors and operators use to benchmark performance.

Use these metrics consistently across all competitor comparisons.

Step 1: Market Context

- Market size (current and projected) with source
- Growth drivers and headwinds
- Key trends reshaping the industry

CORRECT: “The embedded payments market is \$80-100B in 2024, growing at 20-25% CAGR (McKinsey 2024)” **WRONG:** “The market is large and growing rapidly”

Step 2: Industry Economics

Map value flows. Approach varies by industry type:

- **Vertically-structured** — Value chain layers with typical margin at each
- **Platform/network** — Ecosystem participants and value flows between them
- **Fragmented** — Consolidation dynamics and margin differences by scale

Step 3: Target Company Profile

Structured Template

- | Metric | Value |
- | ————|—————|
- | Revenue | \$4.96B |
- | Growth | +26% YoY |
- | Gross Margin | 45% |
- | Profitability | \$373M Adj. EBITDA |
- | Customers | 134K |
- | Retention | 92% |
- | Market Share | ~15% |

For multi-segment companies, add segment breakdown:

Structured Template

- | Segment | Revenue | Rev YoY | Rev % | EBITDA | EBITDA YoY | Margin |
- | ————|—————|—————|—————|—————|—————|—————|
- | Seg A | \$25.1B | +26% | 57% | \$6.5B | +31% | 26% |
- | Seg B | \$13.8B | +31% | 31% | \$2.5B | +64% | 18% |
- | Seg C | \$5.1B | -2% | 12% | -\$74M | -16% | -1% |
- | Total | \$44.0B | +18% | 100% | \$6.5B* | - | 15% |

*Note corporate costs if applicable

Step 4: Competitor Mapping

Group competitors using the framework that fits:

- **By business model** — Platform vs. vertical vs. horizontal
- **By segment** — Enterprise vs. SMB vs. consumer
- **By posture** — Direct vs. adjacent vs. emerging
- **By origin** — Incumbents vs. disruptors vs. new entrants

Step 5: Positioning Visualization

Visualization	Best For
2x2 Matrix	Two dominant competitive factors
Radar/ Spider	Multi-factor comparison
Tier Diagram	Natural clustering/ strategic groups
Value Chain Map	Vertical industries
Ecosystem Map	Platform markets

Step 6: Competitor Deep Dives

Table 1 — Metrics:

Structured Template

- | Metric | Value |
- | ————|—————|
- | Revenue | \$X.XB |
- | Growth | +XX% YoY |
- | Gross Margin | XX% |
- | Market Cap | \$X.XB |
- | Profitability | \$XXXM EBITDA |
- | Customers | XXX |
- | Retention | XX% |
- | Market Share | ~XX% |

Table 2 — Qualitative:

Structured Template

- | Category | Assessment |
- | ————|—————|
- | Business | What they do (1 sentence) |
- | Strengths | 2-3 bullets |
- | Weaknesses | 2-3 bullets |
- | Strategy | Current priorities |

Step 7: Comparative Analysis

Structured Template

- | Dimension | Company A | Company B | Company C |
- | ————|—————|—————|—————|
- | Scale | ●●● \$160B | ●●○ \$45B | ●○○ \$8B |
- | Growth | ●●○ +26% | ●●● +35% | ●●○ +22% |
- | Margins | ●●○ 7.5% | ●○○ 3.2% | ●●● 15% |

Step 8: Strategic Context

- M&A transactions (multiples, strategic rationale)
- Partnership and integration trends

- Capital raising patterns
- Regulatory developments

Step 9: Synthesis

Competitive Moat Assessment: Evaluate each competitor’s durable advantages using these categories:

Moat Type	What to Assess
Network Effects	Strength of user/ supplier flywheel; cross-side vs. same-side effects
Switching Costs	Technical integration depth, contractual lock-in, behavioral habits
Scale Economies	Unit cost advantages at volume; minimum efficient scale
Intangible Assets	Brand value, proprietary data, regulatory licenses, patents

Rate each as Strong / Moderate / Weak with supporting evidence.

Required Synthesis Elements:

- Durable advantages (hard to replicate) — map to moat categories above
- Structural vulnerabilities (hard to fix)
- Current state vs. trajectory

For investment contexts:

Structured Template

- | Scenario | Probability | Key Driver |
- | ————|—————|—————|
- | Bull | 30% | Market share gains, margin expansion |
- | Base | 50% | Current trajectory continues |
- | Bear | 20% | Competitive pressure, margin compression |

QUALITY CHECKLIST

Before finalizing, verify:

Prompt Fidelity:

- ☒ Slide titles match prompt exactly (not paraphrased)
- ☒ Section names match prompt exactly
- ☒ Charts used where prompt says “chart”; tables where prompt says “table”
- ☒ All competitors/data points included (if prompt lists 7, include 7)
- ☒ All years/periods included (if prompt shows 2015-2025, include all)

- ☒ Exact values and formats used as specified in prompt
- ☒ Commentary uses exact phrasing when prompt specifies it

Source File & Data Consistency:

- ☒ All values from source files extracted directly (not recalculated)
- ☒ Same metric shows identical value across all slides
- ☒ Calculated percentages match source data or related figures
- ☒ Numbers use same decimal precision as source

Layout & Spacing:

- ☒ Minimum 0.4“ gap between slide title and first content element
- ☒ No text or elements overlapping
- ☒ All content within 0.5“ margin from slide edges
- ☒ Text fits within containers (no clipping or overflow)
- ☒ Slide titles fit within slide width (1-2 lines, no overflow)

Charts:

- ☒ Legends set to include_in_layout=True (no overlap with chart)
- ☒ Legend position appropriate (RIGHT for pie, BOTTOM for line/bar)
- ☒ No more than 6 series per chart; if more, split or use table

Typography:

- ☒ Font sizes explicitly set (not default)
- ☒ Same element type uses same font size across all slides
- ☒ Titles 28-32pt, headers 16-20pt, body 11-14pt, sources 8-10pt

Data & Sources:

- ☒ Every number has a source citation
- ☒ All competitor metrics from same fiscal period (flag exceptions)
- ☒ Same metric definitions across all competitors

Presentation Format:

- ☒ Slide titles state insights, not topics
- ☒ All slides have page numbers
- ☒ Charts are actual embedded PowerPoint objects (not ASCII/text)
- ☒ Segment tables include EBITDA where available; revenue-only acceptable for private companies

3.20 Skill Resource: skills/competitive-analysis/references/frameworks.md

Frameworks Reference

2x2 Matrix: Common Axis Pairs by Industry

Technology/SaaS: Product breadth × Customer segment, Integration depth × Geographic reach

Consumer/Retail: Price point × Product range, Online × Offline presence

Financial Services: Product complexity × Customer sophistication, Scale × Specialization

Healthcare: Care setting × Payer mix, Technology enablement × Service breadth

Industrial: Customization × Scale, Geographic scope × Vertical focus

3.21 Skill Resource: skills/competitive-analysis/references/schemas.md

Schemas Reference

Additional table formats not shown in main SKILL.md.

M&A Transaction Table

Acquirer	Target	Date	Deal Value	Multiple	Rationale
Company A	Company B	MMM YYYY	\$X.XB	X.Xx EV/ Rev	[Strategic logic]

State multiple methodology: “X.Xx EV/Revenue” or “X.Xx EV/EBITDA”

Scenario Analysis Table

Scenario	Probability	Valuation	Key Assumptions
Bull	XX%	\$XXB	[Specific, quantified]
Base	XX%	\$XXB	[Specific, quantified]
Bear	XX%	\$XXB	[Specific, quantified]

Slide Structure

Structured Template

- [Insight headline, not topic]
 - [Main Content]
 - Source: [Citation] ([Date])
-

3.22 Skill: comps-analysis

File Metadata

Field	Value
name	fsi-comps-analysis
description	
**Perfect for	**
**Not ideal for	**

Comparable Company Analysis

CRITICAL: Data Source Priority (READ FIRST)

ALWAYS follow this data source hierarchy:

1. **FIRST: Check for MCP data sources** - If S&P Kensho MCP, FactSet MCP, or Daloopa MCP are available, use them exclusively for financial and trading information
2. **DO NOT use web search** if the above MCP data sources are available
3. **ONLY if MCPs are unavailable:** Then use Bloomberg Terminal, SEC EDGAR filings, or other institutional sources
4. **NEVER use web search as a primary data source** - it lacks the accuracy, audit trails, and reliability required for institutional-grade analysis

Why this matters: MCP sources provide verified, institutional-grade data with proper citations. Web search results can be outdated, inaccurate, or unreliable for financial analysis.

Overview

This skill teaches Claude to build institutional-grade comparable company analyses that combine operating metrics, valuation multiples, and statistical benchmarking. The output is a structured Excel/spreadsheet that enables informed investment decisions through peer comparison.

Reference Material & Contextualization:

An example comparable company analysis is provided in *examples/comps_example.xlsx*. When using this or other example files in this skill directory, use them intelligently:

DO use examples for:

- Understanding structural hierarchy (how sections flow)
- Grasping the level of rigor expected (statistical depth, documentation standards)
- Learning principles (clear headers, transparent formulas, audit trails)

DO NOT use examples for:

- Exact reproduction of format or metrics

- Copying layout without considering context
- Applying the same visual style regardless of audience

ALWAYS ask yourself first:

1. **“Do you have a preferred format or should I adapt the template style?”**
2. **“Who is the audience?”** (Investment committee, board presentation, quick reference, detailed memo)
3. **“What’s the key question?”** (Valuation, growth analysis, competitive positioning, efficiency)
4. **“What’s the context?”** (M&A evaluation, investment decision, sector benchmarking, performance review)

Adapt based on specifics:

- **Industry context:** Big tech mega-caps need different metrics than emerging SaaS startups
- **Sector-specific needs:** Add relevant metrics early (e.g., cloud ARR, enterprise customers, developer ecosystem for tech)
- **Company familiarity:** Well-known companies may need less background, more focus on delta analysis
- **Decision type:** M&A requires different emphasis than ongoing portfolio monitoring

Core principle: Use template principles (clear structure, statistical rigor, transparent formulas) but vary execution based on context. The goal is institutional-quality analysis, not institutional-looking templates.

User-provided examples and explicit preferences always take precedence over defaults.

Core Philosophy

“Build the right structure first, then let the data tell the story.”

Start with headers that force strategic thinking about what matters, input clean data, build transparent formulas, and let statistics emerge automatically. A good comp should be immediately readable by someone who didn’t build it.

Section 1: Document Structure & Setup

Header Block (Rows 1-3)

Structured Template

- Row 1: [ANALYSIS TITLE] - COMPARABLE COMPANY ANALYSIS
- Row 2: [List of Companies with Tickers] • [Company 1 (TICK1)] • [Company 2 (TICK2)] • [Company 3 (TICK3)]
- Row 3: As of [Period] | All figures in [USD Millions/Billions] except per-share amounts and ratios

Why this matters: Establishes context immediately. Anyone opening this file knows what they’re looking at, when it was created, and how to interpret the numbers.

Visual Convention Standards (OPTIONAL - User preferences and uploaded templates always override)

IMPORTANT: These are suggested defaults only. Always prioritize:

1. User's explicit formatting preferences
2. Formatting from any uploaded template files
3. Company/team style guides
4. These defaults (only if no other guidance provided)

Suggested Font & Typography:

- **Font family:** Times New Roman (professional, readable, industry standard)
- **Font size:** 11pt for data cells, 12pt for headers
- **Bold text:** Section headers, company names, statistic labels

Suggested Color & Shading:

- **Section headers** (e.g., "OPERATING STATISTICS & FINANCIAL METRICS"):
 - Dark blue background (#17365D or similar navy)
 - White bold text
 - Full row shading across all columns
- **Column headers** (e.g., "Company", "Revenue", "Margin"):
 - Light blue/gray background (#D9E2F3 or similar pale blue)
 - Black bold text
 - Centered alignment
- **Data rows:**
 - White background for company data
 - Black text for inputs and formulas
- **Statistics rows** (Maximum, 75th Percentile, etc.):
 - Light gray background (#F2F2F2)
 - Black text, left-aligned labels

Suggested Formatting Conventions:

- **Decimal precision:**
 - Percentages: 1 decimal (12.3%)
 - Multiples: 1 decimal (13.5x)
 - Dollar amounts: No decimals, thousands separator (69,632)
 - Margins shown as percentages: 1 decimal (68.7%)
- **Borders:** No borders (clean, minimal appearance)

- **Alignment:** All metrics center-aligned for clean, uniform appearance
- **Cell dimensions:** All column widths should be uniform/even, all row heights should be consistent (creates clean, professional grid)

Note: If the user provides a template file or specifies different formatting, use that instead.

Section 2: Operating Statistics & Financial Metrics

Core Columns (Start with these)

1. **Company** - Names with consistent formatting
2. **Revenue** - Size metric (can be LTM, quarterly, or annual depending on context)
3. **Revenue Growth** - Year-over-year percentage change
4. **Gross Profit** - Revenue minus cost of goods sold
5. **Gross Margin** - GP/Revenue (fundamental profitability)
6. **EBITDA** - Earnings before interest, tax, depreciation, amortization
7. **EBITDA Margin** - EBITDA/Revenue (operating efficiency)

Optional Additions (Choose based on industry/purpose)

- **Quarterly vs LTM** - Include both if seasonality matters
- **Free Cash Flow** - For capital-intensive or SaaS businesses
- **FCF Margin** - FCF/Revenue (cash generation efficiency)
- **Net Income** - For mature, profitable companies
- **Operating Income** - For businesses with varying D&A
- **CapEx metrics** - For asset-heavy industries
- **Rule of 40** - Specifically for SaaS (Growth % + Margin %)
- **FCF Conversion** - For quality of earnings analysis (advanced)

Formula Examples (Using Row 7 as example)

Structured Template

- // Core ratios - these are always calculated
- Gross Margin (F7): $=E7/C7$
- EBITDA Margin (H7): $=G7/C7$
- // Optional ratios - include if relevant
- FCF Margin: $=FCF/[Revenue]$

- Net Margin: $\text{=[Net Income]/[Revenue]}$
- Rule of 40: $\text{=[Growth \%]+[FCF Margin \%]}$

Golden Rule: Every ratio should be [Something] / [Revenue] or [Something] / [Something from this sheet]. Keep it simple.

Statistics Block (After company data)

CRITICAL: Add statistics formulas for all comparable metrics (ratios, margins, growth rates, multiples).

Structured Template

- [Leave one blank row for visual separation]
- - Maximum: =MAX(B7:B9)
- - 75th Percentile: $\text{=QUARTILE(B7:B9,3)}$
- - Median: =MEDIAN(B7:B9)
- - 25th Percentile: $\text{=QUARTILE(B7:B9,1)}$
- - Minimum: =MIN(B7:B9)

Columns that NEED statistics (comparable metrics):

- Revenue Growth %, Gross Margin %, EBITDA Margin %, EPS
- EV/Revenue, EV/EBITDA, P/E, Dividend Yield %, Beta

Columns that DON'T need statistics (size metrics):

- Revenue, EBITDA, Net Income (absolute size varies by company scale)
- Market Cap, Enterprise Value (not comparable across different-sized companies)

Note: Add one blank row between company data and statistics rows for visual separation. Do NOT add a “SECTOR STATISTICS” or “VALUATION STATISTICS” header row.

Why quartiles matter: They show distribution, not just average. A 75th percentile multiple tells you what “premium” companies trade at.

Section 3: Valuation Multiples & Investment Metrics

Core Valuation Columns (Start with these)

1. **Company** - Same order as operating section
2. **Market Cap** - Current market valuation
3. **Enterprise Value** - Market Cap $\pm$ Net Debt/Cash
4. **EV/Revenue** - How much market pays per dollar of sales
5. **EV/EBITDA** - How much market pays per dollar of earnings
6. **P/E Ratio** - Price relative to net earnings

Optional Valuation Metrics (Choose based on context)

- **FCF Yield** - FCF/Market Cap (for cash-focused analysis)
- **PEG Ratio** - P/E/Growth Rate (for growth companies)
- **Price/Book** - Market value vs. book value (for asset-heavy businesses)
- **ROE/ROA** - Return metrics (for profitability comparison)
- **Revenue/EBITDA CAGR** - Historical growth rates (for trend analysis)
- **Asset Turnover** - Revenue/Assets (for operational efficiency)
- **Debt/Equity** - Leverage (for capital structure analysis)

Key Principle: Include 3-5 core multiples that matter for your industry. Don't include every possible metric just because you can.

Formula Examples

Structured Template

- // Core multiples - always include these
- EV/Revenue: $\text{=[Enterprise Value]/[LTM Revenue]}$
- EV/EBITDA: $\text{=[Enterprise Value]/[LTM EBITDA]}$
- P/E Ratio: $\text{=[Market Cap]/[Net Income]}$
- // Optional multiples - include if data available
- FCF Yield: $\text{=[LTM FCF]/[Market Cap]}$
- PEG Ratio: $\text{=[P/E]/[Growth Rate \%]}$

Cross-Reference Rule

CRITICAL: Valuation multiples MUST reference the operating metrics section. Never input the same raw data twice. If revenue is in C7, then EV/Revenue formula should reference C7.

Statistics Block

Same structure as operating section: Max, 75th, Median, 25th, Min for every metric. Add one blank row for visual separation between company data and statistics. Do NOT add a "VALUATION STATISTICS" header row.

Section 4: Notes & Methodology Documentation

Required Components

Data Sources & Quality:

- Where did the data come from? (S&P Kensho MCP, FactSet MCP, Daloopa MCP, Bloomberg, SEC filings)

- What period does it cover? (Q4 2024, audited figures)
- How was it verified? (Cross-checked against 10-K/10-Q)
- Note: Prioritize MCP data sources (S&P Kensho, FactSet, Daloopa) if available for better accuracy and traceability

Key Definitions:

- EBITDA calculation method (Gross Profit + D&A, or Operating Income + D&A)
- Free Cash Flow formula (Operating CF - CapEx)
- Special metrics explained (Rule of 40, FCF Conversion)
- Time period definitions (LTM, CAGR calculation periods)

Valuation Methodology:

- How was Enterprise Value calculated? (Market Cap + Net Debt)
- What growth rates were used? (Historical CAGR, forward estimates)
- Any adjustments made? (One-time items excluded, normalized margins)

Analysis Framework:

- What's the investment thesis? (Cloud/SaaS efficiency)
 - What metrics matter most? (Cash generation, capital efficiency)
 - How should readers interpret the statistics? (Quartiles provide context)
-

Section 5: Choosing the Right Metrics (Decision Framework)

Start with “What question am I answering?”

“Which company is undervalued?” → Focus on: EV/Revenue, EV/EBITDA, P/E, Market Cap → Skip: Operational details, growth metrics

“Which company is most efficient?” → Focus on: Gross Margin, EBITDA Margin, FCF Margin, Asset Turnover → Skip: Size metrics, absolute dollar amounts

“Which company is growing fastest?” → Focus on: Revenue Growth %, EBITDA CAGR, User/Customer Growth → Skip: Margin metrics, leverage ratios

“Which is the best cash generator?” → Focus on: FCF, FCF Margin, FCF Conversion, CapEx intensity → Skip: EBITDA, P/E ratios

Industry-Specific Metric Selection

Software/SaaS: Must have: Revenue Growth, Gross Margin, Rule of 40 Optional: ARR, Net Dollar Retention, CAC Payback Skip: Asset Turnover, Inventory metrics

Manufacturing/Industrials: Must have: EBITDA Margin, Asset Turnover, CapEx/Revenue Optional: ROA, Inventory Turns, Backlog Skip: Rule of 40, SaaS metrics

Financial Services: Must have: ROE, ROA, Efficiency Ratio, P/E Optional: Net Interest Margin, Loan Loss Reserves Skip: Gross Margin, EBITDA (not meaningful for banks)

Retail/E-commerce: Must have: Revenue Growth, Gross Margin, Inventory Turnover Optional: Same-Store Sales, Customer Acquisition Cost Skip: Heavy R&D or CapEx metrics

The “5-10 Rule”

5 operating metrics - Revenue, Growth, 2-3 margins/efficiency metrics **5 valuation metrics** - Market Cap, EV, 3 multiples = **10 total columns** - Enough to tell the story, not so many you lose the thread

If you have more than 15 metrics, you’re probably including noise. Edit ruthlessly.

Section 6: Best Practices & Quality Checks

Before You Start

1. **Define the peer group** - Companies must be truly comparable (similar business model, scale, geography)
2. **Choose the right period** - LTM smooths seasonality; quarterly shows trends
3. **Standardize units upfront** - Millions vs. billions decision affects everything
4. **Map data sources** - Know where each number comes from

As You Build

1. **Input all raw data first** - Complete the blue text before writing formulas
2. **Add cell comments to ALL hard-coded inputs** - Right-click cell → Insert Comment → Document source OR assumption **For sourced data, cite exactly where it came from:**
 - Example: “Bloomberg Terminal - MSFT Equity DES, accessed 2024-10-02”
 - Example: “Q4 2024 10-K filing, page 42, line item ‘Total Revenue’”
 - Example: “FactSet consensus estimate as of 2024-10-02”
 - **Include hyperlinks when possible:** Right-click cell → Link → paste URL to SEC filing, data source, or report **For assumptions, explain the reasoning:**
 - Example: “Assumed 15% EBITDA margin based on peer median, company does not disclose”
 - Example: “Estimated Enterprise Value as Market Cap + \$50M net debt (from Q3 balance sheet, Q4 not yet available)”
 - Example: “Forward P/E based on street consensus EPS of \$3.45 (average of 12 analyst estimates)” **Why this matters:** Enables audit trails, data verification, assumption transparency, and future updates
3. **Build formulas row by row** - Test each calculation before moving on
4. **Use absolute references for headers** - \$C\$6 locks the header row

5. **Format consistently** - Percentages as percentages, not decimals
6. **Add conditional formatting** - Highlight outliers automatically

Sanity Checks

- **Margin test:** Gross margin > EBITDA margin > Net margin (always true by definition)
- **Multiple reasonableness:**
 - EV/Revenue: typically 0.5-20x (varies widely by industry)
 - EV/EBITDA: typically 8-25x (fairly consistent across industries)
 - P/E: typically 10-50x (depends on growth rate)
- **Growth-multiple correlation:** Higher growth usually means higher multiples
- **Size-efficiency trade-off:** Larger companies often have better margins (scale benefits)

Common Mistakes to Avoid

✗ Mixing market cap and enterprise value in formulas ✗ Using different time periods for numerator and denominator (LTM vs quarterly) ✗ Hardcoding numbers into formulas instead of cell references ✗ **Hard-coded inputs without cell comments citing the source OR explaining the assumption** ✗ Missing hyperlinks to SEC filings or data sources when available ✗ Including too many metrics without clear purpose ✗ Including non-comparable companies (different business models) ✗ Using outdated data without disclosure ✗ Calculating averages of percentages incorrectly (should be median)

Section 6: Advanced Features

Dynamic Headers

For columns showing calculations, use clear unit labels:

Structured Template

- Revenue Growth (YoY) % | EBITDA Margin | FCF Margin | Rule of 40

Quartile Analysis Benefits

Instead of just mean/median, quartiles show:

- **75th percentile** = “Premium” companies trade here
- **Median** = Typical market valuation
- **25th percentile** = “Discount” territory

This helps answer: “Is our target company trading rich or cheap vs. peers?”

Industry-Specific Modifications

Software/SaaS:

- Add: ARR, Net Dollar Retention, CAC Payback Period
- Emphasize: Rule of 40, FCF margins, gross margins >70%

Healthcare:

- Add: R&D/Revenue, Pipeline value, Regulatory status
- Emphasize: EBITDA margins, growth rates, reimbursement risk

Industrials:

- Add: Backlog, Order book trends, Geographic mix
- Emphasize: ROIC, asset turnover, cyclical adjustments

Consumer:

- Add: Same-store sales, Customer acquisition cost, Brand value
 - Emphasize: Revenue growth, gross margins, inventory turns
-

Section 7: Workflow & Practical Tips

Step-by-Step Process

1. Set up structure (30 minutes)

- Create all headers
- Format cells (blue for inputs, black for formulas)
- Lock in units and date references

2. Gather data (60-90 minutes)

- Pull from primary sources (S&P Kensho MCP, FactSet MCP, Daloopa MCP if available; otherwise Bloomberg, SEC)
- Input all raw numbers in blue
- Document sources in notes section

3. Build formulas (30 minutes)

- Start with simple ratios (margins)
- Progress to multiples (EV/Revenue)
- Add cross-checks (do margins make sense?)

4. Add statistics (15 minutes)

- Copy formula structure for all columns

- Verify ranges are correct (B7:B9, not B7:B10)
- Check quartile logic

5. **Quality control** (30 minutes)

- Run sanity checks
- Verify formula references
- Check for #DIV/0! or #REF! errors
- Compare against known benchmarks

6. **Documentation** (15 minutes)

- Complete notes section
- Add data sources
- Define methodologies
- Date-stamp the analysis

Pro Tips

- **Save templates:** Build once, reuse forever
- **Color-code outliers:** Conditional formatting for values >2 standard deviations
- **Link to source files:** Hyperlink to Bloomberg screenshots or SEC filings
- **Version control:** Save as “Comps_v1_2024-12-15” with clear dating
- **Collaborative reviews:** Have someone else check your formulas

Excel Formatting Checklist (Optional - adapt to user preferences)

- ☐ Font set to user’s preferred style (default: Times New Roman, 11pt data, 12pt headers)
- ☐ Section headers formatted per user’s template (default: dark blue #17365D with white bold text)
- ☐ Column headers formatted per user’s template (default: light blue/gray #D9E2F3 with black bold text)
- ☐ Statistics rows formatted per user’s template (default: light gray #F2F2F2)
- ☐ No borders applied (clean, minimal appearance)
- ☐ **Column widths set to uniform/even width** (creates clean, professional appearance)
- ☐ **Row heights set to consistent height** (typically 20-25pt for data rows)
- ☐ Numbers formatted with proper decimal precision and thousands separators
- ☐ **All metrics center-aligned** for clean, uniform appearance
- ☐ **One blank row for separation between company data and statistics rows**
- ☐ **No separate “SECTOR STATISTICS” or “VALUATION STATISTICS” header rows**
- ☐ **Every hard-coded input cell has a comment with either: (1) exact data source, OR (2) assumption explanation**

- ☐Hyperlinks added to cells where applicable (SEC filings, data provider pages, reports)
-

Section 8: Example Template Layout

Simple Version (Start here):

Structured Template

- TECHNOLOGY - COMPARABLE COMPANY ANALYSIS
- Microsoft • Alphabet • Amazon
- As of Q4 2024 | All figures in USD Millions
- OPERATING METRICS
- Company Revenue Growth Gross EBITDA EBITDA
- (LTM) (YoY) Margin (LTM) Margin
- MSFT 261,400 12.3% 68.7% 205,100 78.4%
- GOOGL 349,800 11.8% 57.9% 239,300 68.4%
- AMZN 638,100 10.5% 47.3% 152,600 23.9%
- [blank row]
- Median =MEDIAN =MEDIAN =MEDIAN =MEDIAN =MEDIAN
- 75th % =QUART =QUART =QUART =QUART =QUART
- 25th % =QUART =QUART =QUART =QUART =QUART
- VALUATION MULTIPLES
- Company Mkt Cap EV EV/Rev EV/EBITDA P/E
- MSFT 3,550,000 3,530,000 13.5x 17.2x 36.0
- GOOGL 2,030,000 1,960,000 5.6x 8.2x 24.5
- AMZN 2,226,000 2,320,000 3.6x 15.2x 58.3
- [blank row]
- Median =MEDIAN =MEDIAN =MEDIAN =MEDIAN =MED
- 75th % =QUART =QUART =QUART =QUART =QRT
- 25th % =QUART =QUART =QUART =QUART =QRT

Add complexity only when needed:

- Include quarterly AND LTM if seasonality matters
 - Add FCF metrics if cash generation is key story
 - Include industry-specific metrics (Rule of 40 for SaaS, etc.)
 - Add more statistics rows if you have >5 companies
-

Section 9: Industry-Specific Additions (Optional)

Only add these if they're critical to your analysis. Most comps work fine with just core metrics.

Software/SaaS: Add if relevant: ARR, Net Dollar Retention, Rule of 40

Financial Services: Add if relevant: ROE, Net Interest Margin, Efficiency Ratio

E-commerce: Add if relevant: GMV, Take Rate, Active Buyers

Healthcare: Add if relevant: R&D/Revenue, Pipeline Value, Patent Timeline

Manufacturing: Add if relevant: Asset Turnover, Inventory Turns, Backlog

Section 10: Red Flags & Warning Signs

Data Quality Issues

► Inconsistent time periods (mixing quarterly and annual) ► Missing data without explanation ► Significant differences between data sources (>10% variance)

Valuation Red Flags

► Negative EBITDA companies being valued on EBITDA multiples (use revenue multiples instead) ► P/E ratios >100x without hypergrowth story ► Margins that don't make sense for the industry

Comparability Issues

► Different fiscal year ends (causes timing problems) ► Mixing pure-play and conglomerates ► Materially different business models labeled as "comps"

When in doubt, exclude the company. Better to have 3 perfect comps than 6 questionable ones.

Section 11: Formulas Reference Guide

Essential Excel Formulas

Structured Template

- // Statistical Functions
- =AVERAGE(range) // Simple mean
- =MEDIAN(range) // Middle value
- =QUARTILE(range, 1) // 25th percentile
- =QUARTILE(range, 3) // 75th percentile
- =MAX(range) // Maximum value
- =MIN(range) // Minimum value
- =STDEV.P(range) // Standard deviation

- // Financial Calculations
- =B7/C7 // Simple ratio (Margin)
- =SUM(B7:B9)/3 // Average of multiple companies
- =IF(B7>0, C7/B7, "N/A") // Conditional calculation
- =IFERROR(C7/D7, 0) // Handle divide by zero
- // Cross-Sheet References
- ='Sheet1'!B7 // Reference another sheet
- =VLOOKUP(A7, Table1, 2) // Lookup from data table
- =INDEX(MATCH()) // Advanced lookup
- // Formatting
- =TEXT(B7, "0.0%") // Format as percentage
- =TEXT(C7, "#,##0") // Thousands separator

Common Ratio Formulas

Structured Template

- Gross Margin = Gross Profit / Revenue
 - EBITDA Margin = EBITDA / Revenue
 - FCF Margin = Free Cash Flow / Revenue
 - FCF Conversion = FCF / Operating Cash Flow
 - ROE = Net Income / Shareholders' Equity
 - ROA = Net Income / Total Assets
 - Asset Turnover = Revenue / Total Assets
 - Debt/Equity = Total Debt / Shareholders' Equity
-

Key Principles Summary

1. **Structure drives insight** - Right headers force right thinking
 2. **Less is more** - 5-10 metrics that matter beat 20 that don't
 3. **Choose metrics for your question** - Valuation analysis $\neq$ efficiency analysis
 4. **Statistics show patterns** - Median/quartiles reveal more than average
 5. **Transparency beats complexity** - Simple formulas everyone understands
 6. **Comparability is king** - Better to exclude than force a bad comp
 7. **Document your choices** - Explain which metrics and why in notes section
-

Output Checklist

Before delivering a comp analysis, verify:

- ☐ All companies are truly comparable
 - ☐ Data is from consistent time periods
 - ☐ Units are clearly labeled (millions/billions)
 - ☐ Formulas reference cells, not hardcoded values
 - ☐ **All hard-coded input cells have comments with either: (1) exact data source with citation, OR (2) clear assumption with explanation**
 - ☐ **Hyperlinks added where relevant** (SEC EDGAR filings, Bloomberg pages, research reports)
 - ☐ Statistics include at least 5 metrics (Max, 75th, Med, 25th, Min)
 - ☐ Notes section documents sources and methodology
 - ☐ Visual formatting follows conventions (blue = input, black = formula)
 - ☐ Sanity checks pass (margins logical, multiples reasonable)
 - ☐ Date stamp is current (“As of [Date]”)
 - ☐ Formula auditing shows no errors (#DIV/0!, #REF!, #N/A)
-

Continuous Improvement

After completing a comp analysis, ask:

1. Did the statistics reveal unexpected insights?
2. Were there any data gaps that limited analysis?
3. Did stakeholders ask for metrics you didn’t include?
4. How long did it take vs. how long should it take?
5. What would make this more useful next time?

The best comp analyses evolve with each iteration. Save templates, learn from feedback, and refine the structure based on what decision-makers actually use.

3.23 Skill: dcf-model

File Metadata

Field	Value
name	dcf-model

description

Real DCF (Discounted Cash Flow) model creation for equity valuation. Retrieves financial data from SEC filings and analyst reports, builds comprehensive cash flow projections with proper WACC calculations, performs sensitivity analysis, and outputs professional Excel models with executive summaries. Use when users need to value a company using DCF methodology, request intrinsic value analysis, or ask for detailed financial modeling with growth projections and terminal value calculations.

DCF Model Builder

Overview

This skill creates institutional-quality DCF models for equity valuation following investment banking standards. Each analysis produces a detailed Excel model (with sensitivity analysis included at the bottom of the DCF sheet).

Tools

- Default to using all of the information provided by the user and MCP servers available for data sourcing.

Critical Constraints - Read These First

These constraints apply throughout all DCF model building. Review before starting:

Sensitivity Tables:

- Populate ALL 75 cells (3 tables $\times$ 25 cells) with full DCF recalculation formulas
- Use openpyxl loops to write formulas programmatically
- NO placeholder text, NO linear approximations, NO manual steps required
- Each cell must recalculate full DCF for that assumption combination

Cell Comments:

- Add cell comments AS each hardcoded value is created
- Format: “Source: [System/Document], [Date], [Reference], [URL if applicable]”
- Every blue input must have a comment before moving to next section
- Do not defer to end or write “TODO: add source”

Model Layout Planning:

- Define ALL section row positions BEFORE writing any formulas
- Write ALL headers and labels first
- Write ALL section dividers and blank rows second
- THEN write formulas using the locked row positions

- Test formulas immediately after creation

Formula Recalculation:

- Run *python recalc.py model.xlsx 30* before delivery
- Fix ALL errors until status is “success”
- Zero formula errors required (#REF!, #DIV/0!, #VALUE!, etc.)

Scenario Blocks:

- Create separate blocks for Bear/Base/Bull cases
- Show assumptions horizontally across projection years within each block
- Use IF formulas: `=IF($B$6=1,[Bear cell],IF($B$6=2,[Base cell],[Bull cell]))`
- Verify formulas reference correct scenario block cells

DCF Process Workflow

Step 1: Data Retrieval and Validation

Fetch data from MCP servers, user provided data, and the web.

Data Sources Priority:

1. **MCP Servers** (if configured) - Structured financial data from providers like Daloopa
2. **User-Provided Data** - Historical financials from their research
3. **Web Search/Fetch** - Current prices, beta, debt and cash when needed

Validation Checklist:

- Verify net debt vs net cash (critical for valuation)
- Confirm diluted shares outstanding (check for recent buybacks/issuances)
- Validate historical margins are consistent with business model
- Cross-check revenue growth rates with industry benchmarks
- Verify tax rate is reasonable (typically 21-28%)

Step 2: Historical Analysis (3-5 years)

Analyze and document:

- **Revenue growth trends:** Calculate CAGR, identify drivers
- **Margin progression:** Track gross margin, EBIT margin, FCF margin
- **Capital intensity:** D&A and CapEx as % of revenue
- **Working capital efficiency:** NWC changes as % of revenue growth

- **Return metrics:** ROIC, ROE trends

Create summary tables showing:

Structured Template

- Historical Metrics (LTM):
- Revenue: \$X million
- Revenue growth: X% CAGR
- Gross margin: X%
- EBIT margin: X%
- D&A % of revenue: X%
- CapEx % of revenue: X%
- FCF margin: X%

Step 3: Build Revenue Projections

Methodology:

1. Start with latest actual revenue (LTM or most recent fiscal year)
2. Apply growth rates for each projection year
3. Show both dollar amounts AND calculated growth %

Growth Rate Framework:

- Year 1-2: Higher growth reflecting near-term visibility
- Year 3-4: Gradual moderation toward industry average
- Year 5+: Approaching terminal growth rate

Formula structure:

- $\text{Revenue}(\text{Year } N) = \text{Revenue}(\text{Year } N-1) \times (1 + \text{Growth Rate})$
- $\text{Growth \%}(\text{Year } N) = \text{Revenue}(\text{Year } N) / \text{Revenue}(\text{Year } N-1) - 1$

Three-scenario approach:

Structured Template

- Bear Case: Conservative growth (e.g., 8-12%)
- Base Case: Most likely scenario (e.g., 12-16%)
- Bull Case: Optimistic growth (e.g., 16-20%)

Step 4: Operating Expense Modeling

Fixed/Variable Cost Analysis:

Operating expenses should model realistic operating leverage:

- **Sales & Marketing:** Typically 15-40% of revenue depending on business model
- **Research & Development:** Typically 10-30% for technology companies
- **General & Administrative:** Typically 8-15% of revenue, shows leverage as company scales

Key principles:

- ALL percentages based on REVENUE, not gross profit
- Model operating leverage: % should decline as revenue scales
- Maintain separate line items for S&M, R&D, G&A
- Calculate EBIT = Gross Profit - Total OpEx

Margin expansion framework:

Structured Template

- Current State → Target State (Year 5)
- Gross Margin: X% → Y% (justify based on scale, efficiency)
- EBIT Margin: X% → Y% (result of revenue growth + opex leverage)

Step 5: Free Cash Flow Calculation

Build FCF in proper sequence:

Structured Template

- EBIT
- (-) Taxes ($\text{EBIT} \times \text{Tax Rate}$)
- = NOPAT (Net Operating Profit After Tax)
- (+) D&A (non-cash expense, % of revenue)
- (-) CapEx (% of revenue, typically 4-8%)
- (-) Δ NWC (change in working capital)
- = Unlevered Free Cash Flow

Working Capital Modeling:

- Calculate as % of revenue change (delta revenue)
- Typical range: -2% to +2% of revenue change
- Negative number = source of cash (working capital release)
- Positive number = use of cash (working capital build)

Maintenance vs Growth CapEx:

- Maintenance CapEx: Sustains current operations (~2-3% revenue)
- Growth CapEx: Supports expansion (additional 2-5% revenue)
- Total CapEx should align with company's growth strategy

Step 6: Cost of Capital (WACC) Research

CAPM Methodology for Cost of Equity:

Structured Template

- Cost of Equity = Risk-Free Rate + Beta × Equity Risk Premium
- Where:
 - - Risk-Free Rate = Current 10-Year Treasury Yield
 - - Beta = 5-year monthly stock beta vs market index
 - - Equity Risk Premium = 5.0-6.0% (market standard)

Cost of Debt Calculation:

Structured Template

- After-Tax Cost of Debt = Pre-Tax Cost of Debt × (1 - Tax Rate)
- Determine Pre-Tax Cost of Debt from:
 - - Credit rating (if available)
 - - Current yield on company bonds
 - - Interest expense / Total Debt from financials

Capital Structure Weights:

Structured Template

- Market Value Equity = Current Stock Price × Shares Outstanding
- Net Debt = Total Debt - Cash & Equivalents
- Enterprise Value = Market Cap + Net Debt
- Equity Weight = Market Cap / Enterprise Value
- Debt Weight = Net Debt / Enterprise Value
- WACC = (Cost of Equity × Equity Weight) + (After-Tax Cost of Debt × Debt Weight)

Special Cases:

- **Net Cash Position:** If Cash > Debt, Net Debt is NEGATIVE
 - Debt Weight may be negative
 - WACC calculation adjusts accordingly

- **No Debt:** WACC = Cost of Equity

Typical WACC Ranges:

- Large Cap, Stable: 7-9%
- Growth Companies: 9-12%
- High Growth/Risk: 12-15%

Step 7: Discount Rate Application (5-10 Year Forecast)

Mid-Year Convention:

- Cash flows assumed to occur mid-year
- Discount Period: 0.5, 1.5, 2.5, 3.5, 4.5, etc.
- Discount Factor = $1 / (1 + \text{WACC})^{\text{Period}}$

Present Value Calculation:

Structured Template

- For each projection year:
- $\text{PV of FCF} = \text{Unlevered FCF} \times \text{Discount Factor}$
- Example (Year 1):
- $\text{FCF} = \$1,000$
- $\text{WACC} = 10\%$
- $\text{Period} = 0.5$
- $\text{Discount Factor} = 1 / (1.10)^{0.5} = 0.9535$
- $\text{PV} = \$1,000 \times 0.9535 = \954

Projection Period Selection:

- **5 years:** Standard for most analyses
- **7-10 years:** High growth companies with longer runway
- **3 years:** Mature, stable businesses

Step 8: Terminal Value Calculation

Perpetuity Growth Method (Preferred):

Structured Template

- $\text{Terminal FCF} = \text{Final Year FCF} \times (1 + \text{Terminal Growth Rate})$
- $\text{Terminal Value} = \text{Terminal FCF} / (\text{WACC} - \text{Terminal Growth Rate})$
- Critical Constraint: $\text{Terminal Growth} < \text{WACC}$ (otherwise infinite value)

Terminal Growth Rate Selection:

- Conservative: 2.0-2.5% (GDP growth rate)
- Moderate: 2.5-3.5%
- Aggressive: 3.5-5.0% (only for market leaders)

Do not exceed: Risk-free rate or long-term GDP growth

Exit Multiple Method (Alternative):**Structured Template**

- Terminal Value = Final Year EBITDA $\times$ Exit Multiple
- Where Exit Multiple comes from:
 - - Industry comparable trading multiples
 - - Precedent transaction multiples
 - - Typical range: 8-15x EBITDA

Present Value of Terminal Value:**Structured Template**

- PV of Terminal Value = Terminal Value / $(1 + WACC)^{\text{Final Period}}$
- Where Final Period accounts for timing:
- 5-year model with mid-year convention: Period = 4.5

Terminal Value Sanity Check:

- Should represent 50-70% of Enterprise Value
- If >75%, model may be over-reliant on terminal assumptions
- If <40%, check if terminal assumptions are too conservative

Step 9: Enterprise to Equity Value Bridge**Valuation Summary Structure:****Structured Template**

- (+) Sum of PV of Projected FCFs = \$X million
- (+) PV of Terminal Value = \$Y million
- = Enterprise Value = \$Z million
- (-) Net Debt [or + Net Cash if negative] = \$A million
- = Equity Value = \$B million
- $\div$ Diluted Shares Outstanding = C million shares
- = Implied Price per Share = \$XX.XX

- Current Stock Price = \$YY.YY
- Implied Return = (Implied Price / Current Price) - 1 = XX%

Critical Adjustments:

- **Net Debt = Total Debt - Cash & Equivalents**
 - If positive: Subtract from EV (reduces equity value)
 - If negative (Net Cash): Add to EV (increases equity value)
- **Use Diluted Shares:** Includes options, RSUs, convertible securities
- **Other adjustments** (if applicable):
 - Minority interests
 - Pension liabilities
 - Operating lease obligations

Valuation Output Format:

Structured Template

- Valuation Component, Amount (\$M)
- PV Explicit FCFs, X.X
- PV Terminal Value, Y.Y
- Enterprise Value, Z.Z
- (-) Net Debt, A.A
- Equity Value, B.B
- „
- Shares Outstanding (M), C.C
- Implied Price per Share, \$XX.XX
- Current Share Price, \$YY.YY
- Implied Upside/(Downside), +XX%

Step 10: Sensitivity Analysis

Build **three sensitivity tables** at the bottom of the DCF sheet showing how valuation changes with different assumptions:

1. **WACC vs Terminal Growth** - Shows enterprise value sensitivity to discount rate and perpetuity growth
2. **Revenue Growth vs EBIT Margin** - Shows impact of top-line growth and operating leverage
3. **Beta vs Risk-Free Rate** - Shows sensitivity to cost of equity components

Implementation: These are simple 2D grids (NOT Excel's "Data Table" feature) with formulas in each cell. Each cell must contain a full DCF recalculation for that specific assumption combination. See Critical Constraints section for detailed requirements on populating all 75 cells programmatically using openpyxl.

<correct_patterns>

This section contains all the CORRECT patterns to follow when building DCF models.

Scenario Block Selection Pattern - Follow This Approach

Assumptions are organized in separate blocks for each scenario:

CRITICAL STRUCTURE - Three rows per section header:

Structured Template

- BEAR CASE ASSUMPTIONS (section header, merge cells across)
- Assumption,FY1,FY2,FY3,FY4,FY5
- Revenue Growth (%),12%,10%,9%,8%,7%
- EBIT Margin (%),45%,44%,43%,42%,41%
- BASE CASE ASSUMPTIONS (section header, merge cells across)
- Assumption,FY1,FY2,FY3,FY4,FY5
- Revenue Growth (%),16%,14%,12%,10%,9%
- EBIT Margin (%),48%,49%,50%,51%,52%
- BULL CASE ASSUMPTIONS (section header, merge cells across)
- Assumption,FY1,FY2,FY3,FY4,FY5
- Revenue Growth (%),20%,18%,15%,13%,11%
- EBIT Margin (%),50%,51%,52%,53%,54%

Each scenario block MUST have a column header row showing the projection years (FY2025E, FY2026E, etc.) immediately below the section title. Without this, users cannot tell which assumption value corresponds to which year.

How to reference assumptions - Create a consolidation column:

1. Case selector cell (e.g., B6) contains 1=Bear, 2=Base, or 3=Bull
2. Create a consolidation column with INDEX or OFFSET formulas to pull from the correct scenario block
3. Projection formulas reference the consolidation column (clean cell references)
4. Each scenario block contains full set of DCF assumptions across projection years

Recommended consolidation column pattern (using INDEX): =INDEX(B10:D10, 1, \$B\$6)

NOT this - scattered IF statements throughout: =IF(\$B\$6=1,[Bear block cell],IF(\$B\$6=2,[Base block cell],[Bull block cell]))

The consolidation column approach centralizes logic and makes the model easier to audit.

Correct Revenue Projection Pattern

Create a consolidation column with INDEX formulas, then reference it in projections:

Step 1 - Consolidation column for FY1 growth: $=INDEX([Bear\ FY1\ growth]:[Bull\ FY1\ growth], 1, \$B\$6)$

Step 2 - Revenue projection references the consolidation column: $Revenue\ Year\ 1: =D29*(1+\$E\$10)$

Where:

- D29 = Prior year revenue
- \$E\$10 = Consolidation column cell for FY1 growth (contains INDEX formula)
- \$B\$6 = Case selector (1=Bear, 2=Base, 3=Bull)

This approach is cleaner than embedding IF statements in every projection formula and makes it much easier to audit which scenario assumptions are being used.

Correct FCF Formula Pattern

Use consolidation columns with INDEX formulas, then reference them in FCF calculations:

Consolidation column approach:

Structured Template

- Item,Formula,Reference
- $D\&A, =E29*\$E\$21, \$E\21 = consolidation column for D&A %
- $CapEx, =E29*\$E\$22, \$E\22 = consolidation column for CapEx %
- $\Delta\ NWC, =(E29-D29)*\$E\$23, \$E\$23$ = consolidation column for NWC %
- $Unlevered\ FCF, =E57+E58-E60-E62, E57=NOPAT\ E58=D\&A\ E60=CapEx\ E62=\Delta\ NWC$

Each consolidation column cell contains an INDEX formula that pulls from the appropriate scenario block based on case selector. This keeps projection formulas clean and auditable.

Before writing formulas, confirm scenario block row locations and set up consolidation columns.

Correct Cell Comment Format

Every hardcoded value needs this format:

“Source: [System/Document], [Date], [Reference], [URL if applicable]”

Examples:

Structured Template

- Item,Source Comment
- Stock price,Source: Market data script 2025-10-12 Close price
- Shares outstanding,Source: 10-K FY2024 Page 45 Note 12
- Historical revenue,Source: 10-K FY2024 Page 32 Consolidated Statements
- Beta,Source: Market data script 2025-10-12 5-year monthly beta

- Consensus estimates,Source: Management guidance Q3 2024 earnings call

Correct Assumption Table Structure

CRITICAL: Each scenario block requires THREE structural elements:

1. **Section header row** (merged cells): e.g., “BEAR CASE ASSUMPTIONS”
2. **Column header row** showing years - THIS IS REQUIRED, DO NOT SKIP
3. **Data rows** with assumption values

Structure:

Structured Template

- BEAR CASE ASSUMPTIONS (section header - merge across columns A:G)
- Assumption,FY1,FY2,FY3,FY4,FY5
- Revenue Growth (%),X%,X%,X%,X%,X%
- EBIT Margin (%),X%,X%,X%,X%,X%
- Terminal Growth,X%,,,,
- WACC,X%,,,,
- BASE CASE ASSUMPTIONS (section header - merge across columns A:G)
- Assumption,FY1,FY2,FY3,FY4,FY5
- Revenue Growth (%),X%,X%,X%,X%,X%
- EBIT Margin (%),X%,X%,X%,X%,X%
- Terminal Growth,X%,,,,
- WACC,X%,,,,
- BULL CASE ASSUMPTIONS (section header - merge across columns A:G)
- Assumption,FY1,FY2,FY3,FY4,FY5
- Revenue Growth (%),X%,X%,X%,X%,X%
- EBIT Margin (%),X%,X%,X%,X%,X%
- Terminal Growth,X%,,,,
- WACC,X%,,,,

WITHOUT the column header row showing projection years (FY2025E, FY2026E, etc.), users cannot tell which assumption value corresponds to which year. This row is MANDATORY.

Then create a consolidation column (typically the next column to the right) that uses INDEX formulas to pull from the selected scenario block based on the case selector. This consolidation column is what your projection formulas reference.

Correct Row Planning Process

1. Write ALL headers and labels FIRST:

Structured Template

- Row,Content
- 1,[Company Name] DCF Model
- 2,Ticker | Date | Year End
- 4,Case Selector
- 7,KEY ASSUMPTIONS
- 26,Assumption headers
- 27-31,Growth assumptions
- ...,...

2. Write ALL section dividers and blank rows

3. THEN write formulas using the locked row positions

4. Test formulas immediately after creation

Think of it like construction:

- Good: Pour foundation, then build walls (stable structure)
- Bad: Build walls, then pour foundation (walls collapse)

Excel version:

- Good: Add headers, then write formulas (formulas stable)
- Bad: Write formulas, then add headers (formulas break)

Correct Sensitivity Table Implementation

IMPORTANT: These are NOT Excel's "Data Table" feature. These are simple grids where you write regular formulas using openpyxl. Yes, this means ~75 formulas total (3 tables × 25 cells each), but this is straightforward and required.

Programmatic Population with Formulas:

Each sensitivity table must be fully populated with formulas that recalculate the implied share price for each combination of assumptions. **Do not use Excel's Data Table feature** (it requires manual intervention and cannot be automated via openpyxl).

Implementation approach - CONCRETE EXAMPLE:

Table Structure (5x5 grid):

Structured Template

- WACC vs Terminal Growth,2.0%,2.5%,3.0%,3.5%,4.0%
- 8.0%,[B88 formula],[C88 formula],[D88 formula],[E88 formula],[F88 formula]

- 9.0%,[B89 formula],[C89 formula],[D89 formula],[E89 formula],[F89 formula]
-

Formula Pattern - Cell B88 (WACC=8.0%, Terminal Growth=2.0%):

The formula in B88 should recalculate the implied price using:

- WACC from row header: *\$A88* (8.0%)
- Terminal Growth from column header: *B\$87* (2.0%)

Recommended approach: Reference the main DCF calculation but substitute these values.

Example formula structure:
$$=([SUM\ of\ PV\ FCFs\ using\ \$A88\ as\ discount\ rate] + [Terminal\ Value\ using\ B\$87\ as\ growth\ rate\ and\ \$A88\ as\ WACC] - [Net\ Debt]) / [Shares]$$

CRITICAL - Write a formula for EVERY cell in the 5x5 grid (25 cells per table, 75 cells total). Use openpyxl to write these formulas programmatically in a loop. Do NOT skip this step or leave placeholder text.

Python implementation pattern:

Structured Template

- # Pseudocode for populating sensitivity table
- for row_idx, wacc_value in enumerate(wacc_range):
- for col_idx, term_growth_value in enumerate(term_growth_range):
- # Build formula that uses wacc_value and term_growth_value
- formula = f"<DCF recalc using {wacc_value} and {term_growth_value}>"
- ws.cell(row=start_row+row_idx, column=start_col+col_idx).value = formula

The sensitivity tables must work immediately when the model is opened, with no manual steps required from the user.

</correct_patterns>

<common_mistakes>

This section contains all the WRONG patterns to avoid when building DCF models.

WRONG: Simplified Sensitivity Table Approximations or Placeholder Text

Don't use linear approximations:

Structured Template

- // WRONG - Linear approximation
- B97: =B88*(1+(0.096-0.116)) // Assumes linear relationship
- // WRONG - Division shortcut
- B105: =B88/(1+(E48-0.07)) // Doesn't recalculate full DCF

Don't leave placeholder text:

Structured Template

- // WRONG - Placeholder note
- “Note: Use Excel Data Table feature (Data → What-If Analysis → Data Table) to populate sensitivity tables.”
- // WRONG - Empty cells
- [leaving cells blank because “this is complex”]

Don’t confuse terminology:

-  “Sensitivity tables need Excel’s Data Table feature” (NO - that’s a specific Excel tool we can’t use)
-  “Sensitivity tables are simple grids with formulas in each cell” (YES - this is what we build)

Why these shortcuts are wrong:

- Linear approximation formulas don’t actually recalculate the DCF - they just apply simple math adjustments
- The relationships are not linear, so the results will be inaccurate
- Placeholder text requires manual user intervention
- Model is not immediately usable when delivered
- Not professional or client-ready
- Empty cells = incomplete deliverable

Common rationalization to REJECT: “Writing 75+ formulas feels complex, so I’ll leave a note for the user to complete it manually.”

Reality: Writing 75 formulas is straightforward when you use a loop in Python with openpyxl. Each formula follows the same pattern - just substitute the row/column values. This is a required part of the deliverable.

Instead: Populate every sensitivity cell with formulas that recalculate the full DCF for that specific combination of assumptions

WRONG: Missing Cell Comments

Don’t do this:

- Create all hardcoded inputs without comments
- Think “I’ll add them later”
- Write “TODO: add source”
- Leave blue inputs without documentation

Why it’s wrong:

- Can’t verify where data came from
- Fails xlsx skill requirements
- Not audit-ready
- Wastes time fixing later

Instead: Add cell comment AS EACH hardcoded value is created

WRONG: Formula Row References Off

Symptom: The FCF section references wrong assumption rows: *D&A: =E29*\$E\$34 // Should be \$E\$21, but referencing wrong row CapEx: =E29*\$E\$41 // Should be \$E\$22, but row shifted*

Why this happens:

1. Formulas written first
2. Then headers inserted
3. All row references shifted
4. Now formulas point to wrong cells → #REF! errors

Instead: Lock row layout FIRST, then write formulas

WRONG: Single Row for Each Assumption Across Scenarios

Don't structure assumptions like this:

Structured Template

- Assumption,Bear,Base,Bull
- Revenue Growth FY1,10%,13%,16%
- Revenue Growth FY2,9%,12%,15%

This vertical layout makes it hard to see the progression across years within each scenario.

Why it's wrong:

- Makes it difficult to see assumptions evolving across years within each scenario
- Harder to compare scenario assumptions across full projection period
- Less intuitive for reviewing scenario logic

Instead:

- Create separate blocks for each scenario (Bear, Base, Bull)
- Within each block, show assumptions horizontally across projection years
- This makes each scenario's assumptions easier to review as a cohesive set

WRONG: No Borders

Don't deliver a model without borders:

- No section delineation
- All cells blend together
- Hard to read and unprofessional

Why it's wrong:

- Not client-ready
- Difficult to navigate
- Looks amateur

Instead: Add borders around all major sections

WRONG: Wrong Font Colors or No Font Color Distinction

Don't do this:

- All text is black
- Only use fill colors (no font color changes)
- Mix up which cells are blue vs black

Why it's wrong:

- Can't distinguish inputs from formulas
- Auditing becomes impossible
- Violates xlsx skill requirements

Instead: Blue text for ALL hardcoded inputs, black text for ALL formulas, green for sheet links

WRONG: Operating Expenses Based on Gross Profit

Don't do this: $S\&M: =E33*0.15$ // $E33 = \text{Gross Profit}$ (*WRONG*)

Why it's wrong:

- Operating expenses scale with revenue, not gross profit
- Produces unrealistic margin progression
- Not how businesses actually operate

Instead: $S\&M: =E29*0.15$ // $E29 = \text{Revenue}$ (*CORRECT*)

TOP 5 ERRORS SUMMARY

1. **Formula row references off** → Define ALL row positions BEFORE writing formulas
2. **Missing cell comments** → Add comments AS cells are created, not at end
3. **Simplified sensitivity tables** → Populate all cells with full DCF recalc formulas, not approximations
4. **Scenario block references wrong** → Ensure IF formulas pull from correct Bear/Base/Bull blocks
5. **No borders** → Add professional section borders for client-ready appearance

In addition, be aware of these errors:

WACC Calculation Errors

- Mixing book and market values in capital structure
- Using equity beta instead of asset/unlevered beta incorrectly
- Wrong tax rate application to cost of debt
- Incorrect risk-free rate (must use current 10Y Treasury)
- Failure to adjust for net debt vs net cash position

Growth Assumption Flaws

- Terminal growth > WACC (creates infinite value)
- Projection growth rates inconsistent with historical performance
- Ignoring industry growth constraints
- Revenue growth not aligned with unit economics
- Margin expansion without operational justification

Terminal Value Mistakes

- Using wrong growth method (perpetuity vs exit multiple)
- Terminal value >80% of enterprise value (suggests over-reliance)
- Inconsistent terminal margins with steady state assumptions
- Wrong discount period for terminal value

Cash Flow Projection Errors

- Operating expenses based on gross profit instead of revenue
- D&A/CapEx percentages misaligned with business model
- Working capital changes not properly calculated
- Tax rate inconsistency between years
- NOPAT calculation errors

These errors are the most common. Re-read this section before starting any DCF build.

</common_mistakes>

Excel File Creation

This skill uses the @@TOKEN0@@ skill for all spreadsheet operations. The xlsx skill provides:

- Standardized formula construction rules
- Number formatting conventions

- Automated formula recalculation via *recalc.py* script
- Comprehensive error checking and validation

All Excel files created by this skill must follow xlsx skill requirements, including zero formula errors and proper recalculation.

Quality Rubric

Every DCF model must maximize for:

1. **Realistic revenue and margin assumptions** based on historical performance
2. **Appropriate cost of capital calculation** with proper CAPM methodology
3. **Comprehensive sensitivity analysis** showing valuation ranges
4. **Clear terminal value calculation** with supporting rationale
5. **Professional model structure** enabling scenario analysis
6. **Transparent documentation** of all key assumptions

Input Requirements

Minimum Required Inputs

1. **Company identifier:** Ticker symbol or company name
2. **Growth assumptions:** Revenue growth rates for projection period (or “use consensus”)
3. **Optional parameters:**
 - Projection period (default: 5 years)
 - Scenario cases (Bear/Base/Bull growth and margin assumptions)
 - Terminal growth rate (default: 2.5-3.0%)
 - Specific WACC inputs if not using CAPM

Excel Model Structure

Sheet Architecture

Create **two sheets**:

1. **DCF** - Main valuation model with sensitivity analysis at bottom
2. **WACC** - Cost of capital calculation

CRITICAL: Sensitivity tables go at the **BOTTOM** of the DCF sheet (not on a separate sheet). This keeps all valuation outputs together.

Formula Recalculation (MANDATORY)

After creating or modifying the Excel model, **recalculate all formulas** using the recalc.py script from the xlsx skill:

Structured Template

- `python recalc.py [path_to_excel_file] [timeout_seconds]`

Example:

Structured Template

- `python recalc.py AAPL_DCF_Model_2025-10-12.xlsx 30`

The script will:

- Recalculate all formulas in all sheets using LibreOffice
- Scan ALL cells for Excel errors (#REF!, #DIV/0!, #VALUE!, #NAME?, #NULL!, #NUM!, #N/A)
- Return detailed JSON with error locations and counts

Expected output format:

Structured Template

- {
- "status": "success", // or "errors_found"
- "total_errors": 0, // Total error count
- "total_formulas": 42, // Number of formulas in file
- "error_summary": {} // Only present if errors found
- }

If errors are found, the output will include details:

Structured Template

- {
- "status": "errors_found",
- "total_errors": 2,
- "total_formulas": 42,
- "error_summary": {
- "#REF!": {
- "count": 2,
- "locations": ["DCF!B25", "DCF!C25"]
- }
- }

- }

Fix all errors and re-run recal.py until status is “success” before delivering the model.

Formatting Standards

IMPORTANT: Follow the xlsx skill for formula construction rules and number formatting conventions. The DCF skill adds specific visual presentation standards.

Color Scheme - Two Layers:

Layer 1: Font Colors (MANDATORY from xlsx skill)

- **Blue text (RGB: 0,0,255):** ALL hardcoded inputs (stock price, shares, historical data, assumptions)
- **Black text (RGB: 0,0,0):** ALL formulas and calculations
- **Green text (RGB: 0,128,0):** Links to other sheets (WACC sheet references)

Layer 2: Fill Colors (Optional for enhanced presentation)

- Fill colors are optional and should only be applied if requested by the user or if enhancing presentation
- If the user requests colors or professional formatting, use this standard scheme:
 - **Section headers:** Dark blue (RGB: 68,114,196) background with white text
 - **Sub-headers/column headers:** Light blue (RGB: 217,225,242) background with black text
 - **Input cells:** Light green/cream (RGB: 226,239,218) background with blue text
 - **Calculated cells:** White background with black text
- Users can override with custom brand colors if specified

How the layers work together (if fill colors are used):

- Input cell: Blue text + light green fill = “Hardcoded input”
- Formula cell: Black text + white background = “Calculated value”
- Sheet link: Green text + white background = “Reference from WACC sheet”

Font color tells you WHAT it is. Fill color tells you WHERE it is (if used).

IMPORTANT: Font colors from xlsx skill are mandatory. Fill colors are optional - default is white/no fill unless the user requests enhanced formatting or colors.

Border Standards (REQUIRED for Professional Appearance)

Thick borders (1.5pt) around major sections:

- KEY INPUTS section
- PROJECTION ASSUMPTIONS section
- 5-YEAR CASH FLOW PROJECTION section
- TERMINAL VALUE section

- VALUATION SUMMARY section
- Each SENSITIVITY ANALYSIS table

Medium borders (1pt) between sub-sections:

- Company Details vs Historical Performance
- Growth Assumptions vs EBIT Margin vs FCF Parameters

Thin borders (0.5pt) around data tables:

- Scenario assumption tables (Bear | Base | Bull | Selected)
- Historical vs projected financials matrix

No borders: Individual cells within tables (keep clean, scannable)

Borders are mandatory - models without professional borders are not client-ready.

Number Formats (follows xlsx skill standards):

- **Years:** Format as text strings (e.g., “2024” not “2,024”)
- **Percentages:** 0.0% (one decimal place)
- **Currency:** \$#,##0 for millions; \$#,##0.00 for per-share - ALWAYS specify units in headers (“Revenue (\$mm)”)
- **Zeros:** Use number formatting to make all zeros “-” (e.g., \$#,##0;(\$#,##0);-)
- **Large numbers:** #,##0 with thousands separator
- **Negative numbers:** (#,##0) in parentheses (NOT minus sign)

Cell Comments (MANDATORY for all hardcoded inputs):

Per the xlsx skill, ALL hardcoded values must have cell comments documenting the source. Format: “Source: [System/Document], [Date], [Reference], [URL if applicable]”

CRITICAL: Add comments AS CELLS ARE CREATED. Do not defer to the end.

DCF Sheet Detailed Structure

Section 1: Header

Structured Template

- Row,Content
- 1,[Company Name] DCF Model
- 2,Ticker: [XXX] | Date: [Date] | Year End: [FYE]
- 3,Blank
- 4,Case Selector Cell (1=Bear 2=Base 3=Bull)
- 5,Case Name Display (formula: =IF([Selector]=1“Bear”IF([Selector]=2“Base”“Bull”)))

Section 2: Market Data (NOT case dependent)

Structured Template

- Item, Value
- Current Stock Price, \$XX.XX
- Shares Outstanding (M), XX.X
- Market Cap (\$M), [Formula]
- Net Debt (\$M), XXX [or Net Cash if negative]

Section 3: DCF Scenario Assumptions

Create separate assumption blocks for each scenario (Bear, Base, Bull) with DCF-specific assumptions (Revenue Growth %, EBIT Margin %, Tax Rate %, D&A % of Revenue, CapEx % of Revenue, NWC Change % of Δ Rev, Terminal Growth Rate, WACC) laid out horizontally across projection years. Each block must include section header, column header row showing the projection years (FY1, FY2, etc.), and data rows. See *<correct_patterns>* section “Correct Assumption Table Structure” for the exact layout.

Section 4: Historical & Projected Financials

Reference a consolidation column (e.g., “Selected Case”) that pulls from scenario blocks, not scattered IF formulas in every projection row.

Structured Template

- Income Statement (\$M), 2020A, 2021A, 2022A, 2023A, 2024E, 2025E, 2026E
- Revenue, XXX, XXX, XXX, XXX, [=E29(1+\$E\$10)], [=F29(1+\$E\$11)], [=G29*(1+\$E\$12)]
- % growth, XX%, XX%, XX%, XX%, [=E29/D29-1], [=F29/E29-1], [=G29/F29-1]
- ,,,,,,
- Gross Profit, XXX, XXX, XXX, XXX, [=E29E33], [=F29F33], [=G29*G33]
- % margin, XX%, XX%, XX%, XX%, [=E33/E29], [=F33/F29], [=G33/G29]
- ,,,,,,
- Operating Expenses: ,,,,,,
- S&M, XXX, XXX, XXX, XXX, [=E290.15], [=F290.14], [=G29*0.13]
- R&D, XXX, XXX, XXX, XXX, [=E290.12], [=F290.11], [=G29*0.10]
- G&A, XXX, XXX, XXX, XXX, [=E290.08], [=F290.07], [=G29*0.07]
- Total OpEx, XXX, XXX, XXX, XXX, [=E36+E37+E38], [=F36+F37+F38], [=G36+G37+G38]
- ,,,,,,
- EBIT, XXX, XXX, XXX, XXX, [=E33-E39], [=F33-F39], [=G33-G39]
- % margin, XX%, XX%, XX%, XX%, [=E41/E29], [=F41/F29], [=G41/G29]
- ,,,,,,
- Taxes, (XX), (XX), (XX), (XX), [=E41\$E\$24], [=F41\$E\$24], [=G41*\$E\$24]

- Tax rate,XX%,XX%,XX%,XX%, $[=E43/E41]$, $[=F43/F41]$, $[=G43/G41]$
- ,,,,,,
- NOPAT,XXX,XXX,XXX,XXX, $[=E41-E43]$, $[=F41-F43]$, $[=G41-G43]$

Key Formula Pattern:

- Revenue growth: $=E29*(1+\$E\$10)$ where $\$E\10 is consolidation column for Year 1 growth
- NOT: $=E29*(1+IF(\$B\$6=1,\$B\$10,IF(\$B\$6=2,\$C\$10,\$D\$10)))$

This approach is cleaner, easier to audit, and prevents formula errors by centralizing the scenario logic.

Section 5: Free Cash Flow Build

CRITICAL: Verify row references point to the CORRECT assumption rows. Test formulas immediately after creation.

Structured Template

- Cash Flow (\$M),2020A,2021A,2022A,2023A,2024E,2025E,2026E
- NOPAT,XXX,XXX,XXX,XXX, $[=E45]$, $[=F45]$, $[=G45]$
- (+) D&A,XXX,XXX,XXX,XXX, $[=E29\$E\$21]$, $[=F29\$E\$21]$, $[=G29*\$E\$21]$
- % of Rev,XX%,XX%,XX%,XX%, $[=E58/E29]$, $[=F58/F29]$, $[=G58/G29]$
- (-) CapEx,(XX),(XX),(XX),(XX), $[=E29\$E\$22]$, $[=F29\$E\$22]$, $[=G29*\$E\$22]$
- % of Rev,XX%,XX%,XX%,XX%, $[=E60/E29]$, $[=F60/F29]$, $[=G60/G29]$
- (-) Δ NWC,(XX),(XX),(XX),(XX), $[=(E29-D29)\$E\$23]$, $[=(F29-E29)\$E\$23]$, $[=(G29-F29)*\$E\$23]$
- % of Δ Rev,XX%,XX%,XX%,XX%, $[=E62/(E29-D29)]$, $[=F62/(F29-E29)]$, $[=G62/(G29-F29)]$
- ,,,,,,
- Unlevered FCF,XXX,XXX,XXX,XXX, $[=E57+E58-E60-E62]$, $[=F57+F58-F60-F62]$, $[=G57+G58-G60-G62]$

Row reference examples (based on layout planning):

- $\$E\21 = D&A % assumption (consolidation column, row 21)
- $\$E\22 = CapEx % assumption (consolidation column, row 22)
- $\$E\23 = NWC % assumption (consolidation column, row 23)
- E29 = Revenue for year (row 29)
- E45 = NOPAT for year (row 45)

Before writing formulas: Confirm these row numbers match the actual layout. Test one column, then copy across.

Section 6: Discounting & Valuation

Structured Template

- DCF Valuation,2024E,2025E,2026E,2027E,2028E,Terminal

- Unlevered FCF (\$M),XXX,XXX,XXX,XXX,XXX,
- Period,0.5,1.5,2.5,3.5,4.5,
- Discount Factor,0.XX,0.XX,0.XX,0.XX,0.XX,
- PV of FCF (\$M),XXX,XXX,XXX,XXX,XXX,
- ,,,,,,
- Terminal FCF (\$M),,,,,,XXX
- Terminal Value (\$M),,,,,,XXX
- PV Terminal Value (\$M),,,,,,XXX
- ,,,,,,
- Valuation Summary (\$M),,,,,,
- Sum of PV FCFs,XXX,,,,,
- PV Terminal Value,XXX,,,,,
- Enterprise Value,XXX,,,,,
- (-) Net Debt,(XX),,,,,,
- Equity Value,XXX,,,,,
- ,,,,,,
- Shares Outstanding (M),XX.X,,,,,
- IMPLIED PRICE PER SHARE,\$XX.XX,,,,,
- Current Stock Price,\$XX.XX,,,,,
- Implied Upside/(Downside),XX%,,,,,

WACC Sheet Structure

Structured Template

- COST OF EQUITY CALCULATION,,
- Risk-Free Rate (10Y Treasury),X.XX%,[Yellow input]
- Beta (5Y monthly),X.XX,[Yellow input]
- Equity Risk Premium,X.XX%,[Yellow input]
- Cost of Equity,X.XX%,[Calculated blue]
- ,,
- COST OF DEBT CALCULATION,,
- Credit Rating,AA-,[Yellow input]
- Pre-Tax Cost of Debt,X.XX%,[Yellow input]

- Tax Rate,XX.X%,[\[Link to DCF sheet\]](#)
- After-Tax Cost of Debt,X.XX%,[\[Calculated blue\]](#)
- „
- CAPITAL STRUCTURE,,
- Current Stock Price,\$XX.XX,[\[Link to DCF\]](#)
- Shares Outstanding (M),XX.X,[\[Link to DCF\]](#)
- Market Capitalization (\$M),“X,XXX”,[\[Calculated\]](#)
- „
- Total Debt (\$M),XXX,[\[Yellow input\]](#)
- Cash & Equivalents (\$M),XXX,[\[Yellow input\]](#)
- Net Debt (\$M),XXX,[\[Calculated\]](#)
- „
- Enterprise Value (\$M),“X,XXX”,[\[Calculated\]](#)
- „
- WACC CALCULATION,Weight,Cost,Contribution
- Equity,XX.X%,X.X%,X.XX%
- Debt,XX.X%,X.X%,X.XX%
- „
- WEIGHTED AVERAGE COST OF CAPITAL,X.XX%,[\[Green output\]](#)

Key WACC Formulas:

Structured Template

- Market Cap = Price × Shares
- Net Debt = Total Debt - Cash
- Enterprise Value = Market Cap + Net Debt
- Equity Weight = Market Cap / EV
- Debt Weight = Net Debt / EV
- WACC = (Cost of Equity × Equity Weight) + (After-tax Cost of Debt × Debt Weight)

Sensitivity Analysis (Bottom of DCF Sheet)

TERMINOLOGY REMINDER: “Sensitivity tables” = simple 2D grids with row headers, column headers, and formulas in each data cell. NOT Excel’s “Data Table” feature (Data → What-If Analysis → Data Table). You will use openpyxl to write regular Excel formulas into each cell.

Location: Rows 87+ on DCF sheet (NOT a separate sheet)

Three sensitivity tables, vertically stacked:

1. **WACC vs Terminal Growth** (rows 87-100) - 5x5 grid = 25 cells with formulas
2. **Revenue Growth vs EBIT Margin** (rows 102-115) - 5x5 grid = 25 cells with formulas
3. **Beta vs Risk-Free Rate** (rows 117-130) - 5x5 grid = 25 cells with formulas

Total formulas to write: 75 (this is required, not optional)

CRITICAL: All sensitivity table cells must be populated programmatically with formulas using openpyxl. DO NOT use linear approximation shortcuts. DO NOT leave placeholder text or notes about manual steps. DO NOT rationalize leaving cells empty because “it’s complex” - use a Python loop to generate the formulas.

Table Setup:

1. Create table structure with row/column headers (the assumption values to test)
2. Populate EVERY data cell with a formula that:
 - Uses the row header value (e.g., WACC = 9.0%)
 - Uses the column header value (e.g., Terminal Growth = 3.0%)
 - Recalculates the full DCF with those specific assumptions
 - Returns the implied share price for that scenario
3. All cells must contain working formulas when delivered
4. Format cells with conditional formatting: Green scale for higher values, red scale for lower values
5. Bold the base case cell
6. Leave 1-2 blank rows between tables

No manual intervention required - the sensitivity tables must be fully functional when the user opens the file.

Case Selector Implementation

Three-Case Framework:

Bear Case

- Conservative revenue growth (low end of historical range)
- Margin compression or no expansion
- Higher WACC (risk premium increase)
- Lower terminal growth rate
- Higher CapEx assumptions

Base Case

- Consensus or management guidance revenue growth
- Moderate margin expansion based on operating leverage

- Current market-implied WACC
- GDP-aligned terminal growth (2.5-3.0%)
- Standard CapEx assumptions

Bull Case

- Optimistic revenue growth (high end of projections)
- Significant margin expansion
- Lower WACC (reduced risk premium)
- Higher terminal growth (3.5-5.0%)
- Reduced CapEx intensity

Formula Implementation:

DO NOT use nested IF formulas scattered throughout. Instead, create a consolidation column that uses INDEX or OFFSET formulas to pull from the appropriate scenario block.

Recommended pattern (using INDEX): $=INDEX(B10:D10, I, \$B\$6)$ where $B10:D10$ = Bear/Base/Bull values, I = row offset, $\$B\6 = case selector cell (1, 2, or 3)

Then reference the consolidation column in all projections: *Revenue Year 1:* $=D29*(1+\$E\$10)$ where $\$E\10 is the consolidation column value for Year 1 growth.

This approach centralizes scenario logic, making the model easier to audit and maintain.

Deliverables Structure

File naming: *[Ticker]_DCF_Model_[Date].xlsx*

Two sheets:

1. **DCF** - Complete model with Bear/Base/Bull cases + three sensitivity tables at bottom (WACC vs Terminal Growth, Revenue Growth vs EBIT Margin, Beta vs Risk-Free Rate)
2. **WACC** - Cost of capital calculation

Key features: Case selector (1/2/3), consolidation column with INDEX/OFFSET formulas, color-coded cells, cell comments on all inputs, professional borders

Best Practices

Model Construction

1. **Build incrementally:** Complete each section before moving to next
2. **Test as building:** Enter sample numbers to verify formulas
3. **Use consistent structure:** Similar calculations follow similar patterns

4. **Comment complex formulas:** Add notes for unusual calculations
5. **Build in checks:** Sum checks and balance checks where applicable

Documentation

1. **Document all assumptions:** Explain reasoning behind key inputs
2. **Cite data sources:** Note where each data point came from
3. **Explain methodology:** Describe any non-standard approaches
4. **Flag uncertainties:** Highlight areas with limited visibility

Quality Control

1. **Cross-check calculations:** Verify math in multiple ways
2. **Stress test assumptions:** Run sensitivity to ensure model is robust
3. **Peer review:** Have someone else check formulas
4. **Version control:** Save versions as work progresses

Common Variations

High-Growth Technology Companies

- Longer projection period (7-10 years)
- Higher initial growth rates (20-30%)
- Significant margin expansion over time
- Higher WACC (12-15%)
- Model unit economics (users, ARPU, etc.)

Mature/Stable Companies

- Shorter projection period (3-5 years)
- Modest growth rates (GDP +1-3%)
- Stable margins
- Lower WACC (7-9%)
- Focus on cash generation and capital allocation

Cyclical Companies

- Model through economic cycle
- Normalize margins at mid-cycle
- Consider trough and peak scenarios
- Adjust beta for cyclical

Multi-Segment Companies

- Separate DCFs for each business unit
- Different growth rates and margins by segment
- Sum-of-parts valuation
- Consider synergies

Troubleshooting

If you encounter errors or unreasonable results, read @@TOKEN0@@ for detailed debugging guidance.

Workflow Integration

At Start of DCF Build

1. Gather market data:

- Check for available MCP servers for current market data
- Use web search/fetch for stock prices, beta, and other market metrics
- Request from user if specific data is needed

2. Gather historical financials:

- Check for available MCP servers (Daloopa, etc.)
- Request from user if not available via MCP
- Manual extraction from 10-Ks if necessary

3. Begin model construction using the DCF methodology detailed in this skill

During Model Construction

1. **Build Excel model** using openpyxl with formulas (not hardcoded values)
2. **Follow xlsx skill conventions** for formula construction and formatting
3. **Apply fill colors only if requested** by user or if specific brand guidelines are provided

Before Delivering Model (MANDATORY)

1. Verify structure:

- Scenario blocks for Bear/Base/Bull with assumptions across projection years
- Case selector functional with formulas referencing correct scenario blocks
- Sensitivity tables at bottom of DCF sheet (not separate sheet)
- Font colors: Blue inputs, black formulas, green sheet links
- Cell comments on ALL hardcoded inputs
- Professional borders around major sections

2. Recalculate formulas: Run *python recalc.py model.xlsx 30*

3. Check output:

- If *status* is “*success*” → Continue to step 4
- If *status* is “*errors_found*” → Check *error_summary* and read [TROUBLESHOOTING.md](#) for debugging guidance

4. Fix errors and re-run *recalc.py* until status is “success”

5. Spot-check formulas:

- Test one FCF formula - does it reference the correct assumption rows?
- Change case selector - does the consolidation column update properly?
- Verify revenue formulas reference consolidation column (not nested IF formulas)

6. Deliver model

Available Data Sources

- **MCP servers:** If configured (Daloopa for historical financials)
- **Web search/fetch:** For current stock prices, beta, and market data
- **User-provided data:** Historical financials, consensus estimates
- **Manual extraction:** SEC EDGAR filings as fallback

Final Output Checklist

Before delivering DCF model:

Required:

- Run *python recalc.py model.xlsx 30* until status is “success” (zero formula errors)
- Two sheets: DCF (with sensitivity at bottom), WACC
- Font colors: Blue=inputs, Black=formulas, Green=sheet links
- Cell comments on ALL hardcoded inputs
- Sensitivity tables fully populated with formulas

- Professional borders around major sections

Validation:

- OpEx based on revenue (not gross profit)
 - Terminal value 50-70% of EV
 - Terminal growth < WACC
 - Tax rate 21-28%
 - File naming: *[Ticker]_DCF_Model_[Date].xlsx*
-

3.24 Skill Resource: skills/dcf-model/TROUBLESHOOTING.md

DCF Model Troubleshooting Guide

When to read this file: If recalculating shows errors OR valuation results seem unreasonable OR case selector not working properly.

Model Returns Error Values

#REF! Errors

- Usually caused by formulas referencing wrong rows after headers were inserted
- Solution: Rebuild with correct row references, or start over following layout planning
- Prevention: Define all row positions BEFORE writing formulas

#DIV/0! Errors

- Division by zero or empty cells
- Solution: Add IF statements to handle zeros: $=IF([Divisor]=0,0,[Numerator]/[Divisor])$

#VALUE! Errors

- Wrong data type in calculation (text instead of number)
- Solution: Verify all inputs are formatted as numbers

Valuation Seems Unreasonable

Implied price far too high

- Check terminal value isn't >80% of EV
- Verify terminal growth < WACC

- Review if growth assumptions are realistic
- Consider if margins are too optimistic

Implied price far too low

- Verify net debt vs net cash is correct
- Check if WACC is too high
- Review if projections are too conservative
- Consider if terminal growth is too low

Case Selector Not Working

Consolidation column not updating when switching scenarios

- Verify case selector cell contains 1, 2, or 3
 - Check INDEX/OFFSET formulas reference correct row range and selector cell
 - Ensure absolute references (\$B\$6) are used for selector
 - Test by manually changing the selector cell and verifying projection values update
-

3.25 Skill: lbo-model

File Metadata

Field	Value
name	lbo-model
description	This skill should be used when completing LBO (Leveraged Buyout) model templates in Excel for private equity transactions, deal materials, or investment committee presentations. The skill fills in formulas, validates calculations, and ensures professional formatting standards that adapt to any template structure.

TEMPLATE REQUIREMENT

This skill uses templates for LBO models. Always check for an attached template file first.

Before starting any LBO model:

1. **If a template file is attached/provided:** Use that template's structure exactly - copy it and populate with the user's data

2. **If no template is attached:** Ask the user: “Do you have a specific LBO template you’d like me to use? If not, I can use the standard template which includes Sources & Uses, Operating Model, Debt Schedule, and Returns Analysis.”
3. **If using the standard template:** Copy *examples/LBO_Model.xlsx* as your starting point and populate it with the user’s assumptions

IMPORTANT: When a file like *LBO_Model.xlsx* is attached, you MUST use it as your template - do not build from scratch. Even if the template seems complex or has more features than needed, copy it and adapt it to the user’s requirements. Never decide to “build from scratch” when a template is provided.

CRITICAL INSTRUCTIONS FOR CLAUDE - READ FIRST

Core Principles

- **Every calculation must be an Excel formula** - NEVER compute values in Python and hardcode results into cells. The model must be dynamic and update when inputs change.
- **Use the template structure** - Follow the organization in *examples/LBO_Model.xlsx* or the user’s provided template. Do not invent your own layout.
- **Use proper cell references** - All formulas should reference the appropriate cells. Never type numbers that should come from other cells.
- **Maintain sign convention consistency** - Follow whatever sign convention the template uses (some use negative for outflows, some use positive). Be consistent throughout.
- **Work section by section** - Complete one section fully before moving to the next, as later sections often depend on earlier ones.

Formula Color Conventions

- **Blue (0000FF):** Hardcoded inputs - typed numbers that don’t reference other cells
- **Black (000000):** Formulas with calculations - any formula using operators or functions ($=B4*B5$, $=SUM()$, $=-MAX(0,B4)$)
- **Purple (800080):** Links to cells on the **same tab** - direct references with no calculation ($=B9$, $=B45$)
- **Green (008000):** Links to cells on **different tabs** - cross-sheet references ($=Assumptions!B5$, $=Operating Model!C10$)

Number Formatting Standards

- **Currency:** \$#,##0;(\$#,##0);“-” or \$#,##0.0 depending on template
- **Percentages:** 0.0% (one decimal)
- **Multiples:** 0.0“x” (one decimal)
- **MOIC/Detailed Ratios:** 0.00“x” (two decimals for precision)

- **All numeric cells:** Right-aligned
-

Clarify Requirements First

Before filling any formulas:

- **Examine the template structure** - Identify all sections, understand the timeline (which columns are which periods), note any existing formulas
 - **Ask the user if anything is unclear** - If the template structure, calculation methods, or requirements are ambiguous, ask before proceeding
 - **Confirm key assumptions** - Any key inputs, calculation preferences, or specific requirements
 - **ONLY AFTER understanding the template**, proceed to fill in formulas
-

TEMPLATE ANALYSIS PHASE - DO THIS FIRST

Before filling any formulas, examine the template thoroughly:

1. **Map the structure** - Identify where each section lives and how they relate to each other. Note which sections feed into others.
 2. **Understand the timeline** - Which columns represent which periods? Is there a “Closing” or “Pro Forma” column? Where does the projection period start?
 3. **Identify input vs formula cells** - Templates often use color coding, borders, or shading to indicate which cells need inputs vs formulas. Respect these conventions.
 4. **Read existing labels carefully** - The row labels tell you exactly what calculation is expected. Don’t assume - read what the template is asking for.
 5. **Check for existing formulas** - Some templates come partially filled. Don’t overwrite working formulas unless specifically asked.
 6. **Note template-specific conventions** - Sign conventions, subtotal structures, how sections are organized, whether there are separate tabs for different components, etc.
-

FILLING FORMULAS - GENERAL APPROACH

For each cell that needs a formula, follow this hierarchy:

Step 1: Check the Template

- Does the cell already have a formula? If yes, verify it’s correct and move on.
- Is there a comment or note indicating the expected calculation?
- Does the row/column label make the calculation obvious?
- Do neighboring cells show a pattern you should follow?

Step 2: Check the User's Instructions

- Did the user specify a particular calculation method?
- Are there stated assumptions that affect this formula?
- Any special requirements mentioned?

Step 3: Apply Standard Practice

- If neither template nor user specifies, use standard LBO modeling conventions
 - Document any assumptions you make
 - If genuinely uncertain, ask the user
-

COMMON PROBLEM AREAS

The following calculation patterns frequently cause issues across LBO models. Pay special attention when you encounter these:

Balancing Sections

- When two sections must equal (e.g., Sources = Uses), one item is typically the “plug” (balancing figure)
- Identify which item is the plug and calculate it as the difference

Tax Calculations

- Tax formulas should only reference the relevant income line and tax rate
- Should NOT reference unrelated sections (e.g., debt schedules)
- Consider whether losses create tax shields or are simply ignored

Interest and Circular References

- Interest calculations can create circularity if they reference balances affected by cash flows
- Use **Beginning Balance** (not average or ending) to break circular references
- Pattern: Interest → Cash Flow → Paydown → Ending Balance (if interest uses ending balance, this circles back)

Debt Paydown / Cash Sweeps

- When multiple debt tranches exist, there's usually a priority order
- Cash sweep should respect the priority waterfall
- Balances cannot go negative - use MAX or MIN functions appropriately

Returns Calculations (IRR/MOIC)

- Cash flows must have correct signs: Investment = negative, Proceeds = positive
- If using XIRR, need corresponding dates
- If using IRR, cash flows should be in consecutive periods
- $MOIC = \text{Total Proceeds} / \text{Total Investment}$

Sensitivity Tables

- Excel's DATA TABLE function may not work with openpyxl
 - May need explicit formulas that reference row/column headers
 - Each cell should show a DIFFERENT value - if all same, formulas aren't varying correctly
 - Use mixed references (e.g., \$A5 for row input, B\$4 for column input)
-

VERIFICATION CHECKLIST - RUN AFTER COMPLETION

Run Formula Validation

Structured Template

- `python /mnt/skills/public/xlsx/recalc.py model.xlsx`

Must return success with zero errors.

Section Balancing

- ☐ Any sections that must balance (Sources/Uses, Assets/Liabilities) balance exactly
- ☐ Plug items are calculated correctly as the balancing figure
- ☐ Amounts that should match across sections are consistent

Income/Operating Projections

- ☐ Revenue/top-line builds correctly from drivers or growth rates
- ☐ All cost and expense items calculated appropriately
- ☐ Subtotals and totals sum correctly
- ☐ Margins and ratios are reasonable
- ☐ Links to assumptions are correct

Balance Sheet (if applicable)

- ☐ Assets = Liabilities + Equity (must balance)
- ☐ All items link to appropriate schedules or roll-forwards
- ☐ Beginning balances = prior period ending balances
- ☐ Check row included and shows zero

Cash Flow (if applicable)

- ☐ Starts with correct income figure
- ☐ Non-cash items added/subtracted appropriately
- ☐ Working capital changes have correct signs
- ☐ Ending Cash = Beginning Cash + Net Cash Flow
- ☐ Cash balances are consistent across statements

Supporting Schedules

- ☐ Roll-forward schedules balance (Beginning + Changes = Ending)
- ☐ Schedules link correctly to main statements
- ☐ Calculated items use appropriate drivers
- ☐ All periods are calculated consistently

Debt/Financing Schedules (if applicable)

- ☐ Beginning balances tie to sources or prior period
- ☐ Interest calculated on appropriate balance (typically beginning)
- ☐ Paydowns respect cash availability and priority
- ☐ Ending balances cannot be negative
- ☐ Totals sum tranches correctly

Returns/Output Analysis

- ☐ Exit/terminal values calculated correctly
- ☐ All relevant adjustments included
- ☐ Cash flow signs are correct (negative for investment, positive for proceeds)
- ☐ IRR/MOIC formulas reference complete ranges
- ☐ Results are reasonable for the scenario

Sensitivity Tables (if applicable)

- ☐ Row and column headers contain appropriate input values
- ☐ Each data cell contains a formula (not hardcoded)
- ☐ Each data cell shows a DIFFERENT value
- ☐ Values move in expected directions
- ☐ Base case appears where headers match base assumptions

Formatting

- ☐ Hardcoded inputs are blue (0000FF)
- ☐ Calculated formulas are black (000000)
- ☐ Same-tab links are purple (800080)
- ☐ Cross-tab links are green (008000)
- ☐ All numbers are right-aligned
- ☐ Appropriate number formats applied throughout
- ☐ No cells show error values (#REF!, #DIV/0!, #VALUE!, #NAME?)

Logical Sanity Checks

- ☐ Numbers are reasonable order of magnitude
- ☐ Trends make sense (growth, decline, stabilization as expected)
- ☐ No obviously wrong values (negative where should be positive, impossible percentages, etc.)
- ☐ Key outputs are within reasonable ranges for the type of analysis

COMMON ERRORS TO AVOID

Error	What Goes Wrong	How to Fix
Hardcoding calculated values	Model doesn't update when inputs change	Always use formulas that reference source cells
Wrong cell references after copying	Formulas point to wrong cells	Verify all links, use appropriate \$ anchoring
Circular reference errors	Model can't calculate	Use beginning balances for interest-type calcs, break the circle
Sections don't balance	Totals that should match don't	Ensure one item is the plug (calculated as difference)
Negative balances where impossible	Paying/ using more than available	Use MAX(0, ...) or MIN functions appropriately

IRR/ return errors	Wrong signs or incomplete ranges	Check cash flow signs and ensure formula covers all periods
Sensitivity table shows same value	Formula not varying with inputs	Check cell references - need mixed references (\$A5, B\$4)
Roll-forwards don't tie	Beginning $\neq$ prior ending	Verify links between periods
Inconsistent sign conventions	Additions become subtractions or vice versa	Follow template's convention consistently throughout

WORKING WITH THE USER

- **If the template structure is unclear**, ask before proceeding
- **If the user's requirements conflict with the template**, confirm their preference
- **After completing each major section**, offer to show the work or run verification
- **If errors are found during verification**, fix them before moving to the next section
- **Show your work** - explain key formulas or assumptions when helpful

This skill produces investment banking-quality LBO models by filling templates with correct formulas, proper formatting, and validated calculations. The skill adapts to any template structure while ensuring financial accuracy and professional presentation standards.

3.26 Skill: ppt-template-creator

File Metadata

Field	Value
name	ppt-template-creator
description	Creates self-contained PPT template SKILLS (not presentations) from user-provided PowerPoint templates. Use ONLY when a user wants to create a reusable skill from their template. For creating actual presentations, use the pptx skill instead.

PPT Template Creator

This skill creates SKILLS, not presentations. Use this when a user wants to turn their PowerPoint template into a reusable skill that can generate presentations later. If the user just wants to create a presentation, use the *pptx* skill instead.

The generated skill includes:

- *assets/template.pptx* - the template file
- *SKILL.md* - complete instructions (no reference to this meta skill needed)

For general skill-building best practices, refer to the *skill-creator* skill. This skill focuses on PPT-specific patterns.

Workflow

1. **User provides template** (.pptx or .potx)
2. **Analyze template** - extract layouts, placeholders, dimensions
3. **Initialize skill** - use the *skill-creator* skill to set up the skill structure
4. **Add template** - copy .pptx to *assets/template.pptx*
5. **Write SKILL.md** - follow template below with PPT-specific details
6. **Create example** - generate sample presentation to validate
7. **Package** - use the *skill-creator* skill to package into a .skill file

Step 2: Analyze Template

CRITICAL: Extract precise placeholder positions - this determines content area boundaries.

Structured Template

- from pptx import Presentation
- prs = Presentation(template_path)
- print(f'Dimensions: {prs.slide_width/914400:.2f}\'' x {prs.slide_height/914400:.2f}\'')
- print(f'Layouts: {len(prs.slide_layouts)}')
- for idx, layout in enumerate(prs.slide_layouts):
- print(f'\n[{idx}] {layout.name}:')
- for ph in layout.placeholders:
- try:
- ph_idx = ph.placeholder_format.idx
- ph_type = ph.placeholder_format.type
- # IMPORTANT: Extract exact positions in inches
- left = ph.left / 914400
- top = ph.top / 914400
- width = ph.width / 914400
- height = ph.height / 914400
- print(f'idx={ph_idx}, type={ph_type}')
- print(f'x={left:.2f}\'', y={top:.2f}\'', w={width:.2f}\'', h={height:.2f}\'')
- except:

- pass

Key measurements to document:

- **Title position:** Where does the title placeholder sit?
- **Subtitle/description:** Where is the subtitle line?
- **Footer placeholders:** Where do footers/sources appear?
- **Content area:** The space BETWEEN subtitle and footer is your content area

Finding the True Content Start Position

CRITICAL: The content area does NOT always start immediately after the subtitle placeholder. Many templates have a visual border, line, or reserved space between the subtitle and content area.

Best approach: Look at Layout 2 or similar “content” layouts that have an OBJECT placeholder - this placeholder’s y position indicates where content should actually start.

Structured Template

- # Find the OBJECT placeholder to determine true content start
- for idx, layout in enumerate(prs.slide_layouts):
- for ph in layout.placeholders:
- try:
- if ph.placeholder_format.type == 7: # OBJECT type
- top = ph.top / 914400
- print(f'Layout [{idx}] {layout.name}: OBJECT starts at y={top:.2f}\n')
- # This y value is where your content should start!
- except:
- pass

Example: A template might have:

- Subtitle ending at y=1.38“
- But OBJECT placeholder starting at y=1.90“
- The gap (0.52“) is reserved for a border/line - **do not place content there**

Use the OBJECT placeholder’s y position as your content start, not the subtitle’s end position.

Step 5: Write SKILL.md

The generated skill should have this structure:

Structured Template

- [company]-ppt-template/

- SKILL.md
- assets/
- template.pptx

Generated SKILL.md Template

The generated SKILL.md must be **self-contained** with all instructions embedded. Use this template, filling in the bracketed values from your analysis:

Structured Template

- name: [company]-ppt-template
- description: [Company] PowerPoint template for creating presentations. Use when creating [Company]-branded pitch decks, board materials, or client presentations.
- # [Company] PPT Template
- Template: assets/template.pptx ([WIDTH]“ x [HEIGHT]”, [N] layouts)
- ## Creating Presentations

from pptx import Presentation

prs = Presentation(“path/to/skill/assets/template.pptx”)

DELETE all existing slides first

```
while len(prs.slides) > 0: rId = prs.slides._sldIdLst[0].rId prs.part.drop_rel(rId) del prs.slides._sldIdLst[0]
```

Add slides from layouts

```
slide = prs.slides.add_slide(prs.slide_layouts[LAYOUT_IDX])
```

Structured Template

- ## Key Layouts
- | Index | Name | Use For |
- |———|———|———|
- | [0] | [Layout Name] | [Cover/title slide] |
- | [N] | [Layout Name] | [Content with bullets] |
- | [N] | [Layout Name] | [Two-column layout] |
- ## Placeholder Mapping
- **CRITICAL: Include exact positions (x, y coordinates) for each placeholder.**
- ### Layout [N]: [Name]
- | idx | Type | Position | Use |
- |———|———|———|———|

- | [idx] | TITLE (1) | y=[Y]“ | Slide title |
- | [idx] | BODY (2) | y=[Y]“ | Subtitle/description |
- | [idx] | BODY (2) | y=[Y]“ | Footer |
- | [idx] | BODY (2) | y=[Y]“ | Source/notes |
- ### Content Area Boundaries
- **Document the safe content area for custom shapes/tables/charts:**

Content Area (for Layout [N]):

- Left margin: [X]“ (content starts here)
- Top: [Y]“ (below subtitle placeholder)
- Width: [W]“
- Height: [H]“ (ends before footer)

For 4-quadrant layouts:

- Left column: x=[X]“, width=[W]”
- Right column: x=[X]“, width=[W]”
- Top row: y=[Y]“, height=[H]”
- Bottom row: y=[Y]“, height=[H]”

Structured Template

- **Why this matters:** Custom content (textboxes, tables, charts) must stay within these boundaries to avoid overlapping with template placeholders like titles, footers, and source lines.
- ## Filling Content
- **Do NOT add manual bullet characters** - slide master handles formatting.

Fill title

for shape in slide.shapes: if hasattr(shape, 'placeholder_format'): if shape.placeholder_format.type == 1: # TITLE
shape.text = “Slide Title”

Fill content with hierarchy (level 0 = header, level 1 = bullet)

for shape in slide.shapes: if hasattr(shape, 'placeholder_format'): idx = shape.placeholder_format.idx if idx == [CONTENT_IDX]: tf = shape.text_frame for para in tf.paragraphs: para.clear()
content = [(“Section Header”, 0), (“First bullet point”, 1), (“Second bullet point”, 1),]
tf.paragraphs[0].text = content[0][0] tf.paragraphs[0].level = content[0][1] for text, level in content[1:]: p = tf.add_paragraph() p.text = text p.level = level

Structured Template

- ## Example: Cover Slide

```
slide = prs.slides.add_slide(prs.slide_layouts[[COVER_IDX]]) for shape in slide.shapes: if hasattr(shape, 'placeholder_format'): idx = shape.placeholder_format.idx if idx == [TITLE_IDX]: shape.text = "Company Name" elif idx == [SUBTITLE_IDX]: shape.text = "Presentation Title | Date"
```

Structured Template

- ## Example: Content Slide

```
slide = prs.slides.add_slide(prs.slide_layouts[[CONTENT_IDX]]) for shape in slide.shapes: if hasattr(shape, 'placeholder_format'): ph_type = shape.placeholder_format.type idx = shape.placeholder_format.idx if ph_type == 1: shape.text = "Executive Summary" elif idx == [BODY_IDX]: tf = shape.text_frame for para in tf.paragraphs: para.clear() content = [ ("Key Findings", 0), ("Revenue grew 40% YoY to $50M", 1), ("Expanded to 3 new markets", 1), ("Recommendation", 0), ("Proceed with strategic initiative", 1), ] tf.paragraphs[0].text = content[0][0] tf.paragraphs[0].level = content[0][1] for text, level in content[1:]: p = tf.add_paragraph() p.text = text p.level = level
```

Step 6: Create Example Output

Generate a sample presentation to validate the skill works. Save it alongside the skill for reference.

PPT-Specific Rules for Generated Skills

1. **Template in assets/** - always bundle the .pptx file
2. **Self-contained SKILL.md** - all instructions embedded, no external references
3. **No manual bullets** - use *paragraph.level* for hierarchy
4. **Delete slides first** - always clear existing slides before adding new ones
5. **Document placeholders by idx** - placeholder idx values are template-specific

3.27 Skill: skill-creator

File Metadata

Field	Value
name	skill-creator
description	Guide for creating effective skills. This skill should be used when users want to create a new skill (or update an existing skill) that extends Claude's capabilities with specialized knowledge, workflows, or tool integrations.
license	Complete terms in LICENSE.txt

Skill Creator

This skill provides guidance for creating effective skills.

About Skills

Skills are modular, self-contained packages that extend Claude’s capabilities by providing specialized knowledge, workflows, and tools. Think of them as “onboarding guides” for specific domains or tasks—they transform Claude from a general-purpose agent into a specialized agent equipped with procedural knowledge that no model can fully possess.

What Skills Provide

1. Specialized workflows - Multi-step procedures for specific domains
2. Tool integrations - Instructions for working with specific file formats or APIs
3. Domain expertise - Company-specific knowledge, schemas, business logic
4. Bundled resources - Scripts, references, and assets for complex and repetitive tasks

Core Principles

Concise is Key

The context window is a public good. Skills share the context window with everything else Claude needs: system prompt, conversation history, other Skills’ metadata, and the actual user request.

Default assumption: Claude is already very smart. Only add context Claude doesn’t already have. Challenge each piece of information: “Does Claude really need this explanation?” and “Does this paragraph justify its token cost?”

Prefer concise examples over verbose explanations.

Set Appropriate Degrees of Freedom

Match the level of specificity to the task’s fragility and variability:

High freedom (text-based instructions): Use when multiple approaches are valid, decisions depend on context, or heuristics guide the approach.

Medium freedom (pseudocode or scripts with parameters): Use when a preferred pattern exists, some variation is acceptable, or configuration affects behavior.

Low freedom (specific scripts, few parameters): Use when operations are fragile and error-prone, consistency is critical, or a specific sequence must be followed.

Think of Claude as exploring a path: a narrow bridge with cliffs needs specific guardrails (low freedom), while an open field allows many routes (high freedom).

Anatomy of a Skill

Every skill consists of a required SKILL.md file and optional bundled resources:

Structured Template

- skill-name/

- SKILL.md (required)
- YAML frontmatter metadata (required)
- name: (required)
- description: (required)
- Markdown instructions (required)
- Bundled Resources (optional)
- scripts/ - Executable code (Python/Bash/etc.)
- references/ - Documentation intended to be loaded into context as needed
- assets/ - Files used in output (templates, icons, fonts, etc.)

SKILL.md (required)

Every SKILL.md consists of:

- **Frontmatter** (YAML): Contains *name* and *description* fields. These are the only fields that Claude reads to determine when the skill gets used, thus it is very important to be clear and comprehensive in describing what the skill is, and when it should be used.
- **Body** (Markdown): Instructions and guidance for using the skill. Only loaded AFTER the skill triggers (if at all).

Bundled Resources (optional)

Scripts (*scripts/*)

Executable code (Python/Bash/etc.) for tasks that require deterministic reliability or are repeatedly rewritten.

- **When to include:** When the same code is being rewritten repeatedly or deterministic reliability is needed
- **Example:** *scripts/rotate_pdf.py* for PDF rotation tasks
- **Benefits:** Token efficient, deterministic, may be executed without loading into context
- **Note:** Scripts may still need to be read by Claude for patching or environment-specific adjustments

References (*references/*)

Documentation and reference material intended to be loaded as needed into context to inform Claude's process and thinking.

- **When to include:** For documentation that Claude should reference while working
- **Examples:** *references/finance.md* for financial schemas, *references/mnda.md* for company NDA template, *references/policies.md* for company policies, *references/api_docs.md* for API specifications
- **Use cases:** Database schemas, API documentation, domain knowledge, company policies, detailed workflow guides

- **Benefits:** Keeps SKILL.md lean, loaded only when Claude determines it's needed
- **Best practice:** If files are large (>10k words), include grep search patterns in SKILL.md
- **Avoid duplication:** Information should live in either SKILL.md or references files, not both. Prefer references files for detailed information unless it's truly core to the skill—this keeps SKILL.md lean while making information discoverable without hogging the context window. Keep only essential procedural instructions and workflow guidance in SKILL.md; move detailed reference material, schemas, and examples to references files.

Assets (*assets/*)

Files not intended to be loaded into context, but rather used within the output Claude produces.

- **When to include:** When the skill needs files that will be used in the final output
- **Examples:** *assets/logo.png* for brand assets, *assets/slides.pptx* for PowerPoint templates, *assets/frontend-template/* for HTML/React boilerplate, *assets/font.ttf* for typography
- **Use cases:** Templates, images, icons, boilerplate code, fonts, sample documents that get copied or modified
- **Benefits:** Separates output resources from documentation, enables Claude to use files without loading them into context

What to Not Include in a Skill

A skill should only contain essential files that directly support its functionality. Do NOT create extraneous documentation or auxiliary files, including:

- README.md
- INSTALLATION_GUIDE.md
- QUICK_REFERENCE.md
- CHANGELOG.md
- etc.

The skill should only contain the information needed for an AI agent to do the job at hand. It should not contain auxiliary context about the process that went into creating it, setup and testing procedures, user-facing documentation, etc. Creating additional documentation files just adds clutter and confusion.

Progressive Disclosure Design Principle

Skills use a three-level loading system to manage context efficiently:

1. **Metadata (name + description)** - Always in context (~100 words)
2. **SKILL.md body** - When skill triggers (<5k words)
3. **Bundled resources** - As needed by Claude (Unlimited because scripts can be executed without reading into context window)

Progressive Disclosure Patterns

Keep SKILL.md body to the essentials and under 500 lines to minimize context bloat. Split content into separate files when approaching this limit. When splitting out content into other files, it is very important to reference them from SKILL.md and describe clearly when to read them, to ensure the reader of the skill knows they exist and when to use them.

Key principle: When a skill supports multiple variations, frameworks, or options, keep only the core workflow and selection guidance in SKILL.md. Move variant-specific details (patterns, examples, configuration) into separate reference files.

Pattern 1: High-level guide with references

Structured Template

- # PDF Processing
- ## Quick start
- Extract text with pdftplumber:
- [code example]
- ## Advanced features
- - **Form filling:** See [FORMS.md](#) for complete guide
- - **API reference:** See [REFERENCE.md](#) for all methods
- - **Examples:** See [EXAMPLES.md](#) for common patterns

Claude loads FORMS.md, REFERENCE.md, or EXAMPLES.md only when needed.

Pattern 2: Domain-specific organization

For Skills with multiple domains, organize content by domain to avoid loading irrelevant context:

Structured Template

- bigquery-skill/
- SKILL.md (overview and navigation)
- reference/
- finance.md (revenue, billing metrics)
- sales.md (opportunities, pipeline)
- product.md (API usage, features)
- marketing.md (campaigns, attribution)

When a user asks about sales metrics, Claude only reads sales.md.

Similarly, for skills supporting multiple frameworks or variants, organize by variant:

Structured Template

- cloud-deploy/
- SKILL.md (workflow + provider selection)

- references/
- aws.md (AWS deployment patterns)
- gcp.md (GCP deployment patterns)
- azure.md (Azure deployment patterns)

When the user chooses AWS, Claude only reads aws.md.

Pattern 3: Conditional details

Show basic content, link to advanced content:

Structured Template

- # DOCX Processing
- ## Creating documents
- Use docx-js for new documents. See [DOCX-JS.md](#).
- ## Editing documents
- For simple edits, modify the XML directly.
- **For tracked changes:** See [REDLINING.md](#)
- **For OOXML details:** See [OOXML.md](#)

Claude reads REDLINING.md or OOXML.md only when the user needs those features.

Important guidelines:

- **Avoid deeply nested references** - Keep references one level deep from SKILL.md. All reference files should link directly from SKILL.md.
- **Structure longer reference files** - For files longer than 100 lines, include a table of contents at the top so Claude can see the full scope when previewing.

Skill Creation Process

Skill creation involves these steps:

1. Understand the skill with concrete examples
2. Plan reusable skill contents (scripts, references, assets)
3. Initialize the skill (run `init_skill.py`)
4. Edit the skill (implement resources and write SKILL.md)
5. Package the skill (run `package_skill.py`)
6. Iterate based on real usage

Follow these steps in order, skipping only if there is a clear reason why they are not applicable.

Step 1: Understanding the Skill with Concrete Examples

Skip this step only when the skill's usage patterns are already clearly understood. It remains valuable even when working with an existing skill.

To create an effective skill, clearly understand concrete examples of how the skill will be used. This understanding can come from either direct user examples or generated examples that are validated with user feedback.

For example, when building an image-editor skill, relevant questions include:

- “What functionality should the image-editor skill support? Editing, rotating, anything else?”
- “Can you give some examples of how this skill would be used?”
- “I can imagine users asking for things like ‘Remove the red-eye from this image’ or ‘Rotate this image’. Are there other ways you imagine this skill being used?”
- “What would a user say that should trigger this skill?”

To avoid overwhelming users, avoid asking too many questions in a single message. Start with the most important questions and follow up as needed for better effectiveness.

Conclude this step when there is a clear sense of the functionality the skill should support.

Step 2: Planning the Reusable Skill Contents

To turn concrete examples into an effective skill, analyze each example by:

1. Considering how to execute on the example from scratch
2. Identifying what scripts, references, and assets would be helpful when executing these workflows repeatedly

Example: When building a *pdf-editor* skill to handle queries like “Help me rotate this PDF,” the analysis shows:

1. Rotating a PDF requires re-writing the same code each time
2. A *scripts/rotate_pdf.py* script would be helpful to store in the skill

Example: When designing a *frontend-webapp-builder* skill for queries like “Build me a todo app” or “Build me a dashboard to track my steps,” the analysis shows:

1. Writing a frontend webapp requires the same boilerplate HTML/React each time
2. An *assets/hello-world/* template containing the boilerplate HTML/React project files would be helpful to store in the skill

Example: When building a *big-query* skill to handle queries like “How many users have logged in today?” the analysis shows:

1. Querying BigQuery requires re-discovering the table schemas and relationships each time
2. A *references/schema.md* file documenting the table schemas would be helpful to store in the skill

To establish the skill's contents, analyze each concrete example to create a list of the reusable resources to include: scripts, references, and assets.

Step 3: Initializing the Skill

At this point, it is time to actually create the skill.

Skip this step only if the skill being developed already exists, and iteration or packaging is needed. In this case, continue to the next step.

When creating a new skill from scratch, always run the *init_skill.py* script. The script conveniently generates a new template skill directory that automatically includes everything a skill requires, making the skill creation process much more efficient and reliable.

Usage:

Structured Template

- `scripts/init_skill.py <skill-name> -path <output-directory>`

The script:

- Creates the skill directory at the specified path
- Generates a SKILL.md template with proper frontmatter and TODO placeholders
- Creates example resource directories: *scripts/*, *references/*, and *assets/*
- Adds example files in each directory that can be customized or deleted

After initialization, customize or remove the generated SKILL.md and example files as needed.

Step 4: Edit the Skill

When editing the (newly-generated or existing) skill, remember that the skill is being created for another instance of Claude to use. Include information that would be beneficial and non-obvious to Claude. Consider what procedural knowledge, domain-specific details, or reusable assets would help another Claude instance execute these tasks more effectively.

Learn Proven Design Patterns

Consult these helpful guides based on your skill's needs:

- **Multi-step processes:** See *references/workflows.md* for sequential workflows and conditional logic
- **Specific output formats or quality standards:** See *references/output-patterns.md* for template and example patterns

These files contain established best practices for effective skill design.

Start with Reusable Skill Contents

To begin implementation, start with the reusable resources identified above: *scripts/*, *references/*, and *assets/* files. Note that this step may require user input. For example, when implementing a *brand-guidelines* skill, the user may need to provide brand assets or templates to store in *assets/*, or documentation to store in *references/*.

Added scripts must be tested by actually running them to ensure there are no bugs and that the output matches what is expected. If there are many similar scripts, only a representative sample needs to be tested to ensure confidence that they all work while balancing time to completion.

Any example files and directories not needed for the skill should be deleted. The initialization script creates example files in *scripts/*, *references/*, and *assets/* to demonstrate structure, but most skills won't need all of them.

Update SKILL.md

Writing Guidelines: Always use imperative/infinite form.

Frontmatter

Write the YAML frontmatter with *name* and *description*:

- *name*: The skill name
- *description*: This is the primary triggering mechanism for your skill, and helps Claude understand when to use the skill.
 - Include both what the Skill does and specific triggers/contexts for when to use it.
 - Include all “when to use” information here - Not in the body. The body is only loaded after triggering, so “When to Use This Skill” sections in the body are not helpful to Claude.
 - Example description for a *docx* skill: “Comprehensive document creation, editing, and analysis with support for tracked changes, comments, formatting preservation, and text extraction. Use when Claude needs to work with professional documents (.docx files) for: (1) Creating new documents, (2) Modifying or editing content, (3) Working with tracked changes, (4) Adding comments, or any other document tasks”

Do not include any other fields in YAML frontmatter.

Body

Write instructions for using the skill and its bundled resources.

Step 5: Packaging a Skill

Once development of the skill is complete, it must be packaged into a distributable .skill file that gets shared with the user. The packaging process automatically validates the skill first to ensure it meets all requirements:

Structured Template

- `scripts/package_skill.py <path/to/skill-folder>`

Optional output directory specification:

Structured Template

- `scripts/package_skill.py <path/to/skill-folder> ./dist`

The packaging script will:

1. **Validate** the skill automatically, checking:
 - YAML frontmatter format and required fields
 - Skill naming conventions and directory structure
 - Description completeness and quality

- File organization and resource references
2. **Package** the skill if validation passes, creating a .skill file named after the skill (e.g., *my-skill.skill*) that includes all files and maintains the proper directory structure for distribution. The .skill file is a zip file with a .skill extension.

If validation fails, the script will report the errors and exit without creating a package. Fix any validation errors and run the packaging command again.

Step 6: Iterate

After testing the skill, users may request improvements. Often this happens right after using the skill, with fresh context of how the skill performed.

Iteration workflow:

1. Use the skill on real tasks
 2. Notice struggles or inefficiencies
 3. Identify how SKILL.md or bundled resources should be updated
 4. Implement changes and test again
-

3.28 Skill Resource: skills/skill-creator/references/output-patterns.md

Output Patterns

Use these patterns when skills need to produce consistent, high-quality output.

Template Pattern

Provide templates for output format. Match the level of strictness to your needs.

For strict requirements (like API responses or data formats):

Structured Template

- ## Report structure
- ALWAYS use this exact template structure:
- # [Analysis Title]
- ## Executive summary
- [One-paragraph overview of key findings]
- ## Key findings
- - Finding 1 with supporting data
- - Finding 2 with supporting data
- - Finding 3 with supporting data

- ## Recommendations
- 1. Specific actionable recommendation
- 2. Specific actionable recommendation

For flexible guidance (when adaptation is useful):

Structured Template

- ## Report structure
- Here is a sensible default format, but use your best judgment:
- # [Analysis Title]
- ## Executive summary
- [Overview]
- ## Key findings
- [Adapt sections based on what you discover]
- ## Recommendations
- [Tailor to the specific context]
- Adjust sections as needed for the specific analysis type.

Examples Pattern

For skills where output quality depends on seeing examples, provide input/output pairs:

Structured Template

- ## Commit message format
- Generate commit messages following these examples:
- **Example 1:**
- Input: Added user authentication with JWT tokens
- Output:

feat(auth): implement JWT-based authentication

Add login endpoint and token validation middleware

Structured Template

- **Example 2:**
- Input: Fixed bug where dates displayed incorrectly in reports
- Output:

fix(reports): correct date formatting in timezone conversion

Use UTC timestamps consistently across report generation

Structured Template

- Follow this style: type(scope): brief description, then detailed explanation.

Examples help Claude understand the desired style and level of detail more clearly than descriptions alone.

3.29 Skill Resource: skills/skill-creator/references/workflows.md

Workflow Patterns

Sequential Workflows

For complex tasks, break operations into clear, sequential steps. It is often helpful to give Claude an overview of the process towards the beginning of SKILL.md:

Structured Template

- Filling a PDF form involves these steps:
- 1. Analyze the form (run analyze_form.py)
- 2. Create field mapping (edit fields.json)
- 3. Validate mapping (run validate_fields.py)
- 4. Fill the form (run fill_form.py)
- 5. Verify output (run verify_output.py)

Conditional Workflows

For tasks with branching logic, guide Claude through decision points:

Structured Template

- 1. Determine the modification type:
 - **Creating new content?** → Follow “Creation workflow” below
 - **Editing existing content?** → Follow “Editing workflow” below
 - 2. Creation workflow: [steps]
 - 3. Editing workflow: [steps]
-