

# Cucumber Report

30 Oct 2023, 8:29:02 PM

**Start : Oct 30, 8:23:43.648 PM**

**End : Oct 30, 8:29:01.967 PM**

**Duration : 5 m 18.319 s**

Features







PASSED - 0  
FAILED - 1  
SKIPPED - 0

Scenarios

PASSED - 27  
FAILED - 8  
SKIPPED - 0


Steps

PASSED - 97  
FAILED - 8  
SKIPPED - 0




<b>Feature</b>				<b>Scenario</b>				<b>Step</b>			
<b>Name</b>		<b>Duration</b>		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Validate Technical Test Form</u>		5 m 18.319 s		35	27	8	0	105	97	8	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
	<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>
@30Oct		35	27	8	0	1	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Validate Technical Test Form</u>	35	27	8	0	5 m 18.319 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>Validate Technical Test Form</u>	[TC01] Validate Successful submission with only mandatory field-- Positive Scenario	3	3	0	0	10.271 s
2	<u>Validate Technical Test Form</u>	[TC14] Validate Successful submission with all fields -- "WITHOUT" upload	3	2	1	0	21.161 s
3	<u>Validate Technical Test Form</u>	[TC34] Validate Successful submission with all fields -- "TEXT" upload	3	3	0	0	19.881 s
4	<u>Validate Technical Test Form</u>	[TC35] Validate Successful submission with all fields -- "IMAGE" upload	3	2	1	0	21.091 s
5	<u>Validate Technical Test Form</u>	[TC15] Validate Successful submission with different input values	3	3	0	0	6.889 s
6	<u>Validate Technical Test Form</u>	[TC16] Validate Successful submission with different input values	3	3	0	0	5.224 s
7	<u>Validate Technical Test Form</u>	[TC17] Validate Successful submission with different input values	3	3	0	0	5.138 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC18] Validate Successful submission with different input values</a>	3	3	0	0	5.127 s
9	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC19] Validate Successful submission with different input values</a>	3	3	0	0	5.085 s
10	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC20] Validate Successful submission with different input values</a>	3	2	1	0	20.920 s
11	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC21] Validate Successful submission with different input values</a>	3	3	0	0	4.811 s
12	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC22] Validate Successful submission with different input values</a>	3	3	0	0	5.190 s
13	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC23] Validate Successful submission with different input values</a>	3	2	1	0	20.985 s
14	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC24] Validate Successful submission with different input values</a>	3	3	0	0	4.546 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC25] Validate Successful submission with different input values</a>	3	3	0	0	6.981 s
16	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC26] Validate Successful submission with different input values</a>	3	3	0	0	4.912 s
17	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC27] Validate Successful submission with different input values</a>	3	2	1	0	21.034 s
18	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC28] Validate Successful submission with different input values</a>	3	3	0	0	4.646 s
19	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC29] Validate Successful submission with different input values</a>	3	2	1	0	21.172 s
20	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC30] Validate Successful submission with different input values</a>	3	3	0	0	4.591 s
21	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC31] Validate Successful submission with different input values</a>	3	3	0	0	4.941 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC32] Validate Successful submission with different input values</a>	3	2	1	0	21.000 s
23	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC33] Validate Successful submission with different input values</a>	3	3	0	0	4.685 s
24	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC02] Validate mandatory field -- All</a>	3	2	1	0	21.000 s
25	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC03] Validate mandatory field -- First Name</a>	3	3	0	0	4.512 s
26	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC04] Validate mandatory field -- Last Name</a>	3	3	0	0	4.302 s
27	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC05] Validate mandatory field -- Email</a>	3	3	0	0	4.199 s
28	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC06] Validate mandatory field -- Gender</a>	3	3	0	0	4.100 s
29	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC07] Validate mandatory field -- Mobile Number</a>	3	3	0	0	4.092 s
30	<a href="#">Validate Technical Test Form</a>	<a href="#">[TC08] Validate mandatory field -- DOB</a>	3	3	0	0	4.238 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
31	<u>Validate Technical Test Form</u>	<u>[TC09] Validate mandatory field -- Hobby</u>	3	3	0	0	4.164 s
32	<u>Validate Technical Test Form</u>	<u>[TC10] Validate invalid input -- All</u>	3	3	0	0	4.462 s
33	<u>Validate Technical Test Form</u>	<u>[TC11] Validate invalid input -- Email</u>	3	3	0	0	4.265 s
34	<u>Validate Technical Test Form</u>	<u>[TC12] Validate invalid input -- Mobile Number</u>	3	3	0	0	4.322 s
35	<u>Validate Technical Test Form</u>	<u>[TC13] Validate invalid input -- DOB</u>	3	3	0	0	4.305 s

## Validate Technical Test Form




### [TC01] Validate Successful submission with only mandatory field-- Positive Scenario



#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.017 s
2	When the user fills in the mandatory details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	4.370 s
3	Then the user asserts the form is submitted successfully	PASSED	0.033 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.141 s

### [TC14] Validate Successful submission with all fields -- "WITHOUT" upload




#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.146 s
2	When the user fills the form with "WITHOUT" and with all details	PASSED	0.510 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.164 s
3	Then the user asserts the form is submitted successfully	FAILED	20.178 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:13)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org. openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using=xpath, value=//*[@class='chakra- text css-ah0vfz']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\Temp\scoped_dir3108_1534\}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</pre>		



#	Step / Hook Details	Status	Duration
	at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario) 	PASSED	0.129 s


### [TC34] Validate Successful submission with all fields -- "TEXT" upload

PASSED	DURATION - 19.881 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:24:15.099 PM // 8:24:34.980 PM /				
Validate Technical Test Form				
@3Oct				

#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.002 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.138 s

#	Step / Hook Details	Status	Duration
			
2	When the user fills the form with "TEXT" and with all details	PASSED	17.347 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.185 s
			
3	Then the user asserts the form is submitted successfully	PASSED	2.042 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.132 s
			

### [TC35] Validate Successful submission with all fields -- "IMAGE" upload




#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.000 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.141 s


#	Step / Hook Details	Status	Duration
			
2	When the user fills the form with "IMAGE" and with all details AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED PASSED	0.508 s 0.188 s
3	Then the user asserts the form is submitted successfully <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277)   at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62)   at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:13) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org. openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using&gt;xpath, value=//*[@class='chakra- text css-ah0vfz']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\Temp\scoped_dir3108_1114\}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a   at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	20.106 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccesso		


#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario) 	PASSED	0.126 s



[TC15] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.420 s
			
3	Then the user asserts the form is submitted successfully  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	2.023 s
			



[TC16] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.753 s
			
3	Then the user asserts the form is submitted successfully  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.026 s
			




[TC17] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.632 s
			
3	Then the user asserts the form is submitted successfully  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.024 s
			



[TC18] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.638 s
			
3	Then the user asserts the form is submitted successfully  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.022 s
			


[TC19] Validate Successful submission with different input values



#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.572 s
			
3	Then the user asserts the form is submitted successfully  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.024 s
			

[TC20] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.000 s
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.315 s
3	Then the user asserts the form is submitted successfully  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.org.ttp.pageobject.ValidateTTFomPage.assertSuccessMsg(ValidateTTFomPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:24) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using>xpath, value=//*[@class='chakra-']}	FAILED	20.104 s



#	Step / Hook Details	Status	Duration
	<pre>text css-ah0vfz'']] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.org.ttp.pageobject.ValidateTTF LoginPage.assertSuccessMsg(ValidateTTF.java:277) at com.org.ttp.glue.ValidateTTFStep.assertSubmit(ValidateTTFStep.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</pre>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.138 s


### [TC21] Validate Successful submission with different input values



PASSED	DURATION - 4.811 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:25:44.478 PM // 8:25:49.289 PM /				
Validate Technical Test Form				
@30Oct				


#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.000 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.129 s
			
2	When the user fills in all details	PASSED	4.341 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.168 s
			

#	Step / Hook Details	Status	Duration
3	Then the user asserts the form is submitted successfully AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.024 s
			


### [TC22] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills in all details AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.709 s
			

#	Step / Hook Details	Status	Duration
3	Then the user asserts the form is submitted successfully AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.022 s
		PASSED	0.140 s

### [TC23] Validate Successful submission with different input values





#	Step / Hook Details	Status	Duration
1	Given the user launches the form AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
		PASSED	0.132 s
2	When the user fills in all details AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.328 s
		PASSED	0.226 s

#	Step / Hook Details	Status	Duration
3	<p>Then the user asserts the form is submitted successfully</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277)   at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62)   at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:24) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org. openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using&gt;xpath, value=//*[@class='chakra- text css-ah0vfz']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASMO~1\AppData\Local\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a   at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)   at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</pre>	FAILED	20.144 s



#	Step / Hook Details	Status	Duration
	at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario) 	PASSED	0.133 s


### [TC24] Validate Successful submission with different input values

PASSED	DURATION - 4.546 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 8:26:15.466 PM // 8:26:20.012 PM /				
Validate Technical Test Form				
@3Oct				


#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.129 s

#	Step / Hook Details	Status	Duration
			
2	When the user fills in all details	PASSED	4.088 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.166 s
			
3	Then the user asserts the form is submitted successfully	PASSED	0.022 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.128 s
			


### [TC25] Validate Successful submission with different input values





#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.126 s

#	Step / Hook Details	Status	Duration
			
2	When the user fills in all details	PASSED	6.524 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.171 s
			
3	Then the user asserts the form is submitted successfully	PASSED	0.021 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.127 s
			


### [TC26] Validate Successful submission with different input values



#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.123 s

#	Step / Hook Details	Status	Duration
			
2	When the user fills in all details AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED PASSED	4.455 s 0.170 s
			
3	Then the user asserts the form is submitted successfully AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED PASSED	0.020 s 0.126 s
			

### [TC27] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.128 s

#	Step / Hook Details	Status	Duration
			
2	When the user fills in all details AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED PASSED	0.385 s 0.203 s
3	Then the user asserts the form is submitted successfully <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval)   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)   at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277)   at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62)   at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:24) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org. openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using&gt;xpath, value=//*[@class='chakra- text css-ah0vfz']] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\Temp\scoped_dir3108_1114\}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a   at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</pre>	FAILED	20.169 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at jdk.internal.reflect.GeneratedMethodAccessor85.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		


#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario) 	PASSED	0.136 s


[TC28] Validate Successful submission with different input values



#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.001 s
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.186 s
3	Then the user asserts the form is submitted successfully  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.022 s

[TC29] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.001 s
2	When the user fills in all details  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.439 s
3	Then the user asserts the form is submitted successfully  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:24) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using>xpath, value=//*[@class='chakra-	FAILED	20.190 s

#	Step / Hook Details	Status	Duration
	<pre>text css-ah0vfz'']] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui(ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui(ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui(ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at jdk.internal.reflect.GeneratedMethodAccessor85.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'.</p>		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.117 s


**[TC30] Validate Successful submission with different input values**


PASSED	DURATION - 4.591 s  / 8:27:18.767 PM // 8:27:23.358 PM /		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	Validate Technical Test Form  @30Oct			

#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.000 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.129 s
2	When the user fills in all details	PASSED	4.135 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.161 s
3	Then the user asserts the form is submitted successfully	PASSED	0.021 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.133 s


### [TC31] Validate Successful submission with different input values

PASSED	DURATION - 4.941 s  / 8:27:23.359 PM // 8:27:28.300 PM /		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
	Validate Technical Test Form  @30Oct			

#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.141 s
2	When the user fills in all details	PASSED	4.472 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)  	PASSED	0.168 s
3	Then the user asserts the form is submitted successfully	PASSED	0.020 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.129 s

### [TC32] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.131 s
2	When the user fills in all details	PASSED	0.339 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.227 s
3	Then the user asserts the form is submitted successfully	FAILED	20.172 s

#	Step / Hook Details	Status	Duration
	<pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:24)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org. openqa.selenium.edge.EdgeDriver Command: [495c17f4d83688c6202c49274c7fb67a, findElement {using=xpath, value=//*[@class='chakra- text css-ah0vfz']] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:61747}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\Temp\scoped_dir3108_1114\}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61747/devtoo..., se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 495c17f4d83688c6202c49274c7fb67a at jdk.internal.reflect.GeneratedConstructorAccessor32.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277)</pre>		




#	Step / Hook Details	Status	Duration
	at com.org.ttp.glue.ValidateTTFomStep.assertSubmit(ValidateTTFomStep.java:62) at jdk.internal.reflect.GeneratedMethodAccessor85.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)</b> 	PASSED	0.121 s


### [TC33] Validate Successful submission with different input values




#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.001 s
	<b>AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)</b>	PASSED	0.128 s

#	Step / Hook Details	Status	Duration
			
2	When the user fills in all details	PASSED	4.235 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.155 s
			
3	Then the user asserts the form is submitted successfully	PASSED	0.022 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.133 s
			


### [TC02] Validate mandatory field -- All



#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.000 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.114 s


#	Step / Hook Details	Status	Duration
			
2	When the user fills only given details and clicks submit button	PASSED	0.382 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.215 s
3	Then the user asserts 7 mandatory fields error message is displayed  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for com.org.ttp.pageobject.ValidateTTFormPage\$\$Lambda\$920/0x00000080074d040@60cd2b02 (tried for 20 second(s) with 2000 milliseconds interval) Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) at com.org.ttp.pageobject.ValidateTTFormPage.assertErrorMsg(ValidateTTFormPage.java:283) at com.org.ttp.glue.ValidateTTFormStep.assertMandatoryFieldsErrorMsg(ValidateTTFormStep.java:66) at ?.the user asserts 7 mandatory fields error message is displayed(classpath:features/ValidateTTForm.feature:51) * Not displayable characters are replaced by '?'.  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	FAILED	20.155 s
		PASSED	0.124 s

[TC03] Validate mandatory field -- First Name




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.138 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	4.074 s
		PASSED	0.135 s
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.016 s
		PASSED	0.139 s

[TC04] Validate mandatory field -- Last Name




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.128 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.831 s
		PASSED	0.163 s
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.014 s
		PASSED	0.155 s

[TC05] Validate mandatory field -- Email




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.001 s
		PASSED	0.122 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.770 s
		PASSED	0.139 s
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.016 s
		PASSED	0.138 s



[TC06] Validate mandatory field -- Gender




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.001 s
			
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.673 s
			
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.014 s
			

[TC07] Validate mandatory field -- Mobile Number




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
			
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.662 s
			
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.014 s
			

[TC08] Validate mandatory field -- DOB




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.807 s
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.016 s


[TC09] Validate mandatory field -- Hobby




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.675 s
3	Then the user asserts 1 mandatory fields error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.014 s


[TC10] Validate invalid input -- All




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
		PASSED	0.141 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.964 s
		PASSED	0.161 s
3	Then the user asserts 3 invalid input error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.059 s
		PASSED	0.126 s




[TC11] Validate invalid input -- Email




#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
		PASSED	0.137 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.806 s
		PASSED	0.133 s
3	Then the user asserts 1 invalid input error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.024 s
		PASSED	0.148 s

[TC12] Validate invalid input -- Mobile Number



#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
		PASSED	0.118 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.843 s
		PASSED	0.168 s
3	Then the user asserts 1 invalid input error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.025 s
		PASSED	0.160 s

[TC13] Validate invalid input -- DOB



#	Step / Hook Details	Status	Duration
1	Given the user launches the form  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.000 s
2	When the user fills only given details and clicks submit button  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	3.858 s
3	Then the user asserts 1 invalid input error message is displayed  AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.025 s