

Cucumber Report

30 Oct 2023, 8:35:20 PM

Start : Oct 30, 8:34:48.438 PM

End : Oct 30, 8:35:20.048 PM

Duration : 31.610 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate Technical Test Form</u>	31.610 s	2	1	1	0	6	5	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@30Oct	2	1	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validate Technical Test Form</u>	2	1	1	0	31.610 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate Technical Test Form</u>	<u>[TC23] Validate Successful submission with different input values</u>	3	3	0	0	10.447 s
2	<u>Validate Technical Test Form</u>	<u>[TC29] Validate Successful submission with different input values</u>	3	2	1	0	21.147 s


Validate Technical Test Form

FAILED	DURATION - 31.610 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 8:34:48.438 PM // 8:35:20.048 PM /					



[TC23] Validate Successful submission with different input values



<div>PASSED</div>	<div>DURATION - 10.447 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:34:48.442 PM // 8:34:58.889 PM /</div>				
<div>Validate Technical Test Form</div>				
<div>@30Oct</div>				

#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.018 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.142 s
			
2	When the user fills in all details	PASSED	4.464 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.198 s
			
3	Then the user asserts the form is submitted successfully	PASSED	0.032 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.140 s
			


[TC29] Validate Successful submission with different input values

FAILED	DURATION - 21.147 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:34:58.901 PM // 8:35:20.048 PM /				
Validate Technical Test Form				
@30Oct				

#	Step / Hook Details	Status	Duration
1	Given the user launches the form	PASSED	0.000 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.146 s
			
2	When the user fills in all details	PASSED	0.438 s
	AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)	PASSED	0.248 s
			
3	Then the user asserts the form is submitted successfully	FAILED	20.127 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //*[@class='chakra-text css-ah0vfz']' (tried for 20 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:262)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)</p> <p>at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277)</p> <p>at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62)</p> <p>at ?.the user asserts the form is submitted successfully(classpath:features/ValidateTTForm.feature:24)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@class='chakra-text css-ah0vfz']"} (Session info: MicrosoftEdge=118.0.2088.76) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.13.0', revision: 'ba948ece5b*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [80ab172ac0a50bc8b89413280a40d43a, findElement {using=xpath, value=//*[@class='chakra-text css-ah0vfz']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 118.0.2088.76, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:62168}, msedge: {msedgedriverVersion: 118.0.2088.76 (d3ddcf1d51d5..., userDataDir: C:\Users\SASIMO~1\AppData\Local\Microsoft\EdgeDevToolsClient\...}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62168/devtools, se:cdpVersion: 118.0.2088.76, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 80ab172ac0a50bc8b89413280a40d43a</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy37.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:37)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)</p>		

#	Step / Hook Details	Status	Duration
	at com.org.ttp.pageobject.ValidateTTFormPage.assertSuccessMsg(ValidateTTFormPage.java:277) at com.org.ttp.glue.ValidateTTFormStep.assertSubmit(ValidateTTFormStep.java:62) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runner.JUnitCore.run(JUnitCore.java:137) at com.intellij.junit4.JUnit4IdeaTestRunner.startRunnerWithArgs(JUnit4IdeaTestRunner.java:69) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - com.org.ttp.glue.CommonStep.afterEachScenarioStep(io.cucumber.java.Scenario)</p> 	PASSED	0.159 s