

Cucumber Report

29-Feb-2024, 9:11:07 am

Start : Feb 29, 8:43:23.273 am

End : Feb 29, 9:11:04.253 am

Duration : 27 m 40.980 s

Features






PASSED - 3
FAILED - 4
SKIPPED - 0

Scenarios

PASSED - 25
FAILED - 37
SKIPPED - 0


Steps

PASSED - 300
FAILED - 36
SKIPPED - 7




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SignUp fuctionality</u>	8 m 44.527 s	20	0	20	0	140	114	19	7
<u>Login Functionality</u>	6 m 44.352 s	16	4	12	0	64	52	12	0
<u>Product Search Functionality</u>	2 m 2.997 s	8	4	4	0	32	28	4	0
<u>Test cart functionality</u>	3 m 40.978 s	5	4	1	0	25	24	1	0
<u>Filter functionality</u>	1 m 18.456 s	4	4	0	0	17	17	0	0
<u>Test Chilternoak Furniture contact us page</u>	3 m 42.674 s	5	5	0	0	45	45	0	0
<u>Subscribe Feature</u>	1 m 26.788 s	4	4	0	0	20	20	0	0


Tag	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
@signup		20	0	20	0	1	0	1	0
@chilternoak		62	25	37	0	7	3	4	0
@login		16	4	12	0	1	0	1	0
@search		8	4	4	0	1	0	1	0
@cart		5	4	1	0	1	0	1	0
@filter		4	4	0	0	1	1	0	0
@contactus		5	5	0	0	1	1	0	0
@subscribe		4	4	0	0	1	1	0	0
@subscriber		4	4	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	20	0	20	0	8 m 44.527 s
2	<u>Login Functionality</u>	16	4	12	0	6 m 44.352 s
3	<u>Product Search Functionality</u>	8	4	4	0	2 m 2.997 s
4	<u>Test cart functionality</u>	5	4	1	0	3 m 40.978 s
5	<u>Filter functionality</u>	4	4	0	0	1 m 18.456 s
6	<u>Test Chilternoak Furniture contact us page</u>	5	5	0	0	3 m 42.674 s
7	<u>Subscribe Feature</u>	4	4	0	0	1 m 26.788 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	36.347 s
2	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.799 s
3	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.124 s
4	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.064 s
5	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.272 s
6	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	0	7	2.651 s
7	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	23.361 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.164 s
9	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.338 s
10	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.436 s
11	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.730 s
12	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	47.713 s
13	<u>SignUp functionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.296 s
14	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.420 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.153 s
16	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.709 s
17	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.803 s
18	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.562 s
19	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.297 s
20	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.416 s
21	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	13.300 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	13.380 s
23	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	13.722 s
24	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	36.468 s
25	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	30.810 s
26	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	32.272 s
27	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.797 s
28	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	11.803 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	1 m 3.721 s
30	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	30.563 s
31	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	14.147 s
32	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	11.748 s
33	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	40.000 s
34	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	11.973 s
35	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	32.681 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	11.661 s
37	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	32.755 s
38	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	10.217 s
39	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	11.622 s
40	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	12.064 s
41	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	8.449 s
42	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	8.296 s
43	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	9.178 s
44	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	30.252 s
45	<u>Test cart functionality</u>	<u>add to cart</u>	5	5	0	0	21.368 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>Test cart functionality</u>	<u>add 3 different products to cart1</u>	7	6	1	0	1 m 25.956 s
47	<u>Test cart functionality</u>	<u>add 3 different products to cart1</u>	7	7	0	0	1 m 1.708 s
48	<u>Test cart functionality</u>	<u>add to cart an invalid item</u>	2	2	0	0	32.224 s
49	<u>Test cart functionality</u>	<u>Increasing the quantity of item</u>	4	4	0	0	19.646 s
50	<u>Filter functionality</u>	<u>Filter Functionality search the product</u>	3	3	0	0	11.265 s
51	<u>Filter functionality</u>	<u>Filter Functionality for choose style</u>	4	4	0	0	31.326 s
52	<u>Filter functionality</u>	<u>Filter Functionality for drag the price</u>	5	5	0	0	20.061 s
53	<u>Filter functionality</u>	<u>Filter Functionality for choose color</u>	5	5	0	0	15.757 s
54	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	30.934 s
55	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	50.880 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
56	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	28.316 s
57	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	51.570 s
58	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	1 m 0.793 s
59	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	30.020 s
60	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	10.692 s
61	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	32.326 s
62	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	13.694 s


SignUp fuctionality




To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.251 s
2	When the user enters their first name as 'User'	PASSED	0.138 s
3	And the user enters their last name as 'A'	PASSED	0.099 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.189 s
5	And the user enters their password as 'Qs'	PASSED	0.086 s
6	And the user click on create button	PASSED	11.862 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [d086ea17cbd9bcae9281e0019f3ac0d5, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50054}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50054/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.069 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d086ea17cbd9bcae9281e0019f3ac0d5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.820 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.573 s
2	When the user enters their first name as 'User'	PASSED	0.106 s
3	And the user enters their last name as 'A'	PASSED	0.077 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.201 s
5	And the user enters their password as 'Qs'	PASSED	0.162 s
6	And the user click on create button	PASSED	10.195 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b604a77ae02b81f00afb18902d2dc79b, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50198}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50198/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b604a77ae02b81f00afb18902d2dc79b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.057 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.980 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.024 s
2	When the user enters their first name as 'User'	PASSED	0.159 s
3	And the user enters their last name as 'A'	PASSED	0.120 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.157 s
5	And the user enters their password as 'Qs'	PASSED	0.182 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	13.000 s
7	<p>Then the user should see the status as "Password is too short (minimum is 5 characters)"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e5b982f11f838421c27fdbd793b318b6b, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50354}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50354/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e5b982f11f838421c27fdbd793b318b6b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern- Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.032 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.852 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 27.064 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 8:44:51.683 am // 8:45:18.747 am /				
SignUp fuctionality				
@signup @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	8.169 s
2	When the user enters their first name as 'User'	PASSED	0.177 s
3	And the user enters their last name as 'A'	PASSED	0.232 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.302 s
5	And the user enters their password as 'Qs'	PASSED	0.117 s
6	And the user click on create button	PASSED	10.150 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [101e835a7718a4f9e06c6f87d83865fb, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatumDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50530}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50530/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 101e835a7718a4f9e06c6f87d83865fb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.037 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.753 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.057 s
2	When the user enters their first name as 'User'	PASSED	0.214 s
3	And the user enters their last name as 'A'	PASSED	0.809 s
4	And the user enters their email as "	PASSED	0.132 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.130 s
6	And the user click on create button	PASSED	12.777 s
7	Then the user should see the status as "Email can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e299abe34d7c05b622f7c32e8000b91, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50727}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50727/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5e299abe34d7c05b622f7c32e8000b91 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.732 s


To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
	<p>BEFORE - com.project.rll.steps.BaseTest.setUp()</p> <pre> org.openqa.selenium.WebDriverException: no such execution context (Session info: chrome=122.0.6261.70) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78ae64e28b999e7ae227b1faa8f8250b, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: </pre>	FAILED	1.796 s

#	Step / Hook Details	Status	Duration
	localhost:50890}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50890/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 78ae64e28b999e7ae227b1faa8f8250b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:978) at com.project.rll.steps.BaseTest.setUp(BaseTest.java:31)		
1	Given user navigates to the signup page	SKIPPED	0.002 s
2	When the user enters their first name as 'User'	SKIPPED	0.001 s
3	And the user enters their last name as 'A'	SKIPPED	0.002 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as 'Qseasfr@123'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "Email can't be blank."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.839 s
	To test the SignUp functionality of Chiltern Oak page		


To test the SignUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.044 s
2	When the user enters their first name as 'User'	PASSED	0.121 s
3	And the user enters their last name as 'A'	PASSED	0.069 s
4	And the user enters their email as "	PASSED	0.121 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.158 s
6	And the user click on create button	PASSED	10.267 s
7	Then the user should see the status as "Email can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1cac9a1eb4bc70735e637bec8cf0f74, findElement {using>xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50905}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50905/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1cac9a1eb4bc70735e637bec8cf0f74 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.021 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.233 s

To test the SigUp functionality of Chiltern Oak page





#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.494 s
2	When the user enters their first name as 'User'	PASSED	0.165 s
3	And the user enters their last name as 'A'	PASSED	0.563 s
4	And the user enters their email as "	PASSED	0.274 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.098 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	11.748 s
7	<p>Then the user should see the status as "Email can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0211d41d8fd8dc6ac51778e3f08e3ab9, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51063}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51063/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0211d41d8fd8dc6ac51778e3f08e3ab9</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.046 s
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p>	PASSED	0.956 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 28.338 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 8:46:35.442 am // 8:47:03.780 am /				
SignUp fuctionality				
@signup @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.240 s
2	When the user enters their first name as 'User'	PASSED	0.147 s
3	And the user enters their last name as "	PASSED	0.096 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.175 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.127 s
6	And the user click on create button	PASSED	12.909 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f70701515b6d70f47b3563d51419e2ad, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51202}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51202/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f70701515b6d70f47b3563d51419e2ad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.040 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	3.099 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.608 s
2	When the user enters their first name as 'User'	PASSED	0.210 s
3	And the user enters their last name as ''	PASSED	0.604 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.471 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.097 s
6	And the user click on create button	PASSED	12.875 s
7	Then the user should see the status as "This email address is already associated with an account." <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2c8baf945ce5ee8eb636759edd9f7eba, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51368}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51368/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2c8baf945ce5ee8eb636759edd9f7eba at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</pre>	FAILED	0.029 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.888 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.488 s
2	When the user enters their first name as 'User'	PASSED	0.176 s
3	And the user enters their last name as "	PASSED	0.313 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.251 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.126 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.186 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [14cc41d362f0791dabe442b45ae46915, findElement {using=xpath, value="//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51517}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51517/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 14cc41d362f0791dabe442b45ae46915 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.024 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.872 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 47.713 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 8:47:54.027 am // 8:48:41.740 am /				
SignUp fuctionality				
@signup @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.074 s
2	When the user enters their first name as 'User'	PASSED	0.164 s
3	And the user enters their last name as "	PASSED	0.104 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.351 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.428 s
6	And the user click on create button	PASSED	10.364 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [54370f1aebe434126c223281a7f79d09, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51672}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51672/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 54370f1aebe434126c223281a7f79d09 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.065 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.631 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.886 s
2	When the user enters their first name as "	PASSED	0.126 s
3	And the user enters their last name as "	PASSED	0.094 s
4	And the user enters their email as "	PASSED	0.304 s
5	And the user enters their password as "	PASSED	0.133 s
6	And the user click on create button	PASSED	10.209 s
7	Then the user should see the status as "Password can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ec6c01b07f74ed9ad2908ca5288e2604, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51842}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51842/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ec6c01b07f74ed9ad2908ca5288e2604 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.030 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.890 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.414 s
2	When the user enters their first name as "	PASSED	0.174 s
3	And the user enters their last name as "	PASSED	0.119 s
4	And the user enters their email as "	PASSED	0.172 s
5	And the user enters their password as "	PASSED	0.139 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	13.370 s
7	<p>Then the user should see the status as "Password can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f231f22f89df03d8bb801fb689689ad5, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52029}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52029/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f231f22f89df03d8bb801fb689689ad5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.024 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.992 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.235 s
2	When the user enters their first name as "	PASSED	0.100 s
3	And the user enters their last name as "	PASSED	0.065 s
4	And the user enters their email as "	PASSED	0.109 s
5	And the user enters their password as "	PASSED	0.085 s
6	And the user click on create button	PASSED	12.397 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.026 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [daa6aeabb97630245ed9e77d6d7703ec, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52168}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52168/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: daa6aeabb97630245ed9e77d6d7703ec at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.244 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.551 s
2	When the user enters their first name as "	PASSED	0.134 s
3	And the user enters their last name as "	PASSED	0.079 s
4	And the user enters their email as "	PASSED	0.114 s
5	And the user enters their password as "	PASSED	0.299 s
6	And the user click on create button	PASSED	10.230 s
7	Then the user should see the status as "Password can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6d5dbda9e143e2cc6295db7ac3a8a76, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52320}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52320/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6d5dbda9e143e2cc6295db7ac3a8a76 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.033 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.779 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.359 s
2	When the user enters their first name as 'User'	PASSED	0.255 s
3	And the user enters their last name as 'A'	PASSED	0.447 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.169 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.117 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	12.546 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [bb0411ffd6e716bc48417dfdba4fde91, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52486}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52486/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bb0411ffd6e716bc48417dfdba4fde91 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.016 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.611 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 26.562 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 8:50:51.407 am // 8:51:17.969 am /				
SignUp fuctionality				
@signup @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.212 s
2	When the user enters their first name as 'User'	PASSED	0.163 s
3	And the user enters their last name as 'A'	PASSED	0.080 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.179 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.159 s
6	And the user click on create button	PASSED	12.827 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [327f29ad42cb4337ef26e7449e5abdb1, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52628}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52628/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 327f29ad42cb4337ef26e7449e5abdb1 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.028 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.883 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	9.083 s
2	When the user enters their first name as 'User'	PASSED	0.106 s
3	And the user enters their last name as 'A'	PASSED	0.092 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.191 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.122 s
6	And the user click on create button	PASSED	12.003 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0116c1596c9ab8a8cc76bba25bb9e580, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52779}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52779/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0116c1596c9ab8a8cc76bba25bb9e580 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/)</pre>	FAILED	0.025 s

#	Step / Hook Details	Status	Duration
	Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	0.631 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.935 s
2	When the user enters their first name as 'User'	PASSED	0.076 s
3	And the user enters their last name as 'A'	PASSED	0.134 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.135 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.126 s
6	And the user click on create button	PASSED	12.306 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.ChromeDriver Command: [7bbf2470e8b0dc91010445bfe9585655, findElement {using>xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52931}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52931/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	0.024 s

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7bbf2470e8b0dc91010445bfe9585655</p> <pre> at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.583 s

Login Functionality




User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.716 s
2	When user enters username and password by giving "login" and 1	PASSED	4.619 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	0.011 s
	User login with different credentials by using excel	PASSED	0.594 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.892 s
2	When user enters username and password by giving "login" and 1	PASSED	4.064 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	0.020 s
	User login with different credentials by using excel	PASSED	1.493 s

User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.894 s
2	When user enters username and password by giving "login" and 1	PASSED	4.127 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" <i>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.030 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.259 s


User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	29.201 s
2	When user enters username and password by giving "login" and 1	PASSED	3.270 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	FAILED	0.027 s
		PASSED	0.936 s


User login with different credentials by using excel






#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.445 s
2	When user enters username and password by giving "login" and 2	PASSED	0.857 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.049 s


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.719 s
2	When user enters username and password by giving "login" and 3	PASSED	3.075 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/	FAILED	0.022 s

#	Step / Hook Details	Status	Duration
	Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	0.757 s


User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.487 s
2	When user enters username and password by giving "login" and 3	PASSED	6.177 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/ Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.057 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.671 s
	User login with different credentials by using excel		


#	Step / Hook Details	Status	Duration
			

User login with different credentials by using excel

FAILED	DURATION - 11.803 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 8:55:03.759 am // 8:55:15.562 am /				
Login Functionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.474 s
2	When user enters username and password by giving "login" and 3	PASSED	3.553 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/ Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.031 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	0.757 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.314 s
2	When user enters username and password by giving "login" and 3	PASSED	5.029 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	FAILED	0.029 s
		PASSED	1.026 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.125 s
2	When user enters username and password by giving "login" and 4	PASSED	0.821 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" <pre>junit.framework.ComparisonFailure: expected:<...niture.co.uk/account[/login?return_url=%2Faccount]> but was:<...niture.co.uk/account[]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.025 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.215 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.112 s
2	When user enters username and password by giving "login" and 4	PASSED	1.504 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" junit.framework.ComparisonFailure: expected:<...niture.co.uk/account[/login?return_url=%2Faccount]> but was:<...niture.co.uk/account[]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.385 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	4.432 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.137 s
2	When user enters username and password by giving "login" and 4	PASSED	2.948 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" junit.framework.ComparisonFailure: expected:<...niture.co.uk/account[/login?return_url=%2Faccount]> but was:<...niture.co.uk/account[]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.061 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	0.963 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.892 s
2	When user enters username and password by giving "login" and 4	PASSED	2.335 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" <i>junit.framework.ComparisonFailure: expected:<...niture.co.uk/account[/login?return_url=%2Faccount]> but was:<...niture.co.uk/account[]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.733 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.145 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	4.023 s
2	When user enters username and password by giving "login" and 5	PASSED	0.460 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.034 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.451 s
2	When user enters username and password by giving "login" and 6	PASSED	1.403 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.144 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.581 s
2	When user enters username and password by giving "login" and 7	PASSED	1.999 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.084 s


Product Search Functionality




Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.019 s

#	Step / Hook Details	Status	Duration
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.623 s
3	And I click on the search button	PASSED	2.678 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateResults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.066 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results 	PASSED	0.746 s



Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.246 s
3	And I click on the search button	PASSED	2.933 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87)	FAILED	0.048 s


#	Step / Hook Details	Status	Duration
	<pre>at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>Enter search term and verify results</p> 	PASSED	0.846 s

Enter search term and verify results


FAILED	DURATION - 11.622 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 8:59:35.265 am // 8:59:46.887 am /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.488 s
3	And I click on the search button	PASSED	2.536 s
4	Then validate '83 results found' are found or not <pre>java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.173 s


#	Step / Hook Details	Status	Duration
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results 	PASSED	0.617 s

Enter search term and verify results

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.163 s
3	And I click on the search button	PASSED	3.254 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validatoresults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.099 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results	PASSED	0.680 s


#	Step / Hook Details	Status	Duration
			

Enter search term and verify results

PASSED	DURATION - 8.449 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 8:59:58.990 am // 9:00:07.439 am /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as " in the search bar	PASSED	0.078 s
3	And I click on the search button	PASSED	2.129 s
4	Then validate 'Search – Chiltern Oak Furniture' are found or not	PASSED	0.014 s


Enter search term and verify results

PASSED	DURATION - 8.296 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:00:07.460 am // 9:00:15.756 am /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.000 s
2	When I enter a product name as 'Pencil' in the search bar	PASSED	0.222 s


#	Step / Hook Details	Status	Duration
3	And I click on the search button	PASSED	2.550 s
4	Then validate '0 results found' are found or not	PASSED	0.016 s

Enter search term and verify results

PASSED	DURATION - 9.178 s	 / 9:00:15.756 am // 9:00:24.934 am /	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
		Product Search Functionality		
		@chilternoak @search		

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Kabinats' in the search bar	PASSED	0.216 s
3	And I click on the search button	PASSED	2.321 s
4	Then validate '0 results found' are found or not	PASSED	0.017 s

Enter search term and verify results


PASSED	DURATION - 30.252 s	 / 9:00:24.963 am // 9:00:55.215 am /	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
		Product Search Functionality		
		@chilternoak @search		

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Banbury White Painted 2 Door Wardrobe with Drawers' in the search bar	PASSED	0.411 s
3	And I click on the search button	PASSED	3.075 s
4	Then validate '1 result found' are found or not	PASSED	0.037 s

Test cart functionality




add to cart




#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	5.102 s
2	Then add to cart	PASSED	4.101 s
3	Then validate with added product count	PASSED	0.071 s
4	Then remove from the cart	PASSED	6.100 s
5	Then validate product is removed	PASSED	0.022 s


add 3 different products to cart1



#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	4.787 s
2	Then add to cart and continue	PASSED	8.428 s
3	Then user search sofa	PASSED	4.817 s
4	Then add to cart and continue	PASSED	8.328 s
5	Then user search Tv unit	PASSED	5.103 s
6	Then add to cart	PASSED	4.094 s
7	<p>Then validate multiple products are added</p> <pre>org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/ errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ab9ee0096998c8ea3946da0f18172cb7, getElementsByTagName {id=f.923280C74F5900B5B751298789183371.d A0CEDF8578D340C8C4F561CC81830595.e.691}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56425}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:56425/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (ab9ee0096998c8ea3946da0f18172cb7)] -> xpath: //small[@class='cart-summary__item-list-header__count']] Session ID: ab9ee0096998c8ea3946da0f18172cb7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source)</pre>	FAILED	0.313 s


#	Step / Hook Details	Status	Duration
	<pre>at com.project.rll.pages.cartpages.getCount(cartpages.java:97) at com.project.rll.steps.cart.validate_multiple_products_are_added(cart.java:87) at ?.validate multiple products are added(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Dcart.feature:18) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>add 3 different products to cart1</p> 	PASSED	1.543 s

add 3 different products to cart1




#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	4.572 s
2	Then add to cart and continue	PASSED	8.471 s
3	Then user search sofa	PASSED	3.856 s
4	Then add to cart and continue	PASSED	8.195 s
5	Then user search Tv unit	PASSED	4.488 s
6	Then add to cart	PASSED	4.152 s
7	Then validate multiple products are added	PASSED	0.039 s

add to cart an invalid item

PASSED	DURATION - 32.224 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 9:03:44.328 am // 9:04:16.552 am /				
<i>Test cart functionality</i>				
@chilternoak @cart				

#	Step / Hook Details	Status	Duration
1	Given user search NoteBook	PASSED	4.178 s
2	Then validate invalid item	PASSED	0.031 s

Increasing the quantity of item

PASSED	DURATION - 19.646 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:04:16.571 am // 9:04:36.217 am /				
<i>Test cart functionality</i>				
@chilternoak @cart				

#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	4.477 s
2	Then add to cart	PASSED	4.153 s
3	Then increasing the quantity	PASSED	5.161 s
4	Then validate the item quantity increased	PASSED	0.055 s

Filter functionality

PASSED	DURATION - 1 m 18.456 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 17 Pass - 17 Fail - 0 Skip - 0
/ 9:04:36.235 am // 9:05:54.691 am /			

Filter Functionality search the product

PASSED	DURATION - 11.265 s	5 4 3 2 1 0	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 9:04:36.235 am // 9:04:47.500 am /				
Filter functionality				
@filter @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.016 s
2	And search the product	PASSED	4.807 s
3	Then added filter successfully	PASSED	0.001 s


Filter Functionality for choose style

PASSED	DURATION - 31.326 s	4 3 2 1 0	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 9:04:47.510 am // 9:05:18.836 am /				
Filter functionality				
@filter @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.001 s
2	And search the product	PASSED	3.740 s


#	Step / Hook Details	Status	Duration
3	And choose the style	PASSED	3.145 s
4	Then added filter successfully	PASSED	0.001 s

Filter Functionality for drag the price

PASSED	DURATION - 20.061 s	 <p>A bar chart with five vertical bars. The x-axis is labeled with numbers 1 through 5. The y-axis has numerical ticks at 0, 2, 4, and 6. Bar heights correspond to the step numbers: Step 2 is at 5, Step 3 is at 4, and Step 4 is at 3.</p>	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:05:18.848 am // 9:05:38.909 am /				
Filter functionality				
@filter @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.001 s
2	And search the product	PASSED	5.187 s
3	And drag the price element	PASSED	3.614 s
4	And choose the style	PASSED	3.154 s
5	Then added filter successfully	PASSED	0.002 s


Filter Functionality for choose color

PASSED	DURATION - 15.757 s	 <p>A bar chart with five vertical bars. The x-axis is labeled with numbers 1 through 5. The y-axis has numerical ticks at 0, 1, 2, 3, and 4. Bar heights correspond to the step numbers: Step 2 is at 3.5, Step 3 is at 3.5, and Step 4 is at 3.</p>	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:05:38.934 am // 9:05:54.691 am /				
Filter functionality				
@filter @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.001 s
2	And search the product	PASSED	3.622 s
3	And drag the price element	PASSED	3.460 s

#	Step / Hook Details	Status	Duration
4	And choose the color	PASSED	3.148 s
5	Then added filter successfully	PASSED	0.001 s

Test Chilternoak Furniture contact us page





Testing of ContactUs Page





#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.006 s
2	When I click on ContactUs link	PASSED	3.979 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.009 s
4	And I entered name as 'User' on the page	PASSED	2.110 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.087 s
6	And I entered phone no as '1234567891' on the page	PASSED	2.095 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.220 s
8	Then I click on send button	PASSED	11.669 s
9	Then It should be navigated to Expected Url	PASSED	0.016 s

Testing of ContactUs Page

PASSED	DURATION - 50.880 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 9:06:25.682 am // 9:07:16.562 am /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.008 s
2	When I click on ContactUs link	PASSED	4.942 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as 'User' on the page	PASSED	2.142 s
5	And I entered email id as " on the page	PASSED	2.078 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.126 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.157 s
8	Then I click on send button	PASSED	11.705 s
9	Then It should be navigated to Expected Url	PASSED	0.016 s


Testing of ContactUs Page

PASSED	DURATION - 28.316 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 9:07:16.616 am // 9:07:44.932 am /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.003 s
2	When I click on ContactUs link	PASSED	5.530 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.000 s
4	And I entered name as " on the page	PASSED	2.184 s


#	Step / Hook Details	Status	Duration
5	And I entered email id as " on the page	PASSED	2.078 s
6	And I entered phone no as " on the page	PASSED	2.076 s
7	And I entered message as " on the page	PASSED	2.072 s
8	Then I click on send button	PASSED	11.771 s
9	Then It should be navigated to Expected Url	PASSED	0.012 s

Testing of ContactUs Page



#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.007 s
2	When I click on ContactUs link	PASSED	5.015 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as " on the page	PASSED	2.128 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.114 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.101 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.183 s
8	Then I click on send button	PASSED	11.696 s
9	Then It should be navigated to Expected Url	PASSED	0.014 s

Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.001 s
2	When I click on ContactUs link	PASSED	4.636 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as 'User' on the page	PASSED	2.120 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.118 s
6	And I entered phone no as " on the page	PASSED	2.077 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.167 s
8	Then I click on send button	PASSED	11.804 s
9	Then It should be navigated to Expected Url	PASSED	0.020 s

Subscribe Feature




Subscribe scenario with differe set of data

PASSED	DURATION - 30.020 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:09:37.467 am // 9:10:07.487 am /				
Subscribe Feature				
@chilternoak @subscribe @subscriber				


#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.047 s
2	When user click Subscribe email text box	PASSED	1.096 s
3	When user fills the email as "saif"	PASSED	2.233 s
4	And user clicks on subscribe button	PASSED	2.137 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.019 s

Subscribe scenario with differe set of data

PASSED	DURATION - 10.692 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:10:07.507 am // 9:10:18.199 am /				
Subscribe Feature				
@chilternoak @subscribe @subscriber				


#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.001 s
2	When user click Subscribe email text box	PASSED	0.908 s
3	When user fills the email as "saif."	PASSED	2.262 s
4	And user clicks on subscribe button	PASSED	2.162 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.019 s

Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.000 s
2	When user click Subscribe email text box	PASSED	0.536 s
3	When user fills the email as ""	PASSED	2.089 s
4	And user clicks on subscribe button	PASSED	2.137 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.020 s

Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.001 s
2	When user click Subscribe email text box	PASSED	0.128 s
3	When user fills the email as "saif@gmail.com"	PASSED	2.633 s
4	And user clicks on subscribe button	PASSED	2.147 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form"	PASSED	1.439 s