

# Cucumber Report

29-Feb-2024, 9:45:16 am

**Start : Feb 29, 9:17:37.361 am**

**End : Feb 29, 9:45:13.524 am**

**Duration : 27 m 36.163 s**

Features







PASSED - 5  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 26  
FAILED - 32  
SKIPPED - 0


Steps

PASSED - 274  
FAILED - 32  
SKIPPED - 18




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>SignUp fuctionality</u>	10 m 28.168 s	20	0	20	0	140	102	20	18
<u>Login Functionality</u>	7 m 12.039 s	16	4	12	0	64	52	12	0
<u>Product Search Functionality</u>	1 m 47.068 s	5	5	0	0	20	20	0	0
<u>Test cart functionality</u>	1 m 59.228 s	4	4	0	0	18	18	0	0
<u>Filter functionality</u>	1 m 23.391 s	4	4	0	0	17	17	0	0
<u>Test Chilternoak Furniture contact us page</u>	3 m 15.176 s	5	5	0	0	45	45	0	0
<u>Subscribe Feature</u>	1 m 30.925 s	4	4	0	0	20	20	0	0


<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@signup		20	0	20	0	1	0	1	0
@chilternoak		58	26	32	0	7	5	2	0
@login		16	4	12	0	1	0	1	0
@search		5	5	0	0	1	1	0	0
@cart		4	4	0	0	1	1	0	0
@filter		4	4	0	0	1	1	0	0
@contactus		5	5	0	0	1	1	0	0
@subscribe		4	4	0	0	1	1	0	0
@subscriber		4	4	0	0	1	1	0	0




#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>SignUp fuctionality</u>	20	0	20	0	10 m 28.168 s
2	<u>Login Functionality</u>	16	4	12	0	7 m 12.039 s
3	<u>Product Search Functionality</u>	5	5	0	0	1 m 47.068 s
4	<u>Test cart functionality</u>	4	4	0	0	1 m 59.228 s
5	<u>Filter functionality</u>	4	4	0	0	1 m 23.391 s
6	<u>Test Chilternoak Furniture contact us page</u>	5	5	0	0	3 m 15.176 s
7	<u>Subscribe Feature</u>	4	4	0	0	1 m 30.925 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	31.759 s
2	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	44.813 s
3	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	23.754 s
4	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.661 s
5	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.854 s
6	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.406 s
7	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.117 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
8	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.518 s
9	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.334 s
10	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	55.649 s
11	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	35.273 s
12	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.519 s
13	<u>SignUp functionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	15.805 s
14	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	32.371 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.867 s
16	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	49.388 s
17	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.650 s
18	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.183 s
19	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	44.130 s
20	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.010 s
21	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	52.257 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	13.782 s
23	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	12.049 s
24	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	31.530 s
25	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	27.805 s
26	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	54.591 s
27	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	33.082 s
28	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	13.333 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	33.573 s
30	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	40.288 s
31	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	10.580 s
32	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	29.431 s
33	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	9.975 s
34	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	9.061 s
35	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	50.399 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	9.797 s
37	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	8.113 s
38	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	27.959 s
39	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	27.394 s
40	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	10.194 s
41	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	33.363 s
42	<u>Test cart functionality</u>	<u>add to cart</u>	5	5	0	0	24.672 s
43	<u>Test cart functionality</u>	<u>add 3 different products to cart1</u>	7	7	0	0	42.551 s
44	<u>Test cart functionality</u>	<u>add to cart an invalid item</u>	2	2	0	0	11.623 s
45	<u>Test cart functionality</u>	<u>Increasing the quantity of item</u>	4	4	0	0	40.290 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>Filter functionality</u>	<u>Filter Functionality search the product</u>	3	3	0	0	11.483 s
47	<u>Filter functionality</u>	<u>Filter Functionality for choose style</u>	4	4	0	0	13.767 s
48	<u>Filter functionality</u>	<u>Filter Functionality for drag the price</u>	5	5	0	0	18.398 s
49	<u>Filter functionality</u>	<u>Filter Functionality for choose color</u>	5	5	0	0	39.690 s
50	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	50.381 s
51	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	33.059 s
52	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	30.088 s
53	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	50.104 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
54	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	31.437 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
55	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	13.593 s
56	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	32.972 s
57	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	30.865 s
58	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	13.367 s


## SignUp fuctionality




To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.652 s
2	When the user enters their first name as 'User'	PASSED	0.238 s
3	And the user enters their last name as 'A'	PASSED	0.552 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.118 s
5	And the user enters their password as 'Qs'	PASSED	0.214 s
6	And the user click on create button	PASSED	11.655 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [feff37b60316194dfdd06973ebe758fe, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59030}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59030/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.096 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: feff37b60316194dfdd06973ebe758fe at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.982 s


**To test the SigUp functionality of Chiltern Oak page**



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	28.063 s
2	When the user enters their first name as 'User'	PASSED	0.129 s
3	And the user enters their last name as 'A'	PASSED	0.083 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.290 s
5	And the user enters their password as 'Qs'	PASSED	0.130 s
6	And the user click on create button	PASSED	10.160 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [55c8350fd6858e0263d199aab6f21117, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59175}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59175/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55c8350fd6858e0263d199aab6f21117 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.043 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.029 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.097 s
2	When the user enters their first name as 'User'	PASSED	0.165 s
3	And the user enters their last name as 'A'	PASSED	0.091 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.299 s
5	And the user enters their password as 'Qs'	PASSED	0.124 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.085 s
7	<p>Then the user should see the status as "Password is too short (minimum is 5 characters)"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [da356fe2c18c8fd031964a960ca6fc6c, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59360}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59360/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: da356fe2c18c8fd031964a960ca6fc6c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern- Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.045 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.830 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.457 s
2	When the user enters their first name as 'User'	PASSED	0.134 s
3	And the user enters their last name as 'A'	PASSED	0.121 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.155 s
5	And the user enters their password as 'Qs'	PASSED	0.090 s
6	And the user click on create button	PASSED	12.569 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [6302633ba9b0b9cae02aed52f1a4b2b3, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatumDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59493}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59493/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6302633ba9b0b9cae02aed52f1a4b2b3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.027 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.910 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.702 s
2	When the user enters their first name as 'User'	PASSED	0.169 s
3	And the user enters their last name as 'A'	PASSED	0.076 s
4	And the user enters their email as "	PASSED	0.103 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.098 s
6	And the user click on create button	PASSED	13.153 s
7	Then the user should see the status as "Email can't be blank."  <i>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit:  <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [285e65c278c3ad7418bd0b381b819e27, findElement {using&gt;xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59607}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59607/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 285e65c278c3ad7418bd0b381b819e27  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</i>	FAILED	2.711 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.008 s

### To test the SigUp functionality of Chiltern Oak page





#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.613 s
2	When the user enters their first name as 'User'	PASSED	0.356 s
3	And the user enters their last name as 'A'	PASSED	0.165 s
4	And the user enters their email as "	PASSED	0.206 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.088 s

#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.096 s
7	<p>Then the user should see the status as "Email can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [885fbf0a12fe90094d7ade89bed98937, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59784}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59784/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 885fbf0a12fe90094d7ade89bed98937 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.024 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.738 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 28.117 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 9:20:38.840 am // 9:21:06.957 am /				
SignUp fuctionality				
@signup @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.626 s
2	When the user enters their first name as 'User'	PASSED	0.134 s
3	And the user enters their last name as 'A'	PASSED	0.065 s
4	And the user enters their email as "	PASSED	0.138 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.097 s
6	And the user click on create button	PASSED	12.329 s
7	Then the user should see the status as "Email can't be blank."	FAILED	2.877 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:110) at org.testng.Assert.failNotEquals(Assert.java:1577) at org.testng.Assert.assertTrue(Assert.java:56) at org.testng.Assert.assertTrue(Assert.java:66) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:65) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.707 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 25.518 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 9:21:07.003 am // 9:21:32.521 am /				
SignUp fuctionality				
@signup @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.552 s
2	When the user enters their first name as 'User'	PASSED	0.154 s
3	And the user enters their last name as 'A'	PASSED	0.724 s
4	And the user enters their email as "	PASSED	0.137 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.132 s
6	And the user click on create button	PASSED	12.394 s
7	Then the user should see the status as "Email can't be blank."	FAILED	0.053 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [16a7d258fafd4cbbe3e7839356c2bc94, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60096}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60096/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 16a7d258fafd4cbbe3e7839356c2bc94 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.145 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.252 s
2	When the user enters their first name as 'User'	PASSED	0.143 s
3	And the user enters their last name as ''	PASSED	0.653 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.123 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.096 s
6	And the user click on create button	PASSED	13.166 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3adc020f76947a2c2bbfae9bd2bcd19f, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60229}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60229/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3adc020f76947a2c2bbfae9bd2bcd19f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.030 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	2.051 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.543 s
2	When the user enters their first name as 'User'	PASSED	1.803 s
3	And the user enters their last name as "	PASSED	3.132 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.853 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.424 s

#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	13.579 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [78e39a2729373e1ca7f69545ccb42338, findElement {using=xpath, value="//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60365}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60365/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 78e39a2729373e1ca7f69545ccb42338</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source)  at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104)  at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63)  at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.088 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.900 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [367bbf11942d1edf21ce8485ac286d46, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60743}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60743/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 367bbf11942d1edf21ce8485ac286d46 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	4.117 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.012 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	SKIPPED	0.000 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.007 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.002 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.356 s
	To test the SigUp functionality of Chiltern Oak page		


### To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.226 s
2	When the user enters their first name as 'User'	PASSED	0.277 s
3	And the user enters their last name as ''	PASSED	0.470 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.195 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.358 s
6	And the user click on create button	PASSED	12.360 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [a6aa16eade13f8824dae335e999d81b9, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60985}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60985/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a6aa16eade13f8824dae335e999d81b9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63)</pre>	FAILED	0.185 s

#	Step / Hook Details	Status	Duration
	<p>at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	2.242 s


### To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bc203e57972b15dd9d54d2b868949650, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61205}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61205/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bc203e57972b15dd9d54d2b868949650 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre>	FAILED	11.239 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5)		
	* Not displayable characters are replaced by '?'.		
2	When the user enters their first name as "	SKIPPED	0.001 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as "	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "Password can't be blank."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.659 s
	To test the SigUp functionality of Chiltern Oak page		


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6877f83a4c704a86ae50a0b978d8ba4a, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61323}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61323/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6877f83a4c704a86ae50a0b978d8ba4a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	3.558 s


#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'.		
2	When the user enters their first name as "	SKIPPED	0.000 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as "	SKIPPED	0.003 s
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "Password can't be blank."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.072 s
	To test the SigUp functionality of Chiltern Oak page		

## To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.317 s
2	When the user enters their first name as "	PASSED	0.135 s
3	And the user enters their last name as "	PASSED	0.097 s
4	And the user enters their email as "	PASSED	0.137 s
5	And the user enters their password as "	PASSED	0.122 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	14.303 s
7	<p>Then the user should see the status as "Password can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [d55839bc9de84011716e149295409dea, findElement {using&gt;xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61460}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61460/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d55839bc9de84011716e149295409dea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.139 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.068 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 49.388 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 9:25:14.926 am // 9:26:04.314 am /				
SignUp fuctionality				
@signup @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	8.055 s
2	When the user enters their first name as "	PASSED	0.114 s
3	And the user enters their last name as "	PASSED	0.095 s
4	And the user enters their email as "	PASSED	0.159 s
5	And the user enters their password as "	PASSED	0.120 s
6	And the user click on create button	PASSED	12.918 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.216 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e2ad20ea7733e2cef52a2ff415cbe7b5, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61611}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61611/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e2ad20ea7733e2cef52a2ff415cbe7b5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.801 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.394 s
2	When the user enters their first name as 'User'	PASSED	0.206 s
3	And the user enters their last name as 'A'	PASSED	0.862 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.208 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.277 s
6	And the user click on create button	PASSED	11.622 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [007f3682e1a90e215c04f32e7f9b0820, findElement {using>xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61761}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61761/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 007f3682e1a90e215c04f32e7f9b0820 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.093 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.928 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.969 s
2	When the user enters their first name as 'User'	PASSED	0.121 s
3	And the user enters their last name as 'A'	PASSED	0.112 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.175 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.130 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	13.279 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2584860f31d7c1d12223db383486d21a, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61915}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61915/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2584860f31d7c1d12223db383486d21a</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source)  at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104)  at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63)  at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.034 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.867 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 44.130 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 9:26:56.348 am // 9:27:40.478 am /				
SignUp fuctionality				
@signup @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.509 s
2	When the user enters their first name as 'User'	PASSED	0.144 s
3	And the user enters their last name as 'A'	PASSED	0.440 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.148 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.091 s
6	And the user click on create button	PASSED	12.192 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3c9f1a3a3b2537d6567f7b255811cad9, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62067}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62067/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3c9f1a3a3b2537d6567f7b255811cad9 at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	0.034 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	0.703 s


### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.161 s
2	When the user enters their first name as 'User'	PASSED	0.107 s
3	And the user enters their last name as 'A'	PASSED	0.076 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.155 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.219 s
6	And the user click on create button	PASSED	10.183 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3a05eb5d71b767f54e3dd096b9b5cc1d, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62222/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3a05eb5d71b767f54e3dd096b9b5cc1d</pre> <p>at jdk.internal.reflect.GeneratedConstructorAccessor50.newInstance(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source)  at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104)  at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63)  at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/</p>	FAILED	0.023 s

#	Step / Hook Details	Status	Duration
	Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  To test the SigUp functionality of Chiltern Oak page  	PASSED	0.642 s

## Login Functionality




## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.509 s
2	When user enters username and password by giving "login" and 1	PASSED	5.523 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/	FAILED	0.016 s

#	Step / Hook Details	Status	Duration
	<pre>login?return_url=%2Faccount}&gt; at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>User login with different credentials by using excel</p> 	PASSED	1.162 s


### User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.853 s
2	When user enters username and password by giving "login" and 1	PASSED	2.601 s
3	And clicks the login button	PASSED	0.001 s
4	<p>Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"</p> <pre>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]&gt; at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8)</pre>	FAILED	0.014 s

#	Step / Hook Details	Status	Duration
	<p>* Not displayable characters are replaced by '?'.</p> <p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>User login with different credentials by using excel</p> 	PASSED	0.884 s



### User login with different credentials by using excel

FAILED	DURATION - 12.049 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 9:29:11.678 am // 9:29:23.727 am /	Login Functionality			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.937 s
2	When user enters username and password by giving "login" and 1	PASSED	3.557 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/ Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.017 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	0.729 s

#	Step / Hook Details	Status	Duration
			

## User login with different credentials by using excel

FAILED	DURATION - 31.530 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 9:29:23.744 am // 9:29:55.274 am /				
Login Functionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.495 s
2	When user enters username and password by giving "login" and 1	PASSED	3.237 s
3	And clicks the login button	PASSED	0.007 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/ Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.026 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel  	PASSED	0.848 s

## User login with different credentials by using excel

PASSED	DURATION - 27.805 s	 <table border="1"> <thead> <tr> <th>Step</th><th>Count</th></tr> </thead> <tbody> <tr><td>1</td><td>2</td></tr> <tr><td>2</td><td>1.5</td></tr> <tr><td>3</td><td>0</td></tr> <tr><td>4</td><td>0.1</td></tr> </tbody> </table>	Step	Count	1	2	2	1.5	3	0	4	0.1	<b>Steps</b> Total - 4 Pass - 4 Fail - 0 Skip - 0	
Step	Count													
1	2													
2	1.5													
3	0													
4	0.1													
/ 9:29:55.286 am // 9:30:23.091 am /														
<i>Login Functionality</i>														
@chilternoak @login														

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.876 s
2	When user enters username and password by giving "login" and 2	PASSED	1.420 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.015 s


## User login with different credentials by using excel

FAILED	DURATION - 54.591 s	 <table border="1"> <thead> <tr> <th>Step</th><th>Count</th></tr> </thead> <tbody> <tr><td>1</td><td>2.5</td></tr> <tr><td>2</td><td>3.2</td></tr> <tr><td>3</td><td>0</td></tr> <tr><td>4</td><td>0.1</td></tr> </tbody> </table>	Step	Count	1	2.5	2	3.2	3	0	4	0.1	<b>Steps</b> Total - 4 Pass - 3 Fail - 1 Skip - 0	
Step	Count													
1	2.5													
2	3.2													
3	0													
4	0.1													
/ 9:30:23.102 am // 9:31:17.693 am /														
<i>Login Functionality</i>														
@chilternoak @login														

#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.314 s
2	When user enters username and password by giving "login" and 3	PASSED	3.119 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60)	FAILED	0.038 s

#	Step / Hook Details	Status	Duration
	at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel  	PASSED	0.875 s

### User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.812 s
2	When user enters username and password by giving "login" and 3	PASSED	2.863 s
3	And clicks the login button	PASSED	0.006 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.008 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.690 s
	User login with different credentials by using excel		


#	Step / Hook Details	Status	Duration

## User login with different credentials by using excel

FAILED	DURATION - 13.333 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 9:31:50.882 am // 9:32:04.215 am /				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.053 s
2	When user enters username and password by giving "login" and 3	PASSED	4.658 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/ Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.015 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel  	PASSED	0.757 s


## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.262 s
2	When user enters username and password by giving "login" and 3	PASSED	3.550 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.  AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	0.012 s
	User login with different credentials by using excel	PASSED	0.793 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.468 s
2	When user enters username and password by giving "login" and 4	PASSED	1.291 s
3	And clicks the login button	PASSED	0.011 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  junit.framework.ComparisonFailure: expected:<...niture.co.uk/account[/login?return_url=%2Faccount]> but was:<...niture.co.uk/account[]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.654 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel  	PASSED	1.452 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.858 s
2	When user enters username and password by giving "login" and 4	PASSED	0.749 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  junit.framework.ComparisonFailure: expected:<...niture.co.uk/account[/login?return_url=%2Faccount]> but was:<...niture.co.uk/account[]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.038 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel  	PASSED	1.074 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.534 s
2	When user enters username and password by giving "login" and 4	PASSED	0.539 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  <i>junit.framework.ComparisonFailure: expected:&lt;...niture.co.uk/account[/login?return_url=%2Faccount]&gt; but was:&lt;...niture.co.uk/account[]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.017 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	0.854 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.858 s
2	When user enters username and password by giving "login" and 4	PASSED	1.523 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  <i>junit.framework.ComparisonFailure: expected:&lt;...niture.co.uk/account[/login?return_url=%2Faccount]&gt; but was:&lt;...niture.co.uk/account[]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.027 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel 	PASSED	0.670 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.792 s
2	When user enters username and password by giving "login" and 5	PASSED	1.092 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.063 s

### User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.328 s
2	When user enters username and password by giving "login" and 6	PASSED	1.184 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.106 s

### User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.103 s
2	When user enters username and password by giving "login" and 7	PASSED	0.664 s
3	And clicks the login button	PASSED	0.003 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.009 s

## Product Search Functionality



## Enter search term and verify results



#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.021 s

#	Step / Hook Details	Status	Duration
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.221 s
3	And I click on the search button	PASSED	3.089 s
4	Then validate '82 results found' are found or not	PASSED	0.086 s

### Enter search term and verify results

PASSED	DURATION - 27.959 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:35:25.760 am // 9:35:53.719 am /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as " in the search bar	PASSED	0.087 s
3	And I click on the search button	PASSED	1.795 s
4	Then validate 'Search – Chiltern Oak Furniture' are found or not	PASSED	0.015 s


### Enter search term and verify results

PASSED	DURATION - 27.394 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:35:53.728 am // 9:36:21.122 am /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.000 s
2	When I enter a product name as 'Pencil' in the search bar	PASSED	0.177 s
3	And I click on the search button	PASSED	2.733 s


#	Step / Hook Details	Status	Duration
4	Then validate '0 results found' are found or not	PASSED	0.019 s

### Enter search term and verify results



#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Kabinats' in the search bar	PASSED	5.370 s
3	And I click on the search button	PASSED	2.135 s
4	Then validate '0 results found' are found or not	PASSED	0.017 s

### Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.008 s
2	When I enter a product name as 'Banbury White Painted 2 Door Wardrobe with Drawers' in the search bar	PASSED	1.458 s
3	And I click on the search button	PASSED	2.290 s
4	Then validate '1 result found' are found or not	PASSED	0.033 s

## Test cart functionality




### add to cart




#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	5.850 s
2	Then add to cart	PASSED	4.129 s
3	Then validate with added product count	PASSED	0.057 s
4	Then remove from the cart	PASSED	6.190 s
5	Then validate product is removed	PASSED	0.035 s

### add 3 different products to cart1




#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	5.052 s
2	Then add to cart and continue	PASSED	8.418 s
3	Then user search sofa	PASSED	3.957 s
4	Then add to cart and continue	PASSED	8.231 s
5	Then user search Tv unit	PASSED	4.766 s
6	Then add to cart	PASSED	4.146 s
7	Then validate multiple products are added	PASSED	0.073 s

### add to cart an invalid item



#	Step / Hook Details	Status	Duration
1	Given user search NoteBook	PASSED	5.211 s
2	Then validate invalid item	PASSED	0.033 s


### Increasing the quantity of item




#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	5.519 s

#	Step / Hook Details	Status	Duration
2	Then add to cart	PASSED	4.138 s
3	Then incresing the quantity	PASSED	5.266 s
4	Then validate the item quantity increased	PASSED	0.057 s

## Filter functionality




## Filter Functionality search the product




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.043 s
2	And search the product	PASSED	4.526 s
3	Then added filter successfully	PASSED	0.007 s

## Filter Functionality for choose style

PASSED	DURATION - 13.767 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 9:39:15.467 am // 9:39:29.234 am /				
Filter functionality				
@filter @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.001 s
2	And search the product	PASSED	4.217 s
3	And choose the style	PASSED	3.138 s
4	Then added filter successfully	PASSED	0.001 s

### Filter Functionality for drag the price

PASSED	DURATION - 18.398 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:39:29.250 am // 9:39:47.648 am /				
Filter functionality				
@filter @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.002 s
2	And search the product	PASSED	5.002 s
3	And drag the price element	PASSED	3.719 s
4	And choose the style	PASSED	3.110 s
5	Then added filter successfully	PASSED	0.001 s

### Filter Functionality for choose color




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.005 s
2	And search the product	PASSED	4.610 s
3	And drag the price element	PASSED	3.468 s
4	And choose the color	PASSED	3.107 s
5	Then added filter successfully	PASSED	0.000 s

## Test Chilternoak Furniture contact us page




## Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.017 s
2	When I click on ContactUs link	PASSED	3.708 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as 'User' on the page	PASSED	2.125 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.136 s
6	And I entered phone no as '1234567891' on the page	PASSED	2.102 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.158 s
8	Then I click on send button	PASSED	11.760 s
9	Then It should be navigated to Expected Url	PASSED	0.019 s

### Testing of ContactUs Page





#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.002 s
2	When I click on ContactUs link	PASSED	3.443 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.002 s
4	And I entered name as 'User' on the page	PASSED	2.138 s
5	And I entered email id as " on the page	PASSED	2.073 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.103 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.302 s
8	Then I click on send button	PASSED	11.674 s
9	Then It should be navigated to Expected Url	PASSED	0.005 s

### Testing of ContactUs Page

PASSED	DURATION - 30.088 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 9:41:50.897 am // 9:42:20.985 am /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.001 s
2	When I click on ContactUs link	PASSED	3.628 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as " on the page	PASSED	2.172 s
5	And I entered email id as " on the page	PASSED	2.085 s
6	And I entered phone no as " on the page	PASSED	2.076 s
7	And I entered message as " on the page	PASSED	2.068 s
8	Then I click on send button	PASSED	11.637 s
9	Then It should be navigated to Expected Url	PASSED	0.009 s


### Testing of ContactUs Page

PASSED	DURATION - 50.104 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 9:42:21.003 am // 9:43:11.107 am /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.003 s
2	When I click on ContactUs link	PASSED	3.525 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as " on the page	PASSED	2.125 s


#	Step / Hook Details	Status	Duration
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.109 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.107 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.169 s
8	Then I click on send button	PASSED	11.827 s
9	Then It should be navigated to Expected Url	PASSED	0.014 s

## Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.002 s
2	When I click on ContactUs link	PASSED	3.321 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as 'User' on the page	PASSED	2.146 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.085 s
6	And I entered phone no as " on the page	PASSED	2.069 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.285 s
8	Then I click on send button	PASSED	11.660 s
9	Then It should be navigated to Expected Url	PASSED	0.009 s

## Subscribe Feature




### Subscribe scenario with differe set of data




#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.037 s
2	When user click Subscribe email text box	PASSED	0.552 s
3	When user fills the email as "saif"	PASSED	2.320 s
4	And user clicks on subscribe button	PASSED	2.119 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.017 s

### Subscribe scenario with differe set of data




#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.003 s
2	When user click Subscribe email text box	PASSED	0.564 s
3	When user fills the email as "saif."	PASSED	2.269 s
4	And user clicks on subscribe button	PASSED	2.123 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.020 s

### Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.003 s
2	When user click Subscribe email text box	PASSED	0.161 s
3	When user fills the email as ""	PASSED	2.150 s
4	And user clicks on subscribe button	PASSED	2.108 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.022 s

### Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.006 s
2	When user click Subscribe email text box	PASSED	0.732 s
3	When user fills the email as "saif@gmail.com"	PASSED	2.541 s
4	And user clicks on subscribe button	PASSED	2.125 s
5	Then it shows sucess message " <a href="https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form">https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form</a> "	PASSED	1.504 s