

# Cucumber Report

28-Feb-2024, 6:22:12 pm

**Start : Feb 28, 5:45:52.253 pm**

**End : Feb 28, 6:22:09.362 pm**

**Duration : 36 m 17.109 s**

Features







PASSED - 5  
FAILED - 2  
SKIPPED - 0

Scenarios

PASSED - 25  
FAILED - 36  
SKIPPED - 0


Steps

PASSED - 294  
FAILED - 36  
SKIPPED - 6




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>SignUp fuctionality</u>	13 m 17.284 s	20	0	20	0	140	114	20	6
<u>Login Functionality</u>	11 m 36.128 s	19	3	16	0	76	60	16	0
<u>Product Search Functionality</u>	1 m 52.579 s	5	5	0	0	20	20	0	0
<u>Test cart functionality</u>	1 m 48.087 s	4	4	0	0	18	18	0	0
<u>Filter functionality</u>	2 m 16.219 s	4	4	0	0	17	17	0	0
<u>Test Chilternoak Furniture contact us page</u>	3 m 39.960 s	5	5	0	0	45	45	0	0
<u>Subscribe Feature</u>	1 m 45.428 s	4	4	0	0	20	20	0	0


<b>Tag</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<i>@chilternoak</i>		61	25	36	0	7	5	2	0
<i>@login</i>		39	3	36	0	2	0	2	0
<i>@search</i>		5	5	0	0	1	1	0	0
<i>@cart</i>		4	4	0	0	1	1	0	0
<i>@filter</i>		4	4	0	0	1	1	0	0
<i>@contactus</i>		5	5	0	0	1	1	0	0
<i>@subscribe</i>		4	4	0	0	1	1	0	0
<i>@subscriber</i>		4	4	0	0	1	1	0	0




#	<b>Feature Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
1	<u>SignUp fuctionality</u>	20	0	20	0	13 m 17.284 s
2	<u>Login Functionality</u>	19	3	16	0	11 m 36.128 s
3	<u>Product Search Functionality</u>	5	5	0	0	1 m 52.579 s
4	<u>Test cart functionality</u>	4	4	0	0	1 m 48.087 s
5	<u>Filter functionality</u>	4	4	0	0	2 m 16.219 s
6	<u>Test Chilternoak Furniture contact us page</u>	5	5	0	0	3 m 39.960 s
7	<u>Subscribe Feature</u>	4	4	0	0	1 m 45.428 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	58.654 s
2	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	30.508 s
3	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	29.584 s
4	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	51.663 s
5	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	34.673 s
6	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	50.005 s
7	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	46.364 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	35.577 s
9	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	45.340 s
10	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	50.641 s
11	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.489 s
12	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	24.751 s
13	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	47.306 s
14	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	31.033 s




#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
15	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	49.726 s
16	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	50.404 s
17	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	34.540 s
18	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	29.810 s
19	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	33.070 s
20	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	33.150 s
21	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	37.329 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	36.845 s
23	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.826 s
24	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	36.136 s
25	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	15.364 s
26	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.708 s
27	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	12.598 s
28	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	33.240 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	1 m 5.826 s
30	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	1 m 4.327 s
31	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	36.063 s
32	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	37.277 s
33	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	19.721 s
34	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	1 m 0.707 s
35	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	42.704 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	38.301 s
37	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.460 s
38	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	18.194 s
39	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	32.061 s
40	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	10.046 s
41	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	32.022 s
42	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	28.323 s
43	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	12.697 s
44	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	29.136 s
45	<u>Test cart functionality</u>	<u>add to cart</u>	5	5	0	0	24.766 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>Test cart functionality</u>	<u>add 3 different products to cart1</u>	7	7	0	0	43.131 s
47	<u>Test cart functionality</u>	<u>add to cart an invalid item</u>	2	2	0	0	15.572 s
48	<u>Test cart functionality</u>	<u>Increasing the quantity of item</u>	4	4	0	0	24.088 s
49	<u>Filter functionality</u>	<u>Filter Functionality search the product</u>	3	3	0	0	32.877 s
50	<u>Filter functionality</u>	<u>Filter Functionality for choose style</u>	4	4	0	0	38.657 s
51	<u>Filter functionality</u>	<u>Filter Functionality for drag the price</u>	5	5	0	0	43.231 s
52	<u>Filter functionality</u>	<u>Filter Functionality for choose color</u>	5	5	0	0	20.748 s
53	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	34.257 s
54	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	31.745 s

#	<b>Feature Name</b>	<b>Scenario Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>Duration</b>
55	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	1 m 3.642 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
56	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	55.466 s
57	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	33.843 s
58	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	17.928 s
59	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	32.808 s
60	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	34.875 s
61	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	19.216 s


## SignUp fuctionality




To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.629 s
2	When the user enters their first name as 'User'	PASSED	0.336 s
3	And the user enters their last name as 'A'	PASSED	0.599 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.493 s
5	And the user enters their password as 'Qs'	PASSED	0.139 s
6	And the user click on create button	PASSED	10.330 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [e82c60424d7514764e385add72c6d8e3, findElement {using>xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63958}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63958/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.102 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e82c60424d7514764e385add72c6d8e3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	2.229 s


**To test the SigUp functionality of Chiltern Oak page**



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	10.879 s
2	When the user enters their first name as 'User'	PASSED	0.178 s
3	And the user enters their last name as 'A'	PASSED	0.079 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.158 s
5	And the user enters their password as 'Qs'	PASSED	0.109 s
6	And the user click on create button	PASSED	12.548 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d4e9f2b2c13531b29b069244ed896b11, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64126}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64126/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d4e9f2b2c13531b29b069244ed896b11 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.059 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.251 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.079 s
2	When the user enters their first name as 'User'	PASSED	0.230 s
3	And the user enters their last name as 'A'	PASSED	0.575 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.466 s
5	And the user enters their password as 'Qs'	PASSED	0.124 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	13.155 s
7	<p>Then the user should see the status as "Password is too short (minimum is 5 characters)"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [447b819e02c8d813031b1668796c9f31, findElement {using=xpath, value="//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64289}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64289/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 447b819e02c8d813031b1668796c9f31</pre> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source)  at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104)  at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63)  at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern- Oak/src/test/resource/Features/Asignup.feature:11)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.071 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	2.166 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 51.663 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 5:47:51.282 pm // 5:48:42.945 pm /				
SignUp fuctionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.070 s
2	When the user enters their first name as 'User'	PASSED	0.280 s
3	And the user enters their last name as 'A'	PASSED	1.218 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.194 s
5	And the user enters their password as 'Qs'	PASSED	0.103 s
6	And the user click on create button	PASSED	13.262 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [fc30494d5aec67897b600b6fd97c0972, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64443}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64443/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fc30494d5aec67897b600b6fd97c0972 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	3.649 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.191 s
2	When the user enters their first name as 'User'	PASSED	0.152 s
3	And the user enters their last name as 'A'	PASSED	0.730 s
4	And the user enters their email as "	PASSED	0.135 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.124 s
6	And the user click on create button	PASSED	14.895 s
7	Then the user should see the status as "Email can't be blank."  <i>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:            {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit:  <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [55245cf7ab5b76baeed39765bd0814db, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64601}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64601/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 55245cf7ab5b76baeed39765bd0814db            at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)            at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)            at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)            at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)            at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)            at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)            at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)            at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)            at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</i>	FAILED	0.128 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	3.664 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.492 s
2	When the user enters their first name as 'User'	PASSED	0.204 s
3	And the user enters their last name as 'A'	PASSED	0.762 s
4	And the user enters their email as "	PASSED	0.139 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.446 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	12.773 s
7	<p>Then the user should see the status as "Email can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [3b51c0304e4c92e9df568c24ae171f82, findElement {using&gt;xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64756}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64756/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3b51c0304e4c92e9df568c24ae171f82 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.132 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	2.750 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 46.364 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 5:50:07.899 pm // 5:50:54.263 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.906 s
2	When the user enters their first name as 'User'	PASSED	0.133 s
3	And the user enters their last name as 'A'	PASSED	0.106 s
4	And the user enters their email as "	PASSED	0.132 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.162 s
6	And the user click on create button	PASSED	10.457 s
7	Then the user should see the status as "Email can't be blank."	FAILED	0.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [be3e7577b29f950034b89e1eb1b498d0, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64914}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64914/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be3e7577b29f950034b89e1eb1b498d0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	2.300 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.865 s
2	When the user enters their first name as 'User'	PASSED	0.213 s
3	And the user enters their last name as 'A'	PASSED	0.128 s
4	And the user enters their email as "	PASSED	0.150 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.637 s
6	And the user click on create button	PASSED	12.974 s
7	Then the user should see the status as "Email can't be blank."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5460da31035d7009c37f42b328929fc7, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65064}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65064/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5460da31035d7009c37f42b328929fc7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.048 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	4.133 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.204 s
2	When the user enters their first name as 'User'	PASSED	0.167 s
3	And the user enters their last name as "	PASSED	0.088 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.198 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.449 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.129 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [db39393b27007c240715cb0868633658, findElement {using=xpath, value="//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65240}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65240/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: db39393b27007c240715cb0868633658 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.080 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.503 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 50.641 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 5:52:15.418 pm // 5:53:06.059 pm /				
SignUp fuctionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.072 s
2	When the user enters their first name as 'User'	PASSED	0.213 s
3	And the user enters their last name as "	PASSED	0.643 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.165 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.084 s
6	And the user click on create button	PASSED	12.455 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [1fcf97a84a281ce8fb40a3a72f6a46ea, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65417}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65417/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1fcf97a84a281ce8fb40a3a72f6a46ea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.110 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	3.697 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	3.961 s
2	When the user enters their first name as 'User'	PASSED	0.183 s
3	And the user enters their last name as ''	PASSED	0.089 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.671 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.103 s
6	And the user click on create button	PASSED	12.372 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e78e87966a0e8e956bfc49e4e8c44718, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1083}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1083/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e78e87966a0e8e956bfc49e4e8c44718 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.038 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.764 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.646 s
2	When the user enters their first name as 'User'	PASSED	0.086 s
3	And the user enters their last name as "	PASSED	0.078 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.135 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.321 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.187 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [71799975ea472eaf37f64cf80d48acf0, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1222}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1222/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 71799975ea472eaf37f64cf80d48acf0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.026 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	0.995 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 47.306 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 5:53:57.473 pm // 5:54:44.779 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.505 s
2	When the user enters their first name as "	PASSED	0.084 s
3	And the user enters their last name as "	PASSED	0.122 s
4	And the user enters their email as "	PASSED	0.105 s
5	And the user enters their password as "	PASSED	0.175 s
6	And the user click on create button	PASSED	10.132 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.073 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2ede8c51a61eb86414cde44bbd44a768, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1377}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1377/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2ede8c51a61eb86414cde44bbd44a768 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.303 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.422 s
2	When the user enters their first name as "	PASSED	0.104 s
3	And the user enters their last name as "	PASSED	0.090 s
4	And the user enters their email as "	PASSED	0.143 s
5	And the user enters their password as "	PASSED	0.089 s
6	And the user click on create button	PASSED	16.937 s
7	Then the user should see the status as "Password can't be blank."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [22b4fc5a61c1d76f3a335ce989214414, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1538}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1538/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 22b4fc5a61c1d76f3a335ce989214414 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.063 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.778 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	25.304 s
2	When the user enters their first name as "	PASSED	0.186 s
3	And the user enters their last name as "	PASSED	0.103 s
4	And the user enters their email as "	PASSED	0.107 s
5	And the user enters their password as "	PASSED	0.086 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	14.198 s
7	<p>Then the user should see the status as "Password can't be blank."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2df2975cd978e8c93f131c16b76b0760, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1698}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1698/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2df2975cd978e8c93f131c16b76b0760 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/ Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.482 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	2.378 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 50.404 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 5:56:08.235 pm // 5:56:58.639 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.805 s
2	When the user enters their first name as "	PASSED	0.103 s
3	And the user enters their last name as "	PASSED	0.072 s
4	And the user enters their email as "	PASSED	0.435 s
5	And the user enters their password as "	PASSED	0.091 s
6	And the user click on create button	PASSED	10.137 s
7	Then the user should see the status as "Password can't be blank."	FAILED	0.071 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [0b03cc7c428f6dcecf15e84267251bc3, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:1862}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:1862/devtool..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0b03cc7c428f6dcecf15e84267251bc3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.541 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.116 s
2	When the user enters their first name as 'User'	PASSED	0.096 s
3	And the user enters their last name as 'A'	PASSED	0.075 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.161 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.144 s
6	And the user click on create button	PASSED	17.407 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a947c1b8fc58dd109d19c2946aa490aa, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2018}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:2018/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a947c1b8fc58dd109d19c2946aa490aa at jdk.internal.reflect.GeneratedConstructorAccessor51.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)	FAILED	0.059 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.560 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.238 s
2	When the user enters their first name as 'User'	PASSED	0.168 s
3	And the user enters their last name as 'A'	PASSED	0.255 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.556 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.154 s
6	And the user click on create button	PASSED	12.648 s


#	Step / Hook Details	Status	Duration
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [2e76b941e06fda2d366b02fbcd36add3, findElement {using&gt;xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2186}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:2186/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2e76b941e06fda2d366b02fbcd36add3 at jdk.internal.reflect.GeneratedConstructorAccessor51.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.081 s
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p>	PASSED	2.538 s

#	Step / Hook Details	Status	Duration
			


## To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 33.070 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 5:58:03.211 pm // 5:58:36.281 pm /				
SignUp fuctionality				
@chilternoak @login				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.517 s
2	When the user enters their first name as 'User'	PASSED	0.215 s
3	And the user enters their last name as 'A'	PASSED	0.107 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.128 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.282 s
6	And the user click on create button	PASSED	10.410 s
7	Then the user should see the status as "This email address is already associated with an account."  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [b375d3723afc559a6d3d0079b305ad5e, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2362}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:2362/devtool..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b375d3723afc559a6d3d0079b305ad5e at jdk.internal.reflect.GeneratedConstructorAccessor51.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	4.059 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	2.177 s

### To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57af6a349a27be0d49e5873874b8fa52, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Local\Temp\scoped_dir31964_2410}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:2537}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:2537/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 57af6a349a27be0d49e5873874b8fa52 at jdk.internal.reflect.GeneratedConstructorAccessor51.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	3.445 s
2	When the user enters their first name as 'User'	SKIPPED	0.002 s
3	And the user enters their last name as 'A'	SKIPPED	0.001 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	SKIPPED	0.000 s
5	And the user enters their password as 'Qasfserr@123'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
7	Then the user should see the status as "This email address is already associated with an account."  AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  To test the SigUp functionality of Chiltern Oak page	SKIPPED	0.000 s
		PASSED	1.864 s

## Login Functionality





## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.041 s
2	When user enters username and password by giving "login" and 1	PASSED	3.144 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.219 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.079 s
2	When user enters username and password by giving "login" and 2	PASSED	4.130 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.091 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	2.422 s


## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.563 s
2	When user enters username and password by giving "login" and 2	PASSED	4.991 s
3	And clicks the login button	PASSED	0.003 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.037 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	2.420 s


## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.625 s
2	When user enters username and password by giving "login" and 2	PASSED	3.700 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.035 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.907 s


## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.073 s
2	When user enters username and password by giving "login" and 2	PASSED	2.976 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.  AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	FAILED	0.038 s
		PASSED	1.862 s


## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.743 s
2	When user enters username and password by giving "login" and 3	PASSED	3.208 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.051 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.422 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.244 s
2	When user enters username and password by giving "login" and 3	PASSED	2.724 s
3	And clicks the login button	PASSED	0.006 s
4	<p>Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"</p> <pre>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;   at junit.framework.Assert.assertEquals(Assert.java:100)   at junit.framework.Assert.assertEquals(Assert.java:107)   at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60)   at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	0.053 s
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>User login with different credentials by using excel</p> 	PASSED	1.447 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	23.969 s
2	When user enters username and password by giving "login" and 3	PASSED	4.138 s
3	And clicks the login button	PASSED	0.004 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.053 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.808 s
	User login with different credentials by using excel		
			


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	4.412 s
2	When user enters username and password by giving "login" and 3	PASSED	3.332 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.044 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	1.045 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.855 s
2	When user enters username and password by giving "login" and 4	PASSED	9.709 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.046 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel  	PASSED	1.824 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.256 s
2	When user enters username and password by giving "login" and 4	PASSED	23.571 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.  AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	0.031 s
	User login with different credentials by using excel	PASSED	1.563 s

**User login with different credentials by using excel**




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.503 s
2	When user enters username and password by giving "login" and 4	PASSED	3.726 s
3	And clicks the login button	PASSED	0.004 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.  AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	0.061 s
	User login with different credentials by using excel	PASSED	1.315 s

**User login with different credentials by using excel**




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	5.245 s
2	When user enters username and password by giving "login" and 4	PASSED	3.370 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.051 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	1.239 s


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	30.690 s
2	When user enters username and password by giving "login" and 5	PASSED	25.264 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.036 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	1.638 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.526 s
2	When user enters username and password by giving "login" and 5	PASSED	4.965 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.231 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	6.711 s
			


## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.745 s
2	When user enters username and password by giving "login" and 5	PASSED	4.365 s
3	And clicks the login button	PASSED	0.005 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.075 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel	PASSED	2.389 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	25.632 s
2	When user enters username and password by giving "login" and 5	PASSED	4.046 s
3	And clicks the login button	PASSED	0.004 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"  <i>junit.framework.ComparisonFailure: expected:&lt;...noakfurniture.co.uk/[challenge]&gt; but was:&lt;...noakfurniture.co.uk/[account/login?return_url=%2Faccount]&gt;</i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.058 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)  User login with different credentials by using excel 	PASSED	2.313 s

## User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.835 s
2	When user enters username and password by giving "login" and 6	PASSED	2.173 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	2.270 s

### User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.274 s
2	When user enters username and password by giving "login" and 7	PASSED	1.577 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.071 s

### Product Search Functionality




### Enter search term and verify results



#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.104 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.189 s
3	And I click on the search button	PASSED	2.499 s
4	Then validate '83 results found' are found or not	PASSED	0.177 s

### Enter search term and verify results



#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.030 s

#	Step / Hook Details	Status	Duration
2	When I enter a product name as " in the search bar	PASSED	0.433 s
3	And I click on the search button	PASSED	2.125 s
4	Then validate 'Search – Chiltern Oak Furniture' are found or not	PASSED	0.022 s

### Enter search term and verify results

PASSED	DURATION - 28.323 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:11:28.146 pm // 6:11:56.469 pm /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Pencil' in the search bar	PASSED	22.517 s
3	And I click on the search button	PASSED	2.296 s
4	Then validate '0 results found' are found or not	PASSED	0.022 s


### Enter search term and verify results

PASSED	DURATION - 12.697 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 6:11:56.605 pm // 6:12:09.302 pm /				
Product Search Functionality				
@chilternoak @search				

#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.013 s
2	When I enter a product name as 'Kabinats' in the search bar	PASSED	0.349 s
3	And I click on the search button	PASSED	2.333 s

#	Step / Hook Details	Status	Duration
4	Then validate '0 results found' are found or not	PASSED	0.027 s

### Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.004 s
2	When I enter a product name as 'Banbury White Painted 2 Door Wardrobe with Drawers' in the search bar	PASSED	0.470 s
3	And I click on the search button	PASSED	2.393 s
4	Then validate '1 result found' are found or not	PASSED	0.032 s

### Test cart functionality




add to cart




#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	4.736 s
2	Then add to cart	PASSED	4.177 s
3	Then validate with added product count	PASSED	0.069 s
4	Then remove from the cart	PASSED	6.140 s
5	Then validate product is removed	PASSED	0.110 s

### add 3 different products to cart1




#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	7.307 s
2	Then add to cart and continue	PASSED	8.794 s
3	Then user search sofa	PASSED	4.461 s
4	Then add to cart and continue	PASSED	8.377 s
5	Then user search Tv unit	PASSED	4.249 s
6	Then add to cart	PASSED	4.221 s
7	Then validate multiple products are added	PASSED	0.122 s

### add to cart an invalid item

PASSED	DURATION - 15.572 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
<i>/ 6:13:47.028 pm // 6:14:02.600 pm /</i>				
<i>Test cart functionality</i>				
@chilternoak @cart				

#	Step / Hook Details	Status	Duration
1	Given user search NoteBook	PASSED	4.357 s
2	Then validate invalid item	PASSED	0.046 s

### Increasing the quantity of item

PASSED	DURATION - 24.088 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
<i>/ 6:14:02.709 pm // 6:14:26.797 pm /</i>				
<i>Test cart functionality</i>				
@chilternoak @cart				

#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	5.753 s
2	Then add to cart	PASSED	4.247 s
3	Then increasing the quantity	PASSED	5.280 s
4	Then validate the item quantity increased	PASSED	0.089 s

### Filter functionality

PASSED	DURATION - 2 m 16.219 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	Steps Total - 17 Pass - 17 Fail - 0 Skip - 0
/ 6:14:27.025 pm // 6:16:43.244 pm /			

### Filter Functionality search the product

PASSED	DURATION - 32.877 s	Step / Hook Details	Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 6:14:27.025 pm // 6:14:59.902 pm /			
Filter functionality			
@filter @chilternoak			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.135 s
2	And search the product	PASSED	5.193 s
3	Then added filter successfully	PASSED	0.002 s


### Filter Functionality for choose style

PASSED	DURATION - 38.657 s	Step / Hook Details	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0
/ 6:15:00.111 pm // 6:15:38.768 pm /			
Filter functionality			
@filter @chilternoak			

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.111 s
2	And search the product	PASSED	6.776 s


#	Step / Hook Details	Status	Duration
3	And choose the style	PASSED	3.239 s
4	Then added filter successfully	PASSED	0.002 s

### Filter Functionality for drag the price

PASSED	DURATION - 43.231 s	 <p>A bar chart with five vertical bars. The x-axis is labeled with numbers 1 through 5. The y-axis ranges from 0 to 6. Bars are present at positions 2, 3, and 4, with heights of approximately 6, 4.5, and 3.5 respectively.</p>	<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:15:39.017 pm // 6:16:22.248 pm /				
Filter functionality				
@filter @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.073 s
2	And search the product	PASSED	5.786 s
3	And drag the price element	PASSED	4.442 s
4	And choose the style	PASSED	3.315 s
5	Then added filter successfully	PASSED	0.001 s

### Filter Functionality for choose color

PASSED	DURATION - 20.748 s	 <p>A bar chart with five vertical bars. The x-axis is labeled with numbers 1 through 5. The y-axis ranges from 0 to 5. Bars are present at positions 2, 3, and 4, with heights of approximately 4.5, 4, and 3.5 respectively.</p>	<b>Steps</b> Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:16:22.496 pm // 6:16:43.244 pm /				
Filter functionality				
@filter @chilternoak				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.027 s
2	And search the product	PASSED	4.194 s
3	And drag the price element	PASSED	3.964 s

#	Step / Hook Details	Status	Duration
4	And choose the color	PASSED	3.366 s
5	Then added filter successfully	PASSED	0.000 s

## Test Chilternoak Furniture contact us page




## Testing of ContactUs Page





#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.032 s
2	When I click on ContactUs link	PASSED	3.863 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.013 s
4	And I entered name as 'User' on the page	PASSED	2.228 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.161 s
6	And I entered phone no as '1234567891' on the page	PASSED	2.540 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.301 s
8	Then I click on send button	PASSED	11.887 s
9	Then It should be navigated to Expected Url	PASSED	0.045 s

## Testing of ContactUs Page

PASSED	DURATION - 31.745 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:17:18.137 pm // 6:17:49.882 pm /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.027 s
2	When I click on ContactUs link	PASSED	4.873 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.002 s
4	And I entered name as 'User' on the page	PASSED	2.234 s
5	And I entered email id as " on the page	PASSED	2.131 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.130 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.473 s
8	Then I click on send button	PASSED	11.998 s
9	Then It should be navigated to Expected Url	PASSED	0.213 s


### Testing of ContactUs Page

PASSED	DURATION - 1 m 3.642 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 6:17:50.167 pm // 6:18:53.809 pm /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.056 s
2	When I click on ContactUs link	PASSED	7.386 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.004 s
4	And I entered name as " on the page	PASSED	2.278 s


#	Step / Hook Details	Status	Duration
5	And I entered email id as " on the page	PASSED	2.115 s
6	And I entered phone no as " on the page	PASSED	2.128 s
7	And I entered message as " on the page	PASSED	2.124 s
8	Then I click on send button	PASSED	17.214 s
9	Then It should be navigated to Expected Url	PASSED	0.027 s

### Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.043 s
2	When I click on ContactUs link	PASSED	4.257 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.013 s
4	And I entered name as " on the page	PASSED	2.222 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.195 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.131 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.394 s
8	Then I click on send button	PASSED	11.933 s
9	Then It should be navigated to Expected Url	PASSED	0.042 s

### Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.024 s
2	When I click on ContactUs link	PASSED	3.249 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.002 s
4	And I entered name as 'User' on the page	PASSED	2.281 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.251 s
6	And I entered phone no as " on the page	PASSED	2.172 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.221 s
8	Then I click on send button	PASSED	11.786 s
9	Then It should be navigated to Expected Url	PASSED	0.037 s

## Subscribe Feature




Subscribe scenario with differe set of data

PASSED	DURATION - 17.928 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:20:23.957 pm // 6:20:41.885 pm /				
Subscribe Feature				
@chilternoak @subscribe @subscriber				


#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.051 s
2	When user click Subscribe email text box	PASSED	0.701 s
3	When user fills the email as "saif"	PASSED	2.588 s
4	And user clicks on subscribe button	PASSED	2.176 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.035 s

### Subscribe scenario with differe set of data

PASSED	DURATION - 32.808 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 6:20:42.016 pm // 6:21:14.824 pm /				
Subscribe Feature				
@chilternoak @subscribe @subscriber				


#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.087 s
2	When user click Subscribe email text box	PASSED	0.469 s
3	When user fills the email as "saif."	PASSED	2.342 s
4	And user clicks on subscribe button	PASSED	2.162 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.033 s

### Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.007 s
2	When user click Subscribe email text box	PASSED	24.203 s
3	When user fills the email as ""	PASSED	2.669 s
4	And user clicks on subscribe button	PASSED	2.182 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.068 s

### Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.026 s
2	When user click Subscribe email text box	PASSED	0.180 s
3	When user fills the email as "saif@gmail.com"	PASSED	3.653 s
4	And user clicks on subscribe button	PASSED	2.170 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form"	PASSED	1.502 s