

Cucumber Report

28-Feb-2024, 7:13:33 pm

Start : Feb 28, 6:47:20.433 pm

End : Feb 28, 7:13:30.770 pm

Duration : 26 m 10.337 s

Features







PASSED - 4
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 24
FAILED - 40
SKIPPED - 0


Steps

PASSED - 260
FAILED - 40
SKIPPED - 48




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>SignUp fuctionality</u>	9 m 46.206 s	20	0	20	0	140	72	20	48
<u>Login Functionality</u>	8 m 4.492 s	19	3	16	0	76	60	16	0
<u>Product Search Functionality</u>	1 m 25.290 s	8	4	4	0	32	28	4	0
<u>Test cart functionality</u>	2 m 5.314 s	4	4	0	0	18	18	0	0
<u>Filter functionality</u>	1 m 6.523 s	4	4	0	0	17	17	0	0
<u>Test Chilternoak Furniture contact us page</u>	2 m 44.953 s	5	5	0	0	45	45	0	0
<u>Subscribe Feature</u>	56.813 s	4	4	0	0	20	20	0	0


Tag	Scenario	Feature						
		T	P	F	S	T	P	F
Name								
@chilternoak	64	24	40	0	7	4	3	0
@login	39	3	36	0	2	0	2	0
@search	8	4	4	0	1	0	1	0
@cart	4	4	0	0	1	1	0	0
@filter	4	4	0	0	1	1	0	0
@contactus	5	5	0	0	1	1	0	0
@subscribe	4	4	0	0	1	1	0	0
@subscriber	4	4	0	0	1	1	0	0




#	Feature Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	20	0	20	0	9 m 46.206 s
2	<u>Login Functionality</u>	19	3	16	0	8 m 4.492 s
3	<u>Product Search Functionality</u>	8	4	4	0	1 m 25.290 s
4	<u>Test cart functionality</u>	4	4	0	0	2 m 5.314 s
5	<u>Filter functionality</u>	4	4	0	0	1 m 6.523 s
6	<u>Test Chilternoak Furniture contact us page</u>	5	5	0	0	2 m 44.953 s
7	<u>Subscribe Feature</u>	4	4	0	0	56.813 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	43.960 s
2	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	45.055 s
3	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.733 s
4	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	25.970 s
5	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	46.722 s
6	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	12.780 s
7	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	12.466 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	10.886 s
9	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.933 s
10	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	11.120 s
11	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	40.116 s
12	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.295 s
13	<u>SignUp functionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	28.891 s
14	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	37.813 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	19.167 s
16	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	0	1	6	35.302 s
17	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	46.683 s
18	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	31.045 s
19	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	26.528 s
20	<u>SignUp fuctionality</u>	<u>To test the SigUp functionality of Chiltern Oak page</u>	7	6	1	0	27.114 s
21	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	34.205 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	37.511 s
23	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	36.710 s
24	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	15.959 s
25	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.117 s
26	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	16.836 s
27	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	17.648 s
28	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	14.017 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	15.093 s
30	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.360 s
31	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	15.266 s
32	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.421 s
33	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	35.422 s
34	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	34.051 s
35	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	14.420 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
36	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	15.074 s
37	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	3	1	0	33.982 s
38	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	11.602 s
39	<u>Login Functionality</u>	<u>User login with different credentials by using excel</u>	4	4	0	0	29.728 s
40	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	10.967 s
41	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	10.404 s
42	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	9.696 s
43	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	3	1	0	10.162 s
44	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	14.066 s
45	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	9.780 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
46	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	10.575 s
47	<u>Product Search Functionality</u>	<u>Enter search term and verify results</u>	4	4	0	0	9.411 s
48	<u>Test cart functionality</u>	<u>add to cart</u>	5	5	0	0	43.961 s
49	<u>Test cart functionality</u>	<u>add 3 different products to cart1</u>	7	7	0	0	47.207 s
50	<u>Test cart functionality</u>	<u>add to cart an invalid item</u>	2	2	0	0	11.483 s
51	<u>Test cart functionality</u>	<u>Increasing the quantity of item</u>	4	4	0	0	22.460 s
52	<u>Filter functionality</u>	<u>Filter Functionality search the product</u>	3	3	0	0	11.065 s
53	<u>Filter functionality</u>	<u>Filter Functionality for choose style</u>	4	4	0	0	14.032 s
54	<u>Filter functionality</u>	<u>Filter Functionality for drag the price</u>	5	5	0	0	20.403 s
55	<u>Filter functionality</u>	<u>Filter Functionality for choose color</u>	5	5	0	0	20.799 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
56	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	32.281 s
57	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	33.127 s
58	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	33.568 s
59	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	30.752 s
60	<u>Test Chilternoak Furniture contact us page</u>	<u>Testing of ContactUs Page</u>	9	9	0	0	34.780 s
61	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	12.648 s
62	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	11.538 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
63	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	15.773 s
64	<u>Subscribe Feature</u>	<u>Subscribe scenario with differe set of data</u>	5	5	0	0	16.784 s


SignUp functionality




To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	7.419 s
2	When the user enters their first name as 'User'	PASSED	0.230 s
3	And the user enters their last name as 'A'	PASSED	0.114 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.158 s
5	And the user enters their password as 'Qs'	PASSED	0.117 s
6	And the user click on create button	PASSED	13.687 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [c28a98eff8244b30ec8e11a615fc7f82, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9047}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9047/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.132 s

#	Step / Hook Details	Status	Duration
	<pre>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c28a98eff8244b30ec8e11a615fc7f82 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	4.814 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.626 s
2	When the user enters their first name as 'User'	PASSED	0.129 s
3	And the user enters their last name as 'A'	PASSED	0.106 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.278 s
5	And the user enters their password as 'Qs'	PASSED	0.246 s
6	And the user click on create button	PASSED	10.258 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [de84f1c64f20845a36c34ec41aa7f93b, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9208}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9208/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: de84f1c64f20845a36c34ec41aa7f93b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.096 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.283 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.350 s
2	When the user enters their first name as 'User'	PASSED	0.366 s
3	And the user enters their last name as 'A'	PASSED	1.111 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.282 s
5	And the user enters their password as 'Qs'	PASSED	0.160 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	12.562 s
7	<p>Then the user should see the status as "Password is too short (minimum is 5 characters)"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [fbe26703225bd463bd430ed100ee7509, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9372}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9372/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fbe26703225bd463bd430ed100ee7509 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern- Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.141 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	1.180 s

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 25.970 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 6:49:17.501 pm // 6:49:43.471 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.201 s
2	When the user enters their first name as 'User'	PASSED	0.369 s
3	And the user enters their last name as 'A'	PASSED	0.187 s
4	And the user enters their email as 'sa7997@gmail.com'	PASSED	0.297 s
5	And the user enters their password as 'Qs'	PASSED	0.164 s
6	And the user click on create button	PASSED	10.387 s
7	Then the user should see the status as "Password is too short (minimum is 5 characters)" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [c9df3190581ad1098d3074a5d8f09361, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9532}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9532/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9df3190581ad1098d3074a5d8f09361 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.061 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password is too short (minimum is 5 characters)"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.241 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.129 s
2	When the user enters their first name as 'User'	PASSED	0.280 s
3	And the user enters their last name as 'A'	PASSED	0.184 s
4	And the user enters their email as "	PASSED	1.209 s
5	And the user enters their password as 'Qseasfrr@123'	PASSED	0.131 s
6	And the user click on create button	PASSED	10.225 s
7	Then the user should see the status as "Email can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4fb445bb6282483dd3cec5a950c0da34, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDatadir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9697}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9697/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 4fb445bb6282483dd3cec5a950c0da34 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.169 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Email can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	4.674 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9e458803a52ded22fc091002fcb2aed, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities </pre>	FAILED	3.032 s

#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9900}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9900/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9e458803a52ded22fc091002fcbaed at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'.</pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.000 s
3	And the user enters their last name as 'A'	SKIPPED	0.001 s
4	And the user enters their email as "	SKIPPED	0.001 s
5	And the user enters their password as 'Qseasfr@123'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "Email can't be blank."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	0.729 s
	To test the SignUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ae50aff46e3993c07a0be13dadf323c8, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:9961}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:9961/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ae50aff46e3993c07a0be13dadf323c8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	3.597 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.001 s
3	And the user enters their last name as 'A'	SKIPPED	0.000 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as 'Qseasfr@123'	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.002 s
7	Then the user should see the status as "Email can't be blank."	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SignUp functionality of Chiltern Oak page	PASSED	0.785 s


To test the SignUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e09f6f2d7593443134a8b7269750c604, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10025}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10025/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e09f6f2d7593443134a8b7269750c604 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5)</pre> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	3.057 s
2	When the user enters their first name as 'User'	SKIPPED	0.001 s
3	And the user enters their last name as 'A'	SKIPPED	0.000 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as 'Qseasfrr@123'	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "Email can't be blank."	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SignUp functionality of Chiltern Oak page	PASSED	0.803 s


To test the SignUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	6.097 s
2	When the user enters their first name as 'User'	PASSED	0.164 s
3	And the user enters their last name as "	PASSED	0.666 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.898 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.267 s
6	And the user click on create button	PASSED	11.083 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.ChromeDriver Command: [866159a690217948f429c7ea0e6c4cbe, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10110}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:	FAILED	0.086 s

#	Step / Hook Details	Status	Duration
	<pre> ws://localhost:10110/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 866159a690217948f429c7ea0e6c4cbe at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.604 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ee55f1c6a33d52adf376ff612f5be981, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10264}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10264/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ee55f1c6a33d52adf376ff612f5be981 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	6.331 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'.		
2	When the user enters their first name as 'User'	SKIPPED	0.000 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	SKIPPED	0.001 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.008 s
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.568 s
	To test the SigUp functionality of Chiltern Oak page		

To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27eb95aff8a16962cff8ef9841cc2597, findElement {using=link text, value>New customer? Sign up for an account}] Capabilities	FAILED	31.249 s


#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10335}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10335/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27eb95aff8a16962cff8ef9841cc2597 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'.</pre>		
2	When the user enters their first name as 'User'	SKIPPED	0.003 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	SKIPPED	0.008 s
5	And the user enters their password as 'Qsesafrr'	SKIPPED	0.002 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "This email address is already associated with an account."	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	6.038 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 27.295 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 6:52:26.049 pm // 6:52:53.344 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.510 s
2	When the user enters their first name as 'User'	PASSED	0.539 s
3	And the user enters their last name as "	PASSED	0.437 s
4	And the user enters their email as 'wsfagfhgra@gmail.com'	PASSED	0.241 s
5	And the user enters their password as 'Qsesafrr'	PASSED	0.308 s
6	And the user click on create button	PASSED	12.315 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [642f25a00283ce81d8672ef0e2922bf6, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10498}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10498/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 642f25a00283ce81d8672ef0e2922bf6 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)	FAILED	0.090 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.425 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.495 s
2	When the user enters their first name as "	PASSED	0.156 s
3	And the user enters their last name as "	PASSED	0.071 s
4	And the user enters their email as "	PASSED	0.131 s
5	And the user enters their password as "	PASSED	0.071 s
6	And the user click on create button	PASSED	12.563 s
7	Then the user should see the status as "Password can't be blank." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f3828c37ae7d76ebf5e1752025e85179, findElement {using>xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10617/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f3828c37ae7d76ebf5e1752025e85179 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)	FAILED	0.082 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "Password can't be blank."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.990 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cd641f21faf9ebe419e727f843657382, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities </pre>	FAILED	4.256 s

#	Step / Hook Details	Status	Duration
	<pre>{ acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10754}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10754/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cd641f21faf9ebe419e727f843657382 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'.</pre>		
2	When the user enters their first name as "	SKIPPED	0.002 s
3	And the user enters their last name as "	SKIPPED	0.003 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as "	SKIPPED	0.002 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "Password can't be blank."	SKIPPED	0.001 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	3.594 s
	To test the SignUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [922325ccf6c8f8c6cdaba429a95b6b0f, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10885}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10885/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 922325ccf6c8f8c6cdaba429a95b6b0f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</pre>	FAILED	3.184 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When the user enters their first name as "	SKIPPED	0.000 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as "	SKIPPED	0.001 s
5	And the user enters their password as "	SKIPPED	0.001 s
6	And the user click on create button	SKIPPED	0.000 s
7	Then the user should see the status as "Password can't be blank."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.616 s
	To test the SigUp functionality of Chiltern Oak page		


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the signup page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"New customer? Sign up for an account"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d16ee339983250c73d307f278a8339d3, findElement {using=link text, value=New customer? Sign up for an account}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Ro...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:10953}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:10953/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d16ee339983250c73d307f278a8339d3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</pre>	FAILED	27.526 s


#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy44.click(Unknown Source) at com.project.rll.pages.SignUpPage.clicSignUpLink(SignUpPage.java:56) at com.project.rll.steps.SignUpStepDefs.user_navigates_to_the_signup_page(SignUpStepDefs.java:21) at ?.user navigates to the signup page(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:5) * Not displayable characters are replaced by '?'. 2 When the user enters their first name as " 3 And the user enters their last name as " 4 And the user enters their email as " 5 And the user enters their password as " 6 And the user click on create button 7 Then the user should see the status as "Password can't be blank."		
2	When the user enters their first name as "	SKIPPED	0.001 s
3	And the user enters their last name as "	SKIPPED	0.000 s
4	And the user enters their email as "	SKIPPED	0.000 s
5	And the user enters their password as "	SKIPPED	0.000 s
6	And the user click on create button	SKIPPED	0.001 s
7	Then the user should see the status as "Password can't be blank."	SKIPPED	0.000 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page	PASSED	2.416 s

To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.803 s
2	When the user enters their first name as 'User'	PASSED	0.297 s
3	And the user enters their last name as 'A'	PASSED	0.700 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.461 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.425 s


#	Step / Hook Details	Status	Duration
6	And the user click on create button	PASSED	10.130 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f9637a6b5d2cbe1c19dc495892db5bea, findElement {using=xpath, value="//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:11061}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:11061/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f9637a6b5d2cbe1c19dc495892db5bea at jdk.internal.reflect.GeneratedConstructorAccessor48.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/ Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.106 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	2.103 s
	To test the SigUp functionality of Chiltern Oak page		

#	Step / Hook Details	Status	Duration
			


To test the SigUp functionality of Chiltern Oak page

FAILED	DURATION - 31.045 s		Steps Total - 7 Pass - 6 Fail - 1 Skip - 0	
/ 6:55:41.740 pm // 6:56:12.785 pm /				
SignUp fuctionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.034 s
2	When the user enters their first name as 'User'	PASSED	0.330 s
3	And the user enters their last name as 'A'	PASSED	0.075 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.205 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.133 s
6	And the user click on create button	PASSED	12.931 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [60ee8a8511961aff346f371634e7560f, findElement {using=xpath, value=//div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:11223}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:11223/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 60ee8a8511961aff346f371634e7560f at jdk.internal.reflect.GeneratedConstructorAccessor48.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	FAILED	1.870 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	1.507 s


To test the SigUp functionality of Chiltern Oak page



#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	5.903 s
2	When the user enters their first name as 'User'	PASSED	0.208 s
3	And the user enters their last name as 'A'	PASSED	0.180 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.384 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.153 s
6	And the user click on create button	PASSED	10.104 s
7	<p>Then the user should see the status as "This email address is already associated with an account."</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [54136082eeeea77221b76d3bf3527d811, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:11400}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:11400/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 54136082eeeea77221b76d3bf3527d811 at jdk.internal.reflect.GeneratedConstructorAccessor48.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/)</pre>	FAILED	0.090 s

#	Step / Hook Details	Status	Duration
	Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) To test the SigUp functionality of Chiltern Oak page 	PASSED	1.136 s


To test the SigUp functionality of Chiltern Oak page




#	Step / Hook Details	Status	Duration
1	Given user navigates to the signup page	PASSED	4.068 s
2	When the user enters their first name as 'User'	PASSED	0.179 s
3	And the user enters their last name as 'A'	PASSED	0.916 s
4	And the user enters their email as 'wsgjhfa012@gmail.com'	PASSED	0.151 s
5	And the user enters their password as 'Qasfserr@123'	PASSED	0.096 s
6	And the user click on create button	PASSED	12.624 s
7	Then the user should see the status as "This email address is already associated with an account." org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='errors']/ul/li"} (Session info: chrome=122.0.6261.70) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [78265dd16570b989246aa54ae6bb7db, findElement {using=xpath, value=/div[@class='errors']/ul/li}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.70, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\Karthik\AppData\Lo...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:11566}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:11566/devtoo..., se:cdpVersion: 122.0.6261.70, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, explicit: 0, script: 300000}, unhandledPromptBehavior: dismiss, webauthn: {allowInsecureAuthn: false, requireResidentKey: false}}	FAILED	0.126 s

#	Step / Hook Details	Status	Duration
	<pre>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 78265dd16570b989246aa54aeef6bb7db at jdk.internal.reflect.GeneratedConstructorAccessor48.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy44.getText(Unknown Source) at com.project.rll.pages.SignUpPage.validate_confirm(SignUpPage.java:104) at com.project.rll.steps.SignUpStepDefs.the_user_should_see_the_status_as(SignUpStepDefs.java:63) at ?.the user should see the status as "This email address is already associated with an account."(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Asignup.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>To test the SigUp functionality of Chiltern Oak page</p> 	PASSED	1.135 s

Login Functionality




User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	24.775 s
2	When user enters username and password by giving "login" and 1	PASSED	3.258 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.071 s


User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.223 s

#	Step / Hook Details	Status	Duration
2	When user enters username and password by giving "login" and 2	PASSED	4.613 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	FAILED	0.046 s
		PASSED	1.779 s


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.641 s
2	When user enters username and password by giving "login" and 2	PASSED	3.669 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]>	FAILED	0.064 s

#	Step / Hook Details	Status	Duration
	<pre>at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)</p> <p>User login with different credentials by using excel</p> 	PASSED	3.636 s


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.003 s
2	When user enters username and password by giving "login" and 2	PASSED	3.845 s
3	And clicks the login button	PASSED	0.000 s
4	<p>Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"</p> <pre>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.</pre>	FAILED	0.019 s

#	Step / Hook Details	Status	Duration
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.127 s



User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.383 s
2	When user enters username and password by giving "login" and 2	PASSED	4.174 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.025 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	PASSED	1.315 s
	User login with different credentials by using excel		


#	Step / Hook Details	Status	Duration
			

User login with different credentials by using excel

FAILED	DURATION - 16.836 s		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 6:59:46.523 pm // 7:00:03.359 pm /				
Login Functionality				
@chilternoak @login				


#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.898 s
2	When user enters username and password by giving "login" and 3	PASSED	3.661 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/ Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.037 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.246 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.869 s
2	When user enters username and password by giving "login" and 3	PASSED	3.380 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/ login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.028 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	2.488 s

User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.142 s
2	When user enters username and password by giving "login" and 3	PASSED	3.131 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.018 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.163 s


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	3.261 s
2	When user enters username and password by giving "login" and 3	PASSED	3.389 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" <i>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.058 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.264 s


User login with different credentials by using excel






#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.107 s
2	When user enters username and password by giving "login" and 4	PASSED	4.509 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.029 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	2.174 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.899 s
2	When user enters username and password by giving "login" and 4	PASSED	3.654 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" <i>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.032 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.503 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.729 s
2	When user enters username and password by giving "login" and 4	PASSED	4.999 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'. AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario)	FAILED	0.045 s
	User login with different credentials by using excel	PASSED	3.203 s

User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	4.829 s
2	When user enters username and password by giving "login" and 4	PASSED	3.702 s
3	And clicks the login button	PASSED	0.002 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.039 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel 	PASSED	1.184 s


User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.152 s
2	When user enters username and password by giving "login" and 5	PASSED	4.298 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.036 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.268 s


User login with different credentials by using excel





#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	1.654 s
2	When user enters username and password by giving "login" and 5	PASSED	3.446 s
3	And clicks the login button	PASSED	0.000 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" <i>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.022 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.627 s
			


User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.777 s
2	When user enters username and password by giving "login" and 5	PASSED	3.407 s
3	And clicks the login button	PASSED	0.015 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" <i>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.117 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.301 s


User login with different credentials by using excel






#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.441 s
2	When user enters username and password by giving "login" and 5	PASSED	4.686 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount" <i>junit.framework.ComparisonFailure: expected:<...noakfurniture.co.uk/[challenge]> but was:<...noakfurniture.co.uk/[account/login?return_url=%2Faccount]></i> at junit.framework.Assert.assertEquals(Assert.java:100) at junit.framework.Assert.assertEquals(Assert.java:107) at com.project.rll.steps.LoginStepDefs.verify_user_is_able_to_login_checking(LoginStepDefs.java:60) at ?.verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/Blogin.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.046 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) User login with different credentials by using excel	PASSED	1.357 s

User login with different credentials by using excel



#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.249 s
2	When user enters username and password by giving "login" and 6	PASSED	1.994 s
3	And clicks the login button	PASSED	0.022 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.116 s

User login with different credentials by using excel




#	Step / Hook Details	Status	Duration
1	Given user navigates to the login page	PASSED	2.031 s
2	When user enters username and password by giving "login" and 7	PASSED	1.510 s
3	And clicks the login button	PASSED	0.001 s
4	Then verify user is able to login checking "https://www.chilternoakfurniture.co.uk/account/login?return_url=%2Faccount"	PASSED	0.023 s

Product Search Functionality




Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.061 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.267 s
3	And I click on the search button	PASSED	3.055 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateResults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.172 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results 	PASSED	0.600 s


Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.002 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.206 s
3	And I click on the search button	PASSED	2.618 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateResults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.056 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results 	PASSED	0.641 s


Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.383 s
3	And I click on the search button	PASSED	1.699 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.046 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results 	PASSED	1.045 s

Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Mirror' in the search bar	PASSED	0.177 s
3	And I click on the search button	PASSED	2.764 s
4	Then validate '83 results found' are found or not java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at com.project.rll.steps.Searchsteps.validateresults_are_found_or_not(Searchsteps.java:48) at ?.validate '83 results found' are found or not(file:///C:/Users/Karthik/eclipse-workspace/Chiltern-Oak/src/test/resource/Features/CSearch.feature:8) * Not displayable characters are replaced by '?'.	FAILED	0.201 s
	AFTER - com.project.rll.steps.BaseTest.tearDown(io.cucumber.java.Scenario) Enter search term and verify results 	PASSED	0.803 s

Enter search term and verify results

PASSED	DURATION - 14.066 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:05:52.626 pm // 7:06:06.692 pm /				
Product Search Functionality				
@chilternoak @search				


#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.028 s
2	When I enter a product name as " in the search bar	PASSED	0.460 s
3	And I click on the search button	PASSED	2.248 s
4	Then validate 'Search – Chiltern Oak Furniture' are found or not	PASSED	0.031 s

Enter search term and verify results

PASSED	DURATION - 9.780 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 7:06:06.745 pm // 7:06:16.525 pm /				
Product Search Functionality				
@chilternoak @search				


#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.003 s
2	When I enter a product name as 'Pencil' in the search bar	PASSED	0.360 s
3	And I click on the search button	PASSED	2.683 s
4	Then validate '0 results found' are found or not	PASSED	0.031 s

Enter search term and verify results





#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.001 s
2	When I enter a product name as 'Kabinats' in the search bar	PASSED	0.162 s
3	And I click on the search button	PASSED	2.731 s
4	Then validate '0 results found' are found or not	PASSED	0.071 s

Enter search term and verify results




#	Step / Hook Details	Status	Duration
1	Given I open the browser and enter the URL	PASSED	0.006 s
2	When I enter a product name as 'Banbury White Painted 2 Door Wardrobe with Drawers' in the search bar	PASSED	0.660 s
3	And I click on the search button	PASSED	2.350 s
4	Then validate '1 result found' are found or not	PASSED	0.046 s

Test cart functionality


**add to cart**

#	Step / Hook Details	Status	Duration
1	Given user search sofa	PASSED	5.836 s
2	Then add to cart	PASSED	4.169 s
3	Then validate with added product count	PASSED	0.150 s
4	Then remove from the cart	PASSED	6.212 s
5	Then validate product is removed	PASSED	0.032 s

add 3 different products to cart1


#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	5.135 s
2	Then add to cart and continue	PASSED	8.435 s
3	Then user search sofa	PASSED	6.240 s
4	Then add to cart and continue	PASSED	8.271 s
5	Then user search Tv unit	PASSED	5.794 s
6	Then add to cart	PASSED	4.190 s
7	Then validate multiple products are added	PASSED	0.105 s

add to cart an invalid item



#	Step / Hook Details	Status	Duration
1	Given user search NoteBook	PASSED	7.675 s
2	Then validate invalid item	PASSED	0.030 s


Increasing the quantity of item




#	Step / Hook Details	Status	Duration
1	Given user search table	PASSED	5.825 s

#	Step / Hook Details	Status	Duration
2	Then add to cart	PASSED	4.386 s
3	Then incresing the quantity	PASSED	5.326 s
4	Then validate the item quantity increased	PASSED	0.259 s

Filter functionality




Filter Functionality search the product




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.088 s
2	And search the product	PASSED	4.196 s
3	Then added filter successfully	PASSED	0.002 s

Filter Functionality for choose style




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.001 s
2	And search the product	PASSED	5.060 s
3	And choose the style	PASSED	3.178 s
4	Then added filter successfully	PASSED	0.003 s

Filter Functionality for drag the price




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.003 s
2	And search the product	PASSED	4.906 s
3	And drag the price element	PASSED	4.002 s
4	And choose the style	PASSED	3.144 s
5	Then added filter successfully	PASSED	0.001 s

Filter Functionality for choose color




#	Step / Hook Details	Status	Duration
1	Given user navigates to the website chilternoakfurniture.co.uk	PASSED	0.002 s
2	And search the product	PASSED	4.142 s
3	And drag the price element	PASSED	3.530 s
4	And choose the color	PASSED	3.162 s
5	Then added filter successfully	PASSED	0.000 s

Test Chilternoak Furniture contact us page




Testing of ContactUs Page





#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.028 s
2	When I click on ContactUs link	PASSED	4.618 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.004 s
4	And I entered name as 'User' on the page	PASSED	2.394 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.126 s
6	And I entered phone no as '1234567891' on the page	PASSED	2.094 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.175 s
8	Then I click on send button	PASSED	11.806 s
9	Then It should be navigated to Expected Url	PASSED	0.059 s

Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.007 s
2	When I click on ContactUs link	PASSED	3.137 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.003 s
4	And I entered name as 'User' on the page	PASSED	2.179 s
5	And I entered email id as " on the page	PASSED	2.087 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.109 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.248 s
8	Then I click on send button	PASSED	11.865 s
9	Then It should be navigated to Expected Url	PASSED	0.026 s

Testing of ContactUs Page

PASSED	DURATION - 33.568 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 7:10:54.446 pm // 7:11:28.014 pm /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.005 s
2	When I click on ContactUs link	PASSED	3.133 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as " on the page	PASSED	2.098 s
5	And I entered email id as " on the page	PASSED	2.074 s
6	And I entered phone no as " on the page	PASSED	2.078 s
7	And I entered message as " on the page	PASSED	2.066 s
8	Then I click on send button	PASSED	13.663 s
9	Then It should be navigated to Expected Url	PASSED	0.016 s


Testing of ContactUs Page

PASSED	DURATION - 30.752 s		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 7:11:28.130 pm // 7:11:58.882 pm /				
Test Chilternoak Furniture contact us page				
@contactus @chilternoak				

#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.010 s
2	When I click on ContactUs link	PASSED	3.493 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.002 s
4	And I entered name as " on the page	PASSED	2.102 s


#	Step / Hook Details	Status	Duration
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.124 s
6	And I entered phone no as '1243567891' on the page	PASSED	2.079 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.216 s
8	Then I click on send button	PASSED	11.652 s
9	Then It should be navigated to Expected Url	PASSED	0.017 s

Testing of ContactUs Page




#	Step / Hook Details	Status	Duration
1	Given I am on Chilternoak Furniture Homepage	PASSED	0.008 s
2	When I click on ContactUs link	PASSED	3.579 s
3	Then I will be on ContactUs Page and Capture the title of the page	PASSED	0.001 s
4	And I entered name as 'User' on the page	PASSED	2.148 s
5	And I entered email id as 'user@gmail.com' on the page	PASSED	2.450 s
6	And I entered phone no as " on the page	PASSED	2.285 s
7	And I entered message as 'Hi, This is excellent product looking forward for many like this' on the page	PASSED	2.394 s
8	Then I click on send button	PASSED	11.748 s
9	Then It should be navigated to Expected Url	PASSED	0.013 s

Subscribe Feature




Subscribe scenario with differe set of data




#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.052 s
2	When user click Subscribe email text box	PASSED	0.189 s
3	When user fills the email as "saif"	PASSED	3.444 s
4	And user clicks on subscribe button	PASSED	2.131 s
5	Then it shows sucess message " https://www.chilternoakfurniture.co.uk/ "	PASSED	0.017 s

Subscribe scenario with differe set of data




#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.001 s
2	When user click Subscribe email text box	PASSED	0.822 s
3	When user fills the email as "saif."	PASSED	2.688 s
4	And user clicks on subscribe button	PASSED	2.186 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.030 s

Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.005 s
2	When user click Subscribe email text box	PASSED	0.599 s
3	When user fills the email as ""	PASSED	2.574 s
4	And user clicks on subscribe button	PASSED	2.243 s
5	Then it shows sucess message "https://www.chilternoakfurniture.co.uk/"	PASSED	0.036 s

Subscribe scenario with differe set of data



#	Step / Hook Details	Status	Duration
1	Given user in homepage	PASSED	0.001 s
2	When user click Subscribe email text box	PASSED	0.869 s
3	When user fills the email as "saif@gmail.com"	PASSED	2.522 s
4	And user clicks on subscribe button	PASSED	4.387 s
5	Then it shows sucess message " https://www.chilternoakfurniture.co.uk/challenge#footer_signup_form "	PASSED	0.015 s