In [1]:
```
import pandas as pd
from matplotlib import pyplot as plt
%matplotlib inline
```

In [2]:
```
df=pd.read_csv(r"C:\Users\SASIDHAR ROYAL\Downloads\Income.csv")
df
```

Out[2]:

	Gender	Age	Income($)
0	Male	19	15
1	Male	21	15
2	Female	20	16
3	Female	23	16
4	Female	31	17
...	...	...	...
195	Female	35	120
196	Female	45	126
197	Male	32	126
198	Male	32	137
199	Male	30	137

200 rows × 3 columns

In [3]:
```
df.head()
```

Out[3]:

	Gender	Age	Income($)
0	Male	19	15
1	Male	21	15
2	Female	20	16
3	Female	23	16
4	Female	31	17

In [4]:
```
df.tail()
```

Out[4]:

	Gender	Age	Income($)
195	Female	35	120
196	Female	45	126
197	Male	32	126
198	Male	32	137
199	Male	30	137

In [5]:
```
plt.scatter(df["Age"],df["Income($)"])
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[5]:
```
Text(0, 0.5, 'Income($)')
```



In [6]:
```
from sklearn.cluster import KMeans
km=KMeans()
km
```

Out[6]:
```
KMeans()
```
In a Jupyter environment, please rerun this cell to show the HTML representation or trust the notebook.
On GitHub, the HTML representation is unable to render, please try loading this page with nbviewer.org.

In [7]:
```
y_predicted=km.fit_predict(df[["Age","Income($)"]])
y_predicted
```

```
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: Fu
tureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitl
y to suppress the warning
  warnings.warn(
```

Out[7]:
```
array([2, 2, 2, 2, 2, 2, 2, 2, 0, 2, 0, 2, 0, 2, 2, 2, 2, 2, 0, 2, 2, 2,
       0, 2, 0, 2, 0, 2, 2, 2, 0, 2, 0, 2, 0, 2, 0, 2, 2, 2, 0, 2, 0, 2,
       0, 2, 0, 2, 2, 2, 0, 2, 3, 0, 0, 0, 0, 7, 3, 0, 7, 3, 7, 0, 7, 3,
       0, 7, 3, 3, 7, 0, 7, 7, 7, 3, 4, 4, 3, 4, 7, 3, 7, 4, 3, 4, 7, 3,
       3, 4, 7, 3, 4, 4, 3, 3, 4, 3, 4, 3, 3, 4, 7, 3, 4, 3, 7, 4, 7, 7,
       7, 3, 4, 3, 3, 3, 7, 4, 4, 4, 3, 4, 4, 4, 1, 1, 4, 4, 4, 4, 4, 4,
       1, 1, 1, 1, 4, 1, 1, 1, 4, 1, 1, 1, 1, 1, 4, 1, 1, 1, 1, 1, 4, 1,
       4, 1, 1, 1, 1, 1, 4, 1, 1, 1, 5, 1, 5, 1, 1, 1, 5, 1, 1, 1, 5, 1,
       5, 1, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 6, 6, 6, 6, 6, 6,
       6, 6])
```

In [8]:
```
df["cluster"]=y_predicted
df.head()
```

Out[8]:

	Gender	Age	Income($)	cluster
0	Male	19	15	2
1	Male	21	15	2
2	Female	20	16	2
3	Female	23	16	2
4	Female	31	17	2

In [9]:
```
df1=df[df.cluster==0]
df2=df[df.cluster==1]
df3=df[df.cluster==2]
plt.scatter(df1["Age"],df1["Income($)"],color="red")
plt.scatter(df2["Age"],df2["Income($)"],color="green")
plt.scatter(df3["Age"],df3["Income($)"],color="blue")
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[9]:
```
Text(0, 0.5, 'Income($)')
```



In [10]:
```
from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler()
scaler.fit(df[["Income($)"]])
df["Income($)"]=scaler.transform(df[["Income($)"]])
df.head()
```

Out[10]:

	Gender	Age	Income($)	cluster
0	Male	19	0.000000	2
1	Male	21	0.000000	2
2	Female	20	0.008197	2
3	Female	23	0.008197	2
4	Female	31	0.016393	2

In [11]:
```
scaler.fit(df[["Age"]])
df["Age"]=scaler.transform(df[["Age"]])
df.head()
```

Out[11]:

	Gender	Age	Income($)	cluster
0	Male	0.019231	0.000000	2
1	Male	0.057692	0.000000	2
2	Female	0.038462	0.008197	2
3	Female	0.096154	0.008197	2
4	Female	0.250000	0.016393	2

In [12]:
```
km=KMeans()
```

In [13]:
```
y_predicted=km.fit_predict(df[["Age","Income($)"]])
y_predicted
```

```
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
```

Out[13]:
```
array([2, 2, 2, 2, 7, 2, 7, 2, 0, 7, 0, 7, 3, 2, 7, 2, 7, 2, 3, 7, 7, 2,
       3, 7, 3, 7, 3, 7, 7, 2, 0, 2, 3, 2, 3, 2, 3, 7, 7, 2, 0, 2, 3, 7,
       3, 2, 3, 7, 7, 7, 3, 7, 7, 0, 3, 3, 3, 0, 7, 3, 0, 1, 0, 3, 0, 1,
       3, 0, 1, 7, 0, 3, 0, 0, 0, 1, 3, 3, 1, 3, 0, 6, 0, 3, 1, 3, 3, 1,
       6, 3, 0, 1, 4, 6, 6, 1, 4, 1, 4, 1, 1, 4, 0, 1, 4, 1, 0, 4, 0, 0,
       0, 1, 6, 1, 1, 1, 0, 4, 4, 4, 1, 6, 6, 6, 1, 6, 4, 6, 4, 6, 4, 6,
       1, 6, 1, 6, 4, 6, 1, 6, 4, 6, 6, 6, 1, 6, 4, 6, 6, 6, 4, 6, 4, 6,
       4, 6, 6, 6, 6, 6, 4, 6, 1, 6, 4, 6, 4, 6, 6, 6, 6, 6, 6, 6, 4, 6,
       4, 6, 4, 6, 5, 5, 4, 5, 5, 5, 4, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5, 5,
       5, 5])
```

In [14]:
```
df["New Cluster"]=y_predicted
df.head()
```

Out[14]:

	Gender	Age	Income($)	cluster	New Cluster
0	Male	0.019231	0.000000	2	2
1	Male	0.057692	0.000000	2	2
2	Female	0.038462	0.008197	2	2
3	Female	0.096154	0.008197	2	2
4	Female	0.250000	0.016393	2	7

In [15]:
```
df1=df[df["New Cluster"]==0]
df2=df[df["New Cluster"]==1]
df3=df[df["New Cluster"]==2]
plt.scatter(df1["Age"],df1["Income($)"],color="red")
plt.scatter(df2["Age"],df2["Income($)"],color="green")
plt.scatter(df3["Age"],df3["Income($)"],color="blue")
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[15]:
```
Text(0, 0.5, 'Income($)')
```



In [16]:
```
km.cluster_centers_
```

Out[16]:
```
array([[0.89799331, 0.28011404],
       [0.06923077, 0.38786885],
       [0.07239819, 0.08003857],
       [0.5954142 , 0.2203657 ],
       [0.61094675, 0.49401009],
       [0.32905983, 0.78551913],
       [0.3059034 , 0.50247808],
       [0.27884615, 0.13040238]])
```

In [17]:
```
df1=df[df["New Cluster"]==0]
df2=df[df["New Cluster"]==1]
df3=df[df["New Cluster"]==2]
plt.scatter(df1["Age"],df1["Income($)"],color="red")
plt.scatter(df2["Age"],df2["Income($)"],color="green")
plt.scatter(df3["Age"],df3["Income($)"],color="blue")
plt.scatter(km.cluster_centers_[:,0],km.cluster_centers_[:,1],color="orange",marker="+")
plt.xlabel("Age")
plt.ylabel("Income($)")
```

Out[17]:
```
Text(0, 0.5, 'Income($)')
```



In [18]:
```
k_rng=range(1,10)
sse=[]
```

In [19]:
```
for k in k_rng:
 km=KMeans(n_clusters=k)
 km.fit(df[["Age","Income($)"]])
 sse.append(km.inertia_)
#km.inertia_ will give you the value of sum of square error
print(sse)
plt.plot(k_rng,sse)
plt.xlabel("K")
plt.ylabel("Sum of Squared Error")
```

```
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(
C:\Users\SASIDHAR ROYAL\AppData\Local\Programs\Python\Python311\Lib\site-packages\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicitly to suppress the warning
  warnings.warn(

[23.583906150363603, 13.028938428018286, 7.492107868586012, 6.055824667599623, 4.733776701093291, 3.8637424389285555, 3.054717436369358, 2.6468018962474797, 2.314503013230135]
```

Out[19]:
```
Text(0, 0.5, 'Sum of Squared Error')
```



In [ ]: