
 <p>Sri Lanka Telecom One Country. One Voice.</p>	<p>Specification for OSP Material L Hook OQMS SGD 014</p>	<p>Issue No. : 01 Date of Issue : 30-May-2012 Revision No. : Nil Date of Revision : Nil Page : 1 of 4</p>
--	--	---

Table of Contents

1	Scope.....	2
2	References	2
3	Materials and Construction	2
4	Characteristics and Requirements	2
5	Marking	2
5.1	Manufacturer's Name	2
5.2	Month and year of Manufacture	2
5.3	SLT Logo	2
6	Methods of Test	3
6.1	Test Conditions –	3
6.2	Preliminary Sample Test - field	3
6.3	Secondary Test - Field	3
6.4	Compliance Sheet	3



 <p>Sri Lanka Telecom One Country. One Voice.</p>	<p align="center">Specification for OSP Material L Hook OQMS SGD 014</p>	<p>Issue No. : 01 Date of Issue : 30-May-2012 Revision No. : Nil Date of Revision : Nil Page : 2 of 4</p>
--	---	---

1 Scope

This specification covers requirement for use with to serve out the drop wire from pole / DP towards customer by providing to be used as the anchorage to keep the drop wire taught – through the retainer. It can be held with an arm bolt to the pole.

2 References

OSP Manual - 2009

3 Materials and Construction

The mounting plate is to be made of steel plate (SS41) and the entire set has to be hot dipped galvanized. The hook shall be butt-riveted or welded to the plate. The design shall confirm to ISO R 630 Fe 430.

4 Characteristics and Requirements

The mounting plate is to be made of steel plate (SS41) and the entire set has to be hot dipped galvanized. The hook shall be butt-riveted or welded to the plate. The design shall confirm to ISO R 630 Fe 430.

It is necessary to galvanize the item from M/s Lanka Transformer Ltd to confirm that the item is galvanized properly.

5 Marking


The following indelible marking shall be made on the surface of the L-shaped Hook and be clearly seen.

5.1 Manufacturer's Name

5.2 Month and year of Manufacture

5.3 SLT Logo

Current valid logo shall be obtained from SLT Procurement Division for tender purposes.

 <p>Sri Lanka Telecom One Country. One Voice.</p>	<p>Specification for OSP Material L Hook OQMS SGD 014</p>	<p>Issue No. : 01 Date of Issue : 30-May-2012 Revision No. : Nil Date of Revision : Nil Page : 3 of 4</p>
--	--	---

6 Methods of Test

6.1 Test Conditions –


Drawing compliance shall be checked by the Quality Assurance at the reception of material


6.2 Preliminary Sample Test - field

6.3 Secondary Test - Field

6.4 Compliance Sheet

Condition	Standard values	Test Values	Remarks
Max. Load to withstand	340Kg		
Galvanized properly			
Marking			
Manufacturer's Name			
SLT Logo			
Date of Manufacture			
Dimensions are according to the Specifications (if not state below)			

 <p>Sri Lanka Telecom One Country. One Voice.</p>	<p>Specification for OSP Material</p> <p>L Hook</p> <p>OQMS SGD 014</p>	<p>Issue No. : 01</p> <p>Date of Issue : 30-May-2012</p> <p>Revision No. : Nil</p> <p>Date of Revision : Nil</p> <p>Page : 4 of 4</p>
--	--	---



Drawing 1